

Huawei.H13-611_V4.5.v2022-05-18.q102

Exam Code:	H13-611_V4.5
Exam Name:	HCIA-Storage V4.5
Certification Provider:	Huawei
Free Question Number:	102
Version:	v2022-05-18
# of views:	1845
# of Questions views:	1020
https://www.freeqas.com/qa/Huawei/H13-611_V4.5/Huawei.H13-611_V4.5.v2022-05-18.q102.html	

NEW QUESTION: 1

In a RAID 5 composed of three disks, if 10110110 and 11010011 are written to two data disks forming the same strip at the same time, then 01100101 will be written to the parity disk.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 2

The Smart Cache feature in Huawei OceanStor V3 series products can only improve read performance, not write performance.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

Which of the following are Huawei storage solutions? (Multiple Choice)

- A. Backup solution
- B. Archiving solutions
- C. Copy solution
- D. Disaster recovery solution

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

Which of the following is the advantage of object storage? (Multiple choice)

- A. External SCSI or file interface
- B. Flat objects, easy to access and extend
- C. Improved data integrity and security

D. Object interface, flexible data segmentation

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

During routine maintenance of the storage device, Engineer A entered a command such as "change user user_name=new user level=admin" through the CLI.

Which of the following statements is correct about this command? (Multiple Choice)

- A. The object to perform the operation is: user_name
- B. The attribute of the object that performs the operation is: user
- C. The operation performed is: change
- D. The modified user level is: admin

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

In an enterprise IP SAN network, the host resource occupancy rate is always high. After investigation, it is found that the Initiator software in the host occupies a large amount of resources to complete the conversion of iSCSI packets to TCP/IP packets. The enterprise engineer proposed several types of storage Network upgrade solutions, which of the following solutions can solve the above problems? (Multiple Choice)

- A. Upgrade 10GE network to 25GE network
- B. Upgrade NIC card to iSCSI HBA card
- C. Expansion of storage devices
- D. Upgrade NIC card to TO ENIC card

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 7

Hyper clone consistency must be configured when the Huawei Ocean hybrid flash memory system is created in Hyper Clone.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 8

The NAS engine and the storage unit are interconnected by an Ethernet switch.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 9

Among flash memory media chips, QLC is lower in cost than TCL, supports frequent rewriting, can provide high-speed read and write rates, and is suitable for server memory.

A. False

B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 10

Banking is the most demanding industry in enterprise IT-level systems. For its core transaction business systems, entry-level business systems are generally used to ensure business reliability.

A. False

B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

Which of the following statements about Smart Tier technology is correct?

A. NL-SAS hard disk speed is low, task response time is long, and the processing cost per unit storage request is low, so it is placed in the capacity layer.

B. Put NL-SAS hard disks in the performance layer

C. Put the SSD hard disk in the performance layer

D. Because the SSD hard disk has a short read and write time and high performance, it is placed in the high-performance layer.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 12

Which of the following descriptions of the relationship between the FC protocol and the SCSI protocol is wrong?

A. FC can transmit SCSI commands, data and status information units by constructing frames

B. FC or iSCSI protocol is used to carry SCSI protocol, which is an extension of SCSI protocol

C. SCSI is the upper layer protocol of FC 4, SCSI is a subset of FC protocol

D. FC is an alternative to SCSI

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 13

Which of the following are the goals of integrating artificial intelligence into storage? (Multiple Choice)

A. Simple

B. Easy to use

C. Efficient

D. High energy consumption

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 14

Which one of the following options is stored in a narrow-sense storage?

- A. Tape library
- B. Disk
- C. Disk array
- D. Disk cabinet

Answer: (SHOW ANSWER)

NEW QUESTION: 15

In the Huawei storage system, which of the following descriptions about the characteristics of virtual snapshot LUNs is correct? (Multiple choice)

- A. Complete data replication is not necessary
- B. Use the mapping table to find the data
- C. Snapshot LUN cannot be mapped to the host
- D. The storage system can generate a snapshot in a few seconds

Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 16

What steps did the high-end storage architecture go through? (Multiple Choice)

- A. Bus structure
- B. Virtual matrix
- C. Direct connection
- D. Hi-star architecture

Answer: A,B,C,D (LEAVE A REPLY)

Valid H13-611_V4.5 Dumps shared by PrepPdf.com for Helping Passing H13-611_V4.5 Exam! PrepPdf.com now offer the **newest H13-611_V4.5 exam dumps**, the PrepPdf.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-611_V4.5 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-611_V4.5-prepaway-exam-dumps.html (538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

If a user cares about reliability and random write performance, what RAID level would you recommend?

- A. RIAD 1
- B. RAID 10
- C. RAI DO
- D. RIAD 50

Answer: (SHOW ANSWER)

NEW QUESTION: 18

Regarding the commonly used components of ICT, which of the following statements is correct?
(Multiple choice)

- A. The switch is also called the switching hub, which mainly works on the three-layer network
- B. Hosts are also called servers, which refer to computers with higher specifications in some enterprises
- C. Common components of ICT include hosts, storage arrays, switches, and networks
- D. Storage array usually refers to the equipment that provides data storage

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 19

A bank needs to ensure data security and use it to transfer large databases.
Which storage network architecture is suitable for this bank?

- A. NAS
- B. IP SAN
- C. FC SAN
- D. DAS

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 20

What are the parameters that measure the performance of mechanical hard drives? (Multiple Choice)

- A. Hard disk speed
- B. Data transfer rate
- C. Hard disk capacity
- D. Average visit time

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 21

Regarding the characteristics of the four disaster recovery modes of active-active, hot standby, warm standby, and cold standby, which of the following statement is wrong?

- A. Hot standby mode requires the highest software cost.
- B. When the service is unavailable due to a data center failure, the hot standby and active-active modes can automatically switch services with software, while the warm standby mode requires manual intervention, and the cold standby mode requires strong manual intervention.
- C. The data center with the active-active mode has the shortest RTO time.
- D. The RTO time of the data center adopting the cold standby mode is long and unpredictable.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 22

iSCSI encapsulates SCSI commands and data description blocks into the iSCSI protocol.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 23

What is the function of using multi-path software? (Multiple choice)

- A. Failed path recovery
- B. Data recovery
- C. Load balancing of IO traffic
- D. Failure path switching

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

Xiao Wang, an employee of a small company, uses the CIFS protocol to access shared files on the Linux application server supported by his company's storage system.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

In the backup system, the backup data center needs to pass through the media server before it can be transferred to the storage system.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 26

When checking the hot data situation on a regular basis, which of the following features is the migration list for the hot data from the capacity tier to the high-performance tier?

- A. Hyper clone
- B. Smart Qos flow control
- C. Hypersnap snapshot
- D. Hyper replication
- E. Hyper metro dual-active
- F. Smart Tier

Answer: F ([LEAVE A REPLY](#))

NEW QUESTION: 27

Which of the following belong to the operation and maintenance standard system? (Multiple Choice)

- A. ITIL (Information Technology Infrastructure Library)
- B. ISO 2000 (International Organization for Standardization 2000)

- C. IEEE (Institute of Electrical and Electronics Engineers)
- D. SNIA (Storage Networking Industry Association)

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 28

In the NAS architecture environment, three hosts simultaneously read and write to a disk partition will bring about the problem of written data consistency.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 29

Which of the following storage system architectures has its own file system?

- A. NAS
- B. DAS
- C. FC SAN
- D. IPS AN

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 30

Which of the following descriptions about disaster recovery is wrong?

- A. Regardless of whether disaster recovery or backup solutions are used, the data of disaster recovery is unavoidable compared with the data at the time of system failure.
- B. The traditional use of software for data backup still has usage scenarios
- C. The restored data hope to meet the current work requirements immediately
- D. After the disaster, I hope to be able to access the backup on the remote device immediately

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 31

There are twos statements of fiber optic switches below, which is correct?

Statement 1: A port can be in multiple zones.

Statement 2: A switch can have multiple zones.

- A. Both Statement 1 and Statement 2 are correct
- B. Both Statement 1 and Statement 2 are wrong
- C. Statement 1 is wrong, Statement 2 is correct
- D. Statement 1 is correct, Statement 2 is wrong

Answer: ([SHOW ANSWER](#))

Valid H13-611_V4.5 Dumps shared by PrepPdf.com for Helping Passing H13-611_V4.5 Exam! PrepPdf.com now offer the **newest H13-611_V4.5 exam dumps**, the PrepPdf.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-611_V4.5 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-611_V4.5-prepaway-exam-dumps.html (538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 32

What are the NFS protocols? (Multiple Choice)

- A. NFS v 4
- B. NFS v 1
- C. NFS v 3
- D. NFS v 2

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 33

The process of regenerating all user data and parity data on the failed disk in the mirror array or RAID array is called:

- A. Recovery
- B. Refactoring
- C. Hot backup
- D. Recalculation

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 34

Which of the following statements are correct about flash memory particles? (Multiple Choice)

- A. In SLC, one cell can store 1 bit of data
- B. In QLC, one cell can store 3 bits of data
- C. In TLC, one cell can store 4 bits of data
- D. In MLC, one cell can store 2 bits of data

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 35

According to the physical location of the NAS engine and storage device, NAS is divided into _____. (Multiple choice)

- A. Gateway NAS
- B. Internal NAS
- C. System-NAS
- D. External NAS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

Distributed storage uses system storage on the cloud and only provides object storage. If you need file storage, you need to purchase NAS equipment separately.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 37

Taking OceanStor Huawei all-flash storage products as an example, which of the following descriptions of the indicators are correct? (Multiple Choice)

- A. The alarm indicator in the control box turns amber to indicate that there is a warning in the control box.
- B. The power button and power indicator must be separate.
- C. The frame is positioned in the controller frame. The indicator light is steady blue, indicating that the controller frame is being positioned.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 38

Which one of the following transmission protocols can be used without the switch?

- A. iSCSI protocol
- B. FCoE protocol
- C. SCSI protocol
- D. FC protocol

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 39

Which is wrong about the Huawei Oceanstor all-flash storage system?

- A. The data of each LUN is evenly distributed to the cache of all nodes
- B. A front-end intelligent shared IO module can be provided, and the host IO can be divided and sliced into LUNs and sent directly to the corresponding target controller
- C. When creating a LUN, plan the ownership of the LUN to achieve load balancing of the controllers in the system
- D. The caches of all controller nodes together form a global cache

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 40

What are the common time indicators to measure the reliability of a system? (Multiple choice)

- A. average time to failure
- B. average time between failures
- C. Reliability

D. Effective

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 41

What scenarios are supported by Huawei's full storage devices, such as OceanStor100D? (Multiple Choice)

- A. Distributed database
- B. Private Cloud
- C. Big data analysis
- D. Virtualization

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 42

The amount of data backed up by incremental backup is greater than that of differential backup.

- A. True
- B. False

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 43

Which is the correct description of the FTP file transfer protocol?

- A. Cannot be used in Linux scenarios
- B. Port 21 create control information by default
- C. Transmission based on TCP protocol
- D. Port 21 transmits data by default

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 44

Huawei storage deduplication feature, first write to disk, find free time to read and delete.

- A. FALSE
- B. TRUE

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 45

A company purchasing a set of Huawei storage services needs to provide file services while providing block services. Which of the following is correct?

- A. Support CIFS and NFS deployment on the same network
- B. Support AD domain environment
- C. Support non-domain environment
- D. CIFS/NFS are both C/S mode

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 46

There is a problem with the source LUN of remote replication, and the target LUN will take its place.

A. TRUE

B. FALSE

Answer: A ([LEAVE A REPLY](#))

Valid H13-611_V4.5 Dumps shared by PrepPdf.com for Helping Passing H13-611_V4.5 Exam! PrepPdf.com now offer the **newest H13-611_V4.5 exam dumps**, the PrepPdf.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-611_V4.5 dumps with Test Engine here: https://www.preppdf.com/Huawei/H13-611_V4.5-prepaway-exam-dumps.html (538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 47

When the Meteorological Center needs to store a large amount of satellite pictures and image data, and the amount of data will grow rapidly in a short period of time, due to the elastic expansion of cloud storage, the engineer recommends using the cloud storage platform.

A. True

B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 48

The QoS of the file system supports IO priority configuration and also supports policy configuration.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 49

When the RPO time requirement is at the minute level, the traditional tape backup method can be used.

A. True

B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 50

Which of the following descriptions of distributed storage are correct? (Multiple Choice)

A. Can support large-scale horizontal expansion

B. Realize storage resource pooling and virtualization

C. Does not support elastic EC data redundancy protection

D. Expansion in units of nodes, increasing computing power and storage space simultaneously

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 51

The enterprise storage device has 30T space, divided into three 10TThinLUNs, and imported 20T old data, so an error is reported.

A. True

B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 52

Taking Huawei OceanStor all-flash memory as an example, which of the following understandings about a certain structure of all-flash storage software are correct? (Multiple Choice)

A. Able to support hot and cold data, intelligently able to classify data into different storage tiers

B. Able to realize basic data storage and reading and writing functions through basic function control software

C. Able to realize the management function of the storage system through the management function control software

D. Able to realize various advanced functions such as backup, disaster recovery and performance tuning through value-added function control software

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 53

When a company customer needs to complete data migration between devices, which features can be used to complete it? (Multiple choice)

A. Clone

B. Smart Migration

C. LUN copy

D. Remote replication

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 54

Which of the following descriptions are correct about IP scale-out expansion? (Multiple Choice)

A. TCP/IP protocol can be used

B. PCIe protocol can be used

C. iwaRP protocol can be used

D. IB protocol can be used

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 55

Regarding the description of pre-copy, which of the following statement is incorrect?

- A.** The data to be pre-copy must be calculated and reconstructed
- B.** Pre-copy is the process of copying data from the member disk that is about to expire to the hot spare disk
- C.** Pre-copy requires a hot spare disk
- D.** Pre-copy greatly reduces the risk of data loss

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 56

The backup software in the backup system is called the backup server.

- A.** True
- B.** False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 57

Which of the following statement about DAS is wrong?

- A.** When the direct connection between the server and the storage device leads to new application requirements, the storage device can only be configured separately for the newly added server, resulting in repeated investment
- B.** DAS data is still scattered, and different applications have a set of storage devices. Management is scattered and cannot be centralized
- C.** DAS storage space can be fully utilized, storage devices that can be shared by different application servers, and spare storage space can be fully utilized
- D.** DAS refers to the direct connection of storage devices to the server through SCSI cables or Fibre Channel

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 58

Regarding the high reliability and cross-data center disaster recovery methods in the data center under the traditional mode and cloud computing mode, which of the following is wrong?

- A.** In the traditional mode, the data center relies on component redundancy to achieve high reliability
- B.** In the cloud computing model, cross-data center disaster recovery is all the data replication of business data and operating environment. The integrated management and recovery process is simple and the recovery period is short.
- C.** In the cloud computing mode, the data center relies on component redundancy to achieve high reliability
- D.** Under the traditional model, cross-data center disaster recovery is mainly based on copying business data, and the recovery process is complicated and the recovery period is long.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 59

Regarding the characteristics of the LAN-BASED backup method, which of the following is incorrect?

- A. The backup data is based on LAN, which affects network performance
- B. The backup business needs to be maintained separately, which increases the difficulty of management and maintenance
- C. The backup agent will affect the performance of the application server
- D. The instruction flow passes through the LAN network, and the data flow does not pass through the LAN network

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 60

Regarding data-level, application-level, and business-level disaster recovery, which of the following statements is correct?

- A. Regarding TCO, data-level < application-level < business-level
- B. Regarding TCO, business-level < data-level < application-level
- C. Regarding RTO, data-level < application-level < business-level
- D. Regarding RTO, data-level < business-level < application-level

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 61

Which of the following operations should be done by employee A of a bank in the first maintenance project of data center storage?

1. Check Toolkit installation
2. Check eService installation and configuration
3. Check the alarm policy configuration

- A. 123
- B. 12
- C. 3

Answer: ([SHOW ANSWER](#)**)**

Valid H13-611_V4.5 Dumps shared by PrepPdf.com for Helping Passing H13-611_V4.5 Exam! PrepPdf.com now offer the **newest H13-611_V4.5 exam dumps**, the PrepPdf.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-611_V4.5 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-611_V4.5-prepaway-exam-dumps.html (538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 62

Regarding Huawei's OceanStor V3 storage dynamic tiered storage technology, which of the following descriptions is wrong?

- A. Smart Tier automatically and dynamically moves data to storage media of different performance according to the different activity levels of the data
- B. Smart Tier data movement based on configuration data migration strategy
- C. Smart Tier calculates and analyzes the activity of the data to determine the activity level of the data
- D. Data statistics, analysis and data migration of Smart Tier features will affect business continuity and data availability

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 63

What are the release methods of the operation and maintenance software in the storage system?
(Multiple Choice)

- A. Incremental release
- B. Full release
- C. Package release
- D. Urgent release

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 64

Regarding the four disaster recovery modes of active-active, hot standby, warm standby, and cold standby, which of the following statements is wrong?

- A. The hot standby service is responded by the main data center. When the service is unavailable due to a data center failure, the service can be automatically switched to the backup data center within the specified RTO time
- B. The biggest feature of Multi Live is that it will not cause waste of data center resources, and data centers all carry application services.
- C. Active-active technology can realize that both the active and standby data centers provide external services. During normal operation, the services of the two data centers can be load-shared based on weights. There is no distinction between active and standby. They respond to some users separately. The weights can be divided by region, data center service capacity or external bandwidth
- D. Warm backup technology, when a data center failure causes the service to be unavailable, the service can be automatically switched to the backup data center within the specified RTO time

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 65

The synchronous remote replication management module RM is software.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 66

There are two statements about backups below, which is correct?

Statement 1: The retention period refers to the time it takes to backup.

Statement 2: Incremental backup takes the longest time among the three backup types.

- A. Statements 1 and 2 are both wrong
- B. Statement 1 and 2 are both correct
- C. Statement 1 is correct, Statement 2 is wrong
- D. Statement 1 is wrong, Statement 2 is correct

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 67

Engineer A wants a RAID that does not affect the CPU, and engineering B wants a RAID that the CPU runs. Which of the following is correct? (Multiple Choice)

- A. Engineer A hardware RAID
- B. Engineer B software RAID
- C. Engineer B hardware RAID
- D. Engineer A software RAID

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 68

The full name of RPO used in disaster recovery backup is:

- A. Recovery Point Objective
- B. Return Purchase Order
- C. Restore Point Objective
- D. Recover Plan Objective

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 69

Which of the following options belong to the subsystem of the storage device? (Multiple Choice)

- A. Connect the subsystem
- B. Hardware subsystem
- C. Storage management software subsystem
- D. Control subsystem

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 70

SCSI communication is initiated by the initiator, received and processed by the target. When the host communicates with the storage device, the storage device side assumes the role of the initiator.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 71

LAN Free and Server Free are the backup networking modes that have little impact on host performance.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 72

Regarding the snapshot technology, which of the following statement is incorrect?

- A. When creating a periodic snapshot for the file system, the storage system automatically deletes the earliest created snapshot and automatically generates a new snapshot
- B. After opening multiple snapshots of the same file system, roll back to one of the snapshots. After the roll-back is completed, all snapshots after the point-in-time when the target snapshot was created will be deleted
- C. When rolling back a file system snapshot, you must cancel the shared mount of the source file system
- D. When manually creating a snapshot for a file system, if the product specification limit is exceeded, a new snapshot cannot be created for the file system

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 73

Which of the following methods are included in data center data backup? (Multiple Choice)

- A. LUN snapshot
- B. Smart Clone
- C. LUN replication
- D. Smart Migration

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 74

Which one of the following methods can achieve the RTO optimization?

- A. Virtual tape library
- B. Disk-disk-tape
- C. Disk-disk
- D. Remote replication

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 75

In Huawei RAID 2.0+, when the hot spare strategy of a certain storage layer is low, which of the following descriptions about the capacity of the hot spare space reserved by the system for this layer is wrong?

- A. When the total number of hard disks in this layer is 20, the capacity equivalent to 2 hard disk is reserved
- B. When the total number of hard disks in this layer is 48, the capacity equivalent to 2 hard disk is reserved
- C. When the total number of hard disks in this layer is 10, the capacity equivalent to 1 hard disk is reserved
- D. When the total number of hard disks in this layer is 12, the capacity equivalent to 1 hard disk is reserved

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 76

What are the functions that can be achieved by storage snapshots? (Multiple Choice)

- A. Use the snapshot LUN data for the development and testing of the new version
- B. Obtain real-time data analysis business status through snapshot data
- C. Take a snapshot of the business LUN at the end of the month and analyze the business data of the previous month through the snapshot.
- D. Take regular snapshots of the storage at 12 o'clock every evening, and use the snapshot data for backup

Answer: A,B,C,D ([LEAVE A REPLY](#))

Valid H13-611_V4.5 Dumps shared by PrepPdf.com for Helping Passing H13-611_V4.5 Exam! PrepPdf.com now offer the **newest H13-611_V4.5 exam dumps**, the PrepPdf.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-611_V4.5 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-611_V4.5-prepaway-exam-dumps.html (538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 77

Regarding the characteristics of DAS, which of the following descriptions is correct? (Multiple choice)

- A. When multiple hosts connect to DAS, they can provide services of different service levels
- B. If the DAS with tight storage space can share the remaining space of the DAS with excess storage resources
- C. When maintaining the internal DAS, the system needs to be powered off
- D. The number of ports that can be connected to the host is limited

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 78

The steps of asynchronous remote replication technology at multiple points in time. Which of the following statements is correct?

- (1) A new time slice (T2, P2) is generated in the cache of the primary LUN and the secondary LUN when each replication cycle starts
- (2) The data newly written by the host is cached in the time slice T2 of the main LUN Cache, and the response host is completed
- (3) The data received by the master and slave LUN will be downloaded to disk respectively
- (4) Copy the data of time slice T1 directly to the slave LUN, and write it into the time slice P2 of the slave LUN

- A. (1) (3) (2) (4)
- B. (1) (2) (3) (4)
- C. (2) (1) (4) (3)
- D. (1) (2) (4) (3)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 79

The disadvantage of a full backup is that it must rely on the last full backup and the current differential backup to restore the data completely.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 80

Which of the following descriptions are correct about SAN and NAS? (Multiple Choice)

- A. Now NAS is geared towards unstructured data storage, such as many department employees for office files and centralized storage
- B. NAS is characterized by putting the server file system in the storage so that the server needs to share data through the network
- C. SAN is more used in data scenarios to store structured
- D. DAS, NAS, SAN are all external storage, so storage resource sharing can be easily realized

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 81

An e-commerce website usually has a relatively stable business volume and buys its own servers to build a private cloud operation. However, when the Double Eleven sales promotion comes, the business volume is very large, and the server is rented from the public cloud of the operator to share the holiday load. So, what does the cloud computing deployment model belong to?

- A. Private Cloud
- B. Community Cloud

C. Hybrid cloud

D. Public cloud

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 82

Which of the following RAID levels has the lowest hard disk space utilization?

A. RAID 3

B. RAID 1

C. RAID 5

D. RAID 0

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 83

Snapshot refers to a consistent data copy of source data at a certain point in time. After the snapshot is generated, it can be read by the host or used as a data backup at a certain point in time.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 84

An enterprise adopts cloud primary and backup data-level disaster recovery. During business planning, storage can be divided into two types of LUNs based on actual needs: protected LUNs and unprotected LUNs. VMs that need disaster recovery are created on the protected LUNs, and only configure array replication for protection LUNs to save the storage space requirements of the disaster recovery center.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 85

Which is correct about HyperMeteor? (Multiple Choice)

A. Arbitration server must be configured

B. The local site and the remote site can run services at the same time

C. It can only be configured between storage devices of the same model and version

D. Support automatic storage failover

Answer: (SHOW ANSWER)

NEW QUESTION: 86

What migration strategies can be set for LUN? (Multiple Choice)

A. Automatic migration

- B. No migration
- C. Migrate to the high-performance tier
- D. Migrate to the low-performance tier

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 87

If the disaster recovery center in the same city fails, the production center in the cascade networking mode will lose all the backup sites.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 88

Data processing includes the following basic steps: input, processing, and output. Which of the following options belong to the processing steps? (Multiple Choice)

- A. Calculate salary based on employee attendance records
- B. Calculate the current month's sales summary based on the sales order
- C. Enter calculation data into the database
- D. Print employee's salary receipt

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 89

A device has only one WWNN number, but it can have multiple WWPN numbers.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 90

Backup is to copy and save data or system. Once an error or disaster occurs, these backups can be used to restore system data and restore business to a normal operating state.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 91

Create a Thin LUN on Huawei OceanStor V3 with a capacity of 100G and an initial allocated capacity of 10G. After the LUN is mapped to the Windows 2012 host, the corresponding disk is scanned on the host. The displayed capacity of the disk should be 10G.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

Valid H13-611_V4.5 Dumps shared by PrepPdf.com for Helping Passing H13-611_V4.5 Exam! PrepPdf.com now offer the **newest H13-611_V4.5 exam dumps**, the PrepPdf.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-611_V4.5 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-611_V4.5-prepaway-exam-dumps.html (538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 92

Which statements are correct about consistency group? (Multiple Choice)

- A. A member failure of the consistency group will cause all members of the consistency group to be unavailable
- B. Consistency group is just to facilitate the management of the replication relationship of multiple LUNs
- C. Multiple LUNs with write dependency on the primary end must be configured with a replication consistency group to ensure that the secondary LUN also meets the write dependency

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 93

Engineer A configures a snapshot of the business data LUN of the Huawei OceanStor hybrid flash memory system. Which of the following steps are correct? (Multiple Choice)

- A. Set snapshot description information
- B. Create a snapshot
- C. Create a pair of snapshots
- D. Confirm that the snapshot license is within the validity period

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 94

For the data stored on the media, there is no situation that requires physical shredding or destruction like data recorded on paper.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 95

The server installed Linux operating system accesses the disk array based on the RAID 5 strategy, and the access path sequence is:

- A. Application System->File System->Volume->RAID Controller->I/O Subsystem->Disk
- B. Application System -> File System -> I/O Subsystem -> Volume -> RAID Controller -> Disk

- C. Application System->File System->Volume->I/O Subsystem->RAID Controller->Disk
- D. File System->Application System->Volume->I/O Subsystem->RAID Controller->Disk

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 96

There are two statements about backups below, which is correct?

Statement 1: The disaster recovery plan does not need to consider whether the backup is on tape or on hard disk.

Statement 2: The backup plan should consider the worst-case scenario.

- A. Statement 1 is wrong, Statement 2 is correct
- B. Statements 1 and 2 are both wrong
- C. Statement 1 and 2 are both correct.
- D. Statement 1 is correct, Statement 2 is wrong

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 97

What is the difference between synchronous replication and asynchronous replication? (Multiple Choice)

- A. Synchronous replication is to replicate real-time data, and asynchronous replication is to replicate periodic replication
- B. There is no limit to the network distance of synchronous replication
- C. Synchronous remote replication will affect the performance of the host, while asynchronous remote replication will not affect the performance of the host
- D. Asynchronous remote replication, when a disaster occurs, data will be lost from the center

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 98

Which of the following options are not the constituent elements of the SAN architecture?

- A. Back-end storage system
- B. Server
- C. Switch
- D. Router

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 99

A bank enabled the Smart Tier feature for the storage space of the bill transaction system. During the I/O monitoring process, it was found that the data access written by the business was very high.

What are the following configurations that can optimize performance? (Multiple Choice)

- A. Prioritize capacity allocation from the high-performance tier
- B. Prioritize capacity allocation from the capacity tier
- C. Migrate to the low-performance tier

D. Migrate to the high-performance tier

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 100

Comparing NAS storage system and file server, what are the advantages of NAS storage system?
(Multiple Choice)

- A. High data security
- B. High stability and high reliability
- C. Large storage space
- D. Diversified services and powerful functions

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 101

What are the authentication methods of CIFS? (Multiple Choice)

- A. Username and password
- B. AD domain authentication
- C. Global authentication
- D. Local authentication

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 102

Regarding the LUN deduplication of OceanStor V3, which of the following statement is wrong?

- A. The deduplication function is used together with Smart Cache to accelerate performance
- B. A deduplicated LUN is selected when creating a LUN, and it cannot be restored to a state without deduplication
- C. Deduplication and remote replication cannot coexist on the same LUN
- D. The heterogeneous array LUNs taken over support block-level deduplication

Answer: D ([LEAVE A REPLY](#))

Valid H13-611_V4.5 Dumps shared by PrepPdf.com for Helping Passing H13-611_V4.5 Exam!

PrepPdf.com now offer the **newest H13-611_V4.5 exam dumps**, the PrepPdf.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-611_V4.5 dumps with Test Engine here:

https://www.preppdf.com/Huawei/H13-611_V4.5-prepaway-exam-dumps.html (538 Q&As

Dumps, **40%OFF** Special Discount: **Exam-Tests**)