

## NetworkAppliance.NS0-164.v2026-03-27.q114

<b>Exam Code:</b>	NS0-164
<b>Exam Name:</b>	NetApp Data Administrator ONTAP Professional Exam
<b>Certification Provider:</b>	Network Appliance
<b>Free Question Number:</b>	114
<b>Version:</b>	v2026-03-27
<b># of views:</b>	171
<b># of Questions views:</b>	1140
<a href="https://www.freeqas.com/qa/NetworkAppliance/NS0-164/NetworkAppliance.NS0-164.v2026-03-27.q114.html">https://www.freeqas.com/qa/NetworkAppliance/NS0-164/NetworkAppliance.NS0-164.v2026-03-27.q114.html</a>	

### NEW QUESTION: 1

When using a Protection Manager policy to manage Open Systems SnapVault backups on a UNIX server, which three are valid objects to include in the data set? (Choose three.)

- A. A directory
- B. a file
- C. The entire client
- D. A qtree

**Answer: A,B,C** ([LEAVE A REPLY](#))

### NEW QUESTION: 2

Which ONTAP feature will report real-time inactive data on NAS volumes?

- A. FabricPool
- B. Quality of Service
- C. File System Analytics
- D. Foreign LUN Import

**Answer: (**[SHOW ANSWER](#)**)**

### NEW QUESTION: 3

An administrator is troubleshooting connection problems with ONTAP System Manager. The cluster management L1F is on port aOa-33. Web clients on VLAN 33 are able to access System Manager. Web clients on other subnets are unable to reach System Manager.

Which network component should the administrator modify?

- A. VLAN
- B. IPspace
- C. Route
- D. Interface group

**Answer: C** ([LEAVE A REPLY](#))

#### NEW QUESTION: 4

An administrator wants to present datastores to a VMware environment that is using VLAN-10 and creates an SVM with NFS enabled on lif\_NFS.

```
cluster1::> network port broadcast-domain show VM*
IPspace Broadcast
Name      Domain Name MTU      Port List      Update
Status Details
-----
Default Default      1500
          VMware-NFS  9000
          cluster1-01:e0M      complete
          cluster1-01:e0d-10 complete
          cluster1-01:e0f-10 complete
2 entries were displayed.

cluster1::> net int show -vserver svmNFS1
(network interface show)
Vserver   Logical      Status      Network      Current      Current      Is
Interface Interface  Admin/Oper  Address/Mask  Node         Port         Home
-----
svmNFS1   lif_NFS      up/up       172.16.10.20/24  cluster1-01  e0M          true
          lif_MGMT     up/up       172.16.1.70/24  cluster1-01  e0d-10       true
2 entries were displayed.
```

What does the administrator need to correct?

- A. Modify lif\_MGMT to port eOf-10
- B. Change the Default broadcast domain MTU to 9000
- C. Modify lif\_NFS to porte0f-10
- D. Enable the NFS option "-vstorage" on svmNFS1

**Answer: C (LEAVE A REPLY)**

#### NEW QUESTION: 5

Which one of the following commands would you use to disable client access to snapshots on a volume called /vol/flexvoM?

- A. vol options/vol/flexvoM nosnapdiron
- B. vol options/vol/flexvoM snapdiroff
- C. vol options/vol/flexvoM snapdiron
- D. vol options/vol/flexvoM nosnapdiroff

**Answer: A (LEAVE A REPLY)**

#### NEW QUESTION: 6

Which one of the following commands would you use to rejoin the "mil" volume with the "mir(l)" volume?

- A. vol mirror mil -v mir(l)
- B. vol mirror mir -v mir
- C. vol minor mil -n mir(l)
- D. vol mirror mir -c mir(l)

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 7**

It is the use of the -Lflag in the snapmirror initialize command and the subsequent successful level 0 transfer that causes the destination volume to become snaplocke?

- A. True
- B. False

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 8**

You have determined that the failure to a MetroCluster is a disaster. Which step should you take?

- A. All of the above
- B. Remount the failed partner's volume.
- C. Ensure the surviving node is isolated from its partner.
- D. Force the surviving node to take over the functions of its partner.

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 9**

How does the WAFL file system minimize storage space and performance overhead?

- A. records only file changes since the latest Snapshot copy.
- B. relocates old blocks to optimize storage space.
- C. compresses Snapshot copies to reduce storage overhead.
- D. creates separate volumes for storing Snapshot copies.

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 10**

Which statement is true?

- A. SVM data mobility is a process of transferring data from a virtual machine to a physical machine.
- B. Qtrees can be used to manage quotas and security styles.
- C. When NetApp ONTAP writes changes to disk, the changed version of the block is overwritten.
- D. Data can be written to a NetApp Snapshot copy.

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 11**

Which command allows you to access the other nodes console after a takeover has occurred?

- A. toggle
- B. switch
- C. partner
- D. takeover

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 12**

Which Data ONTAP option would you enable to set system wide throttling for all transfers?

- A. options replication.wide.enable
- B. options replication.throttle.enable
- C. options transfer.throttle.enable
- D. options transfer.wide.enable

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 13**

The snapvault update command is only available on the secondary system.

- A. False
- B. True

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 14**

In a NetApp ONTAP based unified storage system with NVMe/FC enabled, what is used to mask an initiator so that it can see and mount a namespace?

- A. iGroup.
- B. Asymmetric Namespace Access (ANA).
- C. subsystem.
- D. NVMe Qualified Name (NQN).

**Answer: C** ([LEAVE A REPLY](#))

**NEW QUESTION: 15**

Which types of data compression are available in NetApp ONTAP software?

- A. inline and postprocess.
- B. inline and reclaimable.
- C. inline and external.
- D. inline and preprocess.

**Answer: A** ([LEAVE A REPLY](#))

**NEW QUESTION: 16**

Which two choices are used to configure a semi-synchronous SnapMirror relationship? (Choose two.)

- A. visibility interval
- B. throttle
- C. outstanding=3s in DOT 7.2
- D. using option semi-sync in DOT 7.3 and higher

**Answer:** ([SHOW ANSWER](#))

**Valid NS0-164 Dumps** shared by PrepPdf.com for Helping Passing NS0-164 Exam! PrepPdf.com now offer the **newest NS0-164 exam dumps**, the PrepPdf.com NS0-164 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com NS0-164 dumps with Test Engine here: <https://www.preppdf.com/NetworkAppliance/NS0-164-prepaway-exam-dumps.html> (263 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

**NEW QUESTION: 17**

Due to the sensitive nature of AutoSupport messages, what transport protocol should a storage administrator configure?

- A. HTTP
- B. SFTP
- C. SMTP
- D. HTTPS

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 18**

Which layer in the TCP/IP model identifies the network protocol type of the packet?

- A. transport.
- B. application.
- C. data link.
- D. internet.

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 19**

Which are three valid data protection solutions? (Choose three.)

- A. SnapVault to Volume SnapMirror to Volume SnapMirror
- B. Volume SnapMirror to SnapVault
- C. SnapVault to Volume SnapMirror
- D. SnapVault to Volume SnapMirror to SnapVault

**Answer: A,B,C (LEAVE A REPLY)**

**NEW QUESTION: 20**

Which two modes support using SnapMirror over multiple paths?

- A. Standalone
- B. Giveback
- C. Failover
- D. Multiplexing

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 21**

Exhibit.



Op	Size	Total	Failed	Latency (ms)			Throughput
				min	max	avg	
PUT	4KB	50000	0	10500	719	277.3MB	
GET	4KB	5000000	0	9591	38	46.4MB	
GET	8KB	5000000	5	10021	37	123.3MB	
GET	32KB	5000000	7	7889	60	475.3MB	
GET	256KB	5000000	1	7838	450	530.7MB	

An administrator has a NetApp AFF cluster with Cloud Tiering enabled on all data using the snapshot-only policy. When restoring files, users report slow response times.

What is the highest latency seen during restore?

- A. 7889
- B. 10500
- C. 9591
- D. 10021

Answer: D ([LEAVE A REPLY](#))

#### NEW QUESTION: 22

You have quiesced a volume to stabilize the contents of a destination just prior to a snapshot. What is the next logical command that you would issue after the snapshot is complete?

- A. snapmirror resume
- B. snapmirror restart
- C. options snapmirror.log enable off
- D. snapmirror quiesce-q

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 23

A mirrored volume has a failed disk, but there are no available spares in the pool from which the degraded plex was built. Data ONTAP will:

- A. Stop all applications that are running
- B. Warn you that there are no available spares from the proper pool
- C. Choose spare disks to reconstruct from the opposite pool
- D. "Halt" after 24 hours if spare disks are not added to the proper pool

Answer: B ([LEAVE A REPLY](#))

#### NEW QUESTION: 24

You can unlicense the cluster feature only in

- A. normal, disabled
- B. takeover, enabled
- C. normal, enabled
- D. takeover, disabled

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 25**

One week ago you performed a single file SnapRestore from a snapshot other than the most recent. You now notice that the storage appliance is now taking longer to perform snapshot deletions.

Which one of the following reasons is the most likely cause of this problem?

- A. The SnapRestore schedule changed from weekly to hourly.
- B. Before a snapshot can be deleted, the active maps across all snapshots need to be checked for active blocks related to the file you restored.
- C. All of the snapshots created after you did the single file SnapRestore were deleted, and reserved inodes from the snapshots still exist.
- D. Snapshots that existed after the one used for the single file SnapRestore need to be manually deleted.

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 26**

Which three are required licenses for Fabric Attached MetroCluster? (Choose 3)

- A. Syncmirrorocal
- B. Cluster remote
- C. Cluster
- D. Syncmirror\_remote

**Answer: A,B,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 27**

What is a benefit of using NetApp ONTAP File System Analytics?

- A. improved network bandwidth and speed.
- B. reduced storage capacity and cost.
- C. enhanced data security and privacy.
- D. increased server uptime and availability.

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 28**

Which NetApp solution enables block-level backup and restore from ONTAP to StorageGRID?

- A. FabricPool
- B. Cloud Backup
- C. SnapRestore
- D. LockVault

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 29**

When creating an S3 bucket using System Manager, ONTAP uses which default performance service level for an AFF?

- A. Performance
- B. Extreme
- C. Value
- D. Custom

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 30**

Which one of the following statements apply to the Free Space Estimator utility?

- A. This utility run automatically after each transfer
- B. This utility must be enabled on the secondary storage system
- C. This utility determines if there is sufficient disk space available on the primary to perform an OSSV transfer
- D. This utility determines if there is sufficient space on the secondary volume to perform a transfer

**Answer: C (LEAVE A REPLY)**

**NEW QUESTION: 31**

Which ONTAP feature combines multiple writes into a single 4K block on the aggregate?

- A. Volume-level deduplication
- B. Data compression
- C. Aggregate-level deduplication
- D. Data compaction

**Answer: D (LEAVE A REPLY)**

**Valid NS0-164 Dumps** shared by PrepPdf.com for Helping Passing NS0-164 Exam! PrepPdf.com now offer the **newest NS0-164 exam dumps**, the PrepPdf.com NS0-164 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com NS0-164 dumps with Test Engine here: <https://www.preppdf.com/NetworkAppliance/NS0-164-prepaway-exam-dumps.html> (263 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 32**

What are two logical network components of ONTAP? (Choose two.)

- A. Network port
- B. Interface group
- C. SFP+
- D. VLAN

**Answer: B,D (LEAVE A REPLY)**

**NEW QUESTION: 33**

Which tool should an administrator use to identify the number of empty SAS ports on an existing cluster?

- A. Hardware Universe

- B. Active IQ Web site
- C. SnapCenter
- D. Interoperability Matrix Tool

**Answer: A ([LEAVE A REPLY](#))**

#### NEW QUESTION: 34

After configuring an ONTAP cluster for SAN access, the administrator is notified that the cluster nodes are connected to separate fc switches.

Given the following output:

```
san_clus::*> fcp adapter show -fields switch-port
(network fcp adapter show)
node      adapter switch-port
-----
node-01   1a      SW-SAN-A:0
node-01   1b      -
node-01   1c      -
node-01   1d      SW-SAN-A:4
node-02   1a      SW-SAN-B:4
node-02   1b      -
node-02   1c      -
node-02   1d      SW-SAN-B:0
8 entries were displayed.
```

What action will correct the redundancy issue?

- A. swap cable at node-01 / 1c with cable at node-02 / 1c
- B. swap cable at node-01 / 1b with cable at node-02 / 1b
- C. swap cable at node-01 / 1a with cable at node-01 / 1d
- D. swap cable at node-01 / 1d with cable at node-02 / 1d

**Answer: ([SHOW ANSWER](#))**

#### NEW QUESTION: 35

You have quiesced a volume to stabilize the contents of a destination just prior to a snapshot.

What is the next logical command that you would issue after the snapshot is complete?

- A. snapmirror quiesce-q
- B. snapmirror resume
- C. options snapmirror.log enable off
- D. snapmirror restart

**Answer: B ([LEAVE A REPLY](#))**

#### NEW QUESTION: 36

Which one of the following commands would you use to create a new SyncMirror volume, letting Data ONTAP select the disk drives?

- A. vol create volX -d 12
- B. vol create volX -m 12
- C. vol mirror volX -m 12
- D. vol mirror volX -n 12

**Answer: B ([LEAVE A REPLY](#))**

#### NEW QUESTION: 37

SnapVault snapshots for SnapLock volumes are deleted automatically according to the retention count set in the SnapVault schedule?

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 38

For aggregates or traditional volume SyncMirror to work correctly, the configuration of each plex must be identical with regard to\_\_\_\_\_.

- A. NVRAM.
- B. RAID groups and disk sizes.
- C. NDMP and snapshots.
- D. Mirrored snapshots.

Answer: B ([LEAVE A REPLY](#))

#### NEW QUESTION: 39

You want to create an automated test environment that performs a single file SnapRestore. Every time you run the procedure, however, SnapRestore prompts you to confirm your decision to revert the file.

How can you automate this step?

- A. Enter the priv set advanced mode on the storage appliance and the prompt will not appear.
- B. Enable the options snaprestore\_noprompts enable=on option.
- C. These prompts are for data protection and auditing and cannot be overridden.
- D. Use the -f option with the snap restore command.

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 40

An aggregate is composed of twelve 36-Gigabyte disks. A drive fails and only 72-Gigabyte spare disks are available Data ONTAP will then perform what action?

- A. chooses a 72-Gigabyte disk and use it as is
- B. chooses a 72-Gigabyte disk and right-size it
- C. halts after 24 hours of running in degraded mode
- D. alerts you that there are no 36-Gigabyte disks and wait for one to be inserted

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 41

If an error message indicates that the cluster interconnect adapter itself is faulty, what is your corrective action?

- A. Check the cabling of the Channel A disk shelf loop and reseal and tighten any loose cables.
- B. Check for network activity.
- C. Re-cable the cluster interconnect adapter or replace the adapter if needed.
- D. Check the cabling of the Channel B disk shelf loop and reseal and tighten any loose cables.

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 42**

Which statement about FCoE technology is false?

- A. FCoE is a protocol that seamlessly replaces the FC physical interface with Ethernet.
- B. An FC header in an FCoE frame carries the source address only.
- C. An FCoE zone is a logical grouping of one or more ports within a fabric.
- D. The FCoE architecture uses a converged network switch.

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 43**

The OSSV agent on the primary system listens to TCP port 10000 for all SnapVault communications.

- A. True
- B. False

**Answer:** B ([LEAVE A REPLY](#))

**NEW QUESTION: 44**

In a SCSI relationship, what is the host called?

- A. nexus.
- B. LUN.
- C. initiator.
- D. target.

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 45**

Which command displays the disk ownership for both CPU modules in a FAS270C appliance?

- A. disk show-v
- B. disk display-r
- C. vol status -r
- D. disk own -s

**Answer:** A ([LEAVE A REPLY](#))

**NEW QUESTION: 46**

An administrator enables the NFS protocol on an SVM and creates a volume to be used as a datastore in a VMware environment. After a rescan, the volume is not visible on the ESXi hosts.

What must the administrator validate to resolve this problem?

- A. Access control
- B. Security style
- C. Export policy
- D. Name service

**Answer:** C ([LEAVE A REPLY](#))

**Valid NS0-164 Dumps** shared by PrepPdf.com for Helping Passing NS0-164 Exam! PrepPdf.com now offer the **newest NS0-164 exam dumps**, the PrepPdf.com NS0-164 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com NS0-164 dumps with Test Engine here: <https://www.preppdf.com/NetworkAppliance/NS0-164-prepaway-exam-dumps.html> (263 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 47**

You can unlicense the cluster feature only in mode with cluster

- A. normal, enabled
- B. normal, disabled
- C. takeover, enabled
- D. takeover, disabled

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 48**

Which two deployment options are software-defined? (Choose two).

- A. ONTAP software that is deployed on a AFF system.
- B. ONTAP software that is deployed on commodity hardware.
- C. ONTAP software that is deployed in the cloud.
- D. ONTAP software that is deployed by using a heterogeneous enterprise array.
- E. ONTAP software that is deployed on a FAS system.

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 49**

When adding an iSCSI initiator identifier to an initiator group, which identifier should you use?

- A. host bus adaptor (HBA) worldwide node name (WWNN).
- B. software initiator iSCSI Qualified Name (IQN).
- C. host bus adapter (HBA) worldwide port name (WWPN).
- D. Target Portal Group (TPG) tag.

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 50**

You are trying to do a single file SnapRestore for a file, but you are receiving an error message that the directory structure no longer exists. Which one of the following is the most likely explanation?

- A. Snapshots have been created since the original directory structure was deleted.
- B. You must recreate the directory structure before trying to restore the file.
- C. Once the directory structure has been deleted, you cannot restore the file using single file SnapRestore. You must now SnapRestore the volume.

D. None of the above

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 51**

Which part of the NVMe/TCP protocol data unit structure is required in all of the protocol data units (PDUs)?

- A. protocol data unit header digest (HDGST).
- B. protocol data unit data field (DATA).
- C. protocol data unit header (HDR).
- D. protocol data unit padding field (PAD).

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 52**

Which objects can be restored by a single SnapRestore command? (Choose three)

- A. volume
- B. directory
- C. LUN
- D. qtree
- E. file

Answer: A,C,E ([LEAVE A REPLY](#))

**NEW QUESTION: 53**

In a Fabric Attached MetroCluster, a "disaster" is described as a:

- A. Prolonged communication disruption
- B. Malfunction of the Fiber Channel adapter on the cluster node
- C. Failure of the Inter-Switch-Links (ISL)
- D. Failure of the interconnect cable

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 54**

Refer to the exhibit.

```
Object: resource_headroom_cpu
Instance: CPU_sti2520-213
Start-time: 2/9/2023 16:06:27
End-time: 2/9/2023 16:06:27
Scope: sti2520-213

Counter                               Value
-----
ewma_hourly                            -
current_ops                             4376
current_latency                          37719
current_utilization                       86
optimal_point_ops                         2573
optimal_point_latency                     3589
optimal_point_utilization                  72
optimal_point_confidence_factor           1
```

Based on the CPU headroom statistics provided for one node in the cluster, what is the available performance capacity?

- A. -14

- B. 14
- C. 86
- D. 72

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 55**

Which one of the following commands is used to specify the destination appliance(s) that are allowed to replicate (pull) data from the source appliance?

- A. snapmirror initialize
- B. options snapmirror.access
- C. options snapmirror.allow
- D. snapmirror release

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 56**

Which three of the following configurations would increase data transfer rates for traditional volume SnapMirror?

- A. The destination and source contain disks of the same size.
- B. The destination and source storage appliances are no further than 30 meters apart.
- C. The destination and source contain RAID groups of the same size.
- D. The destination and source contain the same number of RAID groups.

Answer: A,C,D ([LEAVE A REPLY](#))

**NEW QUESTION: 57**

Fill in the blank for the following statement: To manage a SnapVault backup through a commercial NDMP application, you must specify a \_\_\_\_\_ authorized through that application.

- A. SnapVault license
- B. directory path
- C. volume and qtree
- D. user and password

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 58**

Exhibit.

Op	Size	Total	Failed	Latency (ms)		Throughput
				min	avg	
SET	4KB	50000	0	10500	718	277.38KB
GET	4KB	5000000	0	9591	36	40.46KB
GET	8KB	5000000	0	10021	37	123.38KB
GET	32KB	5000000	7	7809	60	475.38KB
GET	256KB	2111111	0	7818	60	530.78KB

An administrator has a NetApp AFF cluster with Cloud Tiering enabled on all data using the snapshot-only policy. When restoring files, users report slow response times.

What is the highest latency seen during restore?

- A. 10500
- B. 9591
- C. 7889
- D. 10021

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 59**

Which zoning method does NetApp recommend?

- A. single-target worldwide port name (WWPN) zoning.
- B. single-initiator, multiple target, worldwide port name (WWPN) zoning.
- C. single-initiator worldwide node name (WWNN) zoning.
- D. single-target worldwide node name (WWNN) zoning.

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 60**

Which two tools should an administrator use to manage NVMe namespaces? (Choose two.)

- A. SAN Host Tools
- B. System Manager
- C. Config Advisor
- D. ONTAP CLI

**Answer: B,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 61**

Which one of the following options will allow a snapmirror storage appliance to mirror from this system?

- A. snapmirror.destination <destination\_filer>
- B. options snapmirror.allow<destination\_filer>
- C. snapmirror.access <destination\_filer>
- D. options snapmirror.access host = <destination\_filer>

**Answer: D ([LEAVE A REPLY](#))**

**Valid NS0-164 Dumps** shared by PrepPdf.com for Helping Passing NS0-164 Exam! PrepPdf.com now offer the **newest NS0-164 exam dumps**, the PrepPdf.com NS0-164 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com NS0-164 dumps with Test Engine here: <https://www.preppdf.com/NetworkAppliance/NS0-164-prepaway-exam-dumps.html> (263 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 62**

Which two tools should an administrator use to monitor system performance in real time? (Choose two.)

- A. ONTAP System Manager
- B. AetivelQ Conflg Advisor
- C. ONTAP CU
- D. ActivelQ Unified Manager

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 63**

Which iSCSI Qualified Name (IQN) example would be a valid default iSCSI node name for a host that is running Windows Server 2016?

- A. iqn.1992-08.com.ontap:sn.a0123456789f:vs.1.
- B. iqn.1991-05.com.microsoft:a0123456789f:vs.1.
- C. iqn.1992-08.com.netapp:sn.a0123456789f:vs.1.
- D. iqn.1991-05.com.windows:w2k16.netapp.com.

**Answer:** B ([LEAVE A REPLY](#))

**NEW QUESTION: 64**

Which type of identifier is assigned to a storage VM that supports iSCSI?

- A. iSCSI Qualified Name (IQN).
- B. worldwide port name (WWPN).
- C. LUN ID.
- D. worldwide node name (WWNN).

**Answer:** A ([LEAVE A REPLY](#))

**NEW QUESTION: 65**

What console message is a good indication that the storage appliance is ready to reinstate the cluster from a previous takeover?

- A. enter cf giveback
- B. waiting for takeover
- C. resume takeover
- D. waiting for giveback

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 66**

Which ONTAP feature allows the most efficient use of disk space for provisioning root aggregates?

- A. XDP
- B. XCP
- C. ADP
- D. DDP

**Answer:** C ([LEAVE A REPLY](#))

**NEW QUESTION: 67**

What does it signify if the disks are "not owned" in a FAS270C appliance?

- A. The disks are not used.
- B. The disks are mailbox disks.
- C. The disks are data disks.
- D. The disks are spare disks.

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 68**

Which two conditions would prevent an ONTAP upgrade? (Choose two.)

- A. Offline LIF
- B. Established NFS sessions
- C. Established iSCSI sessions
- D. Failed disk
- E. Offline volume

**Answer: D,E ([LEAVE A REPLY](#))**

**NEW QUESTION: 69**

Which workload type supports Autonomous Ransomware Protection?

- A. Object
- B. SAN
- C. NAS
- D. VMFS

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 70**

Which statement describes the results of the snapmirror resync command?

- A. Resynchronization. update the snapshot on the destination filer.
- B. Resynchronization. update the snapshot on the source filer.
- C. Resynchronization made. cause the loss of all data written to the destination after the original base snapshot was
- D. Resynchronization finds the newest common snapshot shared by the two volumes or qtrees, and removes all newer information on the storage appliance on which the command is run.

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 71**

An administrator is troubleshooting failover to an ONTAP SVM-DR destination cluster. The failover test works but stops replication. The administrator has a requirement to keep SnapMirror replication running while performing the failover test.

What ONTAP feature will accomplish this task?

- A. SnapRestore
- B. SM-BC

C. FlexClone

D. SMS

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 72

In a synchronous SnapMirror configuration, the source storage appliance exhibits high latency due to user traffic and rapid data change from SnapMirror transactions. Which one of the following tuning methods best resolves this performance behavior? Edit the /etc/snapmirror.conf file on the destination storage appliance and set:

A. src con=3

B. visibility\_interval=3s

C. outstanding=3s

D. cksum=3s

Answer: C ([LEAVE A REPLY](#))

#### NEW QUESTION: 73

A mirrored volume, volX, is composed of twelve 36-Gigabyte disks: six in volX/plex0, six in volX/plex1. A drive fails in plex1, but pool 1 contains only 72-Gigabyte spare disks. Data ONTAP will do which of the following?

A. Stop any applications that are running

B. Choose a 72-Gigabyte disk and downsize it

C. Alert you that there are no 36-Gigabyte disks and wait for one to be inserted

D. Halt after 24 hours of running in degraded mode

Answer: B ([LEAVE A REPLY](#))

#### NEW QUESTION: 74

After configuring an ONTAP cluster for SAN access, the administrator is notified that the cluster nodes are connected to separate fc switches.

Given the following output:

```
san_clus::*> fcp adapter show -fields switch-port
(network fcp adapter show)
node          adapter switch-port
-----
node-01       1a       sw-SAN-A:0
node-01       1b       -
node-01       1c       -
node-01       1d       sw-SAN-A:4
node-02       1a       sw-SAN-B:4
node-02       1b       -
node-02       1c       -
node-02       1d       sw-SAN-B:0
8 entries were displayed.
```

What action will correct the redundancy issue?

A. swap cable at node-01 / 1d with cable at node-02 / 1d

B. swap cable at node-01 / 1a with cable at node-01 / 1d

C. swap cable at node-01 / 1b with cable at node-02 / 1b

D. swap cable at node-01 / 1c with cable at node-02 / 1c

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 75**

Which statement about LIFs is true?

- A. A data LIF can be associated with multiple storage VMs.
- B. One cluster-management LIF exists per node.
- C. Cluster LIFs and data LIFs can share a port.
- D. One port can host multiple data LIFs.

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 76**

What is a Snapshot copy in NetApp data protection solutions?

- A. writable image of a volume.
- B. scalable image of a volume.
- C. read-only, point-in-time image of a volume.
- D. compressed image of a volume.

Answer: ([SHOW ANSWER](#))

**Valid NS0-164 Dumps** shared by PrepPdf.com for Helping Passing NS0-164 Exam! PrepPdf.com now offer the **newest NS0-164 exam dumps**, the PrepPdf.com NS0-164 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com NS0-164 dumps with Test Engine here: <https://www.preppdf.com/NetworkAppliance/NS0-164-prepaway-exam-dumps.html> (263 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 77**

Which ONTAP authentication method must be added to enable two-factor authentication to an existing administrator's SSH login?

- A. cert
- B. nsswltch
- C. domain
- D. publickey

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 78**

Which command disables client access to Snapshot copies on a volume called flexvol1?

- A. snap access flexvol1 off
- B. vol options flexvol1 snapdir on
- C. cifs shares-change flexvol1 -nosnap
- D. vol options flexvol1 nosnapdir on
- E. vol options flexvol1 snapdir off

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 79**

Which NetApp technology enables third-party backup software to facilitate asynchronous Snapshot replication from ONTAP software to object storage endpoints?

- A. SnapCenter.
- B. SyncMirror.
- C. SnapMirror Cloud.
- D. MetroCluster.

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 80**

For a configuration change to be effective when using the OSSV configurator, the OSSV service must be restarted.

- A. True
- B. False

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 81**

After issuing the vol split volO/plexO volNew command:

- A. There are two unmirrored volumes, volO and volNew.
- B. There is a new mirrored volume called volNew.
- C. There is a new plex called plexNew.
- D. There are two new plexes, plexO and plexNew.

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 82**

Which one of the following would you use to change the NDMP password on the Open System SnapVault agent?

- A. svpasswd
- B. password
- C. svpassword <new\_password>
- D. password <new\_password>

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 83**

The two copies of a SyncMirror volume are called\_\_\_\_\_. Each\_\_\_\_\_is a physical copy of the same file system and consists of one or more RAID groups.

- A. volumes, volume
- B. qtrees, qtree
- C. plexes, plex

D. snapshots, snapshot

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 84**

Which two configurations ensure end users are able to restore previous versions of files? (Choose two.)

- A. Enable FlexClone operations
- B. SVM previous versions enabled
- C. Share previous versions enabled
- D. Volume snapshot copy

Answer: C,D ([LEAVE A REPLY](#))

**NEW QUESTION: 85**

After issuing the aggr split aggr0/plex0 aggrNew command \_\_\_\_\_.

- A. there are two new plexes, plex0 and plexNew
- B. there is a new mirrored aggregate called aggrNew
- C. there are two unmirrored aggregates, aggr0 and aggrNew
- D. flexible volumes are evenly split between aggr0 and aggrNew
- E. there is a new plex called aggrNew

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 86**

In NVMe/FC, which protocol is used to provide multipathing and path management for both path and target failover?

- A. Device Mapper Multipathing (DM-Multipath).
- B. asymmetric logical unit access (ALUA).
- C. Microsoft Multipath I/O (MPIO).
- D. asymmetric namespace access (ANA).

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 87**

Which two features are provided by the MetroCluster business continuity solution? (Choose two).

- A. granular application protection.
- B. manual or scripted failover.
- C. complete cluster protection.
- D. support for FC or IP transport.

Answer: C,D ([LEAVE A REPLY](#))

**NEW QUESTION: 88**

Which ONTAP feature will allow WORM and non-WORM volumes in the same aggregate?

- A. NetApp Aggregate Encryption
- B. SnapLock Enterprise

C. SnapLock Compliance

D. Unified Aggregate

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 89**

The required hardware to add SyncMirror to an existing Clustered Failover system consists of:

A. Disk shelves and termination switches

B. Disk shelves and cluster interconnect

C. Disk shelves and cabling

D. Disk shelves, adapters and cabling

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 90**

What is the format for snapvault schedule?

A. List of dates in ISO Date format

B. cnt[@day\_list][@hour\_list]

C. crontab format

D. YYYY-MM-DD

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 91**

When using SAN protocols, what is the maximum number of nodes that can be added to a four node cluster?

A. 4

B. 24

C. 8

D. 12

**Answer: C (LEAVE A REPLY)**

**Valid NS0-164 Dumps** shared by PrepPdf.com for Helping Passing NS0-164 Exam! PrepPdf.com now offer the **newest NS0-164 exam dumps**, the PrepPdf.com NS0-164 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com NS0-164 dumps with Test Engine here: <https://www.preppdf.com/NetworkAppliance/NS0-164-prepaway-exam-dumps.html> (263 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 92**

In a fabric-attached MetroCluster, hardware disk ownership by a node is determined by which two factors (Choose two.)

A. the location of the HBA or onboard port

B. how the disks are configured by the administrator

- C. the system ID of the controller
- D. what types of ports are on the HBA
- E. what types of disks are used in the cluster
- F. which switch ports the controller and disks are connected to

**Answer: A,F ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 93**

To restore a qtree protected with SnapVault from the secondary storage system to the primary storage system, you can \_\_\_\_\_. (Choose two.)

- A. delete the existing qtree from the secondary storage system with DOT 7.3
- B. restore to a non existing qtree, with DOT 7. 2
- C. add the new qtree to the primary storage system with DOT 7.2
- D. overwrite the existing qtree on the primary storage system with DOT 7.3

**Answer: B,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 94**

An administrator has an existing FlexVol accessed by Linux hosts over NFSv3. A CIFS share to the same FlexVol was created for SMB access. Windows users are unable to view the share. CIFS share permissions allow for read and write access for the Windows users.

What does the administrator need to modify to allow SMB access?

- A. Security style
- B. User mapping
- C. Junction paths
- D. Export policies

**Answer: A,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 95**

Which three values are valid NFS client identifiers? (Choose three.).

- A. LDAP.
- B. NIS.
- C. IP address.
- D. domain.
- E. host name.

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 96**

Which three are true when creating a SyncMirror volume? (Choose 3)

- A. The disks selected for Plex 0 and Plex 1 must come from the same disk pools.
- B. The number of disks added must be an even number and equally divided between the two plexes.

C. The disks are selected first on the basis of equivalent bytes per sector (bps) size, then on the basis of the size of the disk. If there is no equivalent-sized disk, Data ONTAP takes a larger capacity disk and downsizes it.

D. The number of disks selected for one plex must equal the number of disks selected from the other plex.

**Answer: B,C,D (LEAVE A REPLY)**

**NEW QUESTION: 97**

Which two supported methods would you use to restore data from a SnapVault for Net Backup Volume?

- A. Use the Net Backup Administration Console
- B. Use the SnapRestore Data ONTAP service
- C. Use drag-and-drop technologies
- D. Use the snapvault restore Data ONTAP command

**Answer: A,C (LEAVE A REPLY)**

**NEW QUESTION: 98**

Which two SVM types can host intercluster UFs? (Choose two.)

- A. Data
- B. Node
- C. Admin
- D. System

**Answer: B,C (LEAVE A REPLY)**

**NEW QUESTION: 99**

Identify the two commands that could be entered on a system with a SnapMirror source. (Choose two.)

- A. snapmirror initialize
- B. options snapmirror.access all
- C. snapmirror update
- D. snapmirror status

**Answer: B,D (LEAVE A REPLY)**

**NEW QUESTION: 100**

To restore a primary SnapVault qtree to the exact qtree location on the primary storage system (from which it was backed up), you must:

- A. Restore to a non-existing qtree
- B. Overwrite the existing qtree on the primary storage system
- C. Add the new qtree to the primary storage system
- D. Delete the existing qtree from the secondary storage system

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 101**

Which bandwidth does NVMe/TCP support?

- A. 50GbE to 100GbE.
- B. 10GbE to 100GbE.
- C. 50GbE to 1000GbE.
- D. 10GbE to 1000GbE.

**Answer: B** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 102**

Which one of the following statements apply to the Free Space Estimator utility?

- A. This utility determines if there is sufficient space on the secondary volume to perform a transfer
- B. This utility runs automatically after each transfer
- C. This utility determines if there is sufficient disk space available on the primary to perform an OSSV transfer
- D. This utility must be enabled on the secondary storage system

**Answer: C** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 103**

Which one of the following is not a pre-requisite for using SnapRestore?

- A. Snapshots must exist on the storage appliance so that you can select a snapshot for the reversion.
- B. The volume to be reverted must not be a SnapMirror destination.
- C. The volume to be reverted must be offline.
- D. You must enter the SnapRestore license code before you can use it.

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 104**

You have connected all cables and disk shelves in a Fabric Attached MetroCluster.

Which one of the following commands would you use to verify that disks are connected and have dual paths?

- A. sysconfig -v
- B. storage show disk-p
- C. disk show
- D. vol status -r

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 105**

For each Open Systems platform directory to be backed up to the SnapVault secondary storage system, you must execute \_\_\_\_\_ from the primary to secondary storage system.

- A. an initial baseline copy
- B. a scheduled update copy
- C. an incremental copy
- D. a temporary copy

**Answer: A** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 106**

Fill in the blanks for the following statement:

The qtree specified for\_\_\_\_\_must not exist on the secondary system before you run the\_\_\_\_\_command.

- A. pri\_qtree\_path. snapvault enable
- B. sec\_qtree\_path. snapvault start
- C. sec\_qtree\_path. snapvault enable
- D. pri\_qtree\_path. snapvault start

**Answer: B (LEAVE A REPLY)**

**Valid NS0-164 Dumps** shared by PrepPdf.com for Helping Passing NS0-164 Exam! PrepPdf.com now offer the **newest NS0-164 exam dumps**, the PrepPdf.com NS0-164 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com NS0-164 dumps with Test Engine here: <https://www.preppdf.com/NetworkAppliance/NS0-164-prepaway-exam-dumps.html> (263 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

#### **NEW QUESTION: 107**

Which option of the snap restore command allows you to specify a different directory, as long as the directory already exists?

- A. snap restore-d
- B. snap restore-r
- C. snap restore-s
- D. snap restore-c

**Answer: B (LEAVE A REPLY)**

#### **NEW QUESTION: 108**

Which two default HA features work together to reduce and avoid client outages on an ONTAP FAS cluster? (Choose two.)

- A. Automatic giveback
- B. Automatic takeover
- C. Automatic SAN LIF migration
- D. Automatic failover

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 109**

Fill in the blank for the following statement using the best answer from the choices that follow. A snapshot is a frozen, read-only image of the entire Data ONTAP file system that reflects the state of the\_\_\_\_\_at the time the snapshot was created.

- A. storage appliance
- B. file system
- C. qtrees

D. directory

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 110**

Which command allows you to access the other nodes console after a takeover has occurred?

A. partner

B. switch

C. toggle

D. takeover

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 111**

Which one of the following is a recommended secondary system for SnapVault?

A. Windows 2000 server

B. F700 series storage appliance

C. Solaris 2.6 or higher server

D. NearStore R200

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 112**

If a data protection relationship is between clusters, which path does replication data take?

A. intercluster network.

B. cluster interconnect.

C. intracluster network.

D. high-availability interconnect.

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 113**

Which one of the following /etc/snapmirror.conf entries will not support synchronous SnapMirror?

A. FilerA: source\_vol FilerB: destination\_vol outstanding=3s sync

B. FilerA:source\_vol FilerB: destination\_vol- sync

C. FilerA: source\_vol FilerB: destination\_vol-0-55/5\*\*\*

D. FilerA: source\_vol FilerB: destination\_vol visibility\_interval=1hr, outstanding=3ms, cksum=crc32 sync

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 114**

You want to create an automated test environment that performs a single file SnapRestore. Every time you run the procedure, however, SnapRestore prompts you to confirm your decision to revert the file. How can you automate this step?

A. Use the -f option with the snap restore command.

B. Enable the options snaprestore\_noprompts enable=on option.

C. Enter the priv set advanced mode on the storage appliance and the prompt will not appear.

D. These prompts are for data protection and auditing and cannot be overridden.

**Answer: A ([LEAVE A REPLY](#))**

**Valid NS0-164 Dumps** shared by PrepPdf.com for Helping Passing NS0-164 Exam! PrepPdf.com now offer the **newest NS0-164 exam dumps**, the PrepPdf.com NS0-164 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com NS0-164 dumps with Test Engine here: <https://www.preppdf.com/NetworkAppliance/NS0-164-prepaway-exam-dumps.html> (**263** Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)