

Avaya.72201X.v2024-01-19.q56

Exam Code:	72201X
Exam Name:	Avaya Aura® Core Components Support Certified Exam
Certification Provider:	Avaya
Free Question Number:	56
Version:	v2024-01-19
# of views:	1316
# of Questions views:	560
https://www.freeqas.com/qa/AVAYA/72201X/Avaya.72201X.v2024-01-19.q56.html	

NEW QUESTION: 1

Which command can be used to investigate PPM issues in Avaya Aura Communication Manager?

- A. list trace tac
- B. traceSM
- C. SIP tracer_asset log
- D. status ppm
- E. list trace station

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 2

What information can be found when viewing the Monitoring > Active Sessions page on an Avaya Aura Media Server? (Choose two.)

- A. Callee extension number
- B. QOS Analytics
- C. Element status
- D. Utilized Codecs
- E. Caller extension number

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 3

Avaya support is monitoring a Communication Manager that is going down several times per day. They discover a software error that keeps triggering an auto restart.

Which Communication Manager command can be used to determine the root cause?

- A. display restart all
- B. display reset 4 all
- C. display initcauses

D. display interchangestatus

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 4

When observing the Avaya Aura Session Manager dashboard, you notice that one entity is marked as down.

Which two troubleshooting tools can be used to investigate the problem? (Choose two.)

A. Avaya Aura Session Manager Entity Link Connection Status page in Avaya Aura System Manager

B. traceSMon the Command Line Interface of Avaya Aura Session Manager

C. List trace stationon Avaya Aura Communication Manager

D. statapp on the Command Line Interface of Avaya Aura Session Manager

E. The replication page in Avaya Aura System Manager

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 5

What is the function of a Virtual Network Region?

A. It enables the use of different codecs between Network Regions.

B. It allows one Network Region to temporarily use bandwidth allocated to another Network Region if it runs out of bandwidth.

C. It prevents oversubscription of WAN links for interconnecting Network Regions with different bandwidth limitations.

D. It makes DSP resources available in other Network Regions.

E. It allows Inter-Gateway Alternate Routing (IGAR).

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

In Avaya Aura Communication Manager (CM), what are the three valid formats of the list trace command?

(Choose three.)

A. List trace previous

B. List trace ssm

C. List trace 1031711

D. List trace ras ip-address 135.60.232.213

E. List trace tac 701

F. List trace next

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 7

A SIP station to SIP station call on a single Feature or Evolution Server uses four signaling legs between CM and SM (not including the initial off-hook imsorig). When does Communication Manager insert the shortcut flag during call processing?

- A. during the initialization phase (imsinit) of call processing
- B. during the dialing analysis phase (imsdialana) of call processing
- C. during the routing phase (imsroute) of call processing
- D. during the origination phase (imsorig) of call processing
- E. during the termination phase (imsterm) of call processing

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 8

How can you view the entire contents of the current Avaya Aura Communication Manager (CM) call processing log file?

- A. by using the Linux cd to /var/log/esc and ls -l commands to find current <log filename>; cat <log file name>
- B. by using the CM SAT to enter the display callproc log allcommand
- C. by using the Linux cd to /var/log/Avaya and cat callproc.logcommands
- D. by using the CM SAT to enter the list callp log allcommands
- E. by using the Linux cd to /var/log/Avaya and cat ecs.logcommands

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 9

What is the primary benefit of a Virtual (Intervening) Network Region in Avaya Aura Communication Manager?


- A. To allow Inter-Gateway Alternate Routing (IGAR)
- B. To provide temporary overflow bandwidth when the direct allocation of bandwidth between connected Network Regions is not available
- C. To simplify bandwidth management between Network Regions connected via a WAN
- D. To optimize the quality of audio and video between endpoints in different Network Regions.
- E. To allow one Network Region to temporarily use bandwidth allocated to another Network Region if it runs out of bandwidth


Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 10

Refer to the Exhibits.

Architecture: Avaya Communicator w/Remote Worker





What is the main difference between the SIP call flow made from an Avaya Communicator Remote Worker and the call flow made from a 96X1 telephone Remote Worker?

- A.** The Communicator registers to Avaya Session Border Controller for Enterprise (SBCE).
- B.** Avaya Aura Communication Manager processes full call model for the SIP-to-Communicator call flow.
- C.** Avaya Aura Communication Manager processes half-call model for the SIP-to-SIP call flow.
- D.** The 96X1 telephone Remote Worker requires registration to Avaya Aura Session Manager.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 11

How can you show that a session is actually reaching the Avaya Aura Media Server (AAMS)?

- A.** From Avaya Aura System Manager (SMGR) home page, click on the Media Server, and click on the link: list active sessions.
- B.** From SSH, go to the AAMS and issue the list active sessions current.command
- C.** In AAMS Element Manager select Monitoring > Active Sessions.
- D.** In AAMS Element Manager, Select System Status > Element Status > More Actions > displays active sessions.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 12

Which of the following commands can you use to check whether the Avaya Aura Session Manager (SM) application processes are running?

- A. Use the Linux command `ps -ef | grep -i "SM"`
- B. Execute the SM CLI `statapp` command.
- C. On the SM dashboard, select Status Applications from the Shutdown System pull-down menu.
- D. On the SM dashboard, select Status Applications from the Service State pull-down menu.
- E. Execute the SM `status all` command.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

Which statement is true about Interfaces and IP addresses on an Avaya Session Border Controller for Enterprise (SBCE) used for SIP Trunking and Remote Worker services?

- A. SIP Trunking and Remote Worker services can share the same IP address and interface.
- B. SIP Trunking and Remote Worker services cannot run on the same SBCE.
- C. Only one interface should be configured per IP address.
- D. SIP Trunking and Remote Worker services must use different IP addresses and interfaces.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 14

The client has finished deploying Avaya Aura Communication Manager (CM) and has signed a service contract with Avaya for technical support.

What should the system administrator do in CM to allow Avaya services to log in and support the platform?

- A. Contact Avaya services and request login credentials
- B. Run `EASGManage -enableEASG` command
- C. Run `EASGManage -disableEASG` command
- D. Run `EASGTurnOn` command
- E. Enable remote access in CM SAT

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

In the Avaya Aura Core, which two modes can Communication Manager be deployed in?

- A. Feature Server
- B. Evolution Server
- C. Call Server
- D. Hybrid Server
- E. None of the above
- F. Communication Server

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 16

What happens if Session Manager cannot find a matching SIP Communication Profile for a user in its SIP registry when that user tries to make a SIP call?

- A.** Network Routing Policy (NRP) is consulted for further routing instructions.
- B.** The call is sent to Communication Manager to check if the number dialed exists in CM's call routing tables.
- C.** Session Manager attempts to create a new SIP Communication Profile for the user.
- D.** The caller receives a busy tone.
- E.** The call is routed to voicemail to check if the extension is associated with a mailbox.

Answer: ([SHOW ANSWER](#))

Valid 72201X Dumps shared by PrepPdf.com for Helping Passing 72201X Exam!
PrepPdf.com now offer the **newest 72201X exam dumps**, the PrepPdf.com 72201X exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 72201X dumps with Test Engine here: <https://www.preppdf.com/AVAYA/72201X-prepaway-exam-dumps.html> (**96 Q&As Dumps, 40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

Session Manager uses five unique certificates for secure communications using Transport Layer Security (TLS). Which two of the following certificates are the most important for communication with other entities?

- A.** HTTPS certificates
- B.** Sal Agent certificates
- C.** WebSphere certificates
- D.** Management certificates
- E.** SIP certificates
- F.** ACME certificates

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

When one entity is marked as down on the Session Manager dashboard, which two of the following troubleshooting tools can be used to investigate the problem?

- A.** the replication page in Avaya Aura System Manager
- B.** statapp on the Command Line Interface of Avaya Aura Session Manager
- C.** traceSM on the Command Line Interface of Avaya Aura Session Manager
- D.** Avaya Aura Session Manager Entity Link Connection Status page in Avaya Aura System Manager

E. Wireshark on the network switch

F. List trace station on Avaya Aura Communication Manager

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

What are two functions performed by System Manager in Avaya Aura?

A. It establishes direct media for Direct IP-IP Audio Connections and h.323 two-party calls.

B. It provides SIP registration and authentication.

C. None of the above

D. It provides centralized management of enterprise-wide dial plans.

E. It delivers a set of shared management services and a common console.

F. It enables SIP-SIP two-party calls to use direct media with 'Initial IP-IP Direct Media' enabled.

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 20

Which Linux command allows you to view the installed certificates on Avaya Aura Communication Manager (CM)?

A. show certs

B. tlscertmanage

C. displaycertificates

D. start certmanager -f

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 21

A customer explains that calls are failing to route from Avaya Aura Session Manager (SM) A (managed by Avaya Aura System Manager (SMGR) A) to an Avaya Aura Session Manager (SM) B (managed by Avaya Aura System Manager (SMGR) B). When you check the configuration in Avaya Aura Session Manager (SM) A, which statement describes what should you look for?

A. SM B is defined as a SIP Entity of type "other" +Entity Link.

B. SM B is defined as a SIP Entity of type "System Manager" +Entity Link, Dial Pattern, and Routing Policy.

C. SM B is defined as a SIP Entity of type "other" +Entity Link, Dial Pattern, and Routing Policy.

D. SM B is defined as a SIP Entity of type "Session Manager" +Entity Link.

E. SM B is defined as a SIP Entity of type "Session Manager" +Entity Link, Dial Pattern, and Routing Policy.

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 22

A customer called Avaya Support after their telecom administrator was unable to add 50 new telephones for new hires. Avaya Support determined that the number of telephones exceeded the capacity the system could support. Which pre-implementation step was omitted?

- A. Testing all third-party equipment and software.
- B. Verifying that the version installed is compatible with existing versions.
- C. Ensuring that the hardware meets the requirements.
- D. Providing accurate licensing specifications.
- E. Accessing support.avaya.com to verify customer systems compatibility.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 23

A customer calls Avaya Support stating their Session Manager (SM) is down. After doing some troubleshooting, the technician sees SM is in the Deny New Service state, and in Restricted license mode.

What does the Restricted license mode indicate in this scenario?

- A. The license was installed incorrectly.
- B. The SM has exceeded the license capacity and is operating in restricted mode.
- C. The SM license is not accessible or does not exist.
- D. There is a license error but SM continues to function.
- E. The license 30 day grace period has expired and SM service is being denied.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 24

How can you obtain a list of Avaya Aura Communication Manager (CM) alarms that have been raised today, including previous alarms that are no longer active using CM SAT?

- A. Run the display alarmscommand, then change the 'Previous?' field from N to Y and submit the form.
- B. Run the display alarmscommand, then change the 'Historical?' field from N to Y and submit the form.
- C. Run the display alarmsprevious command and submit the form.
- D. Run the display alarmscommand, then change the 'Resolved?' field from N to Y and submit the form.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 25

Where can you access Product Change Notifications (PCNs), Documentation, Knowledge-based articles, and make Parts/Service requests?

- A. avaya.com
- B. support.avaya.org
- C. support.avaya.com
- D. pids.avaya.com
- E. avaya-learnintj.com

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 26

What is the purpose of a Virtual (Intervening) Network Region?

- A. To allow Inter-Gateway Alternate Routing (IGAR)
- B. To provide temporary overflow bandwidth when the direct allocation of bandwidth between connected Network Regions is not available
- C. To simplify bandwidth management between Network Regions connected via a WAN
- D. To allow one Network Region to temporarily use bandwidth allocated to another Network Region if it runs out of bandwidth

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 27

When viewing Avaya Aura Communication Manager (CM) trusted certificates, you notice that the Installed certificates are marked with either A, C, W, or R.

What do these letters stand for?

- A. Accumulated, Compressed, Write and Read
- B. Authentication, Access and Accounting Services, Communication Manager, Web Server and Remote Logging
- C. Accepted, Confirmed, Whitelisted and Rejected
- D. Authentication, Authorization and Accounting Service, Communication Manager, Web Server and Remote Logging

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 28

In the context of the 8D Troubleshooting Methodology, what Discipline is associated with the decision to temporarily use TCP in place of TLS?

- A. Discipline 3 - Develop Interim Containment Actions
- B. Discipline 1 - Establish the Team
- C. Discipline 4 - Determine Root Cause
- D. Discipline 2 - Describe the Problem
- E. Discipline 5 - Choose and Verify Corrective Actions

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 29

A customer has added a CS1000 SIP Entity and Entity Link using TLS port 5061, but users are unable to call any Avaya Aura users that are connected via the same Avaya Aura Session Manager (SM). Which two of the following traces or logs are most relevant to debugging this problem and should be included in the trouble ticket raised with Tier 3 support?

- A. the ppm.log in /var/log/Avaya/jboss/SessionManager on SM
- B. "tshark -i eth1 -w <capturefilename>" on SM
- C. "list trace tac xxx", where xxx is the TAC of the trunk group between Avaya Aura Communication Manager and SM

- D. the latest /var/log/ecs logfile on Avaya Aura Communication Manager
- E. traceSM with TLS handshaking enabled on SM
- F. System Event Log (SEL) on the CS1000

Answer: B,E ([**LEAVE A REPLY**](#)**)**

NEW QUESTION: 30

Which two types of Certificate need to be installed on Communication Manager (CM) to successfully establish a TLS connection with Session Manager?

- A. Root or Certificate Authority (CA) and SIP default certificates
- B. Backup server and default certificates
- C. Root or Certificate Authority (CA) and CM Server Identity certificates
- D. Site Root certificates and Security certificates

Answer: ([**SHOW ANSWER**](#)**)**

NEW QUESTION: 31

What command is used in Linux to start a previously stopped Communication Manager?

- A. start -s CommunicaMgr
- B. restartCM
- C. start CommunicationManager
- D. start -s CM
- E. start CM

Answer: A ([**LEAVE A REPLY**](#)**)**

Valid 72201X Dumps shared by PrepPdf.com for Helping Passing 72201X Exam!
PrepPdf.com now offer the **newest 72201X exam dumps**, the PrepPdf.com 72201X exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 72201X dumps with Test Engine here: <https://www.preppdf.com/AVAYA/72201X-prepaway-exam-dumps.html> (**96 Q&As Dumps, 40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

Avaya Aura System Manager (SMGR) holds a copy of the Avaya Aura Communication Manager (CM) database, and it is important that the database is kept identical between SMGR and CM. If they become un-synchronized, what should be done to restore synchronization again?

- A. Go to the Inventory > Synchronize > Communication System, and send the database from SMGR to CM.
- B. Issue a save translations allcommand in CM.
- C. Go to the Replication page and issue a Repair of the database on SMGR.
- D. Go to the Inventory > Synchronize > Communication System, and synchronize the database from CM to SMGR.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 33

Avaya Aura System Manager (SMGR) holds a copy of the Avaya Aura Communication Manager (CM) database, and it is important that the database is kept identical in both SMGR and CM.

If they ever stop being synchronized, what should be done to get them synchronized again?

- A. Issue a save translations all command in CM.
- B. Go to the Inventory > Synchronize > Communication System, and send the database from SMGR to CM.
- C. Go to the Replication page and issue a Repair of the database on SMGR.
- D. Go to the Inventory > Synchronize > Communication System, and synchronize the database from CM to SMGR.
- E. Use the command 'sync database' on both CM and SMGR to synchronize the databases.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

During Installation, through the exchange of security certificates, between which two entities does the Trust Management Service establish trust? (Choose two.)

- A. Identity Management
- B. Communication Manager
- C. System Manager
- D. Session Manager

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 35

Which two statements are true regarding Full and Half call model processing in Avaya systems?

- A. Avaya Aura System Manager (SMGR) performs Full call model processing.
- B. Avaya Aura Communication Manager (CM) configured as a Feature Server performs Full call model processing.
- C. Avaya Aura Session Manager (SM) always performs Full call model processing.
- D. Avaya Aura Session Manager (SM) always performs Half call model processing.
- E. Avaya Aura Communication Manager (CM) configured as an Evolution Server performs Full call model processing.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

Which statement describes the steps to save the traceSM log file?


- A. While traceSM is running, type 'w' and a filename; the file is written to the user's current directory.
- B. Execute traceSM -w <filename>.
- C. While traceSM is running, type 'w' and a filename; the file is written to the /tmp directory.

D. Export all logs from the Avaya Aura System Manager (SMGR) log viewer.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 37

Refer to the Exhibit.



When a SIP user calls an H.323 user, at which phase does Avaya Aura Communication Manager (CM) handle the call processing for each endpoint?

- A. SIP endpoint in the originating phase, H.323 endpoint in the terminating phase.
- B. H.323 endpoint in the originating phase, SIP endpoint in the terminating phase.
- C. Both endpoints in the originating phase.
- D. Both endpoints in the terminating phase.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

Which statement about H.323 endpoint to SIP Avaya SIP Telephone (AST) endpoint routing is true?

- A. Avaya Aura Communication Manager does feature processing for SIP endpoint only.

B. Avaya Aura Communication Manager does not do feature processing for any endpoint in this scenario.

C. Avaya Aura Communication Manager does feature processing for H.323 endpoint only.

D. Avaya Aura Communication Manager does feature processing for both endpoints.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 39

Which five statements about media-processing resources (DSPs) are true? (Choose five.)

A. SIP-SIP two-party calls will always use SIP Direct Media if Communication Manager (CM) is configured to do so.

B. If a direct media path cannot be established between two IP endpoints, the call will fail from release 7.0.

C. SIP-SIP multi-party calls will shuffle to establish a direct media path if CM is configured to do so.

D. H.323-H.323 two-party calls will always shuffle to establish a direct media path if CM is configured to do so.

E. Two-party calls originated by H.323 stations, trunks, or media gateways, and terminated by SIP stations or trunks, cannot shuffle.

F. Two-party calls originated by SIP stations or trunks, and terminated by H.323 trunks, media gateways, or other vendors' H.323 stations, will typically shuffle if CM is configured to do so.

G. CM can use DSP resources for features such as conferencing, music-on-hold, and voice messaging.

Answer: A,B,D,E,G ([LEAVE A REPLY](#))

NEW QUESTION: 40

A customer wants to implement CAC Sharing between the Session Manager (SM) in Main office and Communication Manager located in a branch location. What are the steps involved in implementing CAC Sharing?

A. Configure Network Regions and Network Regions Group in Communication Manager, assign Bandwidth limits to the location, enable Shared Bandwidth Management for CM SIP entity in Session Manager.

B. Configure Network Regions and Network Regions Group in Communication Manager, assign Bandwidth limits to the Entity Link, enable Shared Bandwidth Management for CM SIP entity in Session Manager.

C. Configure Network Regions and Network Regions Group in Communication Manager, enable Shared Bandwidth Management, assign Bandwidth limits to the location, enable Shared Bandwidth Management for CM SIP entity in Session Manager.

D. Configure Network Regions and Shared Bandwidth Management Groups in Communication Manager, assign Bandwidth limits to the location, enable Shared Bandwidth Management for CM SIP entity in Session Manager.

E. Configure Network Regions and Shared Bandwidth Management Groups in Communication Manager, enable Shared Bandwidth Management, assign Bandwidth limits to the location, enable Shared Bandwidth Management for Network Region SIP entity in Session Manager.

Answer: C ([LEAVE A REPLY](#))

Explanation

Graphical user interface, text, application Description automatically generated



NEW QUESTION: 41

What are the two types of certificates that need to be installed on Communication Manager (CM) to establish a TLS connection with Session Manager?

- A. Root or Certificate Authority (CA) and SIP default certificates
- B. Site Root certificates and Security certificates
- C. Backup server and default certificates
- D. Session Manager and CM inter-cluster certificates
- E. Root or Certificate Authority (CA) and CM Server Identity certificates

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 42

After an Avaya Aura Communication Manager (CM) upgrade, a customer reported that their SIP telephones were unable to login. What could be the reason for this issue?

- A. The licensing specification provided was inaccurate.
- B. The telephones were not upgraded.
- C. Third-party equipment and software were not tested.
- D. The version installed was not compatible with existing versions.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

An IP (AST) user 1011111 and H.323 user 1011711 share a common Communication Manager (Evolution) server. Given the following actions:

CM will negotiate the codec for the H.323 endpoint based on CM configuration.

Session Manager verifies SIP user 1011111 in the registry and authenticates it. After authenticating the SIP user, Session Manager checks the SIP user's profile for sequence applications and routes the request to Communication Manager. Communication Manager performs feature processing and terminates the call to the H.323 endpoint. If SIP user 1011111 calls H.323 user 1011711, in which order will these actions take place?

- A. 4, 2, 3, 1
- B. 4, 2, 1, 3
- C. 2, 4, 1, 3
- D. 3, 4, 2, 1
- E. 4, 3, 2, 1

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 44

A customer has just configured Avaya Aura Media Server (AAMS) on their Avaya Aura Communication Manager (CM). They are saying that the AAMS is never being used by CM, but instead is always using the G450 gateways to provide DSP resources. The customer has checked the status of the Media Server and the Signaling Group and both show In-Service. They have also checked that a Media Server License is installed on WebLM, and the status of the Media Server is showing Element Status as being normal. Which statement describes the cause of this problem?

- A. No trunk-group members have been configured.
- B. The CM license has no CM Media Server VoIP Channels.
- C. The Dedicated VoIP Channel Licenses has not been set on the media-server CM SAT screen.
- D. The VoIP Channel License Limit has not been set on the media-server CM SAT screen.
- E. The Media Server is not added as a resource to the call processing entity.

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 45

After implementation, the Avaya Aura Session Manager (SM) replication status is Not Polling, and both replica nodes are not reachable. The network connectivity has been verified, although Avaya Aura System Manager (SMGR) cannot connect to SM, but can connect to other network components. Based on an analysis of what is working and not working, where should the administrator try to isolate the issue?

- A. Network switch configuration
- B. Avaya Aura Communication Manager (CM)
- C. Avaya Aura Session Manager (SM)
- D. Avaya Aura Utility Server (US)
- E. Avaya Aura System Manager (SMGR)

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 46

Which three statements about media processing resources (DSPs) are true? (Choose three.)

- A.** Two-party calls originated by SIP stations or trunks, and terminated by H.323 trunks, media gateways, or other vendors' H.323 stations, will typically shuffle if Communications Manager (CM) is configured to do so.
- B.** Two-party calls originated by H.323 stations, trunks, or media gateways, and terminated by SIP stations or trunks, cannot shuffle.
- C.** If a direct media path cannot be established between two IP endpoints the call will fail from release 7.0.
- D.** H.323-H.323 two-party calls will always shuffle to establish a direct media path if Communications Manager (CM) is configured to do so.
- E.** SIP-SIP two-party calls will always use SIP Direct Media if Communication Manager (CM) is configured to do so.

Answer: B,C,E ([LEAVE A REPLY](#))

Valid 72201X Dumps shared by PrepPdf.com for Helping Passing 72201X Exam!

PrepPdf.com now offer the **newest 72201X exam dumps**, the PrepPdf.com 72201X exam

questions have been updated and **answers have been corrected** get the **newest**

PrepPdf.com 72201X dumps with Test Engine here: <https://www.preppdf.com/AVAYA/72201X-prepaway-exam-dumps.html> (96 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 47

What documents are expected to be filled out by customers/partners before contacting support in Avaya's Diagnostic Methodology program?

- A.** Problem Statement
- B.** Problem Clarification
- C.** Knowledge Management
- D.** Details/Findings
- E.** Cause
- F.** Troubleshooting steps taken

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 48

In which four ways can you verify the Avaya Aura Communication Manager (CM) license status? (Choose four.)

- A.** Using the CM System Administration Terminal, run the status license command.
- B.** Using the CM Linux console interface, run the license list command.
- C.** Using the CM System Administration Interface, access the WebLM > status license menu.
- D.** Using the CM System Administration Terminal, run the license list command.

- E. Using the CM System Administration Terminal, run the test license command.
- F. Using the System Manager Web GUI, access the CM element > alarms menu.
- G. Using the System Manager Web GUI, access the CM element > license menu.
- H. Using the CM Linux console interface, run the statuslicense command.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

Which statement is true about Interfaces and IP addresses on an Avaya Session Border Controller for Enterprise (SBCE) used for SIP Trunking and Remote Worker services?

- A. SIP Trunking and Remote Worker services can use different IP addresses configured on the same Interface.
- B. Only one IP address should be configured per interface.
- C. SIP Trunking and Remote Worker services cannot run on the same SBCE.
- D. SIP Trunking and Remote Worker services can share the same IP address.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 50

What are two functions performed by System Manager? (Choose two.)

- A. If 'Initial IP-IP Direct Media' is enabled, SIP-SIP two party calls will use direct media.
- B. It delivers a set of shared management services and a common console.
- C. If 'Direct IP-IP Auto Connections, H.323-H.323 two-party calls will shuffle to establish a direct media.
- D. It provides SIP registration and authentication.
- E. It provides centralized management of enterprise-wide dial plans.

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 51

Which event packages would you expect to see an AST Endpoint subscribe to in Avaya Aura System Manager?

- A. avaya-ccs-profile, network status and message-summary dialog
- B. entity links, avaya-cm-feature-status, avaya-ccs-profile and reg
- C. avaya-cm-feature-status, entity links, reg and message-summary
- D. dialog, avaya-cm-feature-status, avaya-ccs-profile, reg and message
- E. dialog, avaya-cm-feature-status, avaya-ccs-profile and network status

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 52

When running the display node-names ipcommand, what information is found?

- A. name and link number
- B. type and link number
- C. name and IP address

D. IP address and type

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 53

In which three states can an Avaya Aura System Manager (SMGR) Alarm exist? (Choose three.)

- A. Resolved
- B. Acknowledged
- C. Cleared
- D. Active
- E. Raised

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

Where can the alarm status of all Session Managers be viewed at a glance in Avaya Aura?

- A. SIP Entity Monitoring
- B. Session Manager SIP Entity
- C. System Manager Dashboard
- D. Session Manager Administration
- E. Session Manager Dashboard

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 55

Which two critical pieces of Avaya Aura Communication Manager (CM) information can be obtained from the ECS log located in the /var/log/ecs directory? (Choose two.)

- A. Capacity and certificate status
- B. Alarms and errors
- C. Denial events
- D. Licensing status
- E. A log of systems restarts

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 56

Which three statements regarding the core architecture in the Avaya Aura 7 solution are true? (Choose three.)

- A. SIP User Agents can register to both Avaya Aura Session Manager (SM) and Avaya Aura Communication Manager (CM).
- B. SIP trunks can be configured on both Avaya Aura Session Manager (SM) and Avaya Aura Communication Manager (CM).
- C. Avaya Aura Media Server (AAMS) connects directly to Avaya Aura Session Manager (SM) using SIP.

D. Avaya Aura Media Server (AAMS) can connect to Avaya Aura Communication Manager (CM) without routing via Avaya Aura Session Manager (SM).

E. Avaya Aura Session Manager (SM) is responsible for routing calls between SIP User Agents.

Answer: A,B,D ([LEAVE A REPLY](#))

Valid 72201X Dumps shared by PrepPdf.com for Helping Passing 72201X Exam!

PrepPdf.com now offer the **newest 72201X exam dumps**, the PrepPdf.com 72201X exam

questions have been updated and **answers have been corrected** get the **newest**

PrepPdf.com 72201X dumps with Test Engine here: <https://www.preppdf.com/AVAYA/72201X-prepaway-exam-dumps.html> (**96** Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)