

Citrix.1Y0-241.v2022-06-20.q30

Exam Code:	1Y0-241
Exam Name:	Deploy and Manage Citrix ADC 13 with Traffic Management
Certification Provider:	Citrix
Free Question Number:	30
Version:	v2022-06-20
# of views:	741
# of Questions views:	300
https://www.freegas.com/qa/Citrix/1Y0-241/Citrix.1Y0-241.v2022-06-20.q30.html	

NEW QUESTION: 1

A Citrix Administrator configured an external syslog server but is NOT seeing detailed TCP information?

What could be causing this?

- A. Log level is NOT enabled.
- B. Log facility is NOT configured.
- C. User-defined audit log is NOT configured.
- D. TCP logging is NOT enabled.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

Scenario: A Citrix Administrator configured a responder policy as follows:

```
> add responder action Redirect_Act respondwith
```

```
"DIAMETER.NEW_REDIRECT(\"aaa://host.example.com\")"
```

```
> add responder policy Redirect_Pol "diameter.req.avp(264).value.eq(\"host1.example.net\")" Redirect_Act
```

```
> bind lb vServer vs1 -policyName Redirect_Pol -priority 10 -type REQUEST
```

What will be the effect of this configuration?

- A. Response originated from "host1.example.net" will be redirected to "host.example.com".
- B. Response originated from "host.example.net" will be redirected to "host1.example.com".
- C. Request originated from "host1.example.net" will be redirected to "host.example.com".
- D. Request originated from "host.example.net" will be redirected to "host1.example.com".

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

Scenario: A Citrix Administrator executed the following commands on the Citrix ADC:

```
> add policy dataset Admin_group ipv4
```

```
> bind policy dataset Admin_group 192.168.149.10 -index 11
> bind policy dataset Admin_group 192.168.149.39 -index 12
> bind policy Admin_group 192.168.149.49 -index 13
> add responder policy POL_1
"!(CLIENT.IP.SRC.TYPECAST_TEXT_T.CONTAINS_ANY(\"Admin_group\"))"
RESET
> bind lb vServer lb_vsrv_www -policyName POL_1 -priority 100 -gotoPriorityExpression
END -type REQUEST
```

What will be the effect of these commands?

- A.** Only users with a source IP address of 192.168.149.10, 192.168.149.39, or 192.168.149.49 will be allowed to connect to vServer lb_vsrv_www.
- B.** Only users with a source IP address of 192.168.149.10, 192.168.149.39, or 192.168.149.49 will be blocked when attempting to connect to vServer lb_vsrv_www.
- C.** Only users with a source IP address of 192.168.149.10 or 192.168.149.39 will be allowed to connect to vServer lb_vsrv_www.
- D.** All traffic from users with a source IP address of 192.168.149.10, 192.168.149.39, or 192.168.149.49 will be blocked through the Citrix ADC.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 4

Scenario: A Citrix Administrator is running an e-commerce web service that uses backend SQL and RADIUS servers. The e-commerce platform runs on a web server using port 80, and a website status page on port 99 reports the status of all servers.

Which monitor should the administrator choose to confirm the availability of the e-commerce solution?

- A.** HTTP_ECV on port 99
- B.** HTTP on port 99
- C.** HTTP on port 80
- D.** HTTP-ECV on port 80

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 5

A Citrix Network Engineer informs a Citrix Administrator that a data interface used by Citrix ADC SDX is being saturated.

Which action could the administrator take to address this bandwidth concern?

- A.** Add a second interface to each Citrix ADC VPX instance.
- B.** Configure a failover interface set on each Citrix ADC VPX instance.
- C.** Configure LACP on the SDX for the data interface.
- D.** Configure LACP on the SDX for management interface.

Answer: C ([LEAVE A REPLY](#))

Explanation/Reference: https://training.citrix.com/public/Exam+Prep+Guides/241/1Y0-241_Exam_Preparation_Guide_v01.pdf

NEW QUESTION: 6

Scenario: A Citrix Administrator configured a responder policy as follows:

> add responder action Redirect_Act respondwith

"DIAMETER.NEW_REDIRECT(\"aaa://host.example.com\")"

> add responder policy Redirect_Pol "diameter.req.avp(264).value.eq(\"host1.example.net\")" Redirect_Act

> bind lb vServer vs1 -policyName Redirect_Pol -priority 10 -type REQUEST What will be the effect of this configuration?

- A. Request originated from "host1.example.net" will be redirected to "host.example.com".
- B. Response originated from "host1.example.net" will be redirected to "host.example.com".
- C. Response originated from "host.example.net" will be redirected to "host1.example.com".
- D. Request originated from "host.example.net" will be redirected to "host1.example.com".

Answer: A (LEAVE A REPLY)

Explanation/Reference:

NEW QUESTION: 7

A Citrix Administrator receives user complaints about latency while accessing an application that is load balanced on the Citrix ADC.

Which tool can the administrator use to gather information regarding response time, client network latency, and server-side processing time?

- A. HDX Insight
- B. Security Insight
- C. Citrix Application Delivery Management (ADM)
- D. WAN Insight

Answer: A (LEAVE A REPLY)

NEW QUESTION: 8

Scenario: A Citrix Administrator configured Citrix ADC load balancing to send requests to one of three identical backend servers. Each server handles multiple protocols, and load balancing is set up in round-robin mode.

The current load-balancing setup on the Citrix ADC is:

- * One load-balancing vServer with one externally accessible VIP
- * One service created for each protocol type
- * One server entity for each backend resource

During business hours, the administrator wants to make changes to one backend server without affecting the other servers.

What is the most efficient way for the administrator to ensure that all traffic is routed away from the server without impeding responses from other resources?

- A. Disable the backend service entity targeted for change.
- B. Disable the backend server entity targeted for change.

C. Disable the load-balancing vServer.

D. Unbind the correct server entity from the load-balancing vServer.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 9

Scenario: A Citrix Administrator would like to grant access to a Junior Citrix Administrator on the Citrix ADC.

The administrator would like to grant full access to everything except the following:

Shell User configuration

Partition configuration

Which preexisting command policy would meet the needs of this scenario?

A. Operator

B. Superuser

C. Network

D. Sysadmin

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 10

Scenario: A Citrix Administrator executed the following command in a global server load balancing (GSLB) environment:

```
set gslb site SiteB -triggerMonitor MEPDOWN
```

What will be the effect of this command on the default service monitoring behavior on a remote site?

A. The state of the GSLB service will always be controlled by Metric Exchange Protocol (MEP).

B. The service monitor will take precedence over Metric Exchange Protocol (MEP).

C. The service monitor is invoked only when Metric Exchange Protocol (MEP) connectivity has been lost between Site A and Site B.

D. The service monitor is invoked only when Metric Exchange Protocol (MEP) has marked the service as DOWN.

Answer: (SHOW ANSWER)

NEW QUESTION: 11

What is the first thing a Citrix Administrator should develop when creating a server certificate for Citrix ADC to secure traffic?

A. A certificate signing request (CSR)

B. A certificate revocation list (CRL)

C. A certificate key-pair

D. A private key

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 12

Scenario: A Citrix Administrator is managing a Citrix Gateway with a standard Platform license and remote employees in the environment. The administrator wants to increase access by 3,000 users through the Citrix Gateway using VPN access.

Which license should the administrator recommend purchasing?

- A. Citrix Gateway Universal
- B. Citrix Gateway Express
- C. Citrix ADC Upgrade
- D. Citrix ADC Burst Pack

Answer: A (LEAVE A REPLY)

NEW QUESTION: 13

A Citrix Administrator configured global server load balancing (GSLB) for www.citrix.com, with two ADNS services named Citrix ADC 1 and Citrix ADC 2 in the setup.

Which record does the administrator need to add on the parent DNS server to delegate requests from www.citrix.com to Citrix ADC 1 and Citrix ADC 2?

- A. Canonical Name (CNAME)
- B. Address (A) record
- C. Name Server (NS) record
- D. Pointer Record (PTR)

Answer: C (LEAVE A REPLY)

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/dns/configure-citrix-adc-adns-server.html>

NEW QUESTION: 14

Scenario: A Citrix Administrator configured a load-balancing vServer. The URL for this vServer is vpn.citrix.com. The backend server has the host name configured as server1.citrix.com.

The administrator needs to implement the policy to change the host name from vpn.citrix.com to server1.citrix.com, and vice versa.

Which does the administrator need to configure to meet this requirement?

- A. set transform action "host change" -priority 10 -reqUrlFrom "https://server1.citrix.com/*" -reqUrlInto "https://vpn.citrix.com/*" -resUrlFrom "https://vpn.citrix.com/*" -resUrlInto "https://server1.citrix.com/*"
- B. set transform action "host change" -priority 10 -reqUrlFrom "https://server1.citrix.com/*" -reqUrlInto "https://vpn.citrix.com/*" -resUrlFrom "https://server1.citrix.com/*" -resUrlInto "https://vpn.citrix.com/*"

C. set transform action "host change" -priority 10 -reqUrlFrom "https://vpn.citrix.com/*" -reqUrlInto "https:// server1.citrix.com/*" -resUrlFrom "https://server1.citrix.com/*" -resUrlInto "https://vpn.citrix.com/*"

D. set transform action "host change" -priority 10 -reqUrlFrom "https://vpn.citrix.com/*" -reqUrlInto "https:// server1.citrix.com/*" -resUrlFrom "https://vpn.citrix.com/*" -resUrlInto "https://server1.citrix.com/*"

Answer: D (LEAVE A REPLY)

NEW QUESTION: 15

Scenario: The primary content switching vServer has gone down. To troubleshoot, a Citrix Administrator has issued the following command:

```
> show csvserver CSV
```

CSV (10.1.100.100:443) - HTTPS Type: CONTENT

State: UP

Last state change was at Mon Jun 29 15:20:43 2020

Time since last state change: 1 day, 06:47:58 610

Client Idle Timeout: 180 sec

Down state flush: ENABLED

Disable Primary vServer On Down: DISABLED

Appflow logging: ENABLED

Port Rewrite: DISABLED

State Update: DISABLED

Default: Content Precedence: URL

vServer IP and Port insertion: OFF

Persistence: NONE redirect: http://www.site1.com/mysite1/maintenance

Backup: vServer-LB-2

Listen Policy: NONE

IcmpResponse: PASSIVE

RHIstate: PASSIVE

Traffic Domain: 0

Based on this output, where will the subsequent request be redirected?

A. vServer-LB-2

B. 10.1.100.100:443

C. http://www.site1.com/mysite1/maintenance

D. Backup content switching vServer

Answer: C (LEAVE A REPLY)

NEW QUESTION: 16

Scenario: While attempting to access web server that is load balanced by a Citrix ADC using HTTPS, a user receives the message below.

SSL/TLS error: You have not chosen to trust "Certificate Authority" the issuer of the server's security certificate.

What can a Citrix Administrator do to prevent users from viewing this message?

- A. Ensure that users have the server certificate installed.
- B. Ensure that the server certificate is linked to its respective intermediate and root certificates.
- C. Ensure that users have the certificate's private key.
- D. Ensure that users have the certificate's public key.

Answer: D ([LEAVE A REPLY](#))

Valid 1Y0-241 Dumps shared by PrepPdf.com for Helping Passing 1Y0-241 Exam! PrepPdf.com now offer the **newest 1Y0-241 exam dumps**, the PrepPdf.com 1Y0-241 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Y0-241 dumps with Test Engine here:
<https://www.preppdf.com/Citrix/1Y0-241-prepaway-exam-dumps.html> (113 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

Which step can a Citrix Administrator take to use default compression policies?

- A. Enable compression on the associated bound services.
- B. Bind the default compression policies to the vServer.
- C. Disable the Citrix ADC compression feature at a global level.
- D. Select the compression algorithm (gzip/deflate/identity).

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 18

Scenario: A Citrix Administrator downloaded and deployed Citrix Application Delivery Management (ADM) in an environment consisting of six Citrix ADCs and 100 virtual servers. When viewing the Citrix ADM console, the administrator sees only 30 virtual servers.

Why is the administrator unable to see all 100 virtual servers?

- A. Additional Citrix ADM systems need to be deployed to see all virtual servers.
- B. The nsroot passwords are NOT the same across all the Citrix ADCs.
- C. Citrix ADM is using a free license.
- D. The Citrix ADC and Citrix ADM firmware versions are NOT the same.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 19

A Citrix Administrator needs to confirm that all client certificates presented to the authentication vServer are valid until the year 2023.

Which expression can the administrator use to meet this requirement?

- A. CLIENT.SSL.CLIENT_CERT.VALID_NOT_AFTER.EQ(GMT2023)
- B. CLIENT.SSL.CLIENT_CERT.VALID_NOT_BEFORE.EQ(GMT2023)
- C. CLIENT.SSL.ORIGIN_SERVER_CERT.VALID_NOT_AFTER.EQ(GMT2023)
- D. CLIENT.SSL.CLIENT_CERT.DAYS_TO_EXPIRE.EQ(2023)

Answer: ([SHOW ANSWER](#))

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/ssl/ssl-actions-and-policies/config-built-in-ssl-actions.html>

NEW QUESTION: 20

Which two policies can a Citrix Administrator configure using only the advanced policy expression? (Choose two.)

- A. SSL
- B. System
- C. DNS
- D. Integrated caching

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

What

is the effect of the "set cs vServer-CS-1 -redirectURL http://www.newdomain.com/mysite/" command?

- A. All the requests to vServer-CS-1 will be redirected to http://www.newdomain.com/mysite/.
- B. If the vServer-CS-1 encounters a high connection rate, then users will be redirected to http://www.newdomain.com/mysite/.
- C. All the requests without URL path/mysite/ will be redirected to http://www.newdomain.com/mysite/.
- D. If the status of vServer-CS-1 is DOWN, then users will be redirected to http://www.newdomain.com/mysite/.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 22

Scenario: A company has three departments with proprietary applications that need to be load balanced on a Citrix ADC. The three department managers would like to use the

same IP address to access their individual applications. This would mean configuring three load-balanced vServers, all using the same IP address.

What can the Citrix Administrator configure for this scenario?

- A.** Three different Citrix ADCs that use the same IP address
- B.** Three SNIPs with the same IP address on a Citrix ADC
- C.** Three different admin partitions that allow use of the same IP address for each load-balanced vServer on a Citrix ADC
- D.** Three different load-balanced vServers with three different IP addresses on a Citrix ADC

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 23

A Citrix Administrator needs to confirm that all client certificates presented to the authentication vServer are valid until the year 2023.

Which expression can the administrator use to meet this requirement?

- A.** CLIENT.SSL.CLIENT_CERT.VALID_NOT_AFTER.EQ(GMT2023)
- B.** CLIENT.SSL.ORIGIN_SERVER_CERT.VALID_NOT_AFTER.EQ(GMT2023)
- C.** CLIENT.SSL.CLIENT_CERT.DAYS_TO_EXPIRE.EQ(2023)
- D.** CLIENT.SSL.CLIENT_CERT.VALID_NOT_BEFORE.EQ(GMT2023)

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 24

To protect an environment against Hash DoS attacks, which two configurations can a Citrix Administrator use to block all post requests that are larger than 10,000 bytes? (Choose two.)

A. > add policy expression expr_hashdos_prevention "http.REQ.METHOD.EQ("POST\n")&&

http.REQ.CONTENT_LENGTH.GT(10000)"

> add rewrite policy drop_rewrite expr_hashdos_prevention DROP

> bind rewrite global drop_rewrite 100 END -type REQ_OVERRIDE

B. > add policy expression expr_hashdos_prevention "http.REQ.METHOD.EQ("POST\n")&&

http.REQ.CONTENT_LENGTH.GT(10000)"

> add responder policy pol_resp_hashdos_prevention expr_hashdos_prevention DROP NOOP

> bind responder global pol_resp_hashdos_prevention 70 END -type REQ_OVERRIDE

C. > add policy expression expr_hashdos_prevention "http.REQ.METHOD.EQ("POST\n") || http.REQ.CONTENT_LENGTH.GT(10000)"

> add responder policy pol_resp_hashdos_prevention expr_hashdos_prevention DROP NOOP

> bind responder global pol_resp_hashdos_prevention 70 END -type REQ_OVERRIDE

D. > add policy expression expr_hashdos_prevention "http.REQ.METHOD.EQ(\"POST\") || http.REQ.CONTENT_LENGTH.GT(10000)"
> add rewrite policy drop_rewrite expr_hashdos_prevention DROP
> bind rewrite global drop_rewrite 70 END -type REQ_OVERRIDE
E. > add policy expression expr_hashdos_prevention "http.REQ.METHOD.EQ(\"POST\") || http.REQ.CONTENT_LENGTH.GT(10000)"
> add responder policy pol_resp_hashdos_prevention expr_hashdos_prevention DROP NOOP
> bind responder global pol_resp_hashdos_prevention 100 END -type REQ_OVERRIDE
F. > add policy expression expr_hashdos_prevention "http.REQ.METHOD.EQ(\"POST\") || http.REQ.CONTENT_LENGTH.GT(10000)"
> add rewrite policy drop_rewrite expr_hashdos_prevention DROP
> bind rewrite global drop_rewrite 100 END -type REQ_OVERRIDE

Answer: B,E (LEAVE A REPLY)

Explanation/Reference: <https://support.citrix.com/article/CTX131868>

NEW QUESTION: 25

Scenario: Client connections to certain vServers are abnormally high. A Citrix Administrator needs to be alerted whenever the connections pass a certain threshold. How can the administrator use Citrix Application Delivery Management (ADM) to accomplish this?

- A.** Configure specific alerts for vServers using Citrix ADM.
- B.** Configure TCP Insight on the Citrix ADM.
- C.** Configure network reporting on the Citrix ADM by setting the threshold and email address.
- D.** Configure SMTP reporting on the Citrix ADM by adding the threshold and email address.

Answer: (SHOW ANSWER)

NEW QUESTION: 26

Which feature can a Citrix Administrator use to create a consistent set of front-end SSL parameters across multiple SSL vServers?

- A.** SSL profile
- B.** SSL bridge
- C.** SSL policy
- D.** SSL policy
- E.** SSL multiplexing

Answer: (SHOW ANSWER)

NEW QUESTION: 27

A Citrix Administrator configured global server load balancing (GSLB) for www.citrix.com, with two ADNS services named Citrix ADC 1 and Citrix ADC 2 in the setup.

Which record does the administrator need to add on the parent DNS server to delegate requests from www.citrix.com to Citrix ADC 1 and Citrix ADC 2?

- A. Address (A) record
 - B. Canonical Name (CNAME)
 - C. Name Server (NS) record
 - D. Pointer Record (PTR)
- Answer: C ([LEAVE A REPLY](#))**

NEW QUESTION: 28

A Citrix Administrator needs to use a client's IP address as the source IP address for Citrix ADC-to-server connections.

Which Citrix ADC mode can the administrator use to meet this requirement?

- A. Layer 3
- B. USIP
- C. USNIP
- D. Layer 2

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 29

What is the effect of the "set cs vServer-CS-1 -redirectURL http://www.newdomain.com/mysite/" command?

- A. All the requests to vServer-CS-1 will be redirected to http://www.newdomain.com/mysite/.
- B. If the vServer-CS-1 encounters a high connection rate, then users will be redirected to http:// www.newdomain.com/mysite/.
- C. All the requests without URL path/mysite/ will be redirected to http://www.newdomain.com/mysite/.
- D. If the status of vServer-CS-1 is DOWN, then users will be redirected to http://www.newdomain .com/mysite/

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 30

Scenario: A Junior Citrix Administrator needs to create a content switching vServer on a Citrix ADC high availability (HA) pair. The NSIP addresses are 192.168.20.10 and 192.168.20.11. The junior administrator connects to NSIP address 192.168.20.10 and saves the changes.

The following day, a Senior Citrix Administrator tests the new content switching vServer, but it is NOT working. The senior administrator connects to the HA pair and discovers that everything the junior administrator configured is NOT visible.

Why has the Citrix ADC lost the newly added configurations?

- A.** The junior administrator made the changes and did NOT force a failover to save the configuration.
- B.** Both Citrix ADCs in the HA pair restarted overnight.
- C.** The Citrix ADC appliances have different firmware versions.
- D.** The junior administrator connected to the NSIP of the secondary Citrix ADC in the HA pair.

Answer: B ([LEAVE A REPLY](#))

Valid 1Y0-241 Dumps shared by PrepPdf.com for Helping Passing 1Y0-241 Exam!

PrepPdf.com now offer the **newest 1Y0-241 exam dumps**, the PrepPdf.com 1Y0-241 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Y0-241 dumps with Test Engine here:

<https://www.preppdf.com/Citrix/1Y0-241-prepaway-exam-dumps.html> (113 Q&As

Dumps, **40%OFF** Special Discount: **Exam-Tests**)