

# Citrix.1Y0-341.v2023-08-09.q111

|   |  |
|---|--|
| <b>Exam Code:</b>   | 1Y0-341  |
| <b>Exam Name:</b>   | Citrix ADC Advanced Topics - Security, Management and Optimization |
| <b>Certification Provider:</b>  | Citrix   |
| <b>Free Question Number:</b>  | 111  |
| <b>Version:</b>   | v2023-08-09  |
| <b># of views:</b>  | 904  |
| <b># of Questions views:</b>  | 1110   |
| <a href="https://www.freeqas.com/qa/Citrix/1Y0-341/Citrix.1Y0-341.v2023-08-09.q111.html">https://www.freeqas.com/qa/Citrix/1Y0-341/Citrix.1Y0-341.v2023-08-09.q111.html</a> |  |

## NEW QUESTION: 1

Scenario: A Citrix Engineer implements Application-level Quality of Experience (AppQoE) to protect a web application. Shortly after that, users call to complain that nearly every request is being met with a Captcha.

What can the engineer do to improve the user experience?

- A. Increase the Session Life.
- B. Disable the Captcha.
- C. Increase the Policy Queue Depth.
- D. Increase the DOS Attack Threshold.

**Answer: B** ([LEAVE A REPLY](#))

## NEW QUESTION: 2

Which two threats can be prevented by using IP Reputation? (Choose two.)

- A. Compromised IPv6 web-server
- B. Trojan horses
- C. Phishing Proxies
- D. Worm
- E. Compromised IPv4 web-server

**Answer: C,E** ([LEAVE A REPLY](#))

## NEW QUESTION: 3

Scenario: A Citrix Engineer manages Citrix Application Delivery Management (ADM) for a large holding company. Each division maintains its own ADC appliances. The engineer wants to make Citrix ADM features and benefits available to each group independently.

What can the engineer create for each division to achieve this?

- A. A site
- B. A role
- C. A tenant
- D. A dashboard
- E. A group

**Answer:** ([SHOW ANSWER](#))

A tenant that involves multi-tenancy solution provisioned by ADM

#### **NEW QUESTION: 4**

A Citrix Engineer needs to optimize the Cascading Style Sheets (CSS) content sent from the backend server before being forwarded to the client.

Which option can the engineer use to accomplish CSS optimization?

- A. Shrink to Attributes
- B. Convert to WebP
- C. Move to Head Tag
- D. Lazy Load

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 5**

Which security model should a Citrix Engineer implement to make sure that no known attack patterns pass through Citrix Web App Firewall?

- A. Hybrid
- B. Static
- C. Positive
- D. Negative

**Answer:** ([SHOW ANSWER](#))

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/application-firewall/introduction-to-citrix-web-app-firewall.html>

#### **NEW QUESTION: 6**

Which Citrix Web App Firewall profile setting can a Citrix Engineer configure to provide a response when a violation occurs?

- A. Default Request
- B. Redirect URL
- C. Return URL
- D. Default Response

**Answer:** D ([LEAVE A REPLY](#))

Explanation/Reference: <https://docs.citrix.com/en-us/netScaler/11-1/application-firewall/profiles/configuring-profiles.html>

#### **NEW QUESTION: 7**

What can a Citrix Engineer do to aggregate Citrix Web App Firewall log messages to a central location?

- A. Create a Responder action and policy, and bind it to the virtual server.
- B. Modify the Citrix Web App Firewall settings.
- C. Enable AppFlow and forward AppFlow records to a Citrix Application Delivery Management (ADM) server.
- D. Create a Citrix Web App Firewall Audit policy.

**Answer: D (LEAVE A REPLY)**

#### **NEW QUESTION: 8**

A Citrix Engineer needs to create a configuration job to clone a configuration from an existing Citrix ADC to a new Citrix ADC.

Which configuration source can the engineer use to accomplish this?

- A. Master Configuration
- B. Inbuilt Template
- C. Instance
- D. Configuration Template

**Answer: D (LEAVE A REPLY)**

<https://docs.citrix.com/en-us/citrix-application-delivery-management-software/current-release/stylebooks/migrate-citrix-adc-application-configuration-using-stylebooks.html>

#### **NEW QUESTION: 9**

Which NetScaler Management and Analytics System (NMAS) feature will assist the Citrix Engineer in gathering the required data for issues with Endpoint Analysis?

- A. Web Insight
- B. Security Insight
- C. Gateway Insight
- D. HDX Insight

**Answer: B (LEAVE A REPLY)**

#### **NEW QUESTION: 10**

Which two security checks invoke sessionization? (Choose two.)

- A. Field Formats
- B. CSRF Form Tagging
- C. HTML Cross-Site Scripting
- D. Form Field Consistency

**Answer: B,D (LEAVE A REPLY)**

#### **NEW QUESTION: 11**

Scenario : A Citrix Engineer needs to forward the Citrix Web App Firewall log entries to a central management service. This central management service uses an open log file standard. Which log

file format should the engineer use in the Citrix Web App Firewall engine settings to designate the open log file standard?

- A. CEF
- B. IIS
- C. TLA
- D. W3C

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 12**

Scenario: A Citrix Engineer implements Application-level Quality of Experience (AppQoE) to protect a web application. Shortly after that, users call to complain that nearly every request is being met with a Captcha.

What can the engineer do to improve the user experience?

- A. Disable the Captcha.
- B. Increase the DOS Attack Threshold.
- C. Increase the Policy Queue Depth.
- D. Increase the Session Life.

**Answer:** D ([LEAVE A REPLY](#))

<https://docs.citrix.com/en-us/citrix-adc/current-release/appexpert/appqoe/appqoe-parameters.html>

#### **NEW QUESTION: 13**

Which Front End Optimization technique can a Citrix Engineer enable on the Citrix ADC to remove all excess whitespace from a file?

- A. Shrink to Attributes
- B. Minify
- C. Lazy Load
- D. Inlining

**Answer:** B ([LEAVE A REPLY](#))

<https://docs.citrix.com/en-us/citrix-adc/current-release/optimization/front-end-optimization.html>

#### **NEW QUESTION: 14**

A Citrix Engineer enabled Credit Card Security check in the Application Firewall Profile. Which response header will be dropped by Application Firewall after this check is enabled?

- A. Content-Type
- B. Content-Location
- C. Content-Length
- D. Content-Encoding

**Answer:** C ([LEAVE A REPLY](#))

#### **NEW QUESTION: 15**

Scenario: A Citrix Engineer wants to use Citrix Application Delivery Management (ADM) to monitor a single Citrix ADC VPX with eight web applications and one Citrix Gateway. It is important that the collected data be protected.

Which deployment will satisfy the requirements?

- A. A single Citrix ADM with database replication to a secondary storage repository.
- B. A pair of Citrix ADM virtual appliances configured for High Availability.
- C. A single Citrix ADM imported onto the same hypervisor as the Citrix ADC VPX.
- D. A pair of Citrix ADM virtual appliances, each working independently.

**Answer: B (LEAVE A REPLY)**

<https://docs.citrix.com/en-us/citrix-application-delivery-management-software/current-release/deploy/high-availability-deployment.html>

### NEW QUESTION: 16

Scenario: A Citrix Engineer is asked to implement multi-factor authentication for Citrix Gateway. The engineer creates the authentication policies and binds the policies to the appropriate bind points. The engineer creates a custom form using Notepad++ to format the page which will capture the user's credentials.

What is the first step the engineer must perform to assign this form to the authentication process?

- A. Create a login schema profile and select the uploaded file.
- B. Bind the authentication policy to the primary authentication bank of the Citrix Gateway
- C. Create an authentication policy label and bind it to an authentication policy.
- D. Create a login schema policy and bind it to the authentication virtual server.

**Answer: C (LEAVE A REPLY)**

**Valid 1Y0-341 Dumps** shared by PrepPdf.com for Helping Passing 1Y0-341 Exam! PrepPdf.com now offer the **newest 1Y0-341 exam dumps**, the PrepPdf.com 1Y0-341 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Y0-341 dumps with Test Engine here: <https://www.preppdf.com/Citrix/1Y0-341-prepaway-exam-dumps.html> (230 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

### NEW QUESTION: 17

Which three options can be used to specify the destination of an HTTP Callout? (Choose three.)

- A. NetScaler Gateway Virtual server
- B. Load balancing Virtual server
- C. Content switching Virtual server
- D. Cache redirection Virtual server
- E. Global server load balancing Virtual server

**Answer: B,C,D (LEAVE A REPLY)**

**NEW QUESTION: 18**

Scenario: A Citrix Engineer has enabled the Learn function for a Citrix Web App Firewall profile. After a period of time, the engineer notices that Citrix Web App Firewall is no longer learning any new rules.

What would cause Citrix Web App Firewall to stop learning?

- A. The Citrix Web App Firewall Learn database has reached its capacity of 20 MB.
- B. The Citrix Web App Firewall feature is NOT licensed.
- C. The Citrix Web App Firewall profile was unbound from the application.
- D. The Citrix Web App Firewall has reached its capacity of 500 Learn transactions.

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 19**

A Citrix Engineer is reviewing the log files for a sensitive web application and notices that someone accessed the application using the engineer's credentials while the engineer was out of the office for an extended period of time.

Which production can the engineer implement to protect against this vulnerability?

- A. Buffer Overflow
- B. Deny URL
- C. Cookie Consistency
- D. Form Field Consistency

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 20**

A manager for a hospital billing system wants to display the last four digits of a credit card number when printing invoices.

Which credit card security action does this?

- A. X-Out
- B. Log
- C. Transform
- D. Block

**Answer: A ([LEAVE A REPLY](#))**

<https://docs.citrix.com/en-us/citrix-adc/current-release/application-firewall/dataleak-prevention/creditcard-check.html>

**NEW QUESTION: 21**

A Citrix Engineer needs to prevent an attack against insecure operating-system or web-server software.

The attack can cause the system to crash or behave unpredictably when it receives a data string that is larger than it can handle.

Which security check on the Application Firewall can the engineer enable to prevent such attacks?

- A. Buffer Overflow
- B. Field Format
- C. Start URL
- D. Deny URL

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 22**

What is required for connecting a data center to the Citrix Application Delivery Management (ADM) Service?

- A. Instance
- B. Configuration Job
- C. Agent
- D. Syslog

**Answer:** C ([LEAVE A REPLY](#))

<https://docs.citrix.com/en-us/citrix-application-delivery-management-service/citrix-application-delivery-management-service.html>

#### **NEW QUESTION: 23**

Scenario: A Citrix Engineer needs to configure an Application Firewall policy for an online shopping website called "mycompany.com". As a security measure, the shopping cart application is hosted on a separate directory "/mycart" on the backend server. The engineer configured a profile to secure the connections to this shopping cart and now needs to ensure that this profile is allied to all incoming connections to the shopping cart.

Which policy expression will accomplish this requirement?

- A. `http.req.url.contains("/mycart") || http.req.url.hostname.eq("mycompany.com")`
- B. `http.req.header("url").contains("/mycart") && http.req.url.contains("mycompy.com")`
- C. `http.req.header("url").contains("/mycart") || http.req.url.contains("mycompany.com")`
- D. `http.req.url.contains("/mycart") & http.req.url.hostname.eq("mycompany.com")`

**Answer:** D ([LEAVE A REPLY](#))

#### **NEW QUESTION: 24**

Scenario: A Citrix Engineer has enabled learning on Application Firewall for all the Security checks on a basic profile that is configured in a production environment. However, after a few hours, the Application Firewall has stopped learning new data.

What is causing the issue?

- A. All the Security checks CANNOT be enabled simultaneously.
- B. Application Firewall learning should only be enabled on Start URL.
- C. The learning database is limited to 20 MB in size and needs a reset.
- D. Application Firewall learning can only be enabled for an advanced profile.

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 25

Scenario: A Citrix Engineer created the policies in the attached exhibit.

| Policy name | Priority | Expression                                       | Profile  | Goto Expression |
|-------------|----------|--|----------|-----------------|
| Policy_A    | 100      | CLIENT.IP.SRC.IN_SUBNET(192.168.10.0/24)         | Policy_A | END             |
| Policy_B    | 110      | HTTP.REQ.HEADER("User-Agent").CONTAINS("Safari") | Policy_B | END             |
| Policy_C    | 120      | HTTP.REQ.URL.PATH.CONTAINS("password")           | Policy_C | END             |
| Policy_D    | 130      | true   | Policy_D | END             |

Click the Exhibit button to view the list of policies.

HTTP Request:

GET /resetpassword.htm HTTP/1.1

User-Agent: Mozilla/5.0 (Windows NT 6.1; WOW64; rv:64.0) Gecko/20100101 Firefox/64.0 Host: www.citrix.com Accept-Language: en-us Accept-Encoding: gzip, deflate Connection: Keep-Alive

Which profile will be applied to the above HTTP request?

- A. Profile\_C
- B. Profile\_A
- C. Profile\_B
- D. Profile\_D

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 26

A Citrix Engineer has deployed Front-end Optimization on NetScaler. The following are the snippets of the content before and after optimization.

Before Optimization:

```
<!DOCTYPE html>
<html>
<head>
<link rel= "stylesheet" type= "text/css" href= "sheet/abc.css">
<link rel= "stylesheet" type= "text/css" href="sheet/xyz.css">
</head>
<body>
<div class= "abc">
  I am from style abc
</div>
< div class= "xyz">
  I am from style xyz
</div>
</body>
</html>
```

After Optimization:

```

<!DOCTYPE HTML>
html>
head>
link rel= "stylesheet" type= "text/css" href= "sheet/abcxyz.css"
/head>
body>
  <div class= "abc">
    I am from style abc
  < /div >
  < div class= "xyz" >
    I am from style xyz
  < /div>
/body>
/html>

```

Which optimization technique has been applied to the content?

- A. Linked JavaScript to inline JavaScript
- B. Combine CSS
- C. Minify CSS
- D. Inline CSS

**Answer: B (LEAVE A REPLY)**

#### NEW QUESTION: 27

Which syntax is used to write a StyleBook?

- A. JSON
- B. LISP
- C. YAML
- D. XML

**Answer: (SHOW ANSWER)**

<https://docs.citrix.com/en-us/citrix-application-delivery-management-service/stylebooks.html>

#### NEW QUESTION: 28

A Citrix Engineer needs to implement a rate limiting policy to permit an average of one request in 40 ms using NetScaler.

Which Limit Identifier will meet this requirement?

- A. set limitidentifierlimit\_req mode request\_rate timeslice 2000 Threshold 50 limitTypeBursty
- B. add ns limitIdentifierlimit\_req threshold 1 mode CONNECTION
- C. adds ns limitIdentifierlimit\_req-threshold 40 mode CONNECTION
- D. set limitidentifierlimit\_req mode request\_rate timeslice 2000 Threshold 50 limitType smooth

**Answer: D (LEAVE A REPLY)**

#### NEW QUESTION: 29

The NetScaler logging client server can be installed and configured to store the log for

\_\_\_\_\_.

(Choose the correct option to complete the sentence.)

- A. statistics of the HTTP and HTTPS web sites load balanced on NetScaler
- B. HTTP and HTTPS requests processed by the NetScaler
- C. HTTP and HTTPS active connections on the NetScaler
- D. status of all the HTTP and HTTPS backend web servers

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 30**

A Citrix Engineer wants to delegate management of Citrix Application Delivery Management (ADM) to a junior team member.

Which assigned role will limit the team member to view all application-related data?

- A. admin
- B. appReadonly
- C. appAdmin
- D. readonly

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 31**

Which protection is applied on a server response from a protected application?

- A. HTML Cross-Site Scripting (XSS)
- B. Safe Object
- C. Form Field Consistency
- D. Cross-Site Request Forgeries (CSRF)

**Answer:** D ([LEAVE A REPLY](#))

**Valid 1Y0-341 Dumps** shared by PrepPdf.com for Helping Passing 1Y0-341 Exam! PrepPdf.com now offer the **newest 1Y0-341 exam dumps**, the PrepPdf.com 1Y0-341 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Y0-341 dumps with Test Engine here: <https://www.preppdf.com/Citrix/1Y0-341-prepaway-exam-dumps.html> (230 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 32**

Which Citrix Application Delivery Management (ADM) Analytics page allows an engineer to monitor the metrics of end-point analysis and authentication failures?

- A. Web Insight
- B. Gateway Insight
- C. HDX Insight

D. Security Insight

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 33**

When the NetScaler marks a client connection as "non-trackable", the default behavior of the NetScaler without making any change to the HTTP Profile is to \_\_\_\_\_. (Choose the correct option to complete the sentence.)

- A. track the connection.
- B. proxy the connection to the target.
- C. drop the connection.
- D. proxy the connection to the client.

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 34**

A Citrix Engineer wants to delegate management of Citrix Application Delivery Management (ADM) to a junior team member.

Which assigned role will limit the team member to view all application-related data?

- A. readonly
- B. appReadonly
- C. admin
- D. appAdmin

**Answer: ([SHOW ANSWER](#))**

<https://docs.citrix.com/en-us/citrix-application-delivery-management-service/setting-up/configuring-role-based-access-control.html>

**NEW QUESTION: 35**

Which Citrix Web App Firewall profile setting can a Citrix Engineer configure to provide a response when a violation occurs?

- A. Default Request
- B. Redirect URL
- C. Return URL
- D. Default Response

**Answer: ([SHOW ANSWER](#))**

<https://docs.citrix.com/en-us/netscaler/11-1/application-firewall/profiles/configuring-profiles.html>

**NEW QUESTION: 36**

Which two protections ensure that the correct data is returned by the client? (Choose two.)

- A. Form Field Consistency.
- B. Field Formats
- C. HTML Cross-Site Scripting (XSS)
- D. Cross-Site Request Forgeries (CSRF)

**Answer: A,D (LEAVE A REPLY)**

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-adc/citrix-adc-secure-deployment/secure-deployment-guide.html>

**NEW QUESTION: 37**

Scenario: A Citrix Engineer configures the Application Firewall for protecting a sensitive website. The security team captures traffic between a client and the website and notes the following cookie:

citrix\_ns\_id

The security team is concerned that the cookie name is a risk, as it can be easily determined that the NetScaler is protecting the website.

Where can the engineer change the cookie name?

- A. Application Firewall Profile
- B. Application Firewall Engine Settings
- C. Application Firewall Default Signatures
- D. Application Firewall Policy

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 38**

A manager for a hospital billing system wants to display the last four digits of a credit card number when printing invoices.

Which credit card security action does this?

- A. X-Out
- B. Log
- C. Transform
- D. Block

**Answer: A (LEAVE A REPLY)**

Explanation

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/application-firewall/dataleak-prevention/creditcard-check.html>

**NEW QUESTION: 39**

A Citrix Engineer needs to ensure that infrastructure is PCI DSS compliant. Which two are prerequisite actions for PCI DSS compliance? (Choose two.)

- A. Assign a unique ID to each person with computer access.
- B. Use only vendor-supplied defaults for system passwords and other security parameters.
- C. Regularly test security systems and processes.
- D. Ensure that cardholder data is sent unencrypted over public networks.
- E. Track and monitor every transaction of the cardholder.

**Answer: C,E (LEAVE A REPLY)**

**NEW QUESTION: 40**

A Citrix Engineer is reviewing the log files for a sensitive web application and notices that someone accessed the application using the engineer's credentials while the engineer was out of the office for an extended period of time.

Which production can the engineer implement to protect against this vulnerability?

- A. Deny URL
- B. Cookie Consistency
- C. Buffer Overflow
- D. Form Field Consistency

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 41**

Scenario: A Citrix Engineer has configured Integrated Caching to improve application performance. Within hours, the Citrix ADC appliance has run out of memory.

Which Content Group setting can the engineer configure to show the caching process until a need is demonstrated?

- A. Maximum memory usage limit
- B. Quick Abort Size
- C. Do not cache - if hits are less than
- D. Do not cache - if size exceeds

**Answer:** ([SHOW ANSWER](#))

<https://docs.citrix.com/en-us/citrix-adc/current-release/optimization/integrated-caching.html>

**NEW QUESTION: 42**

Which content type takes the maximum advantage of web caching mechanisms to boost performance?

- A. Pseudo-Static Content
- B. Dynamic Content
- C. Static Content
- D. Pseudo-Dynamic Content

**Answer:** B ([LEAVE A REPLY](#))

**NEW QUESTION: 43**

Scenario: A Citrix Engineer has configured the Signature file with new patterns and log strings and uploaded the file to Application Firewall. However, after the upload, the Signature rules are NOT implemented.

What can the engineer modify to implement Signature rules?

- A. The Signature upgrade will take effect only after a restart.
- B. The NetScaler version should be upgraded before upgrading the signatures.
- C. The Signature update URL should have an older version than the one on Application Firewall.
- D. The new Signature file should have new ID and version number.

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 44**

Scenario: A Citrix Engineer wants to use Citrix Application Delivery Management (ADM) to monitor a single Citrix ADC VPX with eight web applications and one Citrix Gateway. It is important that the collected data be protected.

Which deployment will satisfy the requirements?

- A. A pair of Citrix ADM virtual appliances, each working independently.
- B. A pair of Citrix ADM virtual appliances configured for High Availability.
- C. A single Citrix ADM imported onto the same hypervisor as the Citrix ADC VPX.
- D. A single Citrix ADM with database replication to a secondary storage repository.

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 45**

What can a Citrix Engineer use in NetScaler Management and Analytics System (NMAS) to troubleshoot an issue in which users report long response times when accessing a virtual desktop?

- A. Web Insight
- B. WAN Insight
- C. HDX Insight
- D. Gateway Insight

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 46**

A Citrix Engineer enabled Cookie Consistency protection on a web application and wants to verify that it is working.

Which cookie name can the engineer look for in the HTTP headers sent from the client to verify the protection?

- A. Citrix\_ns\_id
- B. Citrix\_sc\_id
- C. Citrix\_adc\_id
- D. Citrix\_waf\_id

**Answer: A ([LEAVE A REPLY](#))**

**Valid 1Y0-341 Dumps** shared by PrepPdf.com for Helping Passing 1Y0-341 Exam!  
PrepPdf.com now offer the **newest 1Y0-341 exam dumps**, the PrepPdf.com 1Y0-341 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Y0-341 dumps with Test Engine here: <https://www.preppdf.com/Citrix/1Y0-341->

**NEW QUESTION: 47**

Scenario: During application troubleshooting, a Citrix Engineer notices that response traffic received from a protected web application is NOT matching what the web server is sending out. The auditor is concerned that Man-In-The-Middle attack is in progress.

Which action is the Citrix Web App Firewall performing that would trigger this false positive?

- A. Inserting a hidden form field
- B. Removing the Accept-Encoding header
- C. Modifying and adding cookies in the response
- D. Removing the Last-Modified header

**Answer: C** ([LEAVE A REPLY](#))

**NEW QUESTION: 48**

Which Citrix Web App Firewall profile setting can a Citrix Engineer configure to provide a response when a violation occurs?

- A. Default Request
- B. Return URL
- C. Redirect URL
- D. Default Response

**Answer: C** ([LEAVE A REPLY](#))

**NEW QUESTION: 49**

A Web Application Engineer is reviewing log files and finds that a large number of bad HTTP requests are being sent to the web application servers.

What can the Citrix ADC Engineer do prevent bad HTTP requests from getting to the web application?

- A. Modify the default HTTP profile and select 'Drop invalid HTTP requests'.  
Bind the default HTTP profile globally.
- B. Create an HTTP profile and select 'Drop invalid HTTP requests'.  
Assign the HTTP profile to the virtual server.
- C. Create an HTTP profile and select 'Drop invalid HTTP requests'.  
Assign the HTTP profile to the Web App Firewall policy.
- D. Select 'Change HTTP Parameters' under System > Settings.  
Select 'Drop invalid HTTP requests'.

**Answer: A** ([LEAVE A REPLY](#))

**NEW QUESTION: 50**

Which three items does Citrix Application Delivery Management (ADM) require when adding an instances? (Choose three.)

- A. Site
- B. Tags
- C. IP address
- D. Agent
- E. Profile

**Answer: C,D,E (LEAVE A REPLY)**

<https://docs.citrix.com/en-us/citrix-application-delivery-management-software/current-release/configure/add-instances.html>

### NEW QUESTION: 51

Scenario: A Citrix Engineer configures Citrix Web App Firewall to protect an application. Upon reviewing the log files, the engineer notices a pattern of forceful browsing toward the configuration page for the application. To protect against this, the engineer enforces Start URL and enables Enforce URL Closure.

What is the effect of enforcing Start URL and enabling Enforce URL Closure on the application?

- A. Access to the path /config.aspx is unblocked when a user clicks a referring link elsewhere on the website.
- B. Access to the path /config.aspx is blocked.
- C. External users are blocked from the path /config.aspx.  
Internal users are permitted to the path /config.aspx.
- D. Non-administrative users are blocked from the path /config.aspx.  
Administrative users are permitted to the path /config.aspx.

**Answer: B (LEAVE A REPLY)**

### NEW QUESTION: 52

Which setting should be enabled to convert the content-length form submission requests to chunked requests, when HTML SQL Injection protection is enabled?

- A. Streaming
- B. Percentage Recursive Decoding
- C. Enable form tagging
- D. Optimize Partial Requests

**Answer: (SHOW ANSWER)**

### NEW QUESTION: 53

A Citrix Engineer needs to configure an Application Firewall policy. According to company policies, the engineer needs to ensure that all the requests made to the website are originating from North America. Which policy expressions will help the engineer accomplish the requirement?

- A. CLIENT.IP.SRC.MATCHES\_LOCATION ("North America.US.\*.\*.\*")
- B. CLIENT.IP.SRC.MATCHES\_LOCATION ("North America.US.\*.\*.\*"). NOT

C. CLIENT.IP.SRC.MATCHES ("North America.US.\*.\*.\*")

D. CLIENT.IP.DST.MATCHES ("North America.US.\*.\*.\*")

Answer: A ([LEAVE A REPLY](#))

#### NEW QUESTION: 54

A Citrix Engineer for an online retailer wants to ensure that customer address information is NOT stolen. Which protection can the engineer implement to prevent this?

A. Cross-Site Request Forgeries (CSFR)

B. Credit Card Check

C. For Field Consistency

D. HTML SQL Injection

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 55

A Citrix Engineer has defined an HTTP Callout, hc\_authorized\_location, to return the value "Authorized" if client's IP address is on a list of authorized external locations.

Which advanced expression should the engineer use in a policy for testing this condition?

A. SYS.HTTP\_CALLOUT(hc\_authorized\_location).IS\_TRUE

B. SYS.HTTP\_CALLOUT(hc\_authorized\_location).IS\_VALID

C. SYS.HTTP\_CALLOUT(hc\_authorized\_location).EQUALS\_ANY("Authorized")

D. SYS.HTTP\_CALLOUT(hc\_authorized\_location).EQ("Authorized")

Answer: C ([LEAVE A REPLY](#))

#### NEW QUESTION: 56

How can a Citrix Engineer configure a specific LDAP attribute in the nFactor implementation?

A. Add the attribute on the nFactor traffic policy.

B. Change the order of the policies.

C. Change the login schema and add the new attribute.

D. Specify the attribute in the LDAP server attributes field.

Answer: C ([LEAVE A REPLY](#))

#### NEW QUESTION: 57

Which TCP flag will the NetScaler Application Firewall module send in response to a malformed/non- RFC complaint request from a client?

A. RST packet with a window size set to 9845

B. FIN+ACK packet with a window size set to 9845

C. RST +ACK packet with a window size set to 0

D. FIN packet with a window size set to 0

Answer: A ([LEAVE A REPLY](#))

#### NEW QUESTION: 58

Scenario: A Citrix Engineer reviews the log files for a business-critical web application. The engineer notices a series of attempts to directly access a file, /etc/passwd.

Which feature can the engineer implement to protect the application against this attack?

- A. Buffer Overflow
- B. Start URL
- C. Form Field Consistency
- D. Content Type

**Answer: B (LEAVE A REPLY)**

#### **NEW QUESTION: 59**

A Citrix Engineer reviews the App Dashboard and notices that three of the monitored applications have an App Score of less than 50.

The engineer can interpret the App Score as a metric of application \_\_\_\_\_. (Choose the correct option to complete the sentence.)

- A. performance and availability, with a higher score indicating better health
- B. security, with a higher score indicating better security
- C. security, with a lower score indicating better security
- D. performance and availability, with a lower score indicating better health

**Answer: A (LEAVE A REPLY)**

#### **NEW QUESTION: 60**

A Citrix Engineer has configured NetScaler Web Logging on a Linux client machine. The engineer needs to verify if the log.conf file has been configured correctly and that there are NO syntax errors. Which command can the engineer use to accomplish this?

- A. nswl -verify -f/usr/local/netscaler/bin/log.conf
- B. nswl -verify -f/ns/bin/log.conf
- C. nswl -verify -f/usr/local/netscaler/etc/log.conf
- D. nswl -verify -f/ns/etc/log.conf

**Answer: C (LEAVE A REPLY)**

#### **NEW QUESTION: 61**

Scenario: A Citrix Engineer is asked to implement multi-factor authentication for Citrix Gateway. The engineer creates the authentication policies and binds the policies to the appropriate bind points. The engineer creates a custom form using Notepad++ to format the page which will capture the user's credentials.

What is the first step the engineer must perform to assign this form to the authentication process?

- A. Create an authentication policy label and bind it to an authentication policy.
- B. Create a login schema policy and bind it to the authentication virtual server.
- C. Bind the authentication policy to the primary authentication bank of the Citrix Gateway
- D. Create a login schema profile and select the uploaded file.

**Answer: A (LEAVE A REPLY)**

**Valid 1Y0-341 Dumps** shared by PrepPdf.com for Helping Passing 1Y0-341 Exam!  
PrepPdf.com now offer the **newest 1Y0-341 exam dumps**, the PrepPdf.com 1Y0-341 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Y0-341 dumps with Test Engine here: <https://www.preppdf.com/Citrix/1Y0-341-prepaway-exam-dumps.html> (230 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

**NEW QUESTION: 62**

A Citrix Engineer needs to implement a rate limiting policy to permit an average of one request in 40 ms using NetScaler.

Which Limit Identifier will meet this requirement?

- A. adds ns limitIdentifierlimit\_req-threshold 40 mode CONNECTION
- B. set limitIdentifierlimit\_req mode request\_rate timeslice 2000 Threshold 50 limitTypeBursty
- C. set limitIdentifierlimit\_req mode request\_rate timeslice 2000 Threshold 50 limitType smooth
- D. add ns limitIdentifierlimit\_req threshold 1 mode CONNECTION

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 63**

Which is a single-digit rating system that indicates the criticalness of attacks on the application, regardless of whether or NOT the application is protected by a NetScaler appliance?

- A. Threat Index
- B. Transactions
- C. Safety Index
- D. App Store

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 64**

Which action ensures that content is retrieved from the server of origin?

- A. CACHE
- B. NOCACHE
- C. MAY\_CACHE
- D. MAY\_NOCACHE

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 65**

The NetScaler Management and Analytics System (NMAS) needs to communicate with NetScaler instances on the Microsoft Azure and Amazon Web Services (AWS) clouds. Which configuration must a Citrix Engineer make to meet this requirement?

- A. Layer 3 tunnel between NetScaler MAS and the NetScaler VPX instances.
- B. Layer 2 tunnel between NetScaler MAS and the NetScaler VPX instances.
- C. Layer 2 Tunneling Protocol (L2TP) connection to the NetScaler VPX instances.
- D. NetScaler MAS in the cloud.

**Answer: A ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 66**

Scenario: A Citrix Engineer reviewed the log files of a web application and found the error message below: "Unable to complete request Unrecognized field cext2\_price>" Which protection can the engineer implement to prevent this error from happening?

- A. HTML Cross-Site Scripting (XSS)
- B. HTML SQL Injection
- C. Form Field Consistency
- D. Cross-Site Request Forgeries (CSRF)

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 67**

Scenario: A Citrix Engineer is implementing Citrix Web App Firewall to protect a new web application. The engineer has created a profile, configured the relaxation rules, and applied signature protections. Additionally, the engineer has assigned the profile to a policy and bound the policy to the application.

What is the next step for the engineer in protecting the web application?

- A. Update the global default Citrix Web App Firewall profile with the new signature file.
- B. Enable the Signature Auto-Update feature.
- C. Test the web application protections with a group of trusted users.
- D. Enable logging on key protections.

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 68**

A Citrix Engineer has enabled transform action in SQL injection check.

What would the following parameter be transformed into?

- A. Citrix OR "1"=/1
- B. Citrix OR "1"="1
- C. Citrix; OR '1' ='1
- D. Citrix\ OR "1"="1
- E. Citrix/ OR "1"="1

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 69**

Which NetScaler owned IP address is used by NetScaler Management and Analytics System (NMAS) to communicate with NetScaler Instances?

- A. NSIP (NetScaler IP)
- B. CLIP (Cluster IP)
- C. VIP (Virtual IP)
- D. SNIP (Subnet IP)

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 70**

A Citrix Engineer is reviewing the log files for a sensitive web application and notices that someone accessed the application using the engineer's credentials while the engineer was out of the office for an extended period of time.

Which production can the engineer implement to protect against this vulnerability?

- A. Deny URL
- B. Buffer Overflow
- C. Form Field Consistency
- D. Cookie Consistency

**Answer:** C ([LEAVE A REPLY](#))

Explanation/Reference:

**NEW QUESTION: 71**

Which security model should a Citrix Engineer implement to make sure that no known attack patterns pass through Citrix Web App Firewall?

- A. Hybrid
- B. Static
- C. Positive
- D. Negative

**Answer:** A ([LEAVE A REPLY](#))

<https://docs.citrix.com/en-us/citrix-adc/current-release/application-firewall/introduction-to-citrix-web-app-firewall.html>

**NEW QUESTION: 72**

Which NetScaler Management Analytics System (NMAS) feature can the Citrix Engineer use to convert configuration tasks performed using the GUI to CLI commands?

- A. Record-and-Play
- B. Configuration Template
- C. Inbuilt Template
- D. Master Configuration

**Answer:** A ([LEAVE A REPLY](#))

**NEW QUESTION: 73**

A Citrix Engineer needs to migrate the NetScaler Insight Center virtual appliance to NetScaler Management and Analytics System (NMAS).

Which two actions should be met before migrating the NetScaler Insight Center virtual appliance to NMAS? (Choose two.)

- A. Install NetScaler Insight Center 11.1 Build 47.14 or later.
- B. Migrate the NMAS virtual machine to XenServer.
- C. Remove the NetScaler instances added to the Insight Center.
- D. Install NetScaler MAS License on the NMAS.
- E. Download the NetScaler MAS build to the /var/mps/mps\_images.

**Answer: A,E ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 74**

Scenario: A Citrix Engineer creates a Responder policy to redirect users attempting to access an application protected with Citrix Web App Firewall. Instead of being redirected, users are seeing an 'Access Denied' page.

This is happening because Citrix Web App Firewall is processed . (Choose the correct option to complete the sentence.)

- A. before Responder, and a violation is occurring
- B. after Responder, and the redirection is invalid
- C. before Responder, and the redirection is invalid
- D. after Responder, but the violation is applied to prevent access

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 75**

Scenario: A Web Application Developer asked a Citrix Engineer to implement Citrix Web App Firewall protections. To provide consistency in branding, the developer asked that the web server provide a custom message when a violation occurs. Which profile setting does the engineer need to configure to provide the custom message?

- A. HTML Error Object
- B. Redirect URL
- C. Content Type Default Response
- D. RFC Profile

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 76**

A Web Application Engineer is reviewing log files and finds that a large number of bad HTTP requests are being sent to the web application servers.

What can the Citrix ADC Engineer do prevent bad HTTP requests from getting to the web application?

- A. Create an HTTP profile and select 'Drop invalid HTTP requests'.  
Assign the HTTP profile to the virtual server.
- B. Create an HTTP profile and select 'Drop invalid HTTP requests'.  
Assign the HTTP profile to the Web App Firewall policy.

C. Modify the default HTTP profile and select 'Drop invalid HTTP requests'.

Bind the default HTTP profile globally.

D. Select 'Change HTTP Parameters' under System > Settings.

Select 'Drop invalid HTTP requests'.

**Answer:** ([SHOW ANSWER](#))

<https://support.citrix.com/article/CTX121149>

**Valid 1Y0-341 Dumps** shared by PrepPdf.com for Helping Passing 1Y0-341 Exam!  
PrepPdf.com now offer the **newest 1Y0-341 exam dumps**, the PrepPdf.com 1Y0-341 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Y0-341 dumps with Test Engine here: <https://www.preppdf.com/Citrix/1Y0-341-prepaway-exam-dumps.html> (**230 Q&As Dumps, 40%OFF Special Discount: Exam-Tests**)

#### NEW QUESTION: 77

The NetScaler processes HTTP/2 web client connections to the backend web servers by \_\_\_\_\_.

(Choose the correct option to complete the sentence.)

A. Converting the HTTP/2 headers to HTTP/1.1 headers and forwarding them to the web servers.

B. Converting HTTP/2 to HTTP 0.9 and forwarding the packets to the web servers.

C. Dropping HTTP/2 requests as it is NOT supported by web servers.

D. Passing- through all HTTP/2 traffic to the web servers.

**Answer: A** ([LEAVE A REPLY](#))

#### NEW QUESTION: 78

A Citrix Engineer needs to write a regular expression to treat the URL `www.citrix.com` as a literal string.

Which regular expression can the engineer use?

A. `www$.citrix$.com`

B. `[www\].[citrix\]. [com\]`

C. `www+.citrix+.com`

D. `www\.citrix\.com`

**Answer: B** ([LEAVE A REPLY](#))

Explanation

#### NEW QUESTION: 79

Which security model should a Citrix Engineer implement to ensure that only appropriate traffic that matches the expected application behavior is permitted to pass through to the web application?

- A. Positive
- B. Negative
- C. Dynamic
- D. Hybrid

**Answer: A ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 80**

Scenario: A Citrix Engineer notices that a web page takes a long time to display. Upon further investigation, the engineer determines that the requested page consists of a table of high-resolution pictures which are being displayed in table cells measuring 320 by 180 pixels. Which Front End Optimization technique can the engineer enable on the Citrix ADC to improve time to display?

- A. Shrink to Attributes
- B. Make Inline
- C. Extend Page Cache
- D. Minify

**Answer: ([SHOW ANSWER](#))**

Explanation/Reference: <https://docs.citrix.com/en-us/netscaler/11-1/optimization/front-end-optimization.html>

#### **NEW QUESTION: 81**

The NetScaler processes HTTP/2 web client connections to the backend web servers by \_\_\_\_\_.

(Choose the correct option to complete the sentence.)

- A. Converting HTTP/2 to HTTP 0.9 and forwarding the packets to the web servers.
- B. Dropping HTTP/2 requests as it is NOT supported by web servers.
- C. Passing- through all HTTP/2 traffic to the web servers.
- D. Converting the HTTP/2 headers to HTTP/1.1 headers and forwarding them to the web servers.

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 82**

A Citrix Engineer needs to create a configuration job to clone a configuration from an existing Citrix ADC to a new Citrix ADC.

Which configuration source can the engineer use to accomplish this?

- A. Master Configuration
- B. Inbuilt Template
- C. Instance
- D. Configuration Template

**Answer: C ([LEAVE A REPLY](#))**

<https://docs.citrix.com/en-us/citrix-application-delivery-management-software/13/networks/configuration-jobs/replicate-configuration.html>

**NEW QUESTION: 83**

How can a Citrix Engineer monitor the Citrix ADC appliances to check that all SSL certificates have a key strength of at least 2048 bits from the SSL Dashboard Settings?

- A. Select 2048 and 4096 on the Enterprise Policy tab.
- B. Select 2048 on the Enterprise Policy tab.
- C. Delete 512, 1024, and 4096 on the Enterprise Policy tab.
- D. Delete 512 and 1024 on the Enterprise Policy tab.

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 84**

Which build-in TCP profile can a Citrix Engineer assign to a virtual server to improve performance for users who access an application from a remote office over an ATM connection?

- A. nstcp\_default\_tcp\_lan
- B. nstcp\_default\_tcp\_lfp
- C. nstcp\_default\_tcp\_lnp
- D. nstcp\_default\_tcp\_interactive\_stream

**Answer: (**[SHOW ANSWER](#)**)**

**NEW QUESTION: 85**

Scenario: A Citrix Engineer notices that a web page takes a long time to display. Upon further investigation, the engineer determines that the requested page is referencing 48 other elements for download.

Which Front End Optimization technique can the engineer enable on the Citrix ADC to improve time-to-display?

- A. Shrink to Attributes
- B. Domain Sharding
- C. Remove comments from HTML
- D. Move to Head Tag

**Answer: A** ([LEAVE A REPLY](#))

**NEW QUESTION: 86**

Which reason can cause fail over in a NetScaler Management and Analytics System (NMAS) High Availability pair?

- A. A primary server does NOT receive the SNMP traps from the instances connected.
- B. A primary server encounters a critical software issue.
- C. A secondary server loses connectivity in the LAN.
- D. The engineer manually forces the secondary server to shut down.

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 87**

Scenario: A Citrix Engineer needs to ensure that the flow of traffic to a web application does NOT overwhelm the server. After thorough testing, the engineer determines that the application can handle a maximum of 3,000 requests per minute. The engineer builds a limit identifier, `rl_maxrequests`, to enforce this limitation.

Which advanced expression can the engineer write in the Responder policy to invoke rate limiting?

- A. `SYS.CHECK_LIMIT("rl_maxrequests")`
- B. `SYS.CHECK_LIMIT("rl_maxrequests").CONTAINS("Busy")`
- C. `SYS.CHECK_LIMIT("rl_maxrequests").IS_VALID`
- D. `SYS.CHECK_LIMIT("rl_maxrequests").GE(3000)`

**Answer:** ([SHOW ANSWER](#))

<https://support.citrix.com/article/CTX134009>

### NEW QUESTION: 88

Scenario: A Citrix Engineer is setting up Citrix Application Delivery Management (ADM) in High Availability (HA) mode. The engineer creates both nodes and connects them to the same subnet. Which IP address must the engineer configure on the Citrix ADM HA pair to allow instances to reconnect to Citrix ADM after a failover?

- A. Virtual
- B. Subnet
- C. Cluster
- D. Floating

**Answer:** D ([LEAVE A REPLY](#))

### NEW QUESTION: 89

Scenario: A Citrix Engineer configured an HTTP Denial-of-Service (DoS) protection policy by setting the Surge Queue depth to 300. The surge queue reaches a size of 308, triggering the NetScaler "attack" mode. The HTTP DoS window mechanism is left at the default size which, when reached, will trigger "no-attack" mode.

Which queue depth value must the Surge Queue be to trigger the "no-attack" mode?

- A. size should be 290.
- B. size should be 300.
- C. size should be less than 280.
- D. size should be between 280 and 300.

**Answer:** C ([LEAVE A REPLY](#))

### NEW QUESTION: 90

Scenario: A Citrix Engineer needs to configure the Application Firewall to do a credit card check using the command-line interface (CLI) and configure the profile to obscure the credit card number. Which parameter will the engineer add in the CLI to encrypt the credit card numbers in the logs?

- A. creditCardAction BLOCK
- B. -creditCardMaxAllowed
- C. doSecureCreditCardLogging ON
- D. -creditCardXOut ON

**Answer: C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 91**

Which syntax is used to write a StyleBook?

- A. JSON
- B. XML
- C. YAML
- D. LISP

**Answer: ([SHOW ANSWER](#))**

**Valid 1Y0-341 Dumps** shared by PrepPdf.com for Helping Passing 1Y0-341 Exam! PrepPdf.com now offer the **newest 1Y0-341 exam dumps**, the PrepPdf.com 1Y0-341 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Y0-341 dumps with Test Engine here: <https://www.preppdf.com/Citrix/1Y0-341-prepaway-exam-dumps.html> (230 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

#### **NEW QUESTION: 92**

A Citrix Engineer needs to configure NetScaler Management and Analytics System (NMAS) in their network to retain network reporting data, events, audit logs, and task logs for 20 days. Which settings can the engineer configure to meet the requirement?

- A. Syslog Prune Settings
- B. System Backup Settings
- C. System Prune Settings
- D. Instance Backup Settings

**Answer: C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 93**

Scenario: A Citrix Engineer uses one StyleBook on a NetScaler Management and Analytics System (NMAS) to create multiple load-balanced virtual server configurations for NetScaler instances. The configuration is saved in a config pack.

In which two locations is the StyleBookconfig pack saved? (Choose two.)

- A. NetScaler SDX
- B. Syslog Server
- C. Local network

- D. NMAS
- E. NetScaler Instance

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 94**

Which Citrix Application Delivery Management (ADM) Analytics page allows a Citrix Engineer to monitor web application traffic?

- A. Web Insight
- B. WAN Insight
- C. HDX Insight
- D. Gateway Insight

**Answer:** ([SHOW ANSWER](#))

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-application-delivery-management-service/analytics/hdx-insight.html>

**NEW QUESTION: 95**

Scenario: A Citrix Engineer is reviewing the Citrix Web App Firewall log files using the GUI. Upon further analysis, the engineer notices that legitimate application traffic is being blocked.

What can the engineer do to allow the traffic to pass through while maintaining security?

- A. Select the check box in the log entry. Choose Edit & Deploy to create a relaxation rule from the Action menu.
- B. Note the protection blocking the traffic in the log entry. Edit the profile and deselect the Block action for the protection.
- C. Note the protection blocking the traffic in the log entry. Create a new profile and policy and bind it with a larger priority number.
- D. Select the check box in the log entry. Choose Dismiss to allow the traffic to pass through from the Action menu.

**Answer:** A ([LEAVE A REPLY](#))

**NEW QUESTION: 96**

A Citrix Engineer needs to ensure that all traffic to the virtual server is blocked if NONE of the bound Application Firewall policies are matched.

Which setting can the engineer configure to meet this requirement?

- A. set appfw settings defaultProfile APPFW\_BLOCK
- B. set ns httpProfiensthttp\_default\_profile dropInvalReqs ENABLED
- C. set ns httpProfilenshttp\_default\_profile-dropInvalReqs DISABLED
- D. set appfw settings undefAction APPFW\_BLOCK

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 97**

Which option matches the following regular expression?

r.n 10\10\0\.

- A. run 10.10.0.9
- B. r.n 10.10.10.99
- C. run 10.100.10.99
- D. RUN 10.10.0.9

**Answer: A ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 98**

A Citrix Engineer is considered that malicious users could exploit a web system by sending a large cookie.

Which security check can the engineer implement to address this concern?

- A. Start URL
- B. Buffer Overflow
- C. Field Formats
- D. Content-type

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 99**

A Citrix Engineer configures the integrated caching feature to cache both static and dynamic content, but the integrated cache feature does NOT work as expected. Which two resources can the engineer use to troubleshoot this integrated cache issue? (Choose two.)

- A. ns.conf
- B. dmesg
- C. nstrace
- D. core dump
- E. sysctl-a

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 100**

The NetScaler Management and Analytics System (NMAS) collects inventory from the instance by sending a(n) \_\_\_\_\_ request. (Choose the correct option to complete the sentence.)

- A. SNMP
- B. NITRO
- C. AppFlow
- D. HTTP

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 101**

A Citrix Engineer wants the Citrix Web App Firewall to respond with a page stored on the Citrix ADC when a violation is detected.

Which profile setting accomplishes this?

- A. RFC Profile
- B. Default Request
- C. HTML Error Object
- D. Redirect URL

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 102**

A Citrix Engineer has configured SQL Injection security check to block all special characters. Which two requests will be blocked after enabling this check? (Choose two.)

- A. 175' OR `1`= `1'
- B. Citrix OR 1=1
- C. Citrix; Sqltest
- D. Citrix" OR "1"="1
- E. 175// OR 1//=1//

**Answer:** C,E ([LEAVE A REPLY](#))

**NEW QUESTION: 103**

Which protection can a Citrix Engineer implement to prevent a hacker from extracting a customer list from the company website?

- A. HTML Cross-Site Scripting (XSS)
- B. HTML SQL Injection
- C. Cross-Site Request Forgeries (CSRF)
- D. Form Field Consistency

**Answer:** D ([LEAVE A REPLY](#))

**NEW QUESTION: 104**

A Citrix Engineer needs to set up access to an internal application for external partners. Which two entities must the engineer configure on the Citrix ADC to support this? (Choose two.)

- A. SAML Policy
- B. SAML IdP Profile
- C. SAML IdP Policy
- D. SAML Action

**Answer:** A,D ([LEAVE A REPLY](#))

ADC as a SAML SP (Service Provider) that redirects the requests from external users to an SAML IDP to do authentication prior to authorizing them applying the internal services

**NEW QUESTION: 105**

Scenario: A Citrix Engineer notices that a web page takes a long time to display. Upon further investigation, the engineer determines that the requested page consists of a table of high-resolution pictures which are being displayed in table cells measuring 320 by 180 pixels.

Which Front End Optimization technique can the engineer enable on the Citrix ADC to improve time-to-display?

- A. Extend Page Cache
- B. Minify
- C. Make Inline
- D. Shrink to Attributes

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 106**

Which license must be present on the Citrix ADC for the Citrix Application Delivery Management (ADM) Service to generate HDX Insight reports that present one year's worth of data?

- A. Premium
- B. Standard
- C. Premium Plus
- D. Advanced

**Answer:** A ([LEAVE A REPLY](#))

**Valid 1Y0-341 Dumps** shared by PrepPdf.com for Helping Passing 1Y0-341 Exam! PrepPdf.com now offer the **newest 1Y0-341 exam dumps**, the PrepPdf.com 1Y0-341 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Y0-341 dumps with Test Engine here: <https://www.preppdf.com/Citrix/1Y0-341-prepaway-exam-dumps.html> (230 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 107**

Scenario: A Citrix Engineer has migrated an application to NetScaler to secure it from application layer attacks. The engineer receives a complaint that the application is timing out while users are actively accessing the page. Those users are forced to reestablish the connection.

What can be the cause of this issue?

- A. The application is configured with a low session timeout.
- B. The maximum session lifetime is NOT configured.
- C. The maximum session lifetime is less than the session timeout.
- D. The session time out is configured to a low value.

**Answer:** D ([LEAVE A REPLY](#))

**NEW QUESTION: 108**

What can a Citrix Engineer implement to protect against the accidental disclosure of personally identifiable information (PII)?

- A. Form Field Consistency

- B. HTML Cross-Site Scripting
- C. Safe Object
- D. Cookie Consistency

**Answer: (SHOW ANSWER)**

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/application-firewall/form-protections/form-field-consistency-check.html>

#### **NEW QUESTION: 109**

Scenario: A Citrix Engineer creates a Responder policy to redirect users attempting to access an application protected with Citrix Web App Firewall. Instead of being redirected, users are seeing an 'Access Denied' page.

This is happening because Citrix Web App Firewall is processed \_\_\_\_\_. (Choose the correct option to complete the sentence.)

- A. before Responder, and a violation is occurring
- B. before Responder, and the redirection is invalid
- C. after Responder, but the violation is applied to prevent access
- D. after Responder, and the redirection is invalid

**Answer: C (LEAVE A REPLY)**

#### **NEW QUESTION: 110**

Which Citrix Application Delivery Management (ADM) Analytics page allows a Citrix Engineer to monitor the metrics of the optimization techniques and congestion control strategies used in Citrix ADC appliances?

- A. Gateway Insight
- B. TCP Insight
- C. HDX Insight
- D. Web Insight

**Answer: B (LEAVE A REPLY)**

<https://docs.citrix.com/en-us/tech-zone/design/reference-architectures/citrix-adm.html>

#### **NEW QUESTION: 111**

Scenario: A Citrix Engineer implements Application-level Quality of Experience (AppQoE) to protect a web application. The engineer configures the AppQoE action to deliver a custom response from a backup server once the maximum number of concurrent connection is reached. To achieve this, the engineer should set the Action Type to \_\_\_\_\_ and specify the \_\_\_\_\_. (Choose the correct option to complete the sentence.)

- A. NS; Custom File
- B. ACS; Custom File
- C. ACS; Alternate Content Server Name
- D. NS; Alternate Content Server Name

**Answer: (SHOW ANSWER)**

**Valid 1Y0-341 Dumps** shared by PrepPdf.com for Helping Passing 1Y0-341 Exam!  
PrepPdf.com now offer the **newest 1Y0-341 exam dumps**, the PrepPdf.com 1Y0-341 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Y0-341 dumps with Test Engine here: <https://www.preppdf.com/Citrix/1Y0-341-prepaway-exam-dumps.html> (**230** Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)