

CompTIA.N10-008.v2022-07-06.q67

Exam Code:	N10-008
Exam Name:	CompTIA Network+ Certification Exam
Certification Provider:	CompTIA
Free Question Number:	67
Version:	v2022-07-06
# of views:	1700
# of Questions views:	670
https://www.freeqas.com/qa/CompTIA/N10-008/CompTIA.N10-008.v2022-07-06.q67.html	

NEW QUESTION: 1

A systems administrator needs to improve WiFi performance in a densely populated office tower and use the latest standard. There is a mix of devices that use 2.4 GHz and 5 GHz. Which of the following should the systems administrator select to meet this requirement?

- A. 802.11g
- B. 802.11n
- C. 802.11ac
- D. 802.11ax

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 2

Which of the following policies is MOST commonly used for guest captive portals?

- A. NDA
- B. AUP
- C. DLP
- D. BYOD

Answer: [B \(LEAVE A REPLY\)](#)

NEW QUESTION: 3

A small, family-run business uses a single SOHO router to provide Internet and WiFi to its employees. At the start of a new week, employees come in and find their usual WiFi network is no longer available, and there is a new wireless network to which they cannot connect. Given that information, which of the following should have been done to avoid this situation?

- A. Parental controls should have been enabled
- B. The default credentials should have been changed
- C. Unsecure protocols should have been disabled.

D. The device firmware should have been kept current.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 4

A voice engineer is troubleshooting a phone issue. When a call is placed, the caller hears echoes of the receiver's voice. Which of the following are the causes of this issue?

(Choose two.)

- A. Speed mismatch
- B. Encapsulation errors
- C. Protocol mismatch
- D. Jitter
- E. QoS misconfiguration
- F. CRC errors

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

A network field technician is installing and configuring a secure wireless network. The technician performs a site survey. Which of the following documents would MOST likely be created as a result of the site survey?

- A. Asset list
- B. Heat map
- C. Physical diagram
- D. Device map

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 6

A rogue AP was found plugged in and providing Internet access to employees in the break room. Which of the following would be BEST to use to stop this from happening without physically removing the WAP?

- A. Wireless client isolation
- B. Password complexity
- C. Port security
- D. Secure SNMP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

A company hired a technician to find all the devices connected within a network. Which of the following software tools would BEST assist the technician in completing this task?

- A. IP scanner
- B. Terminal emulator
- C. Port scanner

D. NetFlow analyzer

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 8

A network administrator wants to improve the security of the management console on the company's switches and ensure configuration changes made can be correlated to the administrator who conformed them Which of the following should the network administrator implement?

A. Port security

B. TACACS+

C. Access control list

D. Local authentication

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 9

A network administrator wants to reduce overhead and increase efficiency on a SAN. Which of the following can be configured to achieve these goals?

A. Port aggregation

B. Flow control

C. Jumbo frames

D. Traffic shaping

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Which of the following transceiver types can support up to 40Gbps?

A. QSFP+

B. SFP+

C. SFP

D. QSFP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

Which of the following is MOST likely to generate significant East-West traffic in a datacenter?

A. A query from an IoT device to a cloud-hosted server for a firmware update

B. A duplication of a hosted virtual server to another physical server for redundancy

C. A download of navigation data to a portable device for offline access

D. A backup of a large video presentation to cloud storage for archival purposes

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 12

A network technician was troubleshooting an issue for a user who was being directed to cloned websites that were stealing credentials. The URLs were correct for the websites but an incorrect IP address was revealed when the technician used ping on the user's PC. After checking the settings, the technician found the DNS server address was incorrect. Which of the following describes the issue?

- A. Rogue DHCP server
- B. Exhausted IP scope
- C. DNS poisoning
- D. Misconfigured HSRP

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 13

Which of the following would be BEST to use to detect a MAC spoofing attack?

- A. Reverse Address Resolution Protocol
- B. Internet Control Message Protocol
- C. Internet Message Access Protocol
- D. Dynamic Host Configuration Protocol

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 14

A technician is assisting a user who cannot connect to a website. The technician attempts to ping the default gateway and DNS server of the workstation. According to troubleshooting methodology, this is an example of:

- A. Implementing a solution
- B. gathering information
- C. a divide-and-conquer approach
- D. a top-to-bottom approach

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 15

A Chief Information Officer (CIO) wants to improve the availability of a company's SQL database. Which of the following technologies should be utilized to achieve maximum availability?

- A. NIC teaming
- B. Snapshots
- C. Port aggregation
- D. Clustering

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

A technician is writing documentation regarding a company's server farm. The technician needs to confirm the server name for all Linux servers. Which of the following commands should the technician run?

- A. ipconfig
- B. route
- C. arp
- D. nslookup

Answer: D (LEAVE A REPLY)

Valid N10-008 Dumps shared by PrepPdf.com for Helping Passing N10-008 Exam! PrepPdf.com now offer the **newest N10-008 exam dumps**, the PrepPdf.com N10-008 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com N10-008 dumps with Test Engine here:
<https://www.preppdf.com/CompTIA/N10-008-prepaway-exam-dumps.html> (1075 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

A network administrator is configuring a database server and would like to ensure the database engine is listening on a certain port. Which of the following commands should the administrator use to accomplish this goal?

- A. nslookup
- B. ipconfig /a
- C. netstat -a
- D. arp -a

Answer: C (LEAVE A REPLY)

NEW QUESTION: 18

A corporation has a critical system that would cause unrecoverable damage to the brand if it was taken offline. Which of the following disaster recovery solutions should the corporation implement?

- A. Load balancing
- B. Hot site
- C. Snapshots
- D. Full backups

Answer: B (LEAVE A REPLY)

NEW QUESTION: 19

A network administrator is troubleshooting the communication between two Layer 2 switches that are reporting a very high runt count. After trying multiple ports on both

switches, the issue persists. Which of the following should the network administrator perform to resolve the issue?

- A. Perform a factory reset on both switches.
- B. Recertify the cable between both switches.
- C. Increase the MTU size on both switches.
- D. Enable debug logging on both switches.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 20

A network technician is reviewing the interface counters on a router interface. The technician is attempting to confirm a cable issue. Given the following information:

Metric	Value
Last cleared	7 minutes, 34 seconds
# of packets output	6915
# of packets input	270
CRCs	183
Giants	0
Runts	0
Multicasts	14

Which of the following metrics confirms there is a cabling issue?

- A. Number of packets output
- B. Last cleared
- C. CRCs
- D. Multicasts
- E. Giants

Answer: C (LEAVE A REPLY)

NEW QUESTION: 21

A technician is installing a cable modem in a SOHO. Which of the following cable types will the technician MOST likely use to connect a modem to the ISP?

- A. Cat 6e
- B. Single-mode fiber
- C. Coaxial
- D. Multimode fiber

Answer: C (LEAVE A REPLY)

NEW QUESTION: 22

An IDS was installed behind the edge firewall after a network was breached. The network was then breached again even though the IDS logged the attack. Which of the following should be used in place of these devices to prevent future attacks?

- A. A proxy server
- B. A content filter
- C. A network tap
- D. A UTM appliance

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 23

A network administrator is troubleshooting an issue with a new Internet connection. The ISP is asking detailed questions about the configuration of the router that the network administrator is troubleshooting. Which of the following commands is the network administrator using? (Select TWO.)

- A. hostname
- B. show config
- C. show route
- D. show ip arp
- E. netstate
- F. tcpdump

Answer: E,F ([LEAVE A REPLY](#))

NEW QUESTION: 24

Which of the following TCP ports is used by the Windows OS for file sharing?

- A. 389
- B. 445
- C. 53
- D. 1433

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 25

A user recently made changes to a PC that caused it to be unable to access websites by both FQDN and IP Local resources, such as the file server remain accessible. Which of the following settings did the user MOST likely misconfigure?

- A. DNS entries
- B. Local host file
- C. Default gateway
- D. Static IP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

Which of the following BEST describes a network appliance that warns of unapproved devices that are accessing the network?

- A. Firewall
- B. IDS
- C. AP
- D. Proxy server

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 27

A network technician is configuring a new firewall for a company with the necessary access requirements to be allowed through the firewall. Which of the following would normally be applied as the LAST rule in the firewall?

- A. Port security
- B. Secure SNMP
- C. Implicit deny
- D. DHCP snooping

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

A company requires a disaster recovery site to have equipment ready to go in the event of a disaster at its main datacenter. The company does not have the budget to mirror all the live data to the disaster recovery site. Which of the following concepts should the company select?

- A. Cold site
- B. Cloud site
- C. Hot site
- D. Warm site

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

A technician is assisting a user who cannot connect to a network resource. The technician first checks for a link light. According to troubleshooting methodology, this is an example of:

- A. using a bottom-to-top approach.
- B. documenting a finding.
- C. questioning the obvious.
- D. establishing a plan of action.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 30

Given the following information:

Protocol	Local address	Foreign address	State
TCP	127.0.0.1:57779	Desktop-Open:57780	Established
TCP	127.0.0.1:57780	Desktop-Open:57779	Established

Which of the following command-line tools would generate this output?

- A. netstat
- B. tracert
- C. arp
- D. dig

Answer: A (LEAVE A REPLY)

NEW QUESTION: 31

A network administrator is designing a new datacenter in a different region that will need to communicate to the old datacenter with a secure connection. Which of the following access methods would provide the BEST security for this new datacenter?

- A. Virtual network computing
- B. Site-to-site VPN
- C. Secure Socket Shell
- D. In-band connection

Answer: B (LEAVE A REPLY)

Valid N10-008 Dumps shared by PrepPdf.com for Helping Passing N10-008 Exam! PrepPdf.com now offer the **newest N10-008 exam dumps**, the PrepPdf.com N10-008 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com N10-008 dumps with Test Engine here:
<https://www.preppdf.com/CompTIA/N10-008-prepaway-exam-dumps.html> (1075 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 32

A technician is searching for a device that is connected to the network and has the device's physical network address. Which of the following should the technician review on the switch to locate the device's network port?

- A. IP route table
- B. MAC table
- C. VLAN tag
- D. QoS tag

Answer: B (LEAVE A REPLY)

NEW QUESTION: 33

A technician is installing a high-density wireless network and wants to use an available frequency that supports the maximum number of channels to reduce interference. Which of the following standard 802.11 frequency ranges should the technician look for while reviewing WAP specifications?

- A. 6GHz
- B. 5GHz
- C. 900MHz
- D. 2.4GHz

Answer: B (LEAVE A REPLY)

NEW QUESTION: 34

A network technician needs to ensure outside users are unable to telnet into any of the servers at the datacenter. Which of the following ports should be blocked when checking firewall configuration?

- A. 3389
- B. 8080
- C. 22
- D. 80
- E. 23

Answer: E (LEAVE A REPLY)

NEW QUESTION: 35

A company just migrated its email service to a cloud solution. After the migration, two-thirds of the internal users were able to connect to their mailboxes, but the connection fails for the other one-third of internal users. Users working externally are not reporting any issues. The network administrator identifies the following output collected from an internal host:

```
c:\user> nslookup newmail.company.com
```

Non-Authoritative answer:

Name: newmail.company.com

IPs: 3.219.13.186, 64.58.225.184, 184.168.131.243

Which of the following verification tasks should the network administrator perform NEXT?

- A. Check the firewall ACL to verify all required IP addresses are included.
- B. Confirm the internal DNS server is replying to requests for the cloud solution.
- C. Verify the required router PAT rules are properly configured.
- D. Validate the cloud console to determine whether there are unlicensed requests.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 36

A technician needs to configure a Linux computer for network monitoring. The technician has the following information:

Linux computer details:

Interface	IP address	MAC address
eth0	10.1.2.24	A1:B2:C3:F4:E5:D6

Switch mirror port details:

Interface	IP address	MAC address
eth1	10.1.2.3	A1:B2:C3:D4:E5:F6

After connecting the Linux computer to the mirror port on the switch, which of the following commands should the technician run on the Linux computer?

- A. `ifconfig eth1 up`
- B. `ifconfig eth0 10.1.2.3`
- C. `ifconfig eth0 promisc`
- D. `ifconfig eth1 hw ether A1:B2:C3:D4:E5:F6`

Answer: C (LEAVE A REPLY)

NEW QUESTION: 37

A network technician is installing new software on a Windows-based server in a different geographical location. Which of the following would be BEST for the technician to use to perform this task?

- A. FTP
- B. DNS
- C. RDP
- D. SSH

Answer: (SHOW ANSWER)

NEW QUESTION: 38

A systems administrator is running a VoIP network and is experiencing jitter and high latency. Which of the following would BEST help the administrator determine the cause of these issues?

- A. Configuring SNMP traps on the network
- B. Implementing LDAP on the network
- C. Establishing NTP on the network
- D. Enabling RADIUS on the network

Answer: A (LEAVE A REPLY)

NEW QUESTION: 39

A firewall administrator is implementing a rule that directs HTTP traffic to an internal server listening on a non-standard socket. Which of the following types of rules is the administrator implementing?

- A. STP
- B. PAT

- C. NAT
- D. ARP
- E. SNAT

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 40

Given the following output:

```
192.168.22.1    00-13-5d-00-c6-23
192.168.22.15  00-15-88-00-58-00
192.168.22.10  00-13-5d-00-c6-23
192.168.22.100 00-13-5d-00-c6-23
```

Which of the following attacks is this MOST likely an example of?

- A. Amplified DoS
- B. ARP poisoning
- C. Rogue access point
- D. VLAN hopping

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

A network administrator wants to analyze attacks directed toward the company's network.

Which of the following must the network administrator implement to assist in this goal?

- A. A screened subnet
- B. Network segmentation
- C. Antivirus
- D. A honeypot

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 42

A technician is installing a new fiber connection to a network device in a datacenter. The connection from the device to the switch also traverses a patch panel connection. The chain of connections is in the following order:

Device

LC/LC patch cable

Patch panel

Cross-connect fiber cable

Patch panel

LC/LC patch cable

Switch

The connection is not working. The technician has changed both patch cables with known working patch cables. The device had been tested and was working properly before being installed. Which of the following is the MOST likely cause of the issue?

- A. TX/RX is reversed
- B. Attenuation is occurring
- C. An incorrect cable was used
- D. The device failed during installation

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 43

A technician is troubleshooting a network switch that seems to stop responding to requests intermittently whenever the logging level is set for debugging. Which of the following metrics should the technician check to begin troubleshooting the issue?

- A. Audit logs
- B. Jitter
- C. CPU utilization
- D. CRC errors

Answer: [C \(LEAVE A REPLY\)](#)

NEW QUESTION: 44

During the security audit of a financial firm the Chief Executive Officer (CEO) questions why there are three employees who perform very distinct functions on the server. There is an administrator for creating users another for assigning the users to groups and a third who is the only administrator to perform file rights assignment Which of the following mitigation techniques is being applied?

- A. Privileged user accounts
- B. Role separation
- C. Container administration
- D. Job rotation

Answer: [B \(LEAVE A REPLY\)](#)

NEW QUESTION: 45

Which of the following service models would MOST likely be used to replace on-premises servers with a cloud solution?

- A. IaaS
- B. PaaS
- C. Disaster recovery as a Service (DRaaS)
- D. SaaS

Answer: [A \(LEAVE A REPLY\)](#)

NEW QUESTION: 46

Which of the following is the physical topology for an Ethernet LAN?

- A. Bus
- B. Star

- C. Ring
- D. Mesh

Answer: B (LEAVE A REPLY)

Valid N10-008 Dumps shared by PrepPdf.com for Helping Passing N10-008 Exam! PrepPdf.com now offer the **newest N10-008 exam dumps**, the PrepPdf.com N10-008 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com N10-008 dumps with Test Engine here:
<https://www.preppdf.com/CompTIA/N10-008-prepaway-exam-dumps.html> (1075 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

After a firewall replacement, some alarms and metrics related to network availability stopped updating on a monitoring system relying on SNMP. Which of the following should the network administrator do FIRST?

- A. Use port mirroring to redirect traffic to the monitoring system.
- B. Configure syslog to send events to the monitoring system.
- C. Modify the device's MIB on the monitoring system.
- D. Deploy SMB to transfer data to the monitoring system.

Answer: (SHOW ANSWER)

NEW QUESTION: 48

A wireless network was installed in a warehouse for employees to scan crates with a wireless handheld scanner. The wireless network was placed in the corner of the building near the ceiling for maximum coverage. However, users in the offices adjacent to the warehouse have noticed a large amount of signal overlap from the new network. Additionally, warehouse employees report difficulty connecting to the wireless network from the other side of the building; however, they have no issues when they are near the antenna. Which of the following is MOST likely the cause?

- A. The wireless access points are using channels from the 5GHz spectrum
- B. The wireless signal is being refracted by the warehouse's windows
- C. The antenna's power level was set too high and is overlapping
- D. An omnidirectional antenna was used instead of a unidirectional antenna

Answer: B (LEAVE A REPLY)

NEW QUESTION: 49

A technician is configuring a network switch to be used in a publicly accessible location. Which of the following should the technician configure on the switch to prevent unintended connections?

- A. Secure SNMP
- B. Port security
- C. Geofencing
- D. DHCP snooping

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

An administrator is writing a script to periodically log the IPv6 and MAC addresses of all the devices on a network segment. Which of the following switch features will MOST likely be used to assist with this task?

- A. Link Aggregation Control Protocol
- B. Neighbor Discovery Protocol
- C. Address Resolution Protocol
- D. Spanning Tree Protocol

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 51

Which of the following is used to prioritize Internet usage per application and per user on the network?

- A. Border Gateway Protocol
- B. Administrative distance
- C. Load balance routing
- D. Bandwidth management

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

Users attending security training at work are advised not to use single words as passwords for corporate applications. Which of the following does this BEST protect against?

- A. A brute-force attack
- B. Denial of service
- C. A dictionary attack
- D. An on-path attack
- E. MAC spoofing

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

At which of the following OSI model layers would a technician find an IP header?

- A. Layer 2
- B. Layer 1
- C. Layer 3
- D. Layer 4

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 54

A company is being acquired by a large corporation. As part of the acquisition process, the company's address should now redirect clients to the corporate organization page. Which of the following DNS records needs to be created?

- A. TXT
- B. NS
- C. SOA
- D. CNAME

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

An attacker is attempting to find the password to a network by inputting common words and phrases in plaintext to the password prompt. Which of the following attack types BEST describes this action?

- A. Brute-force attack
- B. Pass-the-hash attack
- C. Rainbow table attack
- D. Dictionary attack

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 56

A network administrator is reviewing interface errors on a switch. Which of the following indicates that a switchport is receiving packets in excess of the configured MTU?

- A. Flooding
- B. CRC errors
- C. Runts
- D. Giants

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 57

A network administrator redesigned the positioning of the APs to create adjacent areas of wireless coverage. After project validation, some users still report poor connectivity when their devices maintain an association to a distanced AP. Which of the following should the network administrator check FIRST?

- A. Deactivate the 2.4GHz band on the APS
- B. Verify that the AP antenna type is correct for the new layout
- C. Validate the roaming settings on the APs and WLAN clients
- D. Check to see if MU-MIMO was properly activated on the APs

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 58

Which of the following devices would be used to manage a corporate WLAN?

- A. A wireless controller
- B. A wireless NAS
- C. A wireless bridge
- D. A wireless router

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 59

A network engineer configured new firewalls with the correct configuration to be deployed to each remote branch. Unneeded services were disabled, and all firewall rules were applied successfully. Which of the following should the network engineer perform NEXT to ensure all the firewalls are hardened successfully?

- A. Update the firewalls with current firmware and software
- B. Use the same complex passwords on all firewalls
- C. Configure the log settings on the firewalls to the central syslog server
- D. Ensure an implicit permit rule is enabled

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 60

A technician is documenting an application that is installed on a server and needs to verify all existing web and database connections to the server. Which of the following tools should the technician use to accomplish this task?

- A. tracert
- B. nslookup
- C. netstat
- D. ipconfig

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 61

Which of the following policies should be referenced when a user wants to access work email on a personal cell phone?

- A. Offboarding policy
- B. Acceptable use policy
- C. BYOD policy
- D. Remote access policy

Answer: ([SHOW ANSWER](#))

Valid N10-008 Dumps shared by PrepPdf.com for Helping Passing N10-008 Exam! PrepPdf.com now offer the **newest N10-008 exam dumps**, the PrepPdf.com N10-008 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com N10-008 dumps with Test Engine here:
<https://www.preppdf.com/CompTIA/N10-008-prepaway-exam-dumps.html> (1075 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

A network administrator decided to use SLAAC in an extensive IPv6 deployment to alleviate IP address management. The devices were properly connected into the LAN but autoconfiguration of the IP address did not occur as expected. Which of the following should the network administrator verify?

- A. The network gateway is configured to send router advertisements.
- B. A DHCP server is present on the same broadcast domain as the clients.
- C. The local gateway supports anycast routing.
- D. The devices support dual stack on the network layer.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 63

Which of the following connector types would have the MOST flexibility?

- A. LC
- B. SFP
- C. RJ45
- D. BNC

Answer: B (LEAVE A REPLY)

NEW QUESTION: 64

There are two managed legacy switches running that cannot be replaced or upgraded. These switches do not support cryptographic functions, but they are password protected. Which of the following should a network administrator configure to BEST prevent unauthorized access?

- A. Disable access to remote management
- B. Enable a management access list
- C. Disable access to unnecessary services.
- D. Use an out-of-band access method.
- E. Configure a stronger password for access

Answer: B (LEAVE A REPLY)

NEW QUESTION: 65

A user is having difficulty with video conferencing and is looking for assistance. Which of the following would BEST improve performance?

- A. Load balancing
- B. Packet shaping
- C. Quality of service
- D. Port mirroring

Answer: C (LEAVE A REPLY)

NEW QUESTION: 66

Which of the following cable types would MOST likely be used to provide high-speed network connectivity between nearby buildings?

- A. Coaxial
- B. Twinaxial
- C. UTP
- D. Cat 5
- E. Fiber

Answer: E (LEAVE A REPLY)

NEW QUESTION: 67

A customer wants to segregate the traffic between guests on a hypervisor. Which of the following does a technician need to configure to meet the requirement?

- A. Fibre Channel
- B. OSPF routing
- C. Virtual switches
- D. NIC teaming
- E. Load balancers

Answer: C (LEAVE A REPLY)

Valid N10-008 Dumps shared by PrepPdf.com for Helping Passing N10-008 Exam! PrepPdf.com now offer the **newest N10-008 exam dumps**, the PrepPdf.com N10-008 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com N10-008 dumps with Test Engine here:
<https://www.preppdf.com/CompTIA/N10-008-prepaway-exam-dumps.html> (1075 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)