

CyberArk.CAU201.v2024-01-19.q115

Exam Code:	CAU201
Exam Name:	CyberArk Defender
Certification Provider:	CyberArk
Free Question Number:	115
Version:	v2024-01-19
# of views:	1272
# of Questions views:	1150
https://www.freeqas.com/qa/CyberArk/CAU201/CyberArk.CAU201.v2024-01-19.q115.html	

NEW QUESTION: 1

For a safe with Object Level Access enabled you can turn off Object Level Access Control when it no longer needed on the safe.

- A. TRUE
- B. FALSE

Answer: ([SHOW ANSWER](#))

Explanation/Reference: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PASIMP/Object-Level-Access-Control.htm>

NEW QUESTION: 2

When managing SSH keys, the CPM stores the Public Key

- A. In the Vault
- B. Nowhere because the public key can always be generated from the private key.
- C. On the target server
- D. A & B

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 3

CyberArk recommends implementing object level access control on all Safes.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 4

In order to connect to a target device through PSM, the account credentials used for the connection must be stored in the vault?

- A. False. Because the user can also enter credentials manually using Secure Connect.

- B. False. Because if credentials are not stored in the vault, the PSM will prompt for credentials.
- C. True.
- D. False. Because if credentials are not stored in the vault, the PSM will log into the target device as PSM Connect.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 5

If a user is a member of more than one group that has authorizations on a safe, by default that user is granted_____.

- A. only those permissions that exist in all groups to which the user belongs.
- B. only those permissions that exist on the group added to the safe first.
- C. the cumulative permissions of all the groups to which that user belongs.
- D. the vault will not allow this situation to occur.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 6

SAFE Authorizations may be granted to _____.

Select all that apply.

- A. LDAP Groups
- B. LDAP Users
- C. Vault Users
- D. Vault Groups

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

What is the purpose of the PrivateArk Database service?

- A. Communicates with components
- B. Sends email alerts from the Vault
- C. Maintains Vault metadata
- D. Executes password changes

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 8

The primary purpose of exclusive accounts is to ensure non-repudiation (Individual accountability).

- A. FALS
- B. TRUE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

You have been asked to turn off the time access restrictions for a safe.

Where is this setting found?

- A. Vault
- B. RestAPI
- C. Password Vault Web Access (PVWA)
- D. PrivateArk


Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 10

Match each component to its respective Log File location.

PTA System	 Drag answer here	C:\Program Files (x86)\PrivateArk\Server\PADR
PSM for SSH (PSMP)		/opt/tomcat/logs
Disaster Recovery		/var/opt/CARKpsmp/logs/

Answer:

PTA System	PSM for SSH (PSMP)	C:\Program Files (x86)\PrivateArk\Server\PADR
PSM for SSH (PSMP)	PTA System	/opt/tomcat/logs
Disaster Recovery	Disaster Recovery	 p/logs/

Reference:

<https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/11.4/en/Content/PTA/PTA-Data-Locations.htm>

NEW QUESTION: 11

Which utilities could you use to change debugging levels on the vault without having to restart the vault. Select all that apply.

- A. PAR Agent
- B. PrivateArk Server Central Administration
- C. Edit DBParm.ini in a text editor.
- D. Setup.exe

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 12

What is the maximum number of levels of authorizations you can set up in Dual Control?

- A. 2
- B. 3
- C. 4

D. 1

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 13

Users are unable to launch Web Type Connection components from the PSM server. Your manager asked you to open the case with CyberArk Support.

Which logs will help the CyberArk Support Team debug the issue? (Choose three.)

- A. PSMConsole.log
- B. PSMTrace.log
- C. <Session_ID>.Component.log
- D. PMconsole.log
- E. PSMDebug.log
- F. ITAlog.log

Answer: B,E,F ([LEAVE A REPLY](#))

NEW QUESTION: 14

To manage automated onboarding rules, a CyberArk user must be a member of which group?

- A. Vault Admins
- B. Auditors
- C. Administrators
- D. CPM User

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 15

It is possible to restrict the time of day, or day of week that a [b]verify[/b] process can occur

- A. FALS
- B. TRUE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

If a user is a member of more than one group that has authorizations on a safe, by default that user is

granted_____.

- A. only those permissions that exist in all groups to which the user belongs.
- B. the vault will not allow this situation to occur.
- C. the cumulative permissions of all the groups to which that user belongs.
- D. only those permissions that exist on the group added to the safe first.

Answer: D ([LEAVE A REPLY](#))

Valid CAU201 Dumps shared by PrepPdf.com for Helping Passing CAU201 Exam!
PrepPdf.com now offer the **newest CAU201 exam dumps**, the PrepPdf.com CAU201 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com CAU201 dumps with Test Engine here:
<https://www.preppdf.com/CyberArk/CAU201-prepaway-exam-dumps.html> (179 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

It is possible to leverage DNA to provide discovery functions that are not available with auto-detection.

- A. FALSE
- B. TRUE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

What is the purpose of a linked account?

- A. To ensure that a particular collection of accounts all have the same password.
- B. To allow more than one account to work together as part of a password management process.
- C. To connect the CPNI to a target system.
- D. To ensure a particular set of accounts all change at the same time.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 19

Target account platforms can be restricted to accounts that are stored in specific Safes using the AllowedSafes property.

- A. FALSE
- B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 20

Which report provides a list of account stored in the vault.

- A. Privileged Accounts Inventory
- B. Privileged Accounts Compliance Status
- C. Entitlement Report
- D. Active Log

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 21

When Dual Control is enabled a user must first submit a request in the Password Vault Web Access (PVWA) and receive approval before being able to launch a secure connection via PSM for Windows (previously known as RDP Proxy).

- A. False, a user can submit the request after the connection has already been initiated via the PSM for Windows
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 22

Which report could show all accounts that are past their expiration dates?

- A. Activity log
- B. Privileged Account Compliance Status report
- C. Application Inventory report
- D. Privileged Account Inventory report

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

Which parameter controls how often the CPM looks for Soon-to-be-expired Passwords that need to be changed.

- A. Interval
- B. The CPM does not change the password under this circumstance
- C. HeadStartInterval
- D. ImmediateInterval

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 24

By default, members of which built-in groups will be able to view and configure Automatic Remediation and Session Analysis and Response in the PVWA?

- A. Security Operators
- B. Security Admins
- C. Vault Admins
- D. Auditors

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

If a password is changed manually on a server, bypassing the CPM, how would you configure the account so that the CPM could resume management automatically?

- A. Configure the Provider to change the password to match the Vault's Password
- B. Run the correct auto detection process to rediscover the password
- C. Associate a logon account and configure the platform to reconcile automatically
- D. Associate a reconcile account and configure the platform to reconcile automatically

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 26

How much disk space do you need on the server for a PAReplicate?

- A. 500 GB
- B. 1 TB
- C. same as disk size on Satellite Vault
- D. same as disk size on Primary Vault

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

Which PTA sensors are required to detect suspected credential theft?

- A. Logs, Vault Logs
- B. Logs, Network Sensor, EPM
- C. Logs, PSM Logs, CPM Logs
- D. Logs, Network Sensor, Vault Logs

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

In accordance with best practice, SSH access is denied for root accounts on UNIXLINUX system. What is the BEST way to allow CPM to manage root accounts?

- A. Create a non-privileged account on the target server. Allow this account the ability to SSH directly from the CPM machine. Configure this account as the Logon account of the target server's root account.
- B. Configure the Unix system to allow SSH logins.
- C. Create a privileged account on the target server. Allow this account the ability to SSH directly from the CPM machine. Configure this account of the target server's root account.
- D. Configure the CPM to allow SSH logins.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

Which utilities could you use to change debugging levels on the vault without having to restart the vault. Select all that apply.

- A. PAR Agent
- B. Edit DBParm.ini in a text editor.
- C. PrivateArk Server Central Administration
- D. Setup.exe

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 30

SAFE Authorizations may be granted to_____.

Select all that apply.

- A. LDAP Groups
- B. LDAP Users
- C. Vault Users
- D. Vault Group

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 31

When onboarding multiple accounts from the Pending Accounts list, which associated setting must be the same across the selected accounts?

- A. CPM
- B. Platform
- C. Connection Component
- D. Vault

Answer: B ([LEAVE A REPLY](#))

Valid CAU201 Dumps shared by PrepPdf.com for Helping Passing CAU201 Exam!
PrepPdf.com now offer the **newest CAU201 exam dumps**, the PrepPdf.com CAU201 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com CAU201 dumps with Test Engine here:
<https://www.preppdf.com/CyberArk/CAU201-prepaway-exam-dumps.html> (179 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

Which of the following Privileged Session Management (PSM) solutions support live monitoring of active sessions?

- A. PSM for Windows (previously known as RDP Proxy)
- B. PSM (i.e., launching connections by clicking on the connect button in the Password Vault Web Access (PVWA))
- C. PSM for SSH (previously known as PSM-SSH Proxy)
- D. All of the above

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 33

Match the connection component to the corresponding OS/Function.

PSM-SSH	Drag answer here	Windows
PSM-RDP	Drag answer here	UNIX File Transfer
PSM-WinSCP	Drag answer here	UNIX
PSM-SQLPlus	Drag answer here	Database
PSM-OS390	Drag answer here	Mainframe

CYBERARK
The Identity Security Company

Answer:

PSM-SSH	PSM-RDP	Windows
PSM-RDP	PSM-WinSCP	UNIX File Transfer
PSM-WinSCP	PSM-SSH	UNIX
PSM-SQLPlus	PSM-SQLPlus	Database
PSM-OS390	PSM-OS390	Mainframe

CYBERARK
The Identity Security Company

NEW QUESTION: 34

Can the 'Connect' button be used to initiate an SSH connection, as root, to a Unix system when SSH access for root is denied?

- A. Yes, when using the connect button, CyberArk uses the PMTerminal.exe process which bypasses the root SSH restriction.
- B. Yes, only if a logon account is associated with the root account and the user connects through the PSM-SSH connection component.
- C. Yes, if a logon account is associated with the root account.
- D. No, it is not possible.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 35

A Logon Account can be specified in the Master Policy.

- A. FALS
- B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 40

Which of the following statements are NOT true when enabling PSM recording for a target Windows server?

(Choose all that apply)

- A. RDP must be enabled on the target server
- B. The PSM software must be instated on the target server
- C. PSMConnect must be added as a local user on the target server
- D. PSM must be enabled in the Master Policy (either directly, or through exception)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

When on-boarding account using Accounts Feed, which of the following is true?

- A. You must specify an existing Safe where the account will be stored when it is on-boarded to the Vault.
- B. You can specify the name of a new safe that will be created where the account will be stored when it is on-boarded to the Vault.
- C. You can specify the name of a new Platform that will be created and associated with the account.
- D. Any account that is on-boarded can be automatically reconciled regardless of the platform it is associated with.

Answer: ([SHOW ANSWER](#))

Explanation/Reference: <https://www.cyberark.com/resource/automating-privileged-account-onboarding/>

NEW QUESTION: 42

The Password upload utility can be used to create safes.

- A. TRUE
- B. FALSE

Answer: A ([LEAVE A REPLY](#))

Explanation/Reference:

<https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PASIMP/Password-Upload-Utility.htm>

NEW QUESTION: 43

What is the purpose of the HeadStartInterval setting in a platform?

- A. It determines how far in advance audit data is collected for reports

B. It instructs the CPM to initiate the password change process X number of days before expiration.

C. It instructs the AIM Provider to 'skip the cache' during the defined time period

D. It alerts users of upcoming password changes x number of days before expiration.

Answer: B ([LEAVE A REPLY](#))

The number of days before the password expires (according to the ExpirationPeriod parameter) that the CPM will initiate a password change process. This parameter is not relevant if the policy will be applied to a member of an account group.

NEW QUESTION: 44

dbparm.ini is the main configuration file for the Vault.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 45

Which parameter controls how often the CPM looks for accounts that need to be changed from recently completed Dual control requests.

A. Interval

B. HeadStartInterval

C. The CPM does not change the password under this circumstance

D. ImmediateInterval

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 46

Which report provides a list of account stored in the vault.

A. Active Log

B. Entitlement Report

C. Privileged Accounts Compliance Status

D. Privileged Accounts Inventory

Answer: A ([LEAVE A REPLY](#))

Valid CAU201 Dumps shared by PrepPdf.com for Helping Passing CAU201 Exam!

PrepPdf.com now offer the **newest CAU201 exam dumps**, the PrepPdf.com CAU201 exam

questions have been updated and **answers have been corrected** get the **newest**

PrepPdf.com CAU201 dumps with Test Engine here:

<https://www.preppdf.com/CyberArk/CAU201-prepaway-exam-dumps.html> (179 Q&As Dumps,

40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 47

The password upload utility must run from the CPM server

- A. TRUE
- B. FALSE

Answer: B ([LEAVE A REPLY](#))

Explanation/Reference: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PASIMP/Password-Upload-Utility.htm>

NEW QUESTION: 48

In order to connect to a target device through PSM, the account credentials used for the connection must be stored in the vault?

- A. False. Because if credentials are not stored in the vault, the PSM will log into the target device as PSM Connect.
- B. False. Because the user can also enter credentials manually using Secure Connect.
- C. False. Because if credentials are not stored in the vault, the PSM will prompt for credentials.
- D. True.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 49

When on-boarding account using Accounts Feed, Which of the following is true?

- A. You must specify an existing Safe where account will be stored when it is on boarded to the Vault
- B. You can specify the name of a new safe that will be created where the account will be stored when it is on-boarded to the Vault.
- C. You can specify the name of a new Platform that will be created and associated with the account
- D. Any account that is on boarded can be automatically reconciled regardless of the platform it is associated with.

Answer: (SHOW ANSWER)

NEW QUESTION: 50

Match the log file name with the CyberArk Component that generates the log.

ITALog		PTA
pm.log		Vault
diamond.log		CPM
CyberArk.WebApplication.log		PVWA



Answer:



NEW QUESTION: 51

In a default CyberArk installation, which group must a user be a member of to view the "reports" page in PVWA?

- A. Operators
- B. PVWAMonitor
- C. PVWAReports
- D. ReportUsers

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 52

Which of the following properties are mandatory when adding accounts from a file? (Choose three.)

- A. Address
- B. Hostname
- C. Username
- D. All required properties specified in the Platform
- E. Platform ID
- F. Safe Name

Answer: D,E,F ([LEAVE A REPLY](#))

NEW QUESTION: 53

What is the primary purpose of Dual Control?

- A. To force a 'collusion to commit' fraud ensuring no single actor may use a password without authorization.
- B. Non-repudiation (individual accountability)
- C. Reduced risk of credential theft
- D. More frequent password changes

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 54

What is the primary purpose of Dual Control?

- A. Reduced risk of credential theft
- B. More frequent password changes
- C. Non-repudiation (individual accountability)
- D. To force a 'collusion to commit' fraud ensuring no single actor may use a password without authorization.

Answer: D ([LEAVE A REPLY](#))

Explanation/Reference: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PASIMP/Dual-Control.htm>

NEW QUESTION: 55

What is the purpose of the Immediate Interval setting in a CPM policy?

- A. To control how often the CPM looks for User Initiated CPM work.
- B. To control how often the CPM rests between password changes.
- C. To Control the maximum amount of time the CPM will wait for a password change to complete.
- D. To control how often the CPM looks for System Initiated CPM work.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 56

Which statement is correct concerning accounts that are discovered, but cannot be added to the Vault by an automated onboarding rule?

- A. They cannot be onboarded to the Password Vault.
- B. They are not part of the Discovery Process.
- C. They are added to the Pending Accounts list and can be reviewed and manually uploaded.
- D. They must be uploaded using third party tools.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

In PVWA, you are attempting to play a recording made of a session by user jsmith, but there is no option to "Fast Forward" within the video. It plays and only allows you to skip between commands instead. You are also unable to download the video.

What could be the cause?

- A. Recording is of a PSM for SSH session.
- B. The browser you are using is out of date and needs an update to be supported.
- C. You need to update the recorder settings in the platform to enable screen capture every 10000 ms or less.
- D. You do not have the "View Audit" permission on the safe where the account is stored.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 58

CyberArk implements license limits by controlling the number and types of users that can be provisioned in the

vault.

- A. TRUE
- B. FALSE

Answer: A ([LEAVE A REPLY](#))

Explanation/Reference: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PASIMP/Managing-the-CyberArk-License.htm>

NEW QUESTION: 59

As long as you are a member of the Vault Admins group, you can grant any permission on any safe that you have access to.

- A. TRUE
- B. FALS

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 60

All of your Unix root passwords are stored in the safe UnixRoot. Dual control is enabled for some of the accounts in that safe. The members of the AD group UnixAdmins need to be able to use the show, copy, and connect buttons on those passwords at any time without confirmation. The members of the AD group Operations Staff need to be able to use the show, copy and connect buttons on those passwords on an emergency basis, but only with the approval of a member of Operations Managers never need to be able to use the show, copy or connect buttons themselves.

Which safe permission do you need to grant Operations Staff? Check all that apply.

- A. Use Accounts
- B. Access Safe without Authorization
- C. Retrieve Accounts
- D. Authorize Password Requests

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 61

In accordance with best practice, SSH access is denied for root accounts on UNIXLINUX system. What is the BEST way to allow CPM to manage root accounts?

- A. Create a privileged account on the target server. Allow this account the ability to SSH directly from the CPM machine. Configure this account of the target server's root account.
- B. Create a non-privileged account on the target server. Allow this account the ability to SSH directly from the CPM machine. Configure this account as the Logon account of the target server's root account.
- C. Configure the Unix system to allow SSH logins.
- D. Configure the CPM to allow SSH logins.

Answer: B ([LEAVE A REPLY](#))

Explanation/Reference:

Valid CAU201 Dumps shared by PrepPdf.com for Helping Passing CAU201 Exam!
PrepPdf.com now offer the **newest CAU201 exam dumps**, the PrepPdf.com CAU201 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com CAU201 dumps with Test Engine here:
<https://www.preppdf.com/CyberArk/CAU201-prepaway-exam-dumps.html> (179 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

Platform settings are applied to_____.

- A. The entire vault.
- B. Network Areas
- C. Safes
- D. Individual Accounts

Answer: (SHOW ANSWER)

Explanation

Explanation/Reference:

https://www.reddit.com/r/CyberARK/comments/avxnxz/safes_and_platform_association/

NEW QUESTION: 63

What is the name of the Platform parameters that controls how long a password will stay valid when One Time Passwords are enabled via the Master Policy?

- A. Min Validity Period
- B. Interval
- C. Immediate Interval
- D. Timeout

Answer: A (LEAVE A REPLY)

Min Validity Period -The number of minutes to wait from the last retrieval of the password until it is replaced. This gives the user a minimum period to be able to use the password before it is replaced. Use -1 to ignore this property. This parameter is also used to release exclusive accounts automatically Interval -" The number of minutes that the Central Policy Manager waits between running periodic searches for the platform. Note: It is recommended to leave the default value of 1440. If a change/verify policy has been configured, the Central Policy Manager will automatically align the periodic searches with the start of the defined timeframes."

NEW QUESTION: 64

You are creating a new Rest API user that utilizes CyberArk Authentication.

What is a correct process to provision this user?

- A. Private Ark Client > Tools > Administrative Tools > Directory Mapping > Add
- B. PVWA > User Provisioning > LDAP Integration > Add Mapping
- C. Private Ark Client > Tools > Administrative Tools > Users and Groups > New > User
- D. PVWA > User Provisioning > Users and Groups > New > User

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 65

When on-boarding account using Accounts Feed, which of the following is true?

- A. You must specify an existing Safe where the account will be stored when it is on-boarded to the Vault.
- B. You can specify the name of a new safe that will be created where the account will be stored when it is on- boarded to the Vault.
- C. You can specify the name of a new Platform that will be created and associated with the account.
- D. Any account that is on-boarded can be automatically reconciled regardless of the platform it is associated with.

Answer: C ([LEAVE A REPLY](#))

Explanation/Reference: <https://www.cyberark.com/resource/automating-privileged-account-onboarding/>

NEW QUESTION: 66

What is the name of the Platform parameter that controls how long a password will stay valid when One Time Passwords are enabled via the Master Policy?

- A. ImmediateInterval
- B. Timeout
- C. MinValidityPeriod
- D. Interval

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 67

It is possible to restrict the time of day, or day of week that a [b]verify[/b] process can occur

- A. TRUE
- B. FALSE

Answer: ([SHOW ANSWER](#))

Password verification can be restricted to specific days. This means that the CPM will only verify passwords on the days of the week specified in the VFExecutionDays parameter. The days of the week are represented by the first 3 letters of the name of the day. Sunday is represented by Sun, Monday by Mon, etc.

NEW QUESTION: 68

You received a notification from one of your CyberArk auditors that they are missing Vault level audit permissions. You confirmed that all auditors are missing the Audit Users Vault permission. Where do you update this permission for all auditors?

- A. PVWA > Administration > Configuration Options > LDAP integration > Vault Auditors Mapping > Vault Authorizations
- B. PVWA User Provisioning > LDAP integration > Vault Auditors Mapping > Vault Authorizations
- C. Private Ark Client > Tools > Administrative Tools > Users and Groups > Auditors > Authorizations tab
- D. Private Ark Client > Tools > Administrative Tools > Directory Mapping > Vault Authorizations

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 69

In accordance with best practice, SSH access is denied for root accounts on UNIX/LINUX system. What is the BEST way to allow CPM to manage root accounts.

- A. Configure the Unix system to allow SSH logins.
- B. Configure the CPM to allow SSH logins.
- C. Create a non-privileged account on the target server. Allow this account the ability to SSH directly from the CPM machine. Configure this account as the Logon account of the target server's root account.
- D. Create a privileged account on the target server. Allow this account the ability to SSH directly from the CPM machine. Configure this account as the Reconcile account of the target server's root account.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 70

Which of the following PTA detections are included in the Core PAS offering?

- A. Golden Ticket
- B. Unmanaged Privileged Access
- C. Over-Pass-The Hash
- D. Suspected Credential Theft

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 71

Assuming a safe has been configured to be accessible during certain hours of the day, a Vault Admin may still access that safe outside of those hours.

- A. FALSE
- B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 72

All of your Unix root passwords are stored in the safe UnixRoot. Dual control is enabled for some of the accounts in that safe. The members of the AD group UnixAdmins need to be able to use the show, copy, and connect buttons on those passwords at any time without confirmation. The members of the AD group OperationsStaff need to be able to use the show, copy and connect buttons on those passwords on an emergency basis, but only with the approval of a member of OperationsManagers. The members of OperationsManagers never need to be able to use the show, copy or connect buttons themselves.

Which safe permissions do you need to grant to OperationsStaff? Check all that apply.

- A. Use Accounts
- B. Retrieve Accounts
- C. List Accounts
- D. Authorize Password Requests
- E. Access Safe without Authorization

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

NEW QUESTION: 73

Which is the primary purpose of exclusive accounts?

- A. Reduced risk of credential theft
- B. To force a 'collusion to commit' fraud ensuring no single actor may use a password without authorization
- C. Non-repudiation (individual accountability)
- D. More frequent password changes

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 74

Which of the following files must be created or configured in order to run Password Upload Utility? Select all that apply.

- A. conf.ini
- B. A comma delimited upload file
- C. Vault.ini
- D. PACli.ini

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 75

VAULT authorizations may be granted to_____.

- A. LDAP Users
- B. Vault Groups
- C. LDAP Groups
- D. Vault Users

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 76

If the AccountUploader Utility is used to create accounts with SSH keys, which parameter do you use to set the full or relative path of the SSH private key file that will be attached to the account?

- A. KeyPath
- B. Address
- C. KeyFile
- D. ObjectName

Answer: ([SHOW ANSWER](#))

Valid CAU201 Dumps shared by PrepPdf.com for Helping Passing CAU201 Exam!
PrepPdf.com now offer the **newest CAU201 exam dumps**, the PrepPdf.com CAU201 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com CAU201 dumps with Test Engine here:
<https://www.preppdf.com/CyberArk/CAU201-prepaway-exam-dumps.html> (179 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 77

A Logon Account can be specified in the Master Policy.

- A. TRUE
- B. FALSE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 78

Which Automatic Remediation is configurable for a PTA detection of a "Suspected Credential Theft"?

- A. Rotate Credentials
- B. Add to Pending
- C. Reconcile Credentials
- D. Disable Account

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 79

For an account attached to a platform that requires Dual Control based on a Master Policy exception, how would you configure a group of users to access a password without approval.

- A. Create an exception to the Master Policy to exclude the group from the workflow process.
- B. Edit the master policy rule and modify the advanced 'Access safe without approval' rule to include the group.

C. On the safe in which the account is stored grant the group the 'Access safe without audit' authorization.

D. On the safe in which the account is stored grant the group the 'Access safe without confirmation' authorization.

Answer: A ([LEAVE A REPLY](#))

Explanation/Reference:

https://www.reddit.com/r/CyberARk/comments/6270zr/dual_control_on_specific_accounts/

NEW QUESTION: 80

It a password is changed manually on a server, bypassing the CPM, how would you configure the account so that the CPM could resume management automatically?

A. Configure the Provider to change the password to match the Vault's Password

B. Run the correct auto detection process to rediscover the password

C. Associate a reconcile account and configure the platform to reconcile automatically

D. Associate a logon account and configure the platform to reconcile automatically

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 81

Which user(s) can access all passwords in the Vault?

A. Any member of Vault administrators

B. Any member of auditors

C. Master

D. Administrator

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 82

Which parameters can be used to harden the Credential Files (CredFiles) while using CreateCredFile Utility? (Choose three.)

A. Operating System Type (Linux/Windows/HP-UX)

B. Time Frame

C. Client Hostname

D. Operating System Username

E. Host IP Address

F. Vault IP Address

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 83

You have associated a logon account to one of your UNIX root accounts in the vault. When attempting to change the root account's password the CPM will...

A. Log in to the system as the logon account, run the su command to log in as root, and then change root's password.

- B. None of these.
- C. Log in to the system as the logon account, then change root's password
- D. Log in to the system as root, then change root's password.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 84

All of your Unix root passwords are stored in the safe UnixRoot. Dual control is enabled for some of the accounts in that safe. The members of the AD group UnixAdmins need to be able to use the show, copy, and connect buttons on those passwords at any time without confirmation. The members of the AD group OperationsStaff need to be able to use the show, copy and connect buttons on those passwords on an emergency basis, but only with the approval of a member of OperationsManagers. The members of OperationsManagers never need to be able to use the show, copy or connect buttons themselves.

Which safe permissions do you need to grant to OperationsStaff? Check all that apply.

- A. Use Accounts
- B. Retrieve Accounts
- C. List Accounts
- D. Authorize Password Requests
- E. Access Safe without Authorization

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

NEW QUESTION: 85

Your organization requires all passwords be rotated every 90 days.

Where can you set this regulatory requirement?

- A. Master Policy
- B. PVWAConfig.xml
- C. Safe Templates
- D. Platform Configuration

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 86

The vault supports Role Based Access Control.

- A. TRUE
- B. FALSE

Answer: B ([LEAVE A REPLY](#))

Reference <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PASIMP/Object-Level-Access-Control.htm>

NEW QUESTION: 87

You need to recover an account localadmin02 for target server 10.0.123.73 stored in Safe Team1.

What do you need to recover and decrypt the object? (Choose three.)

- A. Vault data
- B. Recovery Private Key
- C. Master Password
- D. Recovery Public Key
- E. Recover.exe
- F. Server Key

Answer: B,D,F ([LEAVE A REPLY](#))

NEW QUESTION: 88

Which command configures email alerts within PTA if settings need to be changed post install?

- A. /opt/tomcat/utility/emailConfiguration.sh
- B. /opt/PTA/utility/emailConfig.sh
- C. /opt/tomcat/utility/emailSetup.sh
- D. /opt/PTA/emailConfiguration.sh

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 89

When on-boarding account using Accounts Feed, Which of the following is true?

- A. You can specify the name of a new Platform that will be created and associated with the account
- B. You must specify an existing Safe where account will be stored when it is on-boarded to the Vault
- C. Any account that is on-boarded can be automatically reconciled regardless of the platform it is associated with.
- D. You can specify the name of a new safe that will be created where the account will be stored when it is on-boarded to the Vault.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 90

What is the name of the Platform parameter that controls how long a password will stay valid when One Time

Passwords are enabled via the Master Policy?

- A. Interval
- B. Timeout

C. ImmediateInterval

D. MinValidityPeriod

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 91

Users can be restricted through certain CyberArk interfaces (e.g. PVWA or PACLI).

A. TRUE

B. FALSE

Answer: ([SHOW ANSWER](#))

Valid CAU201 Dumps shared by PrepPdf.com for Helping Passing CAU201 Exam!
PrepPdf.com now offer the **newest CAU201 exam dumps**, the PrepPdf.com CAU201 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com CAU201 dumps with Test Engine here:
<https://www.preppdf.com/CyberArk/CAU201-prepaway-exam-dumps.html> (179 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 92

What is the purpose of the HeadStartInterval setting in a platform?

A. It instructs the AIM Provider to 'skip the cache' during the defined time period

B. It instructs the CPM to initiate the password change process X number of days before expiration.

C. It alerts users of upcoming password changes X number of days before expiration.

D. It determines how far in advance audit data is collected for reports

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 93

Which of the following logs contains information about errors related to PTA?

A. diamond.log

B. WebApplication.log

C. pm_error.log

D. ITALog.log

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 94

As long as you are a member of the Vault Admins group, you can grant any permission on any safe that you have access to.

A. FALSE

B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 95

In order to connect to a target device through PSM, the account credentials used for the connection must be stored in the vault?

- A. False. Because if credentials are not stored in the vault, the PSM will log into the target device as PSMConnect.
- B. False. Because if credentials are not stored in the vault, the PSM will prompt for credentials.
- C. False. Because the user can also enter credentials manually using Secure Connect.
- D. True.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 96

PSM for Windows (previously known as "RDP Proxy") supports connections to the following target systems

- A. Windows
- B. UNIX
- C. Oracle
- D. All of the above

Answer: A ([LEAVE A REPLY](#))

Explanation/Reference: <https://knowhow.tajco-group.com/knowledge-base/using-a-standard-rdp-client-application/>

NEW QUESTION: 97

Which of the following files must be created or configured in order to run Password Upload Utility? Select all that apply.

- A. conf.ini
- B. PACli.ini
- C. Vault.ini
- D. A comma delimited upload file

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 98

For an account attached to a platform that requires Dual Control based on a Master Policy exception, how would you configure a group of users to access a password without approval.

- A. Create an exception to the Master Policy to exclude the group from the workflow process.
- B. Edit the master policy rule and modify the advanced 'Access safe without approval' rule to include the group.

C. On the safe in which the account is stored grant the group the 'Access safe without audit' authorization.

D. On the safe in which the account is stored grant the group the 'Access safe without confirmation' authorization.

Answer: A (LEAVE A REPLY)

Explanation/Reference:

Reference:

https://www.reddit.com/r/CyberARK/comments/6270zr/dual_control_on_specific_accounts/

NEW QUESTION: 99

By default, members of which built-in groups will be able to view and configure Automatic Remediation and

Session Analysis and Response in the PVWA?

A. Vault Admins

B. Security Admins

C. Security Operators

D. Auditors

Answer: B (LEAVE A REPLY)

Explanation/Reference: [https://docs.cyberark.com/Product-](https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PTA/Security-Configuration.htm)

[Doc/OnlineHelp/PAS/Latest/en/Content/PTA/Security-](https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PTA/Security-Configuration.htm)

[Configuration.htm](https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PTA/Security-Configuration.htm)

NEW QUESTION: 100

PSM for Windows (previously known as "RDP Proxy") supports connections to the following target systems

A. UNIX

B. Windows

C. Oracle

D. All of the above

Answer: B (LEAVE A REPLY)

NEW QUESTION: 101

What is the name of the Platform parameters that controls how long a password will stay valid when One Time Passwords are enabled via the Master Policy?

A. Min Validity Period

B. Interval

C. Immediate Interval

D. Timeout

Answer: A (LEAVE A REPLY)

Explanation

Min Validity Period -The number of minutes to wait from the last retrieval of the password until it is replaced.

This gives the user a minimum period to be able to use the password before it is replaced. Use -1 to ignore this property. This parameter is also used to release exclusive accounts automatically Interval -" The number of minutes that the Central Policy Manager waits between running periodic searches for the platform. Note: It is recommended to leave the default value of 1440. If a change/verify policy has been configured, the Central Policy Manager will automatically align the periodic searches with the start of the defined timeframes."

NEW QUESTION: 102

A Vault Administrator team member can log in to CyberArk, but for some reason, is not given Vault Admin rights.

Where can you check to verify that the Vault Admins directory mapping points to the correct AD group?

- A. PVWA > Administration > LDAP Integration > Mappings
- B. PVWA > User Provisioning > LDAP Integration > Mapping Criteria
- C. PVWA > User Provisioning > LDAP Integration > Map Name
- D. PVWA > Administration > LDAP Integration > AD Groups

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 103

You have associated a logon account to one your UNIX cool accounts in the vault. When attempting to

[b]change [/b] the root account's password the CPM will.....

- A. Log in to the system as thelogon account,run the su command to loginas root, and then changeroot's password.
- B. Noneofthese
- C. Log in to the system as the logon account, then change roofs password
- D. Log in to the system asroot,then change root's password

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 104

It is possible to restrict the time of day, or day of week that a [b]reconcile[/b] process can occur

- A. TRUE
- B. FALS

Answer: ([SHOW ANSWER](#))

Explanation

Password reconciliation can be restricted to specific days. This means that the CPM will only reconcile passwords on the days of the week specified in the RCExecutionDays parameter. The days of the week are represented by the first 3 letters of the name of the day. Sunday is represented by Sun, Mondayby Mon, etc.

NEW QUESTION: 105

You are onboarding an account that is not supported out of the box.

What should you do first to obtain a platform to import?

- A. Visit the CyberArk marketplace and search for a platform that meets your needs.
- B. From the platforms page, uncheck the "Hide non-supported platforms" checkbox and see if a platform meeting your needs appears.
- C. Create a service ticket in the customer portal explaining the requirements of the custom platform.
- D. Search common community portals like stackoverflow, reddit, github for an existing platform.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 106

Due to network activity, ACME Corp's PrivateArk Server became active on the DR Vault while the Primary Vault was also running normally. All the components continued to point to the Primary Vault.

Which steps should you perform to restore DR replication to normal?

- A. Shutdown PrivateArk Server on DR Vault > Replicate data from DR Vault to Primary Vault > Shutdown PrivateArk Server on DR Vault > Start replication on DR vault
- B. Shutdown PrivateArk Server on DR Vault > Start replication on DR vault
- C. Replicate data from DR Vault to Primary Vault > Shutdown PrivateArk Server on DR Vault > Start replication on DR vault
- D. Shutdown PrivateArk Server on Primary Vault > Replicate data from DR Vault to Primary Vault > Shutdown PrivateArk Server on DR Vault > Start replication on DR vault

Answer: C ([LEAVE A REPLY](#))

Valid CAU201 Dumps shared by PrepPdf.com for Helping Passing CAU201 Exam!
PrepPdf.com now offer the **newest CAU201 exam dumps**, the PrepPdf.com CAU201 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com CAU201 dumps with Test Engine here:

<https://www.preppdf.com/CyberArk/CAU201-prepaway-exam-dumps.html> (179 Q&As Dumps,

40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 107

The password upload utility must run from the CPM server

- A. TRUE
- B. FALSE

Answer: ([SHOW ANSWER](#)**)**

Explanation/Reference: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PASIMP/Password-Upload-Utility.htm>

NEW QUESTION: 108

The System safe allows access to the Vault configuration files.

- A. FALSE
- B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 109

Users can be resulted to using certain CyberArk interfaces (e.g.PVWA or PACLI).

- A. TRUE
- B. FALS

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 110

The System safe allows access to the Vault configuration files.

- A. TRUE
- B. FALSE

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

NEW QUESTION: 111

The primary purpose of exclusive accounts is to ensure non-repudiation (individual accountability).

- A. FALSE
- B. TRUE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 112

Match the log file name with the CyberArk Component that generates the log.

ITALog		PTA
pm.log		Vault
diamond.log		CPM
CyberArk.WebApplication.log		PVWA



Answer:



NEW QUESTION: 113

Customers who have the 'Access Safe without confirmation' safe permission on a safe where accounts are configured for Dual control, still need to request approval to use the account.

- A. FALSE
- B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 114

You have associated a logon account to one your UNIX cool accounts in the vault. When attempting to

[b]change [/b] the root account's password the CPM will.....

- A. Log in to the system as the logon account, run the su command to log in as root, and then change root's password.
- B. Log in to the system as the logon account, then change roofs password
- C. None of these
- D. Log in to the system as root, then change root's password

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 115

Target account platforms can be restricted to accounts that are stored in specific Safes using the AllowedSafes property.

- A. FALSE
- B. TRUE

Answer: ([SHOW ANSWER](#))

Valid CAU201 Dumps shared by PrepPdf.com for Helping Passing CAU201 Exam!
 PrepPdf.com now offer the **newest CAU201 exam dumps**, the PrepPdf.com CAU201 exam questions have been updated and answers have been corrected get the **newest**

PrepPdf.com CAU201 dumps with Test Engine here:

<https://www.preppdf.com/CyberArk/CAU201-prepaway-exam-dumps.html> (179 Q&As Dumps,

40%OFF Special Discount: Exam-Tests)