

CyberArk.CAU302.v2022-06-22.q102

Exam Code:	CAU302
Exam Name:	CyberArk Defender + Sentry
Certification Provider:	CyberArk
Free Question Number:	102
Version:	v2022-06-22
# of views:	2451
# of Questions views:	1020
https://www.freeqas.com/qa/CyberArk/CAU302/CyberArk.CAU302.v2022-06-22.q102.html	

NEW QUESTION: 1

Which report could show all accounts that are past their expiration dates?

- A. Applications Inventory report
- B. Privileged Account Inventory report
- C. Privileged Account Compliance Status report
- D. Activity log

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 2

When creating an onboarding rule, it will be executed upon.

- A. All accounts in the pending accounts list.
- B. All accounts in the pending accounts list and any future accounts discovered by a discovery process.
- C. Any future accounts discovered by a discovery process.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 3

PSM requires the Remote Desktop Session Host role service.

- A. TRUE
- B. FALSE

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

NEW QUESTION: 4

When creating an onboarding rule, it will be executed upon .

- A. All accounts in the pending accounts list and any future accounts discovered by a discovery process.

- B. All accounts in the pending accounts list.
- C. Any future accounts discovered by a discovery process.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 5

When planning to load balance at least 2 PSM Servers in an "in-domain" deployment, is it required to move the PSMConnect and PSMAAdminConnect users to the domain level?

- A. No. this is the customers decision and will work with local or domain based users.
- B. Yes, both PSMConnect and PSMAAdminConnect users should be moved to the domain
- C. Yes. but only the PSMConnect user must be moved to the domain.
- D. No. both accounts must be left as local accounts.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 6

After the Vault server is installed, the Microsoft Windows firewall is now commandeered by the Vault. Can the administrator change these firewall rules?

- A. No, the Vault does not permit any changes to the firewall due to security requirements.
- B. Yes, but the administrator can only modify the firewall rules by editing the dbparm.ini file and the restarting the Vault.
- C. Yes, but the administrator can only modify the firewall rules by editing the FirewallRules.ini file and the restarting the Vault.
- D. Yes, the administrator can still modify firewall rules via the Windows firewall interface.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 7

When a DR Vault Server becomes an active vault, it will automatically fail back to the original state once the Primary Vault comes back online.

- A. True, this is the default behavior.
- B. False, this is not possible.
- C. True, if the 'AllowFailback' setting is set to yes in the PADR.ini file.
- D. True, if the 'AllowFailback' setting is set to yes in the dbparm.ini file.

Answer: ([SHOW ANSWER](#)**)**

Explanation/Reference:

NEW QUESTION: 8

What is the purpose of the CyberArk Event Notification Engine service.

- A. It processes audit report messages
- B. It sends email messages from the Vault.
- C. It makes vault data available to components.
- D. It sends email messages from the CPM

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 9

Which of the following are secure options for storing the contents of the Operator CD. while still allowing the contents to be accessible upon a planned Vault restart? Choose all that apply

- A. Copy the contents of the CD to the System Safe on the vault
- B. Store the server key in a Hardware Security Module.
- C. Copy the contents of the CD to a folder on the vault server and secure it with NTFS permissions.
- D. Store the CD in a physical safe and mount the CD every time vault maintenance is performed.
- E. Store the server key in the Provider cache

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 10

The Vault does not support dual factor authentication.

- A. True
- B. False

Answer: ([SHOW ANSWER](#)**)**

Explanation/Reference: <https://duo.com/docs/cyberark>

NEW QUESTION: 11

You have associated a logon account to one of your UNIX root accounts in the vault When attempting to verify the root account's password the CPM will...

- A. None of these.
- B. Prompt the end user with a dialog box asking for the login account to use.
- C. Log in first with the logon account, then run the su command to log in as root using the password in the vault
- D. Ignore the logon account and attempt to log in as root.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 12

After the Vault administrator configures syslog integration on the Vault, the Vault will be able to.

- A. send out Simple Network Management Protocol (SNMP) traps.
- B. forward audit records to Security Information and Event Management (SIEM).
- C. forward emails to SIEM.
- D. forward ITALOG records to Security Information and Event Management (SIEM).

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 13

Which user(s) can access all passwords in the vault

- A. Administrator
- B. Any member of Auditors

- C. Any member of Vault Admins
- D. Master

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

The Vault supports multiple instances of the following components Choose all that Apply

- A. AIM Provider
- B. CPM
- C. PVWA
- D. PSM

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 15

What is the purpose of the PrivateArk Database service?

- A. Maintains Vault metadata.
- B. Sends email alerts from the vault ID.
- C. Executes password changes
- D. Communicates with components.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 16

Which service should NOT be running on the DR Vault when the primary production Vault is up?

- A. CyberArk Vault Disaster Recovery Service
- B. PrivateArk Server
- C. PrivateArk Database
- D. CyberArk Logical Container

Answer: ([SHOW ANSWER](#))

Valid CAU302 Dumps shared by PrepPdf.com for Helping Passing CAU302 Exam!
PrepPdf.com now offer the **newest CAU302 exam dumps**, the PrepPdf.com CAU302 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com CAU302 dumps with Test Engine here:
<https://www.preppdf.com/CyberArk/CAU302-prepaway-exam-dumps.html> (230 Q&As Dumps,
40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 17

Can ITALOG records be forwarded to the monitoring solution via Security Information and Event Management (SIEM) integration?

- A. No

B. Yes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

The Vault Internal safe contains the configuration for an LDAP integration.

A. TRUE

B. FALSE

Answer: ([SHOW ANSWER](#))

Explanation

NEW QUESTION: 19

A vault admin received an email notification that a password verification process has failed. From which service was the message sent?

A. The CyberArk Password Manager service on the Components Server.

B. The CyberArk Event Notification Engine Service on the Vault.

C. The PrivateArk Server Service on the Vault.

D. The CyberArk Privileged Session Manager service on the Vault.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

If a user is a member of more than one group that has authorizations on a safe, by default that user is granted

_____.

A. only those permissions that exist on the group added to the safe first.

B. the vault will not allow this situation to occur.

C. the cumulative permissions of all the groups to which that user belongs

D. only those permissions that exist in all groups to which the user belongs.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 21

How does the Vault administrator configure the CyberArk Disaster Recovery (DR) solution to perform automatic failover in case of failure in the Primary Vault?

A. By setting "FailoverMode=yes" in the dbparm.ini file

B. By setting "EnableFailover=yes" in the padr.ini file

C. By setting "FailoverMode=yes" in the padr.ini file

D. By setting "EnableFailover=yes" in the dbparm.ini file

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 22

When a group is granted the 'Authorize Account Requests' permission on a safe Dual Control requests must be approved by:

- A. Any one person from that group
- B. Every person from that group
- C. That access cannot be granted to groups
- D. The number of persons specified by the Master Policy

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 23

When working with the CyberArk High Availability Cluster, which services are running on the passive node?

- A. Cluster Vault Manager and PrivateArk Database
- B. Cluster Vault Manager, PrivateArk Database and Remote Control Agent
- C. Cluster Vault Manager
- D. Cluster Vault Manager and Remote Control Agent

Answer: A ([LEAVE A REPLY](#))

Explanation/Reference: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PAS%20INST/Installing-the-CyberArk-Digital-Cluster-Vault-Server-in-an-HA-Environment-on-Windows-2012.htm>

NEW QUESTION: 24

When working with the CyberArk Disaster Recovery (DR) solution, which services should be running on the DR Vault?

- A. CyberArk Vault Disaster Recovery, PrivateArk Database, PrivateArk Server
- B. CyberArk Vault Disaster Recovery (DR), PrivateArk Database
- C. CyberArk Vault Disaster Recovery
- D. CyberArk Vault Disaster Recovery, PrivateArk Database, CyberArk Event Notification Engine

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 25

The Vault needs to send SNMP traps to your SNMP solution, which file is used to configure the IP address of the SNMP server?

- A. snmp.ini
- B. dbparm.ini
- C. PARAgent.ini
- D. ENEConf.ini

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

Ad-Hoc Access (formerly Secure Connect) provides the following features. (Choose all that apply.)

- A. PSM connections from a terminal without the need to login to the PVWA
- B. Session Recording

- C. Real-time live session monitoring
- D. PSM connections to target devices that are not managed by CyberArk

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 27

What is the purpose of the PrivateArk Database service?

- A. Maintains Vault metadata.
- B. Communicates with components.
- C. Sends email alerts from the vault.
- D. Executes password changes.

Answer: C ([LEAVE A REPLY](#))

Explanation/Reference:

NEW QUESTION: 28

Which IP port and Protocol are used by the CyberArk Secure Proprietary Protocol?

- A. UDP/1812
- B. TCP/1858
- C. TCP/22
- D. TCP/636

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 29

In order to connect to a target device through PSM, the account credentials used for the connection must be stored in the vault.

- A. True.
- B. False. Because the user can also enter credentials manually using Ad-Hoc Access.
- C. False. Because if credentials are not stored in the vault, the PSM will log into the target device as PSMConnect.
- D. False. Because if credentials are not stored in the vault, the PSM will prompt for credentials.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 30

An auditor initiates a LIVE monitoring session to PSM server to view an ongoing LIVE session. When the auditor's machine makes an RDP connection the PSM server, which user will be used?

- A. PSMAAdminConnect
- B. Credentials Stored in the Vault for the Target Machine
- C. Shadowuser
- D. PSMConnect

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 31

The Vault needs to send SNMP traps to an SNMP solution. In which configuration file do you set the IP address of the SNMP solution?

- A. dbparm.ini
- B. PARAgent.ini
- C. ENEConf.ini
- D. my.ini

Configure Remote Monitoring

In the remote control agent configuration file, PARAgent.ini, specify the following parameters:

SNMPHostIP - The IP address of the remote computer where SNMP traps will be sent. Separate multiple IP addresses with a comma.

Answer: B ([LEAVE A REPLY](#))

Valid CAU302 Dumps shared by PrepPdf.com for Helping Passing CAU302 Exam!

PrepPdf.com now offer the **newest CAU302 exam dumps**, the PrepPdf.com CAU302 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com CAU302 dumps with Test Engine here:

<https://www.preppdf.com/CyberArk/CAU302-prepaway-exam-dumps.html> (230 Q&As Dumps,

40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 32

The PSM requires the Remote Desktop Web Access role service.

- A. True
- B. False

Answer: ([SHOW ANSWER](#)**)**

Explanation/Reference: [https://docs.cyberark.com/Product-](https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PAS%20INST/Before-Installing-PSM.htm)

[Doc/OnlineHelp/PAS/Latest/en/Content/PAS%20INST/Before- Installing-PSM.htm](https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PAS%20INST/Before-Installing-PSM.htm)

NEW QUESTION: 33

When the PSM Gateway (also known as the HTML5 Gateway) is implemented, users must have an RDP client, such as MSTSC, installed on their endpoint in order to launch connections via the PSM.

- A. False. When the PSM Gateway is implemented, the user only requires a browser in order launch a connection via the PSM.
- B. True

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 34

It is possible to disable the Show and Copy buttons without removing the Retrieve permission on a safe.

- A. TRUE
- B. FALSE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 35

Which utilities could you use to change debugging levels on the vault without having to restart the vault Select all that apply.

- A. Setup exe
- B. Edit DBParm.ini in a text editor.
- C. PAR Agent
- D. PrivateArk Server Central Administration

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 36

In an SIEM integration it is recommended to use the fully-qualified domain name (FQDN) when specifying the SIEM server address(es).

- A. FALSE
- B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 37

A SIEM integration allows you to forward ITALOG records to a monitoring solution.

- A. TRUE
- B. FALSE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

Multiple Central Policy Manager (CPM) Servers can be load balanced.

- A. TRUE
- B. FALSE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 39

A user has successfully conducted a short PSM session and logged off. However, the user cannot access the Monitoring tab to view the recordings. What is the issue?

- A. The user must login as PSMAAdminConnect.
- B. The PSM service is not running.
- C. The user is not a member of the PVWAMonitor group.
- D. The user is not a member of the Auditors group.

Answer: D ([LEAVE A REPLY](#))

Explanation/Reference: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PASIMP/Monitoring-Privileged-Sessions.htm>

NEW QUESTION: 40

The Vault needs to send SNMP traps to an SNMP solution. In which configuration file do you set the IP address of the SNMP solution?

- A. PARAgent.ini
- B. dbparm.ini
- C. ENEConf.ini
- D. my.ini

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 41

The Remote Desktop Services role must be properly licensed by Microsoft.

- A. FALSE
- B. TRUE

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 42

What is the primary purpose of Dual Control?

- A. To force a 'collusion to commit' fraud ensuring no single actor may use a password without authorization
- B. Non-repudiation (individual accountability)
- C. More frequent password changes
- D. Reduced risk of credential theft

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 43

What is the purpose of EVD?

- A. To extract vault metadata into an open database platform.
- B. To allow editing of vault metadata.
- C. To create a backup of the MySQL database.
- D. To extract audit data from the vault.

Answer: D ([LEAVE A REPLY](#))

Explanation/Reference: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/Landing%20Pages/IpExportVaultDataUtility.htm>

NEW QUESTION: 44

Multiple CPM Servers can be load balanced.

- A. FALSE
- B. TRUE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 45

What is the name of the Platform parameter that controls how long a password will stay valid when One Time Passwords are enabled via the Master Policy?

- A. Interval
- B. MinValidityPeriod
- C. Timeout
- D. ImmediateInterval

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

PSM captures a record of each command that was issues in SQL Plus.

- A. TRUE
- B. FALSE

Answer: A ([LEAVE A REPLY](#))

Valid CAU302 Dumps shared by PrepPdf.com for Helping Passing CAU302 Exam!
PrepPdf.com now offer the **newest CAU302 exam dumps**, the PrepPdf.com CAU302 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com CAU302 dumps with Test Engine here:
<https://www.preppdf.com/CyberArk/CAU302-prepaway-exam-dumps.html> (230 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

When a DR Vault Server becomes an active vault, it will automatically revert back to DR mode once the Primary Vault comes back online.

- A. True, this is the default behavior.
- B. False, the Vault administrator must manually set the DR Vault to DR mode by setting "FailoverMode=no" in the padr.ini file.
- C. True, if the AllowFailback setting is set to "yes" in the padr.ini file.
- D. False, the Vault administrator must manually set the DR Vault to DR mode by setting "FailoverMode=no" in the dbparm.ini file.

Answer: ([SHOW ANSWER](#))

Explanation/Reference: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PASIMP/Initiating-DR-Failback-to-Production-Vault.htm>

NEW QUESTION: 48

What is the purpose of the CyberArk Event Notification Engine service?

- A. processes audit reports.
- B. sends email messages from the vault.
- C. makes vault data available to components.
- D. sends email messages from the CPM.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

What is the name of the Platform parameter that determines the amount of time a person is allowed to use a One Time Password?

- A. MinValidityPeriod
- B. Interval
- C. ImmediateInterval
- D. Timeout

Answer: ([SHOW ANSWER](#))

Explanation

NEW QUESTION: 50

Which CyberArk components or products can be used to discover Windows Services or Scheduled Tasks that use privileged accounts? Select all that apply.

- A. Discovery and Audit (DNA)
- B. Auto Detection (AD)
- C. Export Vault Data (EVD)
- D. On Demand Privileges Manager (OPM)
- E. Accounts Discovery

Answer: C,D,E ([LEAVE A REPLY](#))

Explanation/Reference:

NEW QUESTION: 51

For the hardening process to complete successfully, security products like Antivirus should be installed on the Vault server before running the vault installer

- A. TRUE
- B. FALSE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

The vault supports a number of dual factor authentication methods.

- A. TRUE
- B. FALSE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

Which file would you modify to configure your Vault Server to forward Activity Logs to a SIEM or SYSLOG server?

- A. padre.ini
- B. ENEConf.ini
- C. dbparm.ini
- D. PARagent.ini

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

In a Disaster Recovery (DR) environment, which of the following should NEVER be configured for automatic failover due to the possibility of split-brain phenomenon?

- A. Password Vault Web Access (PVWA)
- B. CPM
- C. PTA
- D. PSM

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

Which user is automatically given all Safe authorizations on all Safes?

- A. Auditor
- B. Master
- C. Operator
- D. Administrator

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 56

When a DR Vault Server becomes an active vault, it will automatically revert back to DR mode once the Primary Vault comes back online.

- A. False, the Vault administrator must manually set the DR Vault to DR mode by setting "FailoverMode=no" in the dbparm.ini file.
- B. True, this is the default behavior.
- C. True, if the AllowFailback setting is set to "yes" in the padr.ini file.
- D. False, the Vault administrator must manually set the DR Vault to DR mode by setting "FailoverMode=no" in the padr.ini file.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 57

Which file is used to configure new firewall rules on the Vault?

- A. firewall.ini
- B. PARagent.ini
- C. dbparm.ini

D. padr.ini

Answer: C ([LEAVE A REPLY](#))

Explanation/Reference:

https://www.reddit.com/r/CyberArk/comments/at0q56/open_ports_cyberark_vault/

NEW QUESTION: 58

Which report could show all audit data in the vault?

- A. Privileged Account Inventory Report
- B. Application Inventory Report
- C. Privileged Account Compliance Status Report
- D. Activity Log

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 59

Which file would you modify to configure your Vault Server to forward Activity Logs to a SIEM or SYSLOG server?

- A. padr.ini
- B. ENEConf.ini
- C. PARagent.ini
- D. dbparm.ini

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 60

Which of the following are secure options for storing the contents of the Operator CD, while still allowing the contents to be accessible upon a planned Vault restart? Choose all that apply

- A. Copy the contents of the CD to the System Safe on the vault
- B. Copy the contents of the CD to a folder on the vault server and secure it with NTFS permissions.
- C. Store the server key in a Hardware Security Module.
- D. Store the server key in the Provider cache
- E. Store the CD in a physical safe and mount the CD every time vault maintenance is performed.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 61

Which of the following components can be used to create a tape backup of the Vault?

- A. Disaster Recovery
- B. High Availability
- C. Distributed Vaults
- D. Replicate

Answer: ([SHOW ANSWER](#))

Valid CAU302 Dumps shared by PrepPdf.com for Helping Passing CAU302 Exam!
PrepPdf.com now offer the **newest CAU302 exam dumps**, the PrepPdf.com CAU302 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com CAU302 dumps with Test Engine here:
<https://www.preppdf.com/CyberArk/CAU302-prepaway-exam-dumps.html> (230 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

What is the primary purpose of One Time Passwords?

- A. Reduced risk of credential theft
- B. More frequent password changes
- C. Non-repudiation (individual accountability)
- D. To force a 'collusion to commit' fraud ensuring no single actor may use a password without authorization

Answer: A ([LEAVE A REPLY](#))

Explanation

NEW QUESTION: 63

In Accounts Discovery, you can configure a Windows discovery to scan _____.

- A. a number of OUs determined by the OUstoScan setting under the Accounts Feed section in the Administration tab.
- B. as many OUs as you wish.
- C. up to three OUs.
- D. only one OU.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 64

In version 10.7 the correct order of installation for components changed. Make the necessary corrections to the list below to show the new installation order.

Select and Place:



CYBERARK
 The Identity Security Company

Correct Order

Vault

CPM

PVWA

PSM

◀

▶

Answer:

Original Order

Correct Order

Vault

CPM

PVWA

PSM

Vault

PVWA

CPM

PSM

◀

▶

Original Order

Correct Order

Vault

CPM

PVWA

PSM

Vault

PVWA

CPM

PSM

◀

▶

NEW QUESTION: 65

PSM requires the Remote Desktop Session Host role service.

A. FALSE

B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 66

Assuming a safe has been configured to be accessible during certain hours of the day, a Vault Admin may still access that safe outside of those hours.

A. FALSE

B. TRUE

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 67

Accounts Discovery allows secure connections to domain controllers.

A. True

B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 68

Which type of automatic remediation can be performed by the PTA in case of a suspected credential theft security event?

A. Session termination

B. Password change

C. Session suspension

D. Password reconciliation

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 69

When a DR vault server becomes an active vault, it will automatically fail back to the original state once the primary vault comes back online.

A. True, if the 'AllowFailback' setting is set to yes in the dbparm ini file.

B. True, if the 'AllowFailback' setting is set to yes in the PADR.ini file.

C. True, this is the default behavior

D. False, this is not possible

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 70

It is possible to restrict the time of day, or day of week that a verify process can occur

A. TRUE

B. FALSE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 71

The Vault can only integrate with a single Security Information and Event Management (SIEM) or SYSLOG server.

A. True

B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 72

A Simple Network Management Protocol (SNMP) integration allows the Vault administrator to forward ITALOG records to a monitoring solution.

A. False

B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 73

In version 10.7 the correct order of installation for components changed. Make the necessary corrections to the list below to show the new installation order.

Select and Place:

CYBERARK
The Identity Security Company

Correct Order

Vault

CPM

PVWA

PSM

Left arrow button

Right arrow button

Left arrow button

Right arrow button

Answer:

NEW QUESTION: 74

Multiple Vault Servers can be load balanced.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 75

Which of the following options is not set in the Master Policy?

A. Password Expiration Date

B. Require Access Reason

C. Dual Control

D. Password Complexity

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 76

The Vault needs to send Simple Network Management Protocol (SNMP) traps to an SNMP solution. In which configuration file do you set the IP address of the SNMP solution?

- A. PARAgent.ini
- B. dbparm.ini
- C. ENEConf.ini
- D. my.ini

Answer: A ([LEAVE A REPLY](#))

Explanation

Valid CAU302 Dumps shared by PrepPdf.com for Helping Passing CAU302 Exam!
PrepPdf.com now offer the **newest CAU302 exam dumps**, the PrepPdf.com CAU302 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com CAU302 dumps with Test Engine here:
<https://www.preppdf.com/CyberArk/CAU302-prepaway-exam-dumps.html> (230 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 77

The System safe allows access to the Vault configuration files.

- A. FALSE
- B. TRUE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 78

Any user can monitor live sessions in real time when users initiate RDP connection via Secure Connect through PSM?

- A. FALSE
- B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 79

Name two ways of viewing the ITALog:

- A. Go to the Thirdparty log directory on the CPM
- B. Access the System Safe from the PrivateArk client.
- C. Log into the PVWA and go to the Reports tab.
- D. Log into the vault locally and navigate to the Server folder under the PrivateArk install location.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 80

Which parameter controls how often the CPM looks for Exclusive Passwords that need to be changed?

- A. The CPM does not change the password under this circumstance
- B. Interval
- C. HeadStartInterval
- D. ImmediateInterval

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 81

When managing SSH keys, the CPM stores the Public Key _____.

- A. In the Vault
- B. On the target server
- C. A & B
- D. Nowhere because the public key can always be generated from the private key

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 82

What is the purpose of the Allowed Safes parameter in a CPM policy? Select all that apply.

- A. To improve performance by reducing CPU workload.
- B. To allow users to access only the passwords they should be able to access.
- C. To prevent accidental use of a policy in the wrong safe.
- D. To enforce Least Privilege in CyberArk.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 83

Which keys are required to be present in order to start the PrivateArk Server Service?

- A. Server Key
- B. Safe Key
- C. Recovery Public Key
- D. Recovery Private Key

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 84

Which of the following Privileged Session Management solutions provide a detailed audit log of session activities?

- A. PSM for Windows (previously known as RDP Proxy)
- B. All of the above
- C. PSM for SSH (previously known as PSM SSH Proxy)
- D. PSM (i.e., launching connections by clicking on the "Connect" button in the PVWA)

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 85

What is the name of the Platform parameter that controls how long a password will stay valid when One Time Passwords are enabled via the Master Policy?

- A. ImmediateInterval
- B. Interval
- C. Timeout
- D. MinValidityPeriod

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 86

Which of the following are prerequisites for installing PVWA?

- A. .NET 4.5.1 Framework Feature
- B. Web Services Role
- C. Remote Desktop Services Role
- D. Windows BitLocker

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 87

In order to connect to a target device through PSM, the account credentials used for the connection must be stored in the vault?

- A. True
- B. False. Because the user can also enter credentials manually using Secure Connect
- C. False. Because if credentials are not stored in the vault, the PSM will log into the target device as PSMConnect.
- D. False. Because if credentials are not stored in the vault, the PSM will prompt for credentials

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 88

Which report shows the accounts that are accessible to each user?

- A. Applications Inventory Report
- B. Entitlement Report
- C. Activity Report
- D. Privileged Accounts Compliance Status Report

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 89

In order to connect to a target device through PSM, the account credentials used for the connection must be stored in the vault?

- A. False. Because if credentials are not stored in the vault, the PSM will log into the target device as PSMConnect.
- B. True

C. False Because if credentials are not stored in the vault, the PSM will prompt for credentials. The PSM enables users to connect securely to remote machines through the PSM from their own workstations using all types of accounts, including accounts that are not managed in the CyberArk Vault.

D. False. Because the user can also enter credentials manually using Secure Connect

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 90

One can create exceptions to the Master Policy based on_____.

- A.** Policies
- B.** Accounts
- C.** Platforms
- D.** Safes

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 91

During the process of installing the Central Policy Manager (CPM), the Vault administrator will be asked to provide the credentials for an administrative user in the Vault. For which purpose are these credentials used?

- A.** The credentials will be used later by the CPM to update passwords in the Vault.
- B.** The credentials are used by the installer to authenticate to the Vault and create the Central Policy Manager (CPM) environment (Safes, users, etc.).
- C.** The credentials will be used later by the CPM to retrieve passwords from the Vault.
- D.** The credentials are used by the installer to register the CPM in the CyberArk database.

Answer: B ([LEAVE A REPLY](#))

Valid CAU302 Dumps shared by PrepPdf.com for Helping Passing CAU302 Exam!
PrepPdf.com now offer the **newest CAU302 exam dumps**, the PrepPdf.com CAU302 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com CAU302 dumps with Test Engine here:
<https://www.preppdf.com/CyberArk/CAU302-prepaway-exam-dumps.html> (230 Q&As Dumps,
40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 92

Which of the following Privileged Session Management (PSM) solutions provide a detailed audit log of session activities?

- A.** PSM for SSH (previously known as PSM-SSH Proxy)
- B.** PSM for Windows (previously known as RDP Proxy)
- C.** All of the above

D. PSM (i.e., launching connections by clicking on the "Connect" button in the PVWA)

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 93

Which keys are required to be present in order to start the PrivateArk Server Service? Select all that apply.

- A. Safe Key
- B. Recovery Private Key
- C. Recovery Public Key
- D. Server Key

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 94

Within the Vault each password is encrypted by

- A. Its own unique key.
- B. The Recovery Public Key
- C. The Recovery Private key
- D. The Server Key

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 95

What is the PRIMARY reason for installing more than 1 active CPM?

- A. Multiple instances increase response time.
- B. Having additional CPMs increases the maximum number of devices CyberArk can manage
- C. Multiple instances create fault tolerance.
- D. Installing CPMs in multiple sites prevents complex firewall rules to manage devices at remote sites.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 96

Two-factor authentication can be implemented by integrating the Vault with a RADIUS server configured to require PIN and token.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 97

When Dual Control is enabled a user must first submit a request in the Password Vault Web Access (PVWA) and receive approval before being able to launch a secure connection via PSM for Windows (previously known as RDP Proxy).

- A. True

B. False, a user can submit the request after the connection has already been initiated via the PSM for Windows.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 98

Auto-Detection can be configured to leverage LDAP/S.

A. TRUE

B. FALSE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 99

An SMTP integration allows you to forward audit records from the vault to the SIEM.

A. TRUE

B. FALSE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 100

Which of the following logs contain information about errors related to PTA?

A. WebApplication.log

B. ITAlog.log

C. diamond.log

D. pm_error.log

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 101

Which of the following are secure options for storing the contents of the Operator CD, while still allowing the contents to be accessible upon a planned Vault restart? Choose all that apply.

A. Copy the contents of the CD to a folder on the vault server and secure it with NTFS permissions.

B. Store the CD in a physical safe and mount the CD every time vault maintenance is performed.

C. Store the server key in a Hardware Security Module.

D. Copy the contents of the CD to the System Safe on the vault.

E. Store the server key in the Provider cache.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 102

When working with the CyberArk High Availability Cluster, which services are running on the passive node?

A. Cluster Vault Manager and Remote Control Agent

B. Cluster Vault Manager and PrivateArk Database

C. Cluster Vault Manager, PrivateArk Database and Remote Control Agent

D. Cluster Vault Manager

Answer: ([SHOW ANSWER](#))

Valid CAU302 Dumps shared by PrepPdf.com for Helping Passing CAU302 Exam!
PrepPdf.com now offer the **newest CAU302 exam dumps**, the PrepPdf.com CAU302 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com CAU302 dumps with Test Engine here:
<https://www.preppdf.com/CyberArk/CAU302-prepaway-exam-dumps.html> (230 Q&As Dumps,
40%OFF Special Discount: **Exam-Tests**)