


Fortinet.NSE6_FML-6.4.v2023-05-13.q19

Exam Code:	NSE6_FML-6.4
Exam Name:	Fortinet NSE 6 - FortiMail 6.4
Certification Provider:	Fortinet
Free Question Number:	19
Version:	v2023-05-13
# of views:	666
# of Questions views:	190
https://www.freeqas.com/qa/Fortinet/NSE6_FML-6.4/Fortinet.NSE6_FML-6.4.v2023-05-13.q19.html	

NEW QUESTION: 1

Examine the FortiMail topology and IP-based policy shown in the exhibit; then answer the question below.



An administrator has enabled the sender reputation feature in the Example_Session profile on FML-1. After a few hours, the deferred queue on the Mail Server started filing up with undeliverable email. What changes should the administrator make to fix this issue? (Choose two.)

- A. Create an outbound recipient policy to bypass outbound email from session profile inspections
- B. Disable the exclusive flag in IP policy ID 1
- C. Apply a session profile with sender reputation disabled on a separate IP policy for outbound sessions

D. Clear the sender reputation database using the CLI

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

Examine the FortiMail recipient-based policy shown in the exhibit; then answer the question below.

Recipient Based Policy

Enable:

Direction: Incoming

Domain: [Dropdown]

Comments: [Text Area]

Sender Pattern

Type: User [Dropdown] @ [Text]

[Text] @ [Text]

Recipient Pattern

Type: User [Dropdown] @ [Text]

[Text] @ example.com

Profiles

Authentication and Access

Authentication type: LDAP [Dropdown]

Authentication profile: Example LDAP [Dropdown] [New...] [Edit...]

Use for SMTP authentication

Allow quarantined email access through POP3

FORTINET


After creating the policy, an administrator discovered that clients are able to send unauthenticated email using SMTP. What must be done to ensure clients cannot send unauthenticated email?

- A. Configure an access delivery rule to enforce authentication
- B. Move the recipient policy to the top of the list
- C. Configure an access receive rule to verify authentication status
- D. Configure a matching IP policy with SMTP authentication and exclusive flag enabled

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

Refer to the exhibit.



Which two statements about how the transparent mode FortiMail device routes email for the example.com domain are true? (Choose two.)

- A. If incoming email messages are undeliverable, FML-1 can queue them to retry later
- B. FML-1 will use the built-in MTA for outgoing sessions
- C. If outgoing email messages are undeliverable, FM-1 can queue them to retry later
- D. FML-1 will use the transparent proxy for incoming sessions

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 4

Which of the following antispam techniques queries FortiGuard for rating information? (Choose two.)

- A. SURBL
- B. URI filter

C. IP reputation

D. DNSBL

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 5

Examine the configured routes shown in the exhibit; then answer the question below.

```
#get sys route
= = [1]
destination: 0.0.0.0/0          gateway:10.47.1.1    interface: port1
= = [2]
destination: 10.1.100.0/22     gateway:10.38.1.1    interface: port3
= = [3]
destination: 10.1.100.0/24     gateway:10.29.1.1    interface: port2
= = [4]
destination: 10.1.100.0/24     gateway:10.10.1.1    interface: port4

Number of items: 4
```

Which interface will FortiMail use to forward an email message destined for 10.1.100.252?

A. port1

B. port4

C. port3

D. port2

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Which statement about how impersonation analysis identifies spoofed email addresses is correct?

A. It uses DMARC validation to detect spoofed addresses.

B. It uses SPF validation to detect spoofed addresses.

C. It maps the display name to the correct recipient email address.

D. It uses behavior analysis to detect spoofed addresses.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 7

Examine the FortiMail IBE service configuration shown in the exhibit; then answer the question below.

IBE Encryption

Enable IBE service	<input checked="" type="checkbox"/>
IBE service name:	<input type="text" value="Example Secure Portal"/>
User registration expiry time (days):	<input type="text" value="30"/>
User inactivity expiry time (days):	<input type="text" value="90"/>
Encrypted email storage expiry time (days):	<input type="text" value="180"/>
Password reset expiry time (hours):	<input type="text" value="24"/>
Allow secure replying	<input checked="" type="checkbox"/>
Allow secure forwarding	<input type="checkbox"/>
Allow secure composing	<input type="checkbox"/>
IBE base URL:	<input type="text"/>
"Help" content URL:	<input type="text"/>
"About" content URL:	<input type="text"/>
Allow custom user control	<input type="checkbox"/>

Which of the following statements describes the User inactivity expiry time of 90 days?

- A. First time IBE users must register to access their email within 90 days of receiving the notification email message
- B. After initial registration, IBE users can access the secure portal without authenticating again for 90 days
- C. Registered IBE users have 90 days from the time they receive a notification email message to access their IBE email
- D. IBE user accounts will expire after 90 days of inactivity, and must register again to access new IBE email message

Answer: D (LEAVE A REPLY)

NEW QUESTION: 8

While testing outbound MTA functionality, an administrator discovers that all outbound email is being processed using policy IDs 1:2:0.

Which two reasons explain why the last policy ID value is 0? (Choose two.)

- A. There are no access delivery rules configured for outbound email
- B. There are no outgoing recipient policies configured
- C. IP policy ID 2 has the exclusive flag set
- D. Outbound email is being rejected

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 9

Refer to the exhibit.

```

C:\>nslookup -type=mx example.com
Server:  PriNS
Address: 10.200.3.254

Non-authoritative answer:
example.com  MX preference = 10, mail exchanger = mx.hosted.com
example.com  MX preference = 20, mail exchanger = mx.example.com

```


Which two statements about the MTAs of the domain example.com are true? (Choose two.)

- A. The higher preference value is used to load balance more email to the mx.example.com MTA
- B. The PriNS server should receive all email for the example.com domain
- C. The external MTAs will send email to mx.example.com only if mx.hosted.com is unreachable
- D. The primary MTA for the example.com domain is mx.hosted.com

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Examine the FortiMail antivirus action profile shown in the exhibit; then answer the question below.



What is the expected outcome if FortiMail applies this action profile to an email? (Choose two.)


- A. A replacement message will be added to the email

- B. Virus content will be removed from the email
- C. The sanitized email will be sent to the recipient's personal quarantine
- D. The administrator will be notified of the virus detection

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 11

Examine the FortiMail topology and access receive rule shown in the exhibit; then answer the question below.



FortiMail

Access Control Rule

Enabled

Sender pattern: Regular expression

Recipient pattern: Regular expression

Sender IP/netmask: / Regular expression

Reverse DNS pattern: Regular expression

Authentication status:

TLS profile:

Action:

Comments:

An administrator must enforce authentication on FML-1 for all outbound email from the example.com domain. Which of the following settings should be used to configure the access receive rule? (Choose two.)

- A. The Authentication status should be set to Authenticated
- B. The Action should be set to Reject
- C. The Recipient pattern should be set to *@example.com
- D. The Sender IP/netmask should be set to 10.29.1.0/24

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 12

While reviewing logs, an administrator discovers that an incoming email was processed using policy IDs 0:4:9.

Which two scenarios will generate this policy ID? (Choose two.)

- A. Email was processed using IP policy ID 4
- B. Incoming recipient policy ID 9 has the exclusive flag set
- C. FortiMail applies the default behavior for relaying inbound email
- D. FortiMail configuration is missing an access delivery rule

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 13

If you are using the built-in MTA to process email in transparent mode, which two statements about FortiMail behavior are true? (Choose two.)

- A. FortiMail can queue undeliverable messages and generate DSNs
- B. MUAs need to be configured to connect to the built-in MTA to send email
- C. If you disable the built-in MTA, FortiMail will use its transparent proxies to deliver email
- D. FortiMail ignores the destination set by the sender, and uses its own MX record lookup to deliver email

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 14

What are the configuration steps to enable DKIM signing for outbound messages on FortiMail? (Choose three.)

- A. Enable DKIM signing for outgoing messages in a matching session profile
- B. Publish the public key as a TXT record in a public DNS server
- C. Enable DKIM check in a matching session profile
- D. Enable DKIM check in a matching antispam profile
- E. Generate a public/private key pair in the protected domain configuration

Answer: ([SHOW ANSWER](#))

DKIM Signing for Outbound Email

- * To configure DKIM signing for outgoing messages, you must first generate a public and private key pair for the domain
- * DKIM signatures are domain specific
- * FortiMail generates and stores the private key, and uses it to generate the DKIM signature
- Download the public key and publish to your external DNS server
- Enable sign outgoing messages with a DKIM signature

NEW QUESTION: 15

Refer to the exhibit.

Message Scan Rule

Name:

Description:



Conditions

Match all conditions Match any condition

+ New... Edit... Delete

ID	Condition
1	Body contains sensitive data "Credit_Card_Number"
2	Attachment contains sensitive data "Credit_Card_Number"
3	Subject contains Credit Card

Exceptions

+ New... Edit... Delete

ID	Condition
1	Sender contains sales@example.com

Which two message types will trigger this DLP scan rule? (Choose two.)

- A. An email message that contains credit card numbers in the body will trigger this scan rule
- B. An email that contains credit card numbers in the body, attachment, and subject will trigger this scan rule
- C. An email message with a subject that contains the term "credit card" will trigger this scan rule
- D. An email sent from sales@internal.lab will trigger this scan rule, even without matching any conditions

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 16

An administrator sees that an excessive amount of storage space on a FortiMail device is being used up by quarantine accounts for invalid users. The FortiMail is operating in transparent mode.

Which two FortiMail features can the administrator configure to tackle this issue? (Choose two.)

- A. Recipient address verification
- B. Sender address rate control
- C. Automatic removal of quarantine accounts
- D. Bounce address tag verification

Answer: B,C (LEAVE A REPLY)

Valid NSE6_FML-6.4 Dumps shared by PrepPdf.com for Helping Passing NSE6_FML-6.4 Exam! PrepPdf.com now offer the **newest NSE6_FML-6.4 exam dumps**, the PrepPdf.com NSE6_FML-6.4 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com NSE6_FML-6.4 dumps with Test Engine here:
https://www.preppdf.com/Fortinet/NSE6_FML-6.4-prepaway-exam-dumps.html (57 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

Examine the FortMail mail server settings shown in the exhibit; then answer the question below.

The screenshot shows the 'Mail Server Settings' interface for a 'Local Host'. The settings are as follows:

- Host name: mx
- Local domain name: example.com
- SMTP server port number: 25
- SMTP over SSL/TLS:
- SMTPS server port number: 465
- SMTP MSA service:
- SMTP MSA port number: 587
- POP3 server port number: 110
- Default domain for authentication: --None--
- Webmail access: Redirect HTTP to HTTPS

Which of the following statements are true? (Choose two.)

- A. mx.example.com will accept SMTPS connections
- B. mx.example.com will drop any inbound plaintext SMTP connection
- C. mx.example.com will display STARTTLS as one of the supported commands in SMTP sessions
- D. mx.example.com will enforce SMTPS on all outbound sessions

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 18


A FortiMail administrator is investigating a sudden increase in DSNs being delivered to the protected domain for undeliverable email messages. After searching the logs, the administrator identifies that the DSNs were not generated as a result of any outbound email sent from the protected domain. Which FortiMail antispam technique can the administrator use to prevent this scenario?

- A. Spam outbreak protection
- B. FortiGuard IP Reputation
- C. Spoofed header detection
- D. Bounce address tag validation

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 19

Refer to the exhibit.



Access Control Rule	
Enabled	<input checked="" type="checkbox"/>
Sender:	User Defined
Recipient:	User Defined
Source:	IP/Netmask 0.0.0.0/0
Reverse DNS pattern:	* <input type="checkbox"/> Regular Expression
Authentication status:	Any
TLS profile:	--None--
Action:	Relay
Comments:	

+ New Edit

An administrator must enforce authentication on FML-1 for all outbound email from the example.com domain. Which two settings should be used to configure the access receive rule? (Choose two.)

- A. The Authentication status should be set to Authenticated
- B. The Recipient pattern should be set to *@example.com
- C. The Sender IP/netmask should be set to 10.29.1.0/24
- D. The Action should be set to Reject

Answer: A,C ([LEAVE A REPLY](#))

Valid NSE6_FML-6.4 Dumps shared by PrepPdf.com for Helping Passing NSE6_FML-6.4 Exam! PrepPdf.com now offer the **newest NSE6_FML-6.4 exam dumps**, the PrepPdf.com NSE6_FML-6.4 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com NSE6_FML-6.4 dumps with Test Engine here:
https://www.preppdf.com/Fortinet/NSE6_FML-6.4-prepaway-exam-dumps.html (57 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)