

Google.Apigee-API-Engineer.v2025-07-16.q65

Exam Code:	Apigee-API-Engineer
Exam Name:	Google Cloud - Apigee Certified API Engineer
Certification Provider:	Google
Free Question Number:	65
Version:	v2025-07-16
# of views:	142
# of Questions views:	650
https://www.freeqas.com/qa/Google/Apigee-API-Engineer/Google.Apigee-API-Engineer.v2025-07-16.q65.html	

NEW QUESTION: 1

As an Apigee API Engineer you attend a meeting where a Product Owner would like to release a new feature to customers. There are several teams in the meeting, Backend API team, Apigee API team, and the Security team. The feature will be exposed through the companies external facing website. The architecture allows the website to call the backend APIs directly. The security team raises a concern about the backend APIs being wide open to anyone inside the network, not just the external website. You are later contacted and asked for your teams impacts. How should you reply?

- A. You should recommend the use of custom secure headers with time stamp verification
- B. You should recommend an Apigee Edge Access Control policy
- C. You should recommend that the backend API's use TLS v12 to secure their APIs.
- D. You should recommend a design change that uses a Apigee microgateway in front of the backend APIs.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 2

What are all of the values typically set in a Raise Fault policy?

- A. Status Code. Reason Phrase, and Payload
- B. None of the above
- C. Status Code and Payload
- D. Status Code. Error Code, and Payload
- E. Error Code. Reason Phrase, and Payload

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 3

In Apigee Quota policy, if it is essential that you do NOT allow any API calls over the quota, which configuration option is used?

- A. distributed, synchronous
- B. non-distributed, synchronous
- C. distributed, non-synchronous
- D. non-distributed, non-synchronous

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 4

Which Apigee product feature can be used to host and version your API documentation'?

- A. Insights
- B. SmartDocs
- C. Apigee-127
- D. API BaaS
- E. Edge

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 5

A customer has added response cache policy on all their search APIs, but traffic to the backend has not reduced much. They ask you to investigate, you find that GET queries are being cached and available in memory but cache misses are still high. You want to improve caching and reduce cache misses. What should you do?

- A. Review and increase the number of items on the cache resource to a higher number
- B. Increase the TimeToLive of cached objects
- C. Review key fragments in cache key, ensuring only important parameters are used
- D. Use lookup/populate cache policy.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 6

What are the HTTPTargetConnection properties to control network timeouts?

- A. connect.timeout.millis and io.timeout.millis
- B. response.millis and connect.millis
- C. target.timeout and proxy.timeout
- D. connect.timeout and network.timeout

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

Which will allow me to set the number of maximum elements to be cached in memory in a particular cache resource?

- A. Specify number of Max Elements In Memory on the Cache Resource definition
- B. Specify max size in KB in Cache Resource definition

C. It cannot be configured as Apigee manages it internally.

D. Specify in PopulateCache policy

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 8

You have the following requirements for your API:

- * Authenticate users.
- * Identify applications.
- * Log update events to StackDriver
- * Enforce quotas based on Product configurations
- * Alert when total API latency exceeds 500 milliseconds

Your Apigee Edge API proxy is currently implemented with the following Proxy Endpoint configuration



```
<ProxyEndpoint name="default">
  <Description/>
  <Flows>
    <Flow name="Chefs Collection Operations">
      <Description>Operate on the Chefs collection</Description>
      <Request>
        <Step>
          <Name>Enforce-Quota</Name>
        </Step>
      </Request>
      <Response>
        <Step>
          <Name>Statistics-Collector</Name>
        </Step>
      </Response>
      <Condition>(proxy.pathsuffix MatchesPath "/chefs/**")</Condition>
    </Flow>
  </Flows>
  <PostFlow name="PostFlow">
    <Request/>
    <Response/>
  </PostFlow>
  <PreFlow name="PreFlow">
    <Request/>
    <Response/>
  </PreFlow>
  <RouteRule name="Chefs Collection Operations">
    <Condition>(proxy.pathsuffix MatchesPath "/chefs/**")</Condition>
    <URL>https://allostrat.com/api/chefs/</URL>
  </RouteRule>
  <RouteRule name="noroute"/>
</ProxyEndpoint>
```

- A. Authenticate users.
- B. Authenticate applications
- C. Enforce quotas based on Product configurations
- D. Alert when total API latency exceeds 500 milliseconds
- E. Log update events to StackDriver

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 9

As an API Engineer you are approached late in the day with an emergency request to configure a 2 way TLS connection between Apigee and the backend server. All existing certificates have been revoked. The security team provides you the PEM file for the backend server and your new Apigee TLS certificate. What minimum steps are required to reconfigure 2-way TLS?

Choose 2 answers

- A. Use the KVM to store the contents of the PEM file.
- B. Add the backend servers PEM file to the trust store.
- C. Add your Apigee TLS certificate to the key store.
- D. Add the backend servers PEM file to the key store.
- E. Use the Access Control Policy to reference the PEM file
- F. Add the backend certificate chain to the trust store

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Which statements are true when the following policy is used?

```
<SpikeArrest continueOnError="false" name="Arrest">  
<Rate>5ps</Rate>  
</SpikeArrest>
```

- A. The continueOnError setting means that normal flow processing will resume even if the traffic exceeds the spike arrest rate
- B. The rate of 5 per second indicates that 5 requests can be made at any time during a second: but the 6th and later requests during the same second would be rejected
- C. Spike arrest is calculated separately on each message processor, so you could end up with significantly more than 5 calls in a second
- D. It is possible to make fewer than 5 requests in a second and still cause a spike arrest

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

What is the order in which RouteRules are evaluated when many are present?

- A. no order, random
- B. alphabetical by name
- C. bottom to top as configured in the ProxyEndpoint
- D. bottom to top as configured in the TargetEndpoint
- E. top to bottom as configured in the ProxyEndpoint

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

You have a new set of requirements for a mobile app. The product team has asked for the following.

- * The app requires access to customer order information

* The app needs to allow a search function for orders by product name

Choose two development tasks that would accomplish the requirements. Choose 2 answers

- A. Create a new API proxy for a GET /v1/customers/{customerid}/orders
- B. Create a new API proxy for a GET /v1/customers/{customerid}/products/{productname}
- C. The Apigee proxy should allow a query parameter for q=
- D. The design should include a new custom header X-Product-Name
- E. The Apigee proxy should allow a query parameter for orderId=

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

You are using Apigee Edge as the OAuth Resource Server. The product owner asks you to create an API that logs a user out by revoking OAuth tokens. What should you do?

- A. Use the InvalidateToken operation with cascade=true
- B. Use the InvalidateToken operation with cascade=false
- C. Store a list of revoked tokens in Firebase. On each access, check the list and only allow unrevoked tokens through
- D. Store a list of revoked tokens in Key-Value Maps. On each access, check the list and only allow unrevoked tokens through

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 14

When retrieving a value from an encrypted KVM. the variable name to which it is assigned must be prefixed with which value to prevent it from being readable in tracing sessions?

- A. private
- B. mask
- C. hidden
- D. encrypted
- E. kvm

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 15

Which policy is best used to convert a SOAP response to a JSON response'?

- A. Message Validation
- B. AssignMessage
- C. SOAPToJSON
- D. XMLToJSON

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

Which are techniques for dynamically choosing the target endpoint at runtime?

- A. use routing tables defined for the proxy using the MGMT API

- B. use javascript to set targeturl
- C. use route rules with conditions
- D. nothing is needed, done by default

Answer: A ([LEAVE A REPLY](#))

Valid Apigee-API-Engineer Dumps shared by PrepPdf.com for Helping Passing Apigee-API-Engineer Exam! PrepPdf.com now offer the **newest Apigee-API-Engineer exam dumps**, the PrepPdf.com Apigee-API-Engineer exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com Apigee-API-Engineer dumps with Test Engine here: <https://www.preppdf.com/Google/Apigee-API-Engineer-prepaway-exam-dumps.html> (128 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

Which HTTP method would NOT be used for CRUD operations?

- A. PUT
- B. POST
- C. OPTIONS
- D. GET

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 18

You are designing an API that allows a consumer to fetch all orders associated to a given customer You want to use a RESTful design Which design should you use?

- A. GET/customers/{customer-id}/orders
- B. GET/getOrdersForCustomer?customer-id={customer-id}
- C. GET/orders?customer-id={customer-id}
- D. POST /orders with a post-body of customer-id-{customer-id}

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 19

Which feature can be used to automatically distribute traffic across multiple target servers'?

- A. use an AssignMessage policy
- B. use a concurrent rate limiting policy
- C. use RouteRules with multiple TargetEndpoints
- D. use a LoadBalancer entry in the HTTPTargetConnection session

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 20

Which will allow me to set the number of maximum elements to be cached in memory in a particular cache resource?

- A. Specify number of Max Elements In Memory on the Cache Resource definition
- B. Specify max size in KB in Cache Resource definition
- C. Specify in PopulateCache policy
- D. It cannot be configured as Apigee manages it internally.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 21

You are implementing Concurrent Rate Limit, Spike Arrest and Quota policies in your proxy You want to make sure the simplest checks run first Using the flow shown in the diagram, which order of operations should you follow?



- A. Quota > Spike Arrest > Concurrent Rate Limit
- B. Spike Arrest > Quota > Concurrent Rate Limit
- C. Quota > Concurrent Rate Limit > Spike Arrest
- D. Concurrent Rate Limit > Spike Arrest > Quota

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 22

Which policy can be used to restrict access to API resources based on the client IP?

- A. Access Control policy
- B. Regular Expression Protection policy
- C. Raise Fault policy
- D. Basic Authentication policy

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 23

You have implemented an Apigee Edge API proxy that includes a new shared flow Before you release to production, you need to ensure all dependencies are readied What should you do?

- A. Run automated unit tests in the test environment
- B. Deploy the shared flow to the production environment
- C. Alert the quality analysis team and product owner that you are preparing the release
- D. Execute static code analysis on the bundle

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 24

In your last release, there were unexpected errors uncovered by users within the first 24 hours. The root cause analysis found that key configurations were not promoted to production. You want to avoid similar release failures in your next release. What should you do?

- A. Notify operations of the release
- B. Ensure all sources are checked into source control
- C. Monitor the logs looking for unusual error patterns
- D. Run an automated smoke test suite.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

Which protocols are supported by the Message Logging policy?

- A. SCP
- B. HTTP
- C. UDP
- D. FTP
- E. TCP

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 26

You are building a new API, and have the choice between several names for a particular field. According to Apigee recommended practices, what should you do?

- A. Pick any name, and make sure that you use that name as consistently as possible
- B. Use the same field name as in the back end system
- C. Allow each developer to make their own choice.
- D. Survey typical consumers to determine which common name to use

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 27

Which describe OAuth 2.0 Refresh Tokens'?

- A. can be used to reset credentials
- B. may be reused multiple times to create new access tokens
- C. can be used to generate or renew access tokens
- D. is always issued with every access token

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 28

As an API Engineer you get a calendar invite for a backlog grooming session. What should you expect to take place in the meeting?

- A. Review the Epics and meet the cross functional team
- B. Review and update the user stories and tasks in detail.
- C. Update support tickets that have been sitting for x number of days

D. Review the high level design document and ask questions

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 29

Which describe the ResponseCache' policy in Apigee Edge?

- A. Helps to reduce the response latency
- B. Caches both the request and the response
- C. Should be attached to both Request and Response Flow
- D. Helps to reduce the amount of load to the target system.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

Which policies can be used to create or modify a request message for a service callout? Select all that are correct

- A. Message Validation
- B. AssignMessage
- C. RequestMessage
- D. ServiceCallout

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 31

Your project has just started, and you are observing that bugs are being caught in QA on features that were previously working You want to provide a self-governing mechanism for the team to identify regression bugs What should you do?

- A. Implement automated integration testing on check in.
- B. Use static code analysis tools.
- C. Ask developers to run unit tests prior to each check in
- D. Use Behavior Driven Development tools.

Answer: B ([LEAVE A REPLY](#))

Valid Apigee-API-Engineer Dumps shared by PrepPdf.com for Helping Passing Apigee-API-Engineer Exam! PrepPdf.com now offer the **newest Apigee-API-Engineer exam dumps**, the PrepPdf.com Apigee-API-Engineer exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com Apigee-API-Engineer dumps with Test Engine here: <https://www.preppdf.com/Google/Apigee-API-Engineer-prepaway-exam-dumps.html> (128 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 32

You are working on a project that adheres strictly to the Roy Fielding REST concepts. You need to update a single property named "status" of a complicated entity. What should you do?

- A. Fetch the full entity, update the status value locally. DELETE the original entity and POST the new version.
- B. Create a new service that uses the UPDATE verb that accepts the "status" property and updates the entity. UPDATE /api/trucks/42/status HTTP/1.1 {status: 5}
- C. Create a new service that uses the PATCH verb designed to update only given fields. PATCH /api/trucks/42 HTTP/1.1 {status: 5}
- D. Fetch the full entity. Change only the status value and then send the whole object in the request body of the PUT service

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 33

How can we add custom objects to an OpenAPI Specification 2.0?

- A. Open API specification does not allow custom objects
- B. By prefixing c- before the name of the custom object
- C. By prefixing x- before the name of the custom object
- D. By prefixing ext- before the name of the custom object

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 34

Which are techniques for dynamically choosing the target endpoint at runtime? Select all that are correct

- A. use routing tables defined for the proxy using the MGMT API
- B. nothing is needed, done by default
- C. use route rules with conditions
- D. use javascript to set targeturl

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 35

You are working with the product owners and uncover an opportunity for new functionality. The product owners ask you to quickly outline the desired functionality. Which approach should you use?

- A. Implement a proof of concept
- B. Implement a suite of unit test cases that qualify a working API
- C. Use a business requirements document.
- D. Use a behavior driven development "given-when-then" script to outline the main steps

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 36

Which statements are true when the following policy is used? Select all that are correct.

```
<SpikeArrest continueOnError="false" name="Arrest">
```

```
<Rate>5ps</Rate> </SpikeArrest>
```

- A. The continueOnError setting means that normal flow processing will resume even if the traffic exceeds the spike arrest rate
- B. It is possible to make fewer than 5 requests in a second and still cause a spike arrest
- C. Spike arrest is calculated separately on each message processor, so you could end up with significantly more than 5 calls in a second
- D. The rate of 5 per second indicates that 5 requests can be made at any time during a second: but the 6th and later requests during the same second would be rejected

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 37

The product owner has asked you for a new API. This new API will change a configuration for a backend system. The use case calls for a single API. Which verb should you use?

- A. PUT
- B. GET
- C. POST
- D. HEAD

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 38

Which statements are true for configuring the Edge Microgateway quota plugin? Choose 3 answers

- A. Quotas are only enforced when client authentication is enabled
- B. Quota plugin requires quota-memory plugin to be installed and enabled
- C. Quota plugin must execute after the quota-memory Plugin execution
- D. Quota plugin must execute after the OAuth Plugin execution
- E. Quota plugin requires OAuth Plugin to be installed and enabled

Answer: (SHOW ANSWER)

NEW QUESTION: 39

When is it appropriate to use query parameters in RESTful API design? Select all that are correct

- A. When providing the ability to return different levels of detail in the response.
- B. When requesting that an entire collection be deleted.
- C. When filtering the response based upon a query
- D. When passing username and passwords.

Answer: (SHOW ANSWER)

NEW QUESTION: 40

Which describe the ResponseCache' policy in Apigee Edge? Select all that are correct

- A. Caches both the request and the response

- B. Helps to reduce the response latency
- C. Helps to reduce the amount of load to the target system.
- D. Should be attached to both Request and Response Flow

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 41

In Apigee Edge APIs, what is fault.name?

- A. An out-of-the-box variable populated by Edge when a policy fails
- B. System errors that are only populated in script callouts
- C. Custom variable that you populate before you Raise Fault
- D. Backend error names that are populated along with error code
- E. None of the above

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 42

Your project is growing, and there have been several instances of confusion about the naming of data fields. What should you do?

- A. Create a basic data dictionary that covers common use cases and rules for naming
- B. Enforce a naming convention using a static code analysis tool.
- C. Create a unified data model that attempts to model all use cases for each object type
- D. Ask developers to do more code reviews, and focus on the names of fields.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 43

The IT security staff is concerned about unexpected increases in traffic on an API with an OAuth authorization flow. You want to limit impacts of such traffic increases. What should you do?

- A. Use the Concurrent Rate Limit policy, to ensure back-end services are not overwhelmed
- B. Work with operations to ensure autoscaling is set up to respond to traffic events
- C. Use a Quota policy, to ensure that no client exceeds a defined quantity of traffic.
- D. Use the Spike Arrest policy, to smooth out traffic spikes.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

Which policies can be used to create or modify a request message for a service callout? Select all that are correct

- A. ServiceCallout
- B. Message Validation
- C. RequestMessage
- D. AssignMessage

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 45

Which is true about DefaultFaultRule"?

- A. You cannot use both FaultRule and DefaultFaultRules in the same API proxy
- B. DefaultFaultRule can be used to handle an error that is not explicitly handled by a FaultRule.
- C. DefaultFaultRules are a fixed set of fault rules defined in the product
- D. DefaultFaultRule is used when the fault happens during communication with the target

Answer: C (LEAVE A REPLY)

NEW QUESTION: 46

Which approaches can be used for extracting data from a SOAP body and returning it as a JSON response in Apigee Edge? Select all that are correct.

Choose 3 answers

- A. Use ExtractVariables with an XPath first to extract the SOAP body and then use XML to JSON policy
- B. Use XSLT to transform the XML payload and then use a XML to JSON policy
- C. Use XML to JSON policy first to convert to JSON and then ExtractVariables with a JSONPath to extract the body from the converted SOAP envelope
- D. Use an AssignMessage policy to convert the SOAP response to a JSON response, using XPath expressions to retrieve the data

Answer: B,C,D (LEAVE A REPLY)

Valid Apigee-API-Engineer Dumps shared by PrepPdf.com for Helping Passing Apigee-API-Engineer Exam! PrepPdf.com now offer the **newest Apigee-API-Engineer exam dumps**, the PrepPdf.com Apigee-API-Engineer exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com Apigee-API-Engineer dumps with Test Engine here: <https://www.preppdf.com/Google/Apigee-API-Engineer-prepaway-exam-dumps.html> (128 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

Which JavaScript statement can be used to raise a fault from a JavaScript policy named "Weather"?

- A. contextsetVariablefWeather.Fauir, "true*");
- B. return-1;
- C. return false;
- D. throw "Bad Data",

Answer: A (LEAVE A REPLY)

NEW QUESTION: 48

Which approaches can be used for extracting data from a SOAP body and returning it as a JSON response in Apigee Edge?

Choose 3 answers

- A. Use XSLT to transform the XML payload and then use a XML to JSON policy
- B. Use an AssignMessage policy to convert the SOAP response to a JSON response, using XPath expressions to retrieve the data
- C. Use ExtractVariables with an XPath first to extract the SOAP body and then use XML to JSON policy
- D. Use XML to JSON policy first to convert to JSON and then ExtractVariables with a JSONPath to extract the body from the converted SOAP envelope

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

Given the following Javascript code snippet, which statement is true?

```
var paloAlto = httpClient.get('http://weather.yahooapis.com/forecastrss?w=2467861');
context.session['paloAlto'] = paloAlto;
```

- A. The code execution will complete even if the httpClient has not yet received a response
- B. The httpClient request will send a POST request to http //weather yahooapis com/forecastrss
- C. The string paloAlto' will be stored in a message flow variable named paloAlto
- D. The code execution will wait for the httpClient to receive a response and store that into a session variable named paloAlto.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 50

Which components of Edge used to configure HTTPS inbound communication?

- A. Keystores and Truststores
- B. Virtual Hosts
- C. Certificate Manager
- D. TLS Store

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 51

Your API generates tokens to authenticate users. You have the following requirements

1. Limited token lifetime.
2. Managed key rotation.
3. Self-verifiable content.
- 4 Compact data representation
5. Refresh without new challenge.

You plan to use SAML2 Which two of the above-listed requirements are satisfied by using SAML2? Choose 2 answers

- A. Refresh without a new challenge

- B. Managed key rotation
- C. Limited token lifetime.
- D. Compact data representation
- E. Self-verifiable content

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 52

Your implementation has the following characteristics

- 1 There are multiple API Products
- 2 Some API proxies are part of more than one API Product.
- 3 Quotas are configured at the API Product level
- 4 In the Quota policy the count, time interval and unit is referenced using Verify API Key flow variables at runtime.
- 5 A single Quota policy is reused across all the products
6. Each app is assigned to exactly one product.

You need to limit the number of requests during weekends for specific products without modifying this design What should you do?

- A. Add custom attributes for counts for every product. Create custom quota policies for every product which references these custom attributes
- B. Set custom attributes for weekday and weekend count at every product Reference these How variables in the count property of Quota policy at runtime
- C. Add custom attributes for count at Product level Use a JS Policy to determine which count to use in Quota policy at runtime Use this count attribute in the Quota Policy.
- D. Add custom attributes at the API Product with counts to use for weekdays and weekends. Using flow variables, reference the custom counts in the Quota policy

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

You need to log all error responses in your Apigee Edge proxy What should you do?

- A. Use a JavaScript callout
- B. Use a MessageLog policy in (he DefaultFaultRule.
- C. Use a conditional MessageLog policy in the PostClientFlow
- D. Use a conditional MessageLog policy as the last item in the Response flow

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 54

In which place can outbound SSL be configured?

- A. ProxyEndpoint
- B. TargetEndpoint
- C. VirtualHost
- D. HTTPProxyConnection

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 55

Which policy can be used to restrict access to API resources based on the client IP?

- A. Regular Expression Protection policy
- B. Basic Authentication policy
- C. Access Control policy
- D. Raise Fault policy

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 56

Which are NOT a step in the OAuth 2.0 authorization code grant process?

- A. generate an authorization code
- B. validate the client API key
- C. obtain the end user's consent for the application to request the user's protected resources
- D. generate an access token
- E. verify the device ID
- F. validate the developer name

Answer: A,C,F ([LEAVE A REPLY](#))

NEW QUESTION: 57

Your APIs are configured as a relying party on an OpenID Connect platform. You need to inspect and verify the OpenID Connect identity. What two actions should you take?

Choose 2 answers

- A. Using the JKWS URL in the OpenID Connect configuration, fetch the signing key to verify the JWT signature and parameters
- B. Pass the JWT to a preconfigured 3rd party for verification of the signature, exp, nbf and iat properties
- C. Parse the JWT to extract the exp, nbf and iat properties to determine if the token is still valid
- D. Verify the signature of the JWT using a shared secret.
- E. Use the OpenID Connect URL to locate a trusted 3rd party for verification the signature, exp, nbf and iat properties

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 58

You have the following requirements for your API:

- * Authenticate users.
- * Identify applications.
- * Log update events to StackDriver
- * Enforce quotas based on Product configurations
- * Alert when total API latency exceeds 500 milliseconds

Your Apigee Edge API proxy is currently implemented with the following Proxy Endpoint configuration

The diagram illustrates the flow of a request and response through an Apigee Edge Proxy Endpoint. The request path includes steps for 'Verify API Key' and 'Enforce Quota' before reaching the 'Google' service. The response path includes a 'Statistics Collector' step. A 'Step' button is visible in the top right and bottom left of the diagram area.

```

<ProxyEndpoint name="default">
  <Description/>
  <Flows>
    <Flow name="Chefs Collection Operations">
      <Description>Operate on the Chefs collection</Description>
      <Request>
        <Step>
          <Name>Enforce-Quota</Name>
        </Step>
      </Request>
      <Response>
        <Step>
          <Name>Statistics-Collector</Name>
        </Step>
      </Response>
      <Condition>(proxy.pathsuffix MatchesPath "/chefs/**")</Condition>
    </Flow>
  </Flows>
  <PostFlow name="PostFlow">
    <Request/>
    <Response/>
  </PostFlow>
  <PreFlow name="PreFlow">
    <Request/>
    <Response/>
  </PreFlow>
  <RouteRule name="Chefs Collection Operations">
    <Condition>(proxy.pathsuffix MatchesPath "/chefs/**")</Condition>
    <URL>https://allostrat.com/api/chefs/</URL>
  </RouteRule>
  <RouteRule name="noroute"/>
</ProxyEndpoint>

```

- A. Authenticate applications
- B. Log update events to StackDriver
- C. Enforce quotas based on Product configurations
- D. Authenticate users.
- E. Alert when total API latency exceeds 500 milliseconds

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 59

Your APIs are configured as a relying party on an OpenID Connect platform. You need to inspect and verify the OpenID Connect identity. What two actions should you take?

- A. Use the OpenID Connect URL to locate a trusted 3rd party for verification the signature, exp, nbf and iat properties
- B. Parse the JWT to extract the exp: nbf and iat properties to determine if the token is still valid
- C. Verify the signature of the JWT using a shared secret.
- D. Pass the JWT to a preconfigured 3rd party for verification of the signature, exp, nbf and iat properties
- E. Using the JKWS URL in the OpenID Connect configuration, fetch the signing key to verify the JWT signature and parameters

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 60

You are designing an API that allows a consumer to fetch all orders associated to a given customer. You want to use a RESTful design Which design should you use?

- A. POST /orders with a post-body of customer-id={customer-id}
- B. GET /getOrdersForCustomer?customer-id={customer-id}
- C. GET/orders?customer-id={customer-id}
- D. GET/customers/{customer-id}/orders

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 61

You have a requirement to expose functions and data from an existing back-end system Using Apigee recommended practices, which step should you take first*?

- A. Work with the existing or targeted application consumers to build an Open API Specification model
- B. Write business and functional requirements documents.
- C. Catalog the data model of the backing data store or API into a data dictionary
- D. Implement ad-hoc microservices using a managed container system.

Answer: ([SHOW ANSWER](#))

Valid Apigee-API-Engineer Dumps shared by PrepPdf.com for Helping Passing Apigee-API-Engineer Exam! PrepPdf.com now offer the **newest Apigee-API-Engineer exam dumps**, the PrepPdf.com Apigee-API-Engineer exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com Apigee-API-Engineer dumps with Test Engine

NEW QUESTION: 62

Which OAuth 2.0 grant requires redirection?

- A. Client Credentials
- B. Resource Owner Password Credentials
- C. Authorization Code
- D. Refresh Token

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 63

If a string value is put in both a cache and a key value map (KVM) using the same key, which one is true?

- A. When object is retrieved from KVM, the object with the same key will be returned from the cache instead to improve performance
- B. The object will be stored in Cassandra twice
- C. One of the inserts (either to cache or to KVM) will fail as you can't insert the same key twice
- D. The object will expire from both locations after the TimeToLive has passed.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 64

Which is a benefit of using API keys to access API resources?

- A. provides simple mechanism to authenticate developers
- B. authenticates the developer
- C. authenticates the client application
- D. provides simple mechanism to identify developer apps

Answer: A ([LEAVE A REPLY](#)**)**

NEW QUESTION: 65

Use a Key Value Map when you need to store

- A. a value that expires after 300 seconds
- B. an HTTP response
- C. OAuth tokens for backend service calls
- D. configuration values

Answer: C ([LEAVE A REPLY](#)**)**

PrepPdf.com Apigee-API-Engineer exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com Apigee-API-Engineer dumps with Test Engine here: <https://www.preppdf.com/Google/Apigee-API-Engineer-prepaway-exam-dumps.html> (128 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)