

Huawei.H13-531_V2.0.v2023-09-14.q499

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Exam Code: | H13-531_V2.0 |
| Exam Name: | HCIE-Cloud Computing (Written) V2.0 |
| Certification Provider: | Huawei |
| Free Question Number: | 499 |
| Version: | v2023-09-14 |
| # of views: | 2692 |
| # of Questions views: | 4990 |
| https://www.freeqas.com/qa/Huawei/H13-531_V2.0/Huawei.H13-531_V2.0.v2023-09-14.q499.html | |

NEW QUESTION: 1

FusionSphereIn a server virtualization scenario, if you configure functions, which of the following network requirements are correct?

- A. All hosts are associated with the sameDVS
- B. Hosts in the cluster are connected to the same physical switch
- C. All hosts are connected to the same physical switch
- D. Hosts in the cluster are associated with the sameDVS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

In the FusionSphere private cloud solution, after the tenant manually triggers the cloud server backup task, which of the following components will call Cinder to create a consistent snapshot on the production storage?

- A. eBackup Manager
- B. Karbor
- C. eBackup Workflow
- D. Backup Backup Agent

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 3

There is a virtual machine bound to the host in FusionCompute. Now the customer needs to upgrade the storage system used by the virtual machine. Which of the following methods can migrate the disk of the virtual machine on this storage?

- A. Virtual machine live migration changes the host
- B. Unable to meet requirements
- C. Virtual machine live migration changes hosts and datastores
- D. Virtual Machine Live Migration Changes Datastore

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 4

Which of the following descriptions of thin disks is wrong?

- A. The size of the thin disk is 0 when it is created. When the thin disk is created, it contains a small amount of metadata information. The size is generally tens of K.
- B. Thin disk uses dynamic disk technology, which can save storage space
- C. Applicable to scenarios where users have unclear storage requirements, or the planned capacity is larger than the actual capacity
- D. The disk is allocated space when it is created

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 5

Which of the following methods is incorrect when creating a virtual machine template in Fusioncompute? (one)

- A. virtual machine cloneway template
- B. Template clone as template
- C. The virtual machine is converted into a template
- D. Snapshots are converted to templates

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 6

Which of the following is not a resource record type of a DNS server?

- A. Aliases
- B. Scope
- C. Originating Authority
- D. Host

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

If FusionCompute is deployed in the three-member separation mode, the three-member separation mode must also be used to deploy FusionAccess.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 8

(Single choice question) InFusionaccessDuring the process of provisioning virtual desktops, which of the following components will check whether the specified virtual group and desktop group exist?

- A. GaussDB
- B. HDA

- C. ITA
- D. HDC

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

Cloud resource monitoring mainly real-time data center cloud resource usage from five aspects of computing, storage, network, application and security, collect invigilation indicators of each cloud resource module, and detect the availability of resource modules, so that administrators can fully understand cloud resources. The current situation, and then analyze the operating status and health of the business, and respond to abnormal alarms in a timely manner to ensure the smooth operation of the application.

- A. TRUE
- B. FALSE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 10

Which of the following options is correct based on the description of the source-destination IP and port load sharing algorithm in FusionCompute?

- A. When the packet contains IP and port, the source and destination IP, port and MAC are used for load balancing; when the packet only has an IP address, the IP address and MAC are used for load sharing; when the packet only has a MAC address, use the MAC address for load balancing.
- B. This mode enables network traffic to be sent to each network port completely and evenly, but may generate a large number of out-of-order packets.
- C. This mode is generally used in scenarios where most of the network traffic is inside the Layer 2 network. At this time, the network traffic can be evenly hashed by MAC.
- D. This mode has high reliability, but the network traffic will only be shared by one network card, and the other network card is used as a backup.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 11

In the process of the virtual desktop provisioning, when creating a virtual machine, which component will check whether the specified virtual group and desktop group exist?

- A. HDA
- B. ITA
- C. HDC
- D. GaussDB

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 12

Drag and drop: During the rapid desktop provisioning process of FusionAccess, the administrator needs to configure the "configuration mode" of the virtual machine disk, and the following "configuration mode" corresponds to its usage scenarios

Answer:

Ordinary delayed zeroing mode-----The virtual machine template is "complete copy", and requires space to be allocated according to the disk capacity, and the creation speed is faster

Normal mode-----The data storage selected by the virtual machine template is "non-virtualized" and requires space to be allocated according to the disk capacity, and the disk performance is better

Lite mode ----- the virtual machine template is "linked clone"

NEW QUESTION: 13

Which of the following statements is correct about a virtual machine with an allocation type of "Static Multi-User"? (Multiple choice)

- A. If user A has logged in to a virtual machine, disconnects the virtual machine but logs out the user, then user B can log in to the virtual machine, but logging in will force user A to log out.
- B. If user A has already logged in to a virtual machine, then user B can no longer log in to this virtual machine.
- C. A user can only own one virtual machine, and a virtual machine can be assigned to multiple users.
- D. The data saved by user A in a virtual machine can be accessed by user B after logging in to the virtual machine.

Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 14

A user cannot view the monitoring data of the host or virtual machine when using FusionCompute, the following Which of the descriptions of the possible causes of this phenomenon and corresponding measures are correct? (many)

- A. The phenomenon is caused by the abnormal monitoring process. The user can use "PuTTY" to log in to the main machine as the gandalf user VRM, restart monitoring process
- B. This phenomenon is caused by the inconsistency between the time of the NTP clock source and the local PC. The user can modify the time of the local PC.
time, consistent with the NTP clock source
- C. The user does not configure the NTP clock source, the user can check whether the If there is any related alarm, follow the alarm handling help to configure the NTP clock source and clear the alarm
- D. When the key is updated, the business process on the node will be restarted, which will cause abnormal monitoring of the virtual machine.

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 15

ManagerOneOperations, Level 1VDCAdmins manage their ownVDC, cannot manage other levelsVDC

- A. mistake
- B. correct

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

(Multiple choice questions) Which of the following descriptions about the difference between physical switches and virtual switches is incorrect?

- A. virtual switch fails VLAN label operation, the physical switch can VLAN label to do the operation.
- B. Virtual switches run on physical servers, and physical switches have separate hardware.
- C. Virtual switches cannot be configured with Layer 3 interfaces, but physical switches can be configured with Layer 3 interfaces.
- D. The normal operation of the virtual switch also requires certain hardware resources.

Answer: A ([LEAVE A REPLY](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here: https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

(Multiple Choice) In Huawei Fusion sphere Openstack middle, Swift Responsible for providing object storage services. Which of the following advantages does its architecture have?

- A. Extremely scalable
- B. Fully symmetrical system architecture
- C. very little delay
- D. Extremely high data persistence

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 18

The desktop cloud can completely replace the traditional physical desktop and realize the refined management and control of the enterprise desktop.

- A. TRUE
- B. FALSE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

[Judgment] eBackup only supports data backup in virtualization scenarios.

Physical machine, but also supports disaster recovery of virtual machine.

- A. TRUE
- B. FALSE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 20

During the daily operation and promotion of FusionAccess, Huawei desktop cloud administrators can use the TCM tool to manage virtual desktops, making self-service maintenance more convenient and greatly improving operational efficiency.

- A. TRUE
- B. FALSE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 21

Which of the following is not the function of the VRM module in FusionCompute?

- A. Manage the dynamic adjustment of resources in the cluster
- B. Through unified management of virtual resources and user data, external services such as single-sex computing, storage, and IP are provided.
- C. Manage block storage resources within the cluster
- D. Provide virtual computing functions

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 22

Regarding the TC security mechanism of Huawei desktop cloud system, which of the following descriptions is incorrect?

- A. TC can perform port control,
- B. TC internal hard disk saves desktop virtual machine data.
- C. TC can perform identity authentication, MAC address and virtual desktop binding authentication.
- D. Users cannot perform operations such as file management and command execution in the TC.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 23

Which of the following descriptions about the VIMS file system in FusionCompute is incorrect? (one)

- A. VIMS can be compatible with FC SAN, IP SAN, local disk.
- B. VIMS is a high-performance cluster file system.
- C. VIMS is the technical basis for advanced features such as thin disks, snapshots, and storage migration.
- D. VIMS is a common storage virtualization file system in the industry.

Answer: (SHOW ANSWER)

NEW QUESTION: 24

Which of the following descriptions are correct about the disk configuration mode of the virtual machine system disk when the Huawei desktop cloud system is rapidly provisioned? (Multiple choice)

- A. When the virtual machine template is a complete copy template, the configuration mode must be normal,
- B. When the storage resource type is FusionStorage, the configuration mode must be simplified.
- C. When the virtual machine template is a full clone template, the configuration mode must be thin.
- D. When the virtual machine template is an express package template, the configuration mode must be thin.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 25

Which of the descriptions of the nd file are correct? (Multiple choice)

- A. vd indicates that the bus type of Westo is IDE type.
- B. hd indicates that the total type of the disk is VIRTIO,
- C. sd indicates that the total bus type of the disk is SCSI.
- D. The "disk ID" in the vhd file name consists of the disk bus type and the disk serial number.

Answer: C,D [\(LEAVE A REPLY\)](#)

NEW QUESTION: 26

In the FusionSphere server virtualization scenario, the host failure control policy set in the cluster is "Recovery within the virtual machine cluster". When a CNA node fails, a virtual machine on it cannot be recovered. Which of the following are possible reasons? (Multiple choice)

- A. The virtual machine is created on a local disk
- B. The remaining resources in the cluster are not enough to start the virtual machine
- C. The virtual machine has a user logging in
- D. The virtual machine is bound to a graphics processor

Answer: A,B,D [\(LEAVE A REPLY\)](#)

NEW QUESTION: 27

Which of the following descriptions about FusionCompute is correct?

- A. The CNA virtualization system adopts resident virtualization.
- B. VRM can manage virtualized and physical resources.
- C. VRM supports virtualized deployment and physical deployment. It is recommended to use single-node deployment to reduce cluster resource usage.
- D. FusionCompute includes two functional modules, CNA and VRM. CNA is a virtualized operating system that provides virtualization capabilities for computing, storage, and network resources. VRM is used for virtual resource management.

Answer: D [\(LEAVE A REPLY\)](#)

NEW QUESTION: 28

(Multiple Choice) In Huawei Desktop Cloud, which of the following are the factors in the performance triangle model that affects virtual machine density?

- A. capacity
- B. workload
- C. density
- D. qos

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 29

When installing FusionCloud 6.3, which of the following statements is correct? (many)

- A. When FusionCloud 6.3 is installed, the deployment scenario needs to be determined.
- B. Fusioncloud 6.3 requires manual installation of all components.
- C. Fusioncloud 6.3 needs to determine the cloud service type during installation, and the installation is completed at one time.
- D. FusionCloud 6.3 is installed uniformly using FCD.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 30

Which memory multiplexing technology can reclaim the temporarily unused physical memory of the virtual machine and allocate it to the virtual machine that needs to reuse the memory?

- A. Memory Transparent Huge Pages
- B. Memory bubbles
- C. Memory replacement
- D. Memory sharing

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 31

The storage resources in FusionCompute correspond to IP SAN, FC-SAN, NAS, FusionStorage, and local hard disks.

- A. TRUE
- B. FALSE

Answer: ([SHOW ANSWER](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:

NEW QUESTION: 32

When the VRM single-node virtualization is deployed, the FusionCompute page cannot be opened, and restarting the VRM virtual machine on the CNA cannot solve the problem. What are the possible reasons? (Multiple choice)

- A. Host RAID card failure
- B. Abnormal power off
- C. The license is not loaded
- D. The VRM file system is corrupted

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 33

Which of the following tools will be used in FusionAccess cloud desktop operation and maintenance? (Multiple choice)

- A. vDesk
- B. FusionInsight
- C. vTools
- D. FusionCare

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 34

Which of the following descriptions about FusionAccess desktop distribution is wrong? (one)

- A. "Exclusive" refers to one virtual desktop per person, often used in scenarios such as call centers.
- B. "proprietary" refers to one virtual desktop per person, commonly used in OA office and other scenarios
- C. Support two allocation modes: exclusive allocation and pool allocation
- D. "Pool" refers to a group of people sharing a set of virtual machines, often used in scenarios such as call centers.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 35

The administrator configures the HTTP server for storing alarms through FusionCompute. View the stored alarm information on the corresponding HTTP server. If the alarm dump is not configured, the system will report After a certain number of entries are exceeded, the latest alarm information will be automatically cleared to free up space. If alarm dump is configured, It will dump the earliest certain entry alarms to the HTTP server

- A. TRUE
- B. FALSE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 36

When the Fusionaccess desktop group type is "static pool", which of the following virtual machine types is not included?

- A. Linked clones
- B. Fast packaging
- C. Complete copy
- D. Full memory

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 37

After using Rainbow to migrate the Windows virtual machine, which original configuration will fail?

- A. License authorization
- B. Partition format
- C. Username and password
- D. trash can icon

Answer: [A \(LEAVE A REPLY\)](#)

NEW QUESTION: 38

During the migration process, "--" is a key indicator for evaluating the migration, and the downtime includes business Switchover time and last data increment synchronization time.

- A. increment
- B. Business interruption time

Answer: [B \(LEAVE A REPLY\)](#)

NEW QUESTION: 39

Which description about virtio is incorrect?

- A. When I/O is frequent, the server CPU usage is high.
- B. Virtio performs better than a fully emulated device.
- C. The virtio drivers of FusionCompute are all included in Tools.
- D. The use of virtio devices requires special device drivers to be installed.

Answer: [D \(LEAVE A REPLY\)](#)

NEW QUESTION: 40

Which of the following steps does the general process of fault location include? (Multiple choice)

- A. Troubleshooting
- B. Information Collection
- C. Check to confirm
- D. Fault location

Answer: [A,B,C,D \(LEAVE A REPLY\)](#)

NEW QUESTION: 41

If the virtual machine in FusionCompute does not have Tools installed, which of the following functions can be implemented? (one)

- A. Safely shut down the virtual machine
- B. Configure the IP address for the virtual machine
- C. Virtual machine live migration
- D. Create a snapshot of the virtual machine

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 42

In FusionCompute, which of the following description about the port group is correct?

- A. The same port group can span multiple CNA hosts.
- B. Virtual machines belonging to different port groups cannot communicate with each other.
- C. The data sent from the virtual machine will be tagged with VLAN after passing through the port group.
- D. The virtual machine block NIC can join multiple port groups.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 43

The port configuration of a Huawei switch is as follows:interface XGigabitEthernet0/0/4 port link-type trunk port trunk allow-pass vlan 16 17 Based on the above configuration, which of the following descriptions is correct?

- A. Includevlan 17The tagged data frame will be forwarded by the reserved tag well when passing through the port.
- B. Includevlan 16When the data frame of the label passes through the port, the label will be stripped and forwarded.
- C. Data frames that do not contain any tags will be discarded when passing through this port.
- D. Data frames that do not contain any tags will be added when passing through this portvlan 16orvlan 17tag and forward.

Answer: (SHOW ANSWER)

NEW QUESTION: 44

In the Huawei desktop cloud system, which menu item is the policy configuration in the FusionAccess Portal?

- A. Mission Center
- B. Fast release
- C. System Administration
- D. Desktop Management

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 45

Which of the following migration methods does the FusionAccess virtual machine and desktop support?

- A. On the FusionCompute Portal interface, find the VM to be migrated, and click the "Migrate" button on the VM tab.
- B. Find the VM ID on the FusionAccess Portal, log in to the HDC component background, and enter the corresponding command to migrate.
- C. Find the VM ID on the FusionAccess Portal interface, log in to the WI component background, and enter the corresponding command line to migrate
- D. On the FusionAccess Portal interface, find the virtual machine to be migrated, and click the "Migrate" button.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 46

In the failover process of the cloud server disaster recovery service CSDR of FusionCloud R6, there are mainly Next few steps, which of the following is the correct failover sequence? (one)

1. Through BCManager, one-click completion (the storage layer LUN configuration can be read and mounted to the disaster recovery side computing node Pull up the disaster recovery cloud host and access the disaster recovery VPC) related configuration.
2. Switch the access authentication component Keystone.
3. Switch the Host domain name record of ManageOne SC to resolve the IP address and switch the external DNS record.
4. Switch the service delivery system to ManageOne SC.
5. The tenant logs in to the disaster recovery virtual machine, and checks and starts the business system.

A. 3-4-2-1-5

C 3-2-4-1-5

B. 2-4-3-1-5

C. 4-2-3-1-5

Answer: B (LEAVE A REPLY)

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

Which of the following descriptions about FusionCompute clusters, hosts, and virtual machines is incorrect?

- A. Whether multiple hosts belong to the same cluster depends on whether they use the same shared storage.
- B. Hosts can be moved between different clusters.
- C. Virtual machines can be migrated across clusters.
- D. A cluster is composed of multiple hosts and their associated storage and network resources.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

In FusionCompute, after the port group is created, the type and VLANID of the port group can be modified.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

In the user login connection process of FusionAccess, which of the following steps occurs after the consumption of the license?

- A. After the TC side initiates a connection request.
- B. After HDC returns the Login ticket.
- C. After DB returns information such as virtual machine IP and status.
- D. After the pre-connection is successful.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 50

Which of the following descriptions about FusionCompute host deployment requirements is wrong?
(one)

- A. If the host is used to deploy the management node virtual machine, the memory specification of the host must at least meet the management node The sum of the memory specification of the virtual machine and the memory specification of the management domain of the host where the virtual machine of the management node is located
- B. The memory virtualization function must be turned on, otherwise only a virtual machine can be created on the host, and the virtual machine cannot be started normally.
virtual machine
- C. The CPU needs to support hardware virtualization technology, such as Intel's VT-x, and the CPU has been turned on in the BIOS Virtualization function
- D. If the business virtual machine uses local storage, the local storage used by the business virtual machine needs to be planned separately.

Recommended local disk group RAID 1

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 51

Which of the following image formats are supported for KVM images registered on FusionSphere OpenStack OM? (Multiple choice)

- A. qcow2
- B. iso
- C. raw
- D. vhd

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 52

In FusionCompute, which of the following descriptions about virtual machine templates is incorrect?

- A. Template clone to template: After the gram house is completed, the original template still exists.
- B. The virtual machine is cloned as a template: After the clone is completed, the virtual machine can still be used normally.
- C. Convert the virtual machine to a template: After the conversion, the virtual machine can still be used normally.
- D. Import template: You can adjust some parameter settings to make it slightly different from the local virtual machine template.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 53

Which of the following descriptions about the cloud disk backup service VBS in Fusioncloud 6.x is wrong?

- A. Support file or directory level recovery
- B. Support consistent backup of multiple cloud disks
- C. Within the same Region, support replication and recovery between different Azs
- D. Support concurrent multiple backups of the same cloud hard disk at the same time

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 54

After the VLAN ID is set to 0 when creating a port group in fusioncompute, which of the following options is correct?

- A. Set the VLAN tag of packets passing through the port to 0
- B. No modification is made to packets passing through this port group
- C. Allow 0 VLAN-tagged packets to pass through this port group
- D. Only allow packets with VLAN 0 tag to pass through this port group

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 55

Using Huawei BCmanager eBackup for data backup and using the LAN-Base networking mode, when a user backs up a virtual machine, what does the backup agent do?

- A. Distribute backup tasks to production storage
- B. Receive backup data from production storage
- C. Issue backup tasks to VRM or vcenter
- D. Receive the virtual machine snapshot sent from the CAN host

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 56

What software may exist in the system platform based on the FusionSphere server virtualization solution? (Multiple choice)

- A. FusionStorage
- B. FusionSphere OpenStack OM
- C. FusionCompute
- D. FusionManage

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

The administrator analyzes the capacity and historical data reports through ManageOne operation and maintenance, and quickly grasps the network elements As well as business KPIs and health, support operation and maintenance decisions, cloud platform follow-up planning, etc., FusionCloud Which of the following report types are supported? (many)

- A. Preset reports, including multi-dimensional analysis reports and detailed reports
- B. Intelligent report, the administrator can set the monitoring threshold, when the resource pool capacity is higher than the threshold, the report will be automatically generated Tables to aid in business decision making
- C. Customized reports, administrators can arbitrarily combine multiple dimensions and measures to achieve self-service simply and quickly analysis and calculation to obtain effective business data information
- D. Periodic reports, the administrator generates corresponding periodic report data by defining periodic tasks, and supports Notify those who need attention by email to assist in business analysis and evaluation

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 58

In the FusionCompute system, which description about the virtual machine network card is incorrect?

- A. Virtual machines with memory reuse (not 100% memory reservation) cannot be configured with pass-through devices.
- B. The virtual machine configured with the pass-through device must have exclusive memory. After the exclusive memory, the memory of the virtual machine will not be swapped to the swap space.

- C. There is a limit to the number of NICs that can be added to each virtual machine.
- D. SR-IOV pass-through mode NIC supports online addition.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 59

Which of the descriptions about the virtual network of FusionCompute is incorrect?

- A. Different IO ring sizes will affect the network performance of the virtual machine NIC.
- B. All virtual machine NICs in the same security group will use the security group rules for network communication.
- C. NICs in SR-IOV pass-through mode do not support IO ring settings.
- D. Compared with multi-queue, single-queue will occupy more CPU resources of the host.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 60

Translated from Chinese (Simplified) to English www.onlinedoctranslator.com?(Multiple Choice) In the Huawei Desktop Cloud Solution, which of the following are correct about the linked-clone desktop cloud?

- A. The difference between a linked-clone desktop and a full-copy desktop lies mainly in the production method of the system disk.
- B. Linked clones can only be created on datastores that support thin provisioningVM
- C. iCacheCache the hotspot data of the linked clone parent volume to the host memorycache, to achieve the purpose of virtual machine acceleration
- D. The parent volume and sub-volume can be on different data storage

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 61

FusionSphereWhat are the typical configurations of physical switches on the service plane in a virtual machine scenario?

- A. port speed limit
- B. Port Mode Configurationtrunk
- C. Port Mode ConfigurationAccess
- D. LA, CPload balancing

Answer: ([SHOW ANSWER](#)**)**

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:

NEW QUESTION: 62

In FusionCompute, if the SRIOV pass-through NIC is used for the uplink, the virtual switch needs to select the SRIOV mode. Which of the following descriptions about the SRIOV function is correct? (many)

- A. SR-IOV realizes the distribution of PCI functions to multiple virtual interfaces to share a PCI in a virtualized environment device resources
- B. SR-IOV reduces the V/O overhead in the software simulation layer to improve the network forwarding performance of the virtual machine
- C. SR-IOV can only assign a physical NIC device to one virtual machine
- D. The port group created in the distributed switch that selects the SRIOV pass-through mode, the port type can only be used "ordinary"

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 63

Regarding the functions of each service in FusionSphere OpenStack, which of the following descriptions is incorrect?

- A. Glance provides query, upload and download services for virtual machine images
- B. Ceilometer monitors and meters OpenStack cloud resources for billing baseline management, scaling and statistics
- C. MongoDB provides database for ceilometer service
- D. Cinder provides persistent object storage for running instances

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 64

In the user login connection process of FusionAccess, which of the following steps occurs after consuming the license?

- A. After the pre-connection is successful.
- B. HDCreturnLogin ticketafter
- C. TCAfter the side initiates a connection request.
- D. DBReturn to the virtual machineIPstatus and other information.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 65

The reasons for the failure to log in to the FusionAccess management system do not include which of the following?

- A. Incompatible browser version
- B. WI service exception
- C. Wrong username and password

D. ITA service exception

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 66

Which of the following is not a high-risk operation of the Huawei Desktop Cloud System?

- A. Disable the virtual machine NIC
- B. Modify its architecture to consider the IP of the virtual machine
- C. Modify infrastructure component time
- D. Enable virtual machine firewall

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 67

Fusioncomputelimport supportVMDKtype disk file to create a new virtual machine.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 68

A company plans to migrate the virtual machine of the original Fusioncloud2.x cloud platform to FusionCloud6.x On the cloud platform, which of the following descriptions about the migration sequence are correct? (many)

- A. Migrate in order of migration complexity from easy to difficult
- B. Migrate according to the order of the impact of the migration on the business from small to large
- C. Migrate according to the order of the migration allowable interruption time from short to long
- D. Migrate according to the order of migration risk from high to low

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 69

What kinds of heartbeats exist in VIMS in FusionCompute? (Multiple choice)

- A. Disk heartbeat
- B. CPU heartbeat
- C. Memory heartbeat
- D. Network Heartbeat

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 70

Which of the following types of hardware changes is not supported by an RDS instance?

- A. memory reduction
- B. CPUreduce
- C. CPUIncrease
- D. the hard disk capacity is reduced

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 71

If FusionCompute VM A can ping VM B, which of the following results can be inferred?

- A. Virtual machine A and virtual machine B use the same network segment.
- B. VM A and VM B use different network segments.
- C. Both virtual machine A and virtual machine B are configured with correct IP addresses
- D. Virtual machine A and virtual machine B run on the same physical machine

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 72

After the keystone configuration in the Manageone Operation Center is completed, FusionSphere Openstack will be automatically connected in the interface.

- A. TRUE
- B. FALSE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 73

When deploying HUAWEI Desktop Cloud Network, which component should be deployed on the management plane?

- A. DHCP server
- B. Desktop virtual machine
- C. VAG
- D. HDC

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 74

Which of the following types of ports are added when FusionCompute configures the uplink?

- A. Storage Interface
- B. Port Group
- C. BMC network port
- D. Aggregated network port

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 75

FusionAccess fails to issue a virtual machine. Which of the following methods can be used to locate the fault? (many)

- A. View system alarms
- B. Check whether the AccessAgent version of the virtual machine matches the version of the FusionAccess system
- C. View the FusionAccess log

D. Look at the FusionAccess system error message

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 76

Which of the following IaaS services are used when building a forum website with FusionCloud?

(Multiple choice)

A. ECS

B. EVS

C. VPC

D. RDS

Answer: A,B,C ([LEAVE A REPLY](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here: https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 77

When installing the operating system of the HUAWEI Desktop Cloud Linux infrastructure virtual machine, which of the following information needs to be configured? (Multiple choice)

A. network

B. admin user password

C. hostname

D. Time zone

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 78

In disaster recovery services, RPO refers to the amount of data loss. The smaller the RPO, the less the amount of data lost. The RPO can theoretically be 0, but it cannot be 0 in practice; RTO refers to the interruption time of the business, RTO The smaller the value, the shorter the service interruption time, and the RTO is theoretically 0.

A. True

B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 79

When eReplication performs disaster recovery on data, an agent needs to be installed on the protected host, using to identify the application information; for virtual machine disaster recovery, there is no need to install agent.

A. FALSE

B. TRUE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 80

In the full-memory desktop cloud solution using shared data storage, when the administrator creates a virtual machine, each service host will load the template into the local memory to generate a system parent volume, and complete the virtual machine provisioning in combination with the system parent volume.

A. True

B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 81

Which of the following descriptions about port groups in FusionCompute are correct? (many)

A. There are two types of A port group: common and trunk.

B. A port group is a distributed virtual switch.

C. A port group can be configured with multiple IP addresses.

D. All virtual ports in the port group have the same attributes

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 82

(Multiple choice) The following aboutFusioncomputemiddleVLANDescription of the pool, which options are correct?

A. deleteVLANsegment, there must be a startVLAN IDand endVLAN ID,Delete the entireVLANpart

B. createVLANStart must be set when poolingVLAN IDand endVLAN ID

C. OneDVSdifferent inVLANbetween poolsVLAN IDcannot overlap

D. if there isVLANThe pool can create a port group.

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 83

In FusionCompute, the disk bus type created on the data storage mapped by the raw device can only be virtio or IDE.

A. FALSE

B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 84

Virtual machine snapshot, generally used when the virtual machine is faulty before upgrading, patching, testing and other destructive tests, and the snapshot can be used to quickly restore the virtual machine.

- A. True
- B. Fault

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 85

Which of the following are the license authorization modes of Huawei Desktop Cloud? (Multiple choice)

- A. Number of concurrent users
- B. Number of virtualized desktops
- C. Number of users
- D. Number of physical servers

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 86

Which of the following are the functions of vDesk? (Multiple choice)

- A. Display optimization
- B. Log Collection
- C. Garbage removal
- D. One-click optimization

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 87

Regarding the description of groups in AD, which of the following is incorrect?

- A. After a user belongs to two groups, they cannot use the resources of this group at the same time.
- B. Using groups can simplify the assignment of resource permissions.
- C. A user can be a member of many groups.
- D. Groups can be nested within other groups.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 88

Which information does not need to be collected when FusionAccess fails?

- A. Time of failure
- B. System version number
- C. Customer's current network information
- D. FusionCompute setup time

Answer: (SHOW ANSWER)

NEW QUESTION: 89

(True or False) Fusion access backup server in Backup Server Which of the following components' files are supported for backup and data ?

- A. ITA
- B. WI
- C. VLB
- D. HDC

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 90

After the user logs in to the FusionCompute virtual machine using VNC, it is found that the operation cannot be performed normally, and there is a stuck phenomenon (for example, the file cannot be opened, etc.). This phenomenon may be caused by which of the following reasons?

- A. Virtual machine corruption
- B. The service link is unstable
- C. The management link is unstable
- D. The storage link is unstable

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 91

FusionCompute supports importing VMDK type disk files to create new virtual machines.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 92

In the Huawei desktop cloud clock synchronization solution, IP SANs, servers, switches, and firewalls or third-party devices all synchronize time from the host where the primary VRM is located through the management plane.

- A. FALSE
- B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 93

Which of the following steps are included in the Huawei Desktop Cloud virtual machine provisioning process? (Multiple choice)

- A. Determine whether the virtual machine is joined to the domain
- B. Add the virtual machine to the desktop group
- C. Reset the virtual machine username and password
- D. Check if the virtual group exists

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 94

(Multiple Choice) In FusionCompute, when adding shared storage to multiple hosts, which of the following operations is correct?

- A. Check the corresponding host when adding data storage
- B. Check all hosts when associating storage devices
- C. Check all hosts when initializing storage resources
- D. When the shared storage type is IP SAN, ensure that the storage network of the host and the business interface of the storage are connected.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 95

In HuaweiFusionCloud6.3In the solution, the following aboutLVSWhich of the component descriptions are correct?

- A. yeshttp, database for load balancing
- B. LVSDependency ratio for the networkNginxLow
- C. Work on the four layers of the network, strong anti-load ability
- D. no flow,LVSDistribute requests only

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 96

FusionSphere OpenStack OMWhen creating a specification, if virtual machine hugepages are set, thenNUMAAffinity is enabled by default.

- A. right
- B. wrong

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 97

In the user login connection process of FA, after the user clicks the virtual desktop icon on the WI page, the following information is also included:

Which steps (multiple choice)

- A. ITA sends username and password to virtual machine
- B. The virtual machine uses the domain account password to log in to AD for authentication

- C. TC establishes a login connection with the virtual machine
- D. HDC checks whether license is satisfied

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 98

Which of the following are HA scenarios supported by FusionCompute? (Multiple choice)

- A. HA after host failure
- B. HA after network connection interruption
- C. HA after virtual machine blue screen
- D. HA after storage link down

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 99

In the FusionSphere server virtualization scenario, when deploying a virtual machine according to a template and setting the disk property to "non-persistent", the operating system will be lost after the virtual machine is restarted.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 100

Which of the following descriptions about the host storage interface in Fusion compute is incorrect?

- A. The host storage interface needs to be added before adding FC-SAN storage
- B. Add multiple host storage interfaces to realize multi-path transmission of storage
- C. Currently, Huawei's host storage interface can support IPv4 protocol and IPV6 protocol
- D. You can manually add host storage interfaces, or you can add host storage interfaces in batches

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 101

FusionCareIt is a set of health check and information collection tools for technical support engineers and operation and maintenance engineers. Which of the following are FusionCareHealth check inspection content?

- A. OSstate
- B. Reliability inspection
- C. Security Inspection
- D. Availability inspection

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 102

Which of the following descriptions about FusionCompute virtual machine HA are correct? (Multiple choice)

- A. The virtual machine HA function can quickly restore services when a failure occurs.
- B. When the system detects a virtual machine blue screen and the configuration processing policy is HA, the system will select other normal computing nodes to rebuild the virtual machine.
- C. As long as resources are reserved in the cluster, when a fault occurs, the virtual machine with HA attribute can be successfully rebuilt on other computing nodes.
- D. After the HA function is enabled in the cluster, after the host fails, the virtual machine can be rebuilt on other hosts.

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 103

The Neutron project provides network services in OpenStack. In native scenarios, virtual The internal communication of a single node and the communication of virtual machines across nodes need to be supported by the virtual machine network inside the physical host.

Among them, the virtual network bridge (or virtual machine switch) is a kind of important homogeneous element in the virtual network, and carries the control A series of flow tables issued by the level, such as The virtual bridge is implemented by --- open source software. (Please fill in the English abbreviation)

- A. open
- B. OVS

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 104

Which of the following steps are included in the login process after a Huawei Desktop Cloud user clicks a virtual machine on WI? (Multiple choice)

- A. The virtual machine uses the domain account and password to log in to AD for authentication.
- B. The ITA sends the username and password to the virtual machine.
- C. HDC checks whether the license is satisfied.
- D. The TC and the virtual machine establish a login connection.

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 105

BCManager eReplication is based on the host IO remote replication disaster recovery scheme. Under the optimized deployment mode, the minimum RPO can be achieved_____.

- A. 10 minutes
- B. 0 seconds
- C. 10 seconds
- D. 10 hours

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 106

(Judgment) FusionCompute When the department mode is three-member separation, the system super administrator account is admin.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 107

In the FusionSphere private cloud solution, which of the following are correct about the description of the security group? (Multiple choice)

- A. The inbound direction of the security group denies the access of other security groups by default
- B. Virtual machines using smart NICs are not allowed to join security groups
- C. The security group function is implemented by the port on the DVS
- D. One NIC of a virtual machine can be added to multiple security groups

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 108

Which of the following descriptions about domains is incorrect?

- A. A domain requires at least one domain controller
- B. AD database needs to be synchronized between multiple domain controllers
- C. AD database is stored in the domain controller
- D. Users in a domain can only log on on one computer and not on other computers in the domain

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 109

FusionStorage Block failed to create a control cluster. Which of the following may cause this failure? (Multiple choice)

- A. FusionStorage Manager has residual MDC processes
- B. The network between the active and standby FusionStorage Managers is abnormal
- C. The time of each host node is not synchronized
- D. Invalid SSL certificate

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 110

In FusionCompute, if the disk space of the running virtual machine is insufficient, the virtual It can be solved by using the online disk expansion function of the computer. Which of the following descriptions about online expansion of virtual machine disks is correct?

some items? (many)

- A. If the data storage type to which the virtual machine disk belongs is NAS storage and the configuration mode is "Normal", support online increase of disk capacity
- B. If the virtual machine disk is a shared disk or a differential disk, online expansion is not supported
- C. During the expansion of the virtual volume, the Windows virtual machine does not need to be restarted
- D. If the disk mode of the virtual machine disk is "Independent-non-persistent", online increase of disk capacity is not supported quantity

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 111

In the FusionSphere server virtualization scenario, which of the following network planes must be connected to the computing node host? (Multiple choice)

- A. Business plane
- B. VIMS control plane
- C. Management plane
- D. Storage plane

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 112

In FusionCompute, which of the following storage resources can be used to create virtualized data storage? (Multiple choice)

- A. IP-SAN
- B. FusionStorage Block
- C. NAS
- D. FC-SAN

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 113

If you fail to log in to the FusionCompute service virtual machine through VNC, which of the following may be the reason?

- A. The virtual machine Guset OS does not support the VNC function.
- B. The VNC login mode is "exclusive" and there is already a user logged in.
- C. The virtual machine has a blue screen failure and is restarting.
- D. The virtual machine NIC is faulty.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 114

The internal components of FusionAccess, including WI, HDC, ITA, DB, and License, do not need to be deployed on the Windows host.

- A. TRUE
- B. FALSE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 115

There are two formats for exporting virtual machine templates on FusionCompute: ova and ovf. The template in ova format has only one ova file, and the template in ovf format consists of ovf file and vhd file.

- A. FALSE
- B. TRUE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 116

The FusionCompute host fails to add data storage. Which of the following are possible causes of the failure? (Multiple choice)

- A. The host cannot access the storage
- B. When a LUN is added as a virtualized data storage for the first time, format is not selected
- C. Host management network exception
- D. The data storage mount directory is occupied

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 117

Regarding the operation of adding virtual machines, which of the following descriptions is incorrect?

- A. After the virtual machine is created, you need to assign the virtual machine to the desktop group so that users can use the virtual machine.
- B. When adding a virtual machine to a complete copy virtual machine group, you can adjust the parameters of the virtual machine, while the linked clone virtual machine group can only add virtual machines with the same parameters as the original virtual machine.
- C. First of all, you need to add a virtual machine to the planned unit to create a virtual machine.
- D. When assigning a virtual machine, you do not need to configure the user and permission information of the virtual machine.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 118

In storage virtualization, all user storage is presented in the form of files, and virtual machine disks, snapshots, and virtual machine configurations all correspond to an independent file.

- A. FALSE
- B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 119

(multiple choice) in useRainbowWhen migrating, aboutWindowsDescription of online file-level migration methods, which of the following are correct?

- A. relatively slow
- B. speed
- C. The partition structure must be consistent with the source
- D. Supports partition resizing

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 120

The centralized alarm on the ManageOne operation and maintenance plane can centralize the alarm of the theft control system service or third-party system, Centralized alarms provide a unified alarm model, third-party systems can develop their own drivers, and provide The provided interface reports alarms to realize unified management of alarms. The following describes the logical structure of centralized alarms.

Which is wrong?

- A. Cloud services are monitored through service monitoring Agent or Service OM / FusionInsight Manager and other systems The system collects cloud service alarms and reports them to the ManageOne operation and maintenance plane.
- B. Physical devices, resource pools and cloud services can all be accessed directly through the AP interface provided by ManageOne. Report the alarm to the ManageOne operation and maintenance plane.
- C. The physical device collects alarms of server devices, storage devices, and network devices through eSight, and reports them Go to the ManageOne operation and maintenance plane.
- D. The resource pool collects computing resource pools, storage resource pools and network resources through FusionSphere OpenStack.

Source pool alarms are reported to the ManageOne O&M plane.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 121

FusionAccess linked-clone desktop technology provides a unified system update function.

Administrators can update linked-clone virtual machine systems by updating linked-clone virtual machine templates.

- A. TRUE
- B. FALSE

Answer: B ([LEAVE A REPLY](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 122

After Fusioncompute virtualization is adopted, the utilization of server resources can be greatly improved, thereby improving server performance.

- A. FALSE
- B. TRUE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 123

FusionSphere OpenStackThe control node can provideNTPServe.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 124

If the ITA component of FusionAccess fails and cannot be used and needs to be restored, which method is recommended for restoration?

- A. System reinstallation recovery
- B. Software reinstallation recovery
- C. Recovery using vDesk
- D. Recovery using Fusion Care

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 125

Fusionstorage's correct description of ZK

- A. ZK is deployed on the control node
- B. MDC and zK are not one-to-one relationship, the master MDC and master ZK must be on the same server
- C. The MDC selected by more than half of the ZKs is the main MDC
- D. ZK, which one starts first and which is the main ZK

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 126

The cloud server backup CSBS service in FusionCloud supports replication and recovery between different Azs within the same Region and replication and local recovery across regions. However, cross-region recovery is not supported.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 127

In the Huawei Desktop Cloud Solution, which of the following is incorrect about the description of full-memory virtual machines?

- A. Snapshots are not supported for full-memory virtual machines
- B. Full memory virtual machine supports shutdown and restore
- C. Full memory virtual machines do not support live migration
- D. Deployed full-memory virtual machine template, allowing reconversion to virtual machine

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 128

Which of the following descriptions about optical drives are correct? (Multiple choice)

- A. The migration cannot be performed after the optical drive has been mounted.
- B. After the virtual machine is shut down or HA, the attached CD-ROM will be automatically unmounted.
- C. Each virtual machine can mount multiple CD-ROMs at the same time.
- D. The virtual machine cannot be migrated after the optical drive is mounted.

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 129

(multiple choice)ManageOne OperationCenterWhich of the following user login authentication modes are supported?

- A. local authentication
- B. HTTPAuthentication
- C. remote authentication
- D. LDAPAuthentication

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 130

(Judgment question) IfFusionComputeThe virtual machine is not installedTools,You cannot query the memory usage of the virtual machine.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 131

Company A has 300 employees. For the safe of information security, Company A hopes to centrally control the data generated during the office process of employees, and reduce the workload of IT operation and maintenance personnel to deal with office computer software and hardware failures. Which of the following solutions is recommended for Company A?

- A. FusionSphere Private Cloud
- B. FusionAccess Desktop Cloud
- C. FusionSphere server virtualization
- D. eBackup backup

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 132

Before modifying the specifications of the Windows virtual desktop of usage Access, whether it is to modify the CPU parameters or modify the memory parameters, it is necessary to shut down.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 133

In FusionSphere OpenStack, which network plane addresses can be used to log in to the CPS interface? (Multiple choice)

- A. Internal Base
- B. External Base
- C. External OM
- D. External API

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 134

The goal of CPU virtualization is to enable the instructions on the virtual machine to be executed normally, but not to approach the efficiency of the physical machine.

- A. FALSE
- B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 135

An existing virtual machine needs to deploy a certain service. The I/O of the service is random small I/O, and the IOPS requirement is relatively high. What type of disk is recommended for virtual machines?

- A. Ordinary Delayed Zero Disk
- B. Ordinary disk
- C. thin disk

D. Differential volumes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 136

In FusionCompute, which of the following protocols are supported when a virtual machine exports a template to a shared directory? (Multiple choice)

- A. NFS
- B. HTTPS
- C. FTP
- D. CIFS

Answer: A,D ([LEAVE A REPLY](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here: https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 137

The functions of FusionCare health check and information collection can be triggered when needed, or a period can be set Trigger, suitable for real-time information collection scenarios.

- A. TRUE
- B. FALSE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 138

After logging in to the FusionAccess WI, the list of virtual machines is not displayed. Which of the following aspects is recommended for troubleshooting? (Multiple choice)

- A. Whether the database is working properly
- B. Whether a network failure between the HDC virtual machine and the WI virtual machine
- C. Whether the virtual machine is shut down
- D. Whether the virtual machine is unbound

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 139

The full-memory virtual desktop adopts memory deduplication compression and reuse technology, and puts all the system disks of the desktop virtual machine into the memory, so that the disk read

and write operations of the desktop virtual machine are converted into memory operations, which greatly improves the user experience. .

A. TRUE

B. FALSE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 140

In the scenario, about the host group vCPU, the description of the reuse ratio, which of the following is correct?

A. $\text{FusionSphere OpenStack of vCPU of vCPU Number of cores} = \text{FusionCompute number of threads} * \text{vCPU Reuse ratio}$

B. vCPU The reuse ratio indicates that, FusionSphere OpenStack of vCPU number of cores and FusionCompute physics CPU The reuse relationship of the number of cores

C. CPU only support KVM reuse in the environment

D. vCPU The reuse ratio indicates that, FusionSphere OpenStack of vCPU number of cores and FusionCompute vCPU The reuse relationship of the number of cores

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 141

In the FusionSphere private cloud solution, a tenant needs to do a disaster recovery test after applying for the cloud service disaster recovery service. Which of the following is true about the description of the disaster tolerance testing process?

A. The disaster recovery test has no impact on the production VM business

B. The production-side business needs to be suspended during disaster recovery testing

C. The disaster recovery test work is initiated by the administrator and does not require user participation

D. The disaster recovery test needs to be synchronized with the main-end business to ensure data consistency

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 142

Which of the following operation and maintenance software provides FusionSphere Open Stack, Red Hat Open stack VMware Access management of computing virtualization facilities such as ESX/ESXi Server, VMware vCenter Server, FusionCompute Function.

A. FusionTools

B. eSight

C. G-ray

D. FusionNetDoctor

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 143

During active/standby deployment of Huawei ManageOne ServiceCenter, a single ServiceCenter VM is faulty, and services cannot be recovered after restarting the VM. Which of the following are possible reasons? (Multiple choice)

- A. IP conflict of the network where the virtual machine is located
- B. The file system of the virtual machine is corrupted
- C. Temporary changes to iptables rules result in restricted access to virtual machines
- D. The host where the virtual machine is located is faulty

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 144

What is the process for using the Rainbow Migration Tool?

- A. create purposeVM---Install Migration Tool---Data Synchronization---Data Migration
- B. Install Migration Tool --- Create PurposeVM---Data Migration---Data Synchronization
- C. create purposeVM---Install Migration Tool---Data Migration---Data Synchronization
- D. Install Migration Tool --- Create PurposeVM---Data Synchronization---Data Migration

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 145

FusionSphereIn private cloud solutions, use elasticityIPservice, you need to configure the network egress type as "Internet", and with the router'sInternetnetwork association.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 146

(Multiple Choice) AboutFusionSphereOf the four supported disk configuration modes, which of the following descriptions are correct?

- A. Virtualized storage supports normal disks, thin disks, and normal delayed-zeroed disks
- B. Raw device disks willSANphysical storageLUNDirectly as a disk, bound to the business virtual machine for use
- C. Non-virtualized storage of block storage only supports ordinary disks and raw device disks
- D. NASStorage supports normal, thin disks and raw device disks

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 147

The following description of the storage data consistency guarantee technology in the FusionCloud private cloud disaster recovery solution, Which one is wrong?

- A. The storage system will record the archive Log
- B. The host sends the write I/O to the active-active management module
- C. The local cache and the remote cache return the write I/O result to the active-active management module

D. After the active-active management module writes the write I/O to the local cache, it returns the write success

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 148

Which of the following are necessary conditions for the normal communication between the FusionCompute virtual machine and other virtual machines? (Multiple choice)

- A. Configure a fixed IP address for the virtual machine
- B. Configure the correct IP address for the virtual machine
- C. Configure the correct MAC address for the virtual machine
- D. Configure the gateway address for the virtual machine

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 149

In the FusionSphere private cloud solution, if a port type of the external network is router_interface, the subnet needs to be deleted before the external network can be deleted.

- A. FALSE
- B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 150

Which of the following is incorrect about the description of the physical network of FusionSphere OpenStack?

- A. The physical network defines the mapping relationship between the virtual network and the host network interface
- B. Virtual machines can use the physical network directly
- C. The physical network is mapped to a physical network port or a bonded physical interface on the host
- D. Virtual machines on different physical hosts can communicate with each other through the same physical network

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 151

If FusionCompute is deployed in the three-member separation mode, the FusionAccess built on it must also be deployed in the three-member separation mode.

- A. TRUE
- B. FALSE

Answer: (SHOW ANSWER)

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 152

Regarding the description of the ICA Desktop Cloud Protocol, which of the following is correct?

- A. In order to achieve better image quality, this protocol occupies a high bandwidth.
- B. A maximum of 64 virtual channels are supported.
- C. The support rate of mobile terminals is relatively low, and many terminals must be customized to support ICA.
- D. Not only supports the virtualization platform XenServer but also supports vSphere and Hyper V.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 153

In Manage One Service Center, which of the following are the capabilities provided by cloud resource capacity management? (Multiple choice)

- A. Capacity Statistics Report
- B. Capacity Analysis
- C. Capacity Monitoring
- D. Capacity Warning

Answer: (SHOW ANSWER)

NEW QUESTION: 154

Which of the following batch operations cannot be performed by Fusioncompute?

- A. Bulk migration of virtual machines
- B. Batch binding network ports
- C. Bulk associated storage resources
- D. Add hosts in batches

Answer: C (LEAVE A REPLY)

NEW QUESTION: 155

In the Huawei desktop cloud system, which of the descriptions of "allocating desktops" are correct during rapid distribution? (Multiple choice)

- A. When "Virtual Group Type" is "Complete Copy", you need to configure "Set Assignment Type", "Add User", "Set Permission Group",
- B. When "Virtual Group Type" is "Linked Clone", you need to configure "Set Assignment Type", "Add User", and "Set Permission Group".

C. When "Virtual Group Type" is "Linked Clone", "Number of Virtual Machines" and "Add User (Group)" need to be configured.

D. When "Virtual Machine Type" is "Complete Copy", you need to configure "Number of Virtual Machines" and "Add User (Group)".

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 156

Business migration is a high-risk operation. Which of the following factors will affect business migration? (Multiple choice)

A. Migration Method

B. Type of business

C. Operating System Type

D. Network Environment

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 157

[Judgment] When an engineer deploys the Rainbow server on the FusionSphere platform, he will Plane isolation, when the Rainbow server communicates, even if dual network cards are not configured, it can communicate with the king FusionSphere and the destination virtual machine of the service plane communicate with each other.

A. TRUE

B. FALSE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 158

If a storage device is configured with 8000000000/softSCSI storage card, 15% the network bandwidth consumption, which of the following methods can calculate the effective bandwidth of the storage device (Mb/s) ?

A. $8 \times 10^4 \times 10^4 \times 0.15$

B. $8 \times 10^4 \times 0.15$

C. $8 \times 10^4 \times (1 - 0.15)$

D. $8 \times 10^4 \times 10^4 \times (1 - 0.15)$

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 159

Regarding the description of HDA, which of the following is incorrect?

A. HDA is a family of desktop connectivity service agents.

B. The protocol that interacts with HDA is the HDP protocol.

C. Every desktop virtual machine does not have to install HDA

D. HDA is installed when the template is made.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 160

Which of the following components does the FusionSphere virtual machine suite not include?

- A. OpenStack
- B. FusionCompute
- C. FusionManager
- D. OceanStor BCManager eBackup

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 161

In the FusionSphere server virtualization scenario, which of the following operations cannot be implemented in the FusionCompute "cluster configuration"?

- A. Cluster HA configuration
- B. Disk Hot Add
- C. Computing resource scheduling configuration
- D. IMC Mode Configuration

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 162

In useRainbowconductWindowsAfter the virtual machine is migrated, the implementer finds that the migrated virtual machine does not have a network card. What is the possible reason?

- A. No NIC was created when the destination virtual machine was created
- B. automatic installationUVP toolsThe destination virtual machine is not restarted after
- C. The source virtual machine does not have a network card.
- D. The destination virtual machine is not installedUVP tools.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 163

Virtual machine desktops using GPU pass-through technology will lose features such as hot migration and HA.

- A. FALSE
- B. TRUE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 164

Which of the following descriptions about the IMC function in FusionCompute is incorrect?

- A. within the clusterCNAsIt is recommended to open when the host memory frequency is inconsistentIMCFunctional
- B. turn onIMCIt is not possible to ensure that the virtual machine is on a different modelCPUThe migration between hosts is successful, which needs to be determined according to the actual scenario.

- C. IMCOnly supports lower versionsCPUFeature set migration to higher version
- D. within the clusterCNAs hostCPUIt is recommended to open when the models are inconsistentIMCFunction

Answer: A (LEAVE A REPLY)

NEW QUESTION: 165

If the AD needs to synchronize the clock with the CNA where the VRM is located, which network cards should be planned for the AD? (Multiple choice)

- A. Storage plane NIC
- B. Service plane network card
- C. Clock synchronization plane network card
- D. Management plane NIC

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 166

Which of the following are the steps to synchronize data through Rainbow block-level migration? (many)

- A. After the co-generation is completed, business verification needs to be performed, and business switching can be performed after the business verification is successful.
- B. The migration process generates full data
- C. Migrate the source data to the destination VM
- D. The source side executes the snapshot before the migration

Answer: A,D (LEAVE A REPLY)

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 167

In a FusionCompute, after the CAN host is powered off abnormally, it cannot start normally. After entering the RAID page to check, I found that. The hard disk status is displayed as Frn-Bad, which of the following may cause this failure?

- A. The magnetic array system is deactivated and needs to be reactivated
- B. RAIDCard version is too low
- C. Disk initialization check failed
- D. hard drive failure

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 168

When FusionCompute converts a template into a virtual machine, consider that the properties such as the operating system type and version number of the virtual machine are inherited from the template, and the properties such as the number of CPU can be customized.

- A. TRUE
- B. FALSE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 169

In the FusionCompute distributed switch, what port does the virtual machine rely on to communicate with the external network?

- A. Port Group
- B. Mgnt
- C. Storage Interface
- D. Uplink

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 170

FusionSphere OpenStack is developed based on the original native OpenStack. Which of the following components provides endpoint services?

- A. Cinder
- B. Keystone
- C. Nova
- D. Neutron

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 171

(Multiple choice) The following about FusionAccess middleHDA, Component description, which option is incorrect?

- A. andHDAThe interactive protocol isHDPprotocol
- B. HDAis a series of desktop connection service brokers
- C. HDAis installed when making the template
- D. It is not necessary to install every desktop virtual machineHDA

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 172

Which of the following statements about the value brought by FusionCompute is wrong?

- A. Fusioncompute can improve business reliability
- B. FusionGompute can improve computing power

C. When the VM node is overhauled as planned, the VM is live migrated to other nodes without affecting the virtual machine service

D. When the VM virtual machine node fails, the VM HA will move to other nodes and start

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 173

The Huawei FusionStorage Block alarm prompts "The storage pool is faulty, and the data in the storage pool is inaccessible." Which of the following are possible reasons? (Multiple choice)

A. Storage network exception

B. The hard disk or cache where the last copy of the three copies of data is located has an unreadable failure

C. Not enough hard disk space

D. Multiple hard disk failures in the storage pool in a short period of time

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 174

Which allocation type of virtual machine can add users?

A. Single User

B. Pool Mode Users

C. Dynamic Multi-User

D. Static Multi-User

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 175

Regarding the FusionAccess system reinstallation and recovery, which of the following descriptions is incorrect?

A. In the case of a single node failure of the vAG/vLB server in the system, copy the data of the backup vAG server and vLB server to the newly created server, and perform the operation of restoring the server.

B. In the scenario where a single node of the primary or secondary AD/DNS/DHCP server of the system fails, copy the data of the backup AD/DNS/DHCP server to the newly created server, and perform the operation of restoring the server.

C. In the scenario where a single node of the Backup Server of the system fails, create a new Backup Server and complete "Execute Backup Now" on the FusionAccess interface

D. In the case of a single node failure of the ITA/GaussDB/HDC/WI/License server of the system, copy the backup data to the newly created server and perform the operation of restoring the server.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 176

In FusionCloud, the cloud fortress can provide terminal security protection services and database security protection. Protection capabilities, such as providing intrusion detection and defense, data

desensitization, data auditing, fault repair and other security protection capabilities to ensure the security of related services.

- A. TRUE
- B. FALSE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 177

FusionComputeThe host fails to add data storage. Which of the following are possible causes of the failure?

- A. Host management network exception
- B. The datastore mount directory is occupied
- C. The host cannot access the storage
- D. add one for the first timeLUNFormat is not selected when storing for virtualized data

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 178

FusionAccessmiddleVIPCompared with ordinary desktops, the advantages of desktops are reflected in which of the following aspects? (many)

- A. User access doorVIPOn desktop, greater bandwidth brings better user experience
- B. Real-time monitoring of virtual machine status, guaranteeVIPThe desktop virtual machine runs stably.
- C. VIPCompared with Xitong Desktop, the desktop has the functions of automatic data backup and fast recovery, ensuring thatVIPDesktop Data Security
- D. CPU, the priority guarantee of memory resources, when resources are tight, resources are allocated toVIPdesktop.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 179

Which of the following scenarios can be usedRainbowto migrate?

- A. will run onARMarchitecture on a virtualization platformVMMigrate to HuaweiHCSsuperior.
- B. will run onRH1288migrating business toTaishan 200on the server.C. will run onAIXMigrating business to HuaweiFusioncomputemiddle.
- C. will run onCentosUpKVMmigrating Virtual Machines to HuaweiHCSsuperior

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 180

Which of the following descriptions about FusionCompute security groups and rules is incorrect?

- A. The prerequisite for deleting a security group is that there are no virtual machines in the security group.
- B. You must create a security group before adding rules.
- C. Before adding rules, the security group will deny all by default

D. Changes to security group rules need to be manually applied to virtual machines within the security group

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 181

What are the ways to create virtual machines on FusionCompute? (Multiple choice)

- A. Template to virtual machine
- B. Virtual machine clone to virtual machine
- C. Deploy the virtual machine using the template
- D. Import the virtual machine

Answer: A,B,C,D ([LEAVE A REPLY](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 182

FusionStorage is Huawei's distributed storage software.

Its components include FSM and FSA.

FSA is the management.

The agent process, deployed on each node, realizes the communication between each node and the FSM, which of the following describes the FSA agent process said yes Incorrect?

- A. FSAIncluding three processes, namelyMDCmetadata control process,VBSbusinessI0process andOSDbusiness to process.
- B. FSAThe three processes need to be deployed on the same node at the same time to realize distributed storage of data.
- C. The management node does not need to be installedFSA, which will be started when the storage node and compute node are installedFSAprcess.
- D. FSAIt can collect the monitoring and alarm information of each node, or receive the upgrade package and execute the upgrade when upgrading the software components of the node

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 183

In Huawei FusionSphere OpenStack, which of the following components is the core component of the orchestration service Heat?

- A. heat-api -cloudwatch

- B. heat-api
- C. heat-engineheat-api-cfn
- D. heat-api-cfn

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 184

In Huawei Fusioncompute, in order to facilitate unified management, each DVS needs to be configured with a Manage IP addresses.

- A. FALSE
- B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 185

(Judgment question) In order to ensure the consistency of source and destination data after business migration, the source host should stop the business before the last data synchronization during business migration.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 186

in HuaweiFusionCloud 6.3 Type Imiddle,PODWhich of the following options is equivalent in scope?

- A. a cascaded layerOpenStack
- B. AZ
- B, Region
- C. Global

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 187

A FusionCompute system uses virtualized data storage and allocates 500G of space to a user, with an initial allocation of 1GB. The user first used 100G of space, then added 200G of data, and then deleted the previous 50G file. What is the actual space allocated by FusionCompute for the user?

- A. 250G
- B. 300G
- C. 301G
- D. 251G

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 188

FusionCompute can use templates to deploy virtual machines, or convert templates into virtual machines. When deploying virtual machines in batches, the method of converting templates into virtual machines is generally adopted.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 189

When there FusionCloud R6? (many)

- A. Disk type configuration error
- B. The image_cache partition space of the computing node is insufficient
- C. The label of the flavor does not match the label of the host group
- D. VMTools is not installed in the mirror

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 190

Which of the following are the features of vTools? (Multiple choice)

- A. Information Collection
- B. WI dial test
- C. WI map change
- D. AD Inspection

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 191

In the FusionSphere private cloud scenario, which of the following VPC services include?

- A. elasticityIP
- B. VPN
- C. External network
- D. SNAT

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 192

Which of the following capabilities is not within the scope of EVS (cloud disk) snapshot capabilities

- A. Rollback snapshot restores the data at the snapshot point in time to the original disk
- B. Snapshot sharing, share snapshots to specified tenants
- C. Create snapshots to protect snapshot point-in-time data
- D. Delete the snapshot, delete the snapshot completely, cancel the data protection at this point in time

Answer: (SHOW ANSWER)

NEW QUESTION: 193

(Multiple choice) In configuration FusionSphere OpenStack, can be used to achieve RabbitMQ and FusionCompute. What are the connected network planes?

- A. External OM
- B. External_API
- C. External_Base
- D. Internal Base

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 194

Regarding the description of the cloud hard disk service in the FusionSphere cloud data center, which of the following is incorrect?

- A. Cloud hard drives do not support changing storage SLAs
- B. Cloud hard disk does not support online expansion, you need to uninstall the cloud hard disk from the host first
- C. When creating a cloud host, use an image with the option of "Quick Provisioning of Virtual Machines" checked, and the system disk does not support expansion.
- D. When the available partition type is "FusionCompute" and "KVM", the system disk can be unmounted from the cloud host

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 195

In FusionSphere OpenStack, which of the following services does CPS provide?

- A. Graphical installation
- B. Storage Resource Driven Loading
- C. Network resource plugin loading
- D. Computing resource-driven loading

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 196

In the Huawei desktop cloud system, which of the following descriptions is incorrect? (Multiple choice)

- A. When the desktop group type is dynamic pool, the user may log in to another virtual machine after disconnecting from the virtual machine and logging in again.
- B. When the desktop group type is dedicated single-user, you can add new users to the virtual machine after the quick provisioning is completed.
- C. When the desktop group type is static pool, users may log in to another virtual machine when they log in again after disconnecting from the virtual machine
- D. When the desktop group type is a virtual machine with a dynamic pool, the system is restarted and restored by default.

Answer: ([SHOW ANSWER](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 197

In FusionCompute, what is the correct connection relationship of virtual network interfaces?

- A. vNIC (VW) > vPort (DVS) > pNIC (NIC) > port (switch)
- B. vNIC (VI) > pNIC (network card) > vPort (DVS) > port (switch)
- C. Port (DVS) > wWIC (VM) > pNIC (network card) > port (switch)
- D. vNIC (VI) > pNIC (network card) > port (switch) > vPort (DVS)

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 198

When configuring FusionSphere OpenStack, what network planes can be used to connect RabbitMQ and FusionCompute? (Multiple choice)

- A. External_OM
- B. Internal_Base
- C. External_Base
- D. External_API

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 199

Create a memory snapshot of the virtual machine in FusionCompute, which can be used to save and restore the memory of the virtual machine memory status. Which of the following virtual machine operations will affect the normal creation of virtual machine memory snapshots? (many)

- A. The virtual machine is upgrading Tools
- B. virtual machine online increase network card
- C. The virtual machine is set to sleep state
- D. virtual machine live migration

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 200

What are the DNS query methods? (Multiple choice)

- A. Iterative query
- B. Recursive query
- C. Dynamic query

D. Paging query

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 201

In addition to supporting the management of physical devices such as servers, storage, and networks, Huawei eSight tools also support Management of virtual resources. Which of the following computing virtual facilities provide access to eSight management capabilities? (many)

- A. Vmware Center Server
- B. VMware ESX/ESXi Server
- C. FusionSphere OpenStack
- D. FusionCompute

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 202

in the user login connection process of FA, if the virtual machine is accessed through the TC, the HDC will. Which of the following information is generated?

- A. Login ticket
- B. Virtual Machine IP and Port
- C. Token
- D. Address ticket

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 203

Regarding the difference between user group and organizational unit OU, which of the following descriptions is correct? (Multiple choice)

- A. Both OUs and user groups can configure Group Policy.
- B. Both OUs and user groups are objects of AD.
- C. User groups can only contain account types of objects.
- D. The OU can contain object types such as accounts, computers, printers, and shared folders.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 204

When registering an image in Fusioncloud, you need to select the corresponding image server type. Which of the following Item description about OBS mirror server is wrong? (one)

- A. If you want to delete the image and use the image file in the OBS bucket at the same time, you can configure OBS as Glance backend storage
- B. When registering the image type of FusionCompute, use OBS as the image server and require OBS to serve The IP address of the service communicates with the management plane of the CNA
- C. Upload the image file to the OBS bucket before registering the image, and the system will upload the image directly when registering the image.

Upload to Glance

D. When OBS is used as a mirror server, deleting the mirror will only delete the address information of the mirror, not OBS Image files in the bucket

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 205

When a user connects to a HUAWEI Desktop Cloud virtual machine, the license will be checked on the license service product to determine whether the user can connect to the virtual machine.

A. TRUE

B. FALSE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 206

The following description about the specified creation source when applying for EVS in FusionCloud, which option is not correct? (one)

A. Support to quickly apply for cloud hard disks containing the same data by specifying a disk.

When the source disk is a data disk.

You can apply for a data disk containing the same data; when the source disk is a system disk, you can apply for a data disk containing the same data data system disk.

B. Supports creating cloud disks from cloud disk snapshots, and the new cloud disk data will be the same as the disk snapshot data.

C. It is not supported to apply for a data disk using a data encryption image, or apply for a system disk using a system disk image.

D. Support the creation of cloud disks from the backup cloud disks, the new cloud disk data will be the same as the data in the disk backup state same.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 207

Regarding the description of Huawei's desktop cloud solution, which of the following descriptions is incorrect?

A. The virtualization platform used by Huawei's desktop cloud solution is compatible with hardware devices from other manufacturers.

B. The security of Huawei's desktop cloud solution aims to meet the security standards of various countries. In addition to the conventional security solutions of enterprises, it supports the security requirements of many high-security industries.

C. The Huawei desktop management system is deployed entirely based on Linux, and the management system needs to be added to a domain.

D. Huawei desktop cloud solution can simplify operation and maintenance, improve operation and maintenance efficiency, and users can solve most operation and maintenance problems

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 208

Which of the following is the correct order of the migration implementation steps? (one)

- A. Data backup > Migration tool installation > Data synchronization > Data verification test > System migration > System verification Test > Differential Data Same > Data Backup
- B. Data Backup > Migration Tool Installation > System Migration > System Verification Test > Data Synchronization > Data Verification Test > Difference Data Sync
- C. Data Backup > Migration Tool Installation > System Migration > System Verification Test > Data Synchronization > Data Verification Test > Differential Data Synchronization > Data Backup
- D. Data Backup > Migration Tool Installation > Data Synchronization > Data Verification Test > System Migration > System Verification Test > Difference Data Sync

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 209

After the user adds the host to the Fusioncompute environment, which of the following items can be operated? (many)

- A. Move from site to cluster
- B. moving from site to site
- C. Move from a cluster to another cluster
- D. Move from cluster to site

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 210

In order to ensure the consistency of source and destination data after business migration, the source host should stop the business before the last data synchronization.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 211

Which of the following disk modes can be used to store personal data of users and be shared among multiple virtual machines like a U disk?

- A. Dependent
- B. Independence - Persistence
- C. Ordinary
- D. Independent - non-persistent

Answer: B ([LEAVE A REPLY](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get

the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:

https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As

Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 212

FusionAccess adopts the industry-leading high-definition fidelity-desktop protocol, and can Fully connected to a centralized virtual desktop. (Please fill in the English abbreviation)

- A. HDP
- B. adopts

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 213

Which of the following application scenarios is Huawei FusionAccess desktop cloud solution generally applicable to? (many)

- A. to work safely
- B. large game
- C. mobile office
- D. public terminal

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 214

Authentication-related services in OpenStack are provided by the keystone project, and keystone's own back-end storage The storage is driven by SQL by default, and it also provides the docking capability of other heterogeneous storages, such as Connecting to LDAP is convenient for unified management and maintenance of identity information data within the enterprise.

- A. TRUE
- B. FALSE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 215

In the Huawei Desktop Cloud Solution, which of the following is incorrect about the description of linked-clone desktop features?

- A. Linked clones offer the advantages of fast virtual machine creation and a small storage footprint
- B. Linked-clone desktop pools provide desktop maintenance functions such as unified software update and unified system restore, greatly reducing maintenance costs
- C. Linked clone is a technology that groups and maps a parent volume and a differential volume into a linked clone volume
- D. Linked-clone desktops have higher computing power than ordinary virtual machines

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 216

IDV can only be used with special terminals, and mobile devices cannot support it.

A. FALSE

B. TRUE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 217

Which of the following descriptions about the TCM components in FusionAccess is correct?

(Multiple choice)

A. HDA can be upgraded through TCM

B. You can view the running log of the managed TC through the TCM

C. The managed TC can be upgraded through TCM

D. Through TCM, policies can be issued to virtual desktops

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 218

In the business scenario of a TV station, the desktop cloud is used, the employees use 3D animation rendering, video production and other scenarios, which one should be used Desktop type?

A. Full memory

B. GPU desktop

C. Full copy

D. Linked clones

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 219

Use Rainbow to migrate Linux. If the block-level migration method is used, the root, boot and swap partitions of Linux are required to be on the same physical disk.

A. FALSE

B. TRUE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 220

Which of the following descriptions about the functions of the FusionCloud Task Center TaskCenter is wrong? (one)

A. The VDC salesperson can view the task execution status and task execution status of this VDC salesperson and its subordinate VDC salespersons. The creator of the task, the start time of the task, the end time, etc.

B. The VDC administrator can view the task execution status and task execution status of the VDC and its subordinate VDCs in the task list.

The creator of the task, the start time of the task, the end time, etc.

C. The agent administrator can view the task execution status of its agent VDC and its subordinate VDCs in the task list, The creator of the task, the start time of the task, the end time and other information

D. The operation administrator can view the task execution status and task creation status of all operation administrators in the task list. Builder, task start time, end time, etc.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 221

The goal of I/O virtualization is not only to allow virtual machines to access the I/O resources they need, but also to isolate them, and more importantly, to reduce the overhead caused by virtualization.

A. TRUE

B. FASLE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 222

Which of the following are applicable scenarios for linked clones? (Multiple choice)

A. Corporate meeting room

B. Corporate personal office

C. Electronic Reading Room

D. Internet Cafe

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 223

In the FusionCompute system, which of the following descriptions is correct? (Multiple choice)

A. Host memory reuse rate = the sum of the memory sizes of the virtual machines running on the host/the physical memory size of the host virtual machine domain.

B. The CPU can be reused by default.

C. Memory can be reused by default.

D. CPU reuse rate = the number of CPU cores of all running virtual machines on the host/the number of CPUs in the host virtualization domain.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 224

The virtual machine is in a state that has stopped running. Which of the following operations cannot be performed?

A. Move

B. Reboot

C. Migration

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 225

A FusionAccess system maintenance engineer is performing data recovery operations on the ITA server. by Which of the following descriptions about ITA data recovery is correct? (many)

- A. After the ITA data is restored, the data from the backup time to the restore time will be lost
- B. There is no need to uninstall and then reinstall the ITA during the recovery process
- C. The copy task in the recovery process can be completed by the remote copy software WinSCP
- D. It can be verified whether the ITA service is restored by checking whether the ITA alarm is eliminated and whether the desktop can be issued normally.

no success

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 226

(Multiple choice) The following about FusioncomputeMedium Distributed Virtual SwitchDVSdescription, which options are correct?

- A. eachVMonly connect oneDVS
- B. Multiple virtual ports can be configured
- C. Multiple physical servers can be connected.
- D. Can be configured with multipleUplinkport

Answer: C,D ([LEAVE A REPLY](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 227

Which of the following methods cannot rule out the problem that the virtual machine cannot be logged in to the HUAWEI Desktop Cloud?

- A. Check by TCM.
- B. The user logs in to the virtual machine through VNC on FusionCompute to check.
- C. Check the desktop cloud system through FusionCare.
- D. Try to see if the same TC can log in to other virtual machines normally.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 228

Which of the following is wrong in the description of the eBackup backup network topology? (multiple choice)

- A. In the LAN-Base networking topology, the backup data flow and the service data flow are not the same network
- B. In the LAN-Free networking topology, the backup data flow and the service data flow are not the same network
- C. For existing business; the biggest impact is the server-free networking topology
- D. In the server-free networking topology, the backup data flow and the service data flow are the same network

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 229

Linked-clone virtual machines can only be upgraded to VIP desktops if they have been assigned a full copy.

- A. TRUE
- B. FALSE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 230

When FusionCompute enables power management automation, automatic power management can be achieved without enabling computing resource scheduling automation at the same time.

- A. TRUE
- B. FALSE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 231

In FusionCompute, when adding memory to a running virtual machine with memory hot add enabled, the original memory size must be increased by an integer multiple of 128MB.

- A. TURE
- B. FALSE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 232

Which of the following are the basic objects in the AD domain? (Multiple choice)

- A. Domain Controller
- B. Organizational Unit
- C. Domain Policy
- D. a computer

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 233

(multiple choice)FusionSphereIn the server virtualization scenario, user services are networked separately, and which of the following network planes must be connected to the computing node host?

- A. storage plane
- B. management plane
- C. business plane
- D. VIMScontrol plane

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 234

Data disaster recovery is divided into virtual machine layer, SAN network layer and array layer.

- A. FALSE
- B. TRUE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 235

Which of the following Huawei desktop cloud components is not recommended for single-node deployment in a production environment? (Multiple choice)

- A. TC
- B. WI
- C. ITA
- D. HDC

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 236

FusionCare has two functions: health inspection and information collection. Which of the following information collection modes are available some items? (many)

- A. Collection by scene
- B. to collect by time period
- C. Collect by component
- D. Collection by account

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 237

Regarding NUMA technology, which of the following description is wrong?

- A. The CPU accesses the memory in the same Node at the fastest speed, and the performance in accessing the memory in other Nodes is poor.
- B. Solved scalability issues in multiprocessor systems.
- C. Divide the CPU into different Nodes. Each Node consists of one or more CPUs and has independent local memory, I/O and other resources.
- D. After NUMA is enabled, the virtual machine cannot be live migrated.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 238

In the FusionSphere private cloud solution, which of the following functions can be implemented when a tenant (non-tenant administrator) applies for the cloud server backup service? (Multiple choice)

- A. Configure backup strategy or recovery strategy according to actual needs
- B. Automatic or manual backup tasks
- C. Modify Backup Capacity Quota
- D. Self-modified service period

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 239

Manage One Operation Center Which of the following topology viewing methods is not supported?

- A. VPC topology
- B. VDC topology
- C. physical location topology
- D. Service Application Topology

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 240

A company plans to use the Rainbow tool to migrate the virtual machines of the existing FusionSphere platform to when the FusionCloud administrator adds the source virtual machine host in the Rainbow tool, the The tool cannot communicate with the host of the source virtual machine. After testing, the administrator found that the source host network was reachable and protected against the firewall is closed, so it is judged that the terminal state is abnormal, and the Rainbow host should be restarted.

- A. TRUE
- B. FALSE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 241

Which of the following descriptions about FusionCompute virtual machine snapshot restoration is incorrect?

- A. When the virtual machine fails or data needs to be restored, the existing snapshot of the virtual machine can be used to restore the data of the virtual machine to the state at the time when the snapshot was created.
- B. If the virtual machine deletes the port group where the NIC of the virtual machine is located after the snapshot is created, the system will automatically restore the port group and NIC when restoring the virtual machine using the snapshot.

- C.** If a disk attribute of the virtual machine is "Independent Persistent", the data on the disk will not be restored when the virtual machine is restored using a snapshot.
- D.** If a new disk is bound to the virtual machine after the snapshot is created, when the virtual machine is restored using the snapshot, the new disk will be automatically unbound from the virtual machine.

Answer: B ([LEAVE A REPLY](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 242

What traffic can the FusionCompute service network plane carry? (Multiple choice)

- A.** CNA and VRM communication
- B.** Virtualized SAN heartbeat traffic
- C.** Virtual Machine Live Migration Traffic
- D.** VIMS distributed lock traffic

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 243

Which protocol is the load balancing base used to distribute requests from users to different components?

- A.** HTTPS
- B.** TCP
- C.** SIP
- D.** SSL

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 244

What are the functions of NUMA? (Multiple choice)

- A.** Topology presentation; the NUMA structure can be recognized inside the virtual machine, so the Guest Os can optimize the performance of the existing NUMA structure, but the application program in the VN cannot be optimized for the presented NUMA structure.
- B.** Load balancing: In the scheduling process, consider the relationship between CPU and memory, as well as the corresponding relationship between vNode and physical Node, to maximize vCPU access to local memory,

C. Initial placement: According to the RUMA topology of the virtual machine, select the physical Node to place the VCPU and memory, so that the relationship between the VCPU and the memory in the vNode is consistent with the physical reality.

D. Dynamic migration, when the affinity between vCPU and physical Node changes, trigger its corresponding vNode memory to migrate.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 245

In the FusionAccess scenario, neither the domain account nor the local administrator account can delete the OU. The possible reason is that "Prevent objects from being accidentally deleted" is checked in the properties of the OU.

A. False

B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 246

Regarding the description of FusionCompute's virtual machine live migration, which of the following is correct?

A. The CPU of the source host and the target host are incompatible. After enabling the IMC mode in the cluster, the virtual machine migration will fail.

B. FusionCompute only supports virtual machine live migration based on shared storage

C. Full migration of virtual machines with "shared" type disks mounted is not supported

D. Virtual machines configured with iCache can be live migrated

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 247

In the scenario where FusionSphere OpenStack is connected to KVM and FusionCompute, which of the following descriptions about virtual machine creation is incorrect?

A. nova-compute completes the creation of KVM virtual machines through the libvirt interface

B. In the scenario of connecting to FusionCompute, the nova-scheduler will schedule and decide which CAN host to select.

C. The creation methods of virtual machine cloud disks are different in the two scenarios

D. In the interconnection with FusionCompute, advanced features such as HA, DRS, and live migration are implemented by VRM

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 248

For CVMs with shared volumes mounted on FusionCloud, it is not supported to apply for CVM backup CSBS service instances and cloud server high-availability CSHA service instances.

A. False

B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 249

FusionCompute can use templates to deploy virtual machines. It can also convert templates into virtual machines. When deploying virtual machines in batches, the method of converting templates into virtual machines is generally adopted.

- A. FALSE
- B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 250

FusionComputeOn local data storage docking toFusionSphere OpenStackafter, inFusionSphere OpenStackThe data storage resource above belongs to shared storage, not local storage.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 251

Which of the following methods can be used to check the service status of FusionAccess components? (Multiple choice)

- A. View the status of each component in "Alarm Monitoring ----- Status Monitoring" of the FusionAccess Portal
- B. Use "server.msc" on the Windows infrastructure virtual machine to view the status of AD/DNS/DHCP services
- C. Enable the "startTools" tool on the Linux infrastructure virtual machine and select "Status" to view the status of each component
- D. Use FusionSphere SOI to view the status of each component service of FusionAccess

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 252

A customer plans to use Rainbow to migrate Windows virtual machines of the Hyper-V virtualization platform.

Moved to FusionCloud platform, the following description about using Rainbow to migrate Windows scenarios is wrong Which items are wrong? (multiple choice)

- A. After the host that joined the domain is migrated, it needs to rejoin the domain
- B. After the migration is completed, the system time of the virtual machine is the same as that of the source
- C. Windows basic disk becomes dynamic disk after migration
- D. After the migration, the network card driver, network card MAC, and IP address will change

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 253

Which of the following roles will not be included in the FusionSphere OpenStack control node?

- A. database_keystone
- B. ceilometer
- C. measure
- D. vcenter-proxy

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 254

Which of the following descriptions about the FusionAccess pool virtualized desktop group is incorrect?

- A. A dynamic pool is a group of users corresponding to a desktop pool, and users and VMs in the desktop pool are not in a fixed assignment relationship
- B. The system will be restored after the dynamic pool virtual machine is powered off
- C. The pooled desktop group supports the configuration of back-end standby virtual machines. When there are not enough desktops in the pool, virtual machines can be automatically replenished from the back-end standby virtual group in time.
- D. A static pool is a set of users corresponding to a desktop pool. Initially, each user has no fixed assignment relationship with the VMs in the desktop pool. After a user logs in for the first time, the assignment relationship between the user and the VM is fixed.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 255

In the FusionSphere private cloud solution, when using elastic IP services, you need to configure the network egress type to "Internet" and associate it with the router's Internet network.

- A. FALSE
- B. TRUE

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 256

Compared with ordinary desktops, the advantages of VIP desktops in FusionAccess are reflected in which of the following aspects? (Multiple choice)

- A. Real-time monitoring of virtual machine status to ensure stable operation of VIP desktop virtual machines.
- B. The priority guarantee of CPU and memory resources. When resources are tight, resources are preferentially allocated to VIP desktops.
- C. Compared with ordinary desktops, VIP desktops have the function of automatic data backup and quick recovery, which ensures the security of VIP desktop data.
- D. When users access VIP desktops, larger bandwidth brings better user experience.

Answer: A,B ([LEAVE A REPLY](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 257

The IO Tailor deduplication compression technology of Huawei's full-memory desktop is specially optimized for VDI and memory media. While deduplication and compression, it also ensures the real-time and consistency of data interaction.

- A. FALSE
- B. TRUE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 258

Which statement is correct about memory usage in computing virtualization? (Multiple choice)

- A. In a virtual machine, the Guest Virtual Memory corresponding to all applications must be less than or equal to the Guest Physical Memory of the virtual machine.
- B. On the same physical host, all Guest Physical Memory must be less than or equal to the Host Physical Memory of the physical host.
- C. In a virtual machine, the Guest Virtual Memory corresponding to all applications can be larger than the GuestPhysical Memory of the virtual machine.
- D. On the same physical host, all Guest Physical Memory can be larger than the ostPhysical Memory of the physical host.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 259

Which of the following description about the Huawei Desktop Cloud architecture and components is correct?

- A. DB records user account information.
- B. vLB provides load balancing function for HDC.
- C. ITA provides a Portal interface for administrators.
- D. When deploying Huawei Desktop Cloud, if there is only one WI, you do not need to deploy vAG.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 260

Which of the following scenarios is not suitable for improvingFusionComputeMemory reuse ratio?

- A. While ensuring performance, customers require a single host to host the maximum number of virtual machines
- B. In commercial scenarios, the memory reuse rate has reached 150%
- C. Virtual machine memory utilization is low
- D. Reduce customer hardware procurement costs

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 261

Which of the following descriptions about FusionSphere private cloud is wrong?

- A. In a multi-data center scenario, FusionSphere OpenStack OM and ManageOne ServiceCenter need to be deployed in each data center at the same time
- B. FusionSphere OpenStack OM is responsible for resource access, configuration, monitoring and maintenance, etc.
- C. ManageOne ServiceCenter is responsible for account opening and cancellation, cloud service application, approval, management, etc.
- D. In a single data center scenario, both FusionSphere OpenStack OM and ManageOne ServiceCenter need to be deployed in the data center

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 262

Which tool can agree to monitor physical devices in a data center in a cloud DC

- A. G-ray
- B. FusionNetDoctor
- C. eSight
- D. FusionCare

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 263

FusionCompute supports real-time monitoring of the status of the guest OS of the virtual machine, and restarts the virtual machine or performs HA when the virtual machine fails such as a blue screen. All virtual machine Guest OS supports this feature.

- A. FALSE
- B. TRUE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 264

(multiple choice) In FusionSphere OpenStack, docking KVM in the scenario, which of the following statements about storage are correct?

- A. cinder-volumeRoles are deployed on compute nodes
- B. In FusionStorage, the smallest granularity is the storage pool, each volume corresponds to a cloud disk

- C. cinder-volume role and IP SAN controller via iSCSI protocol to interact
- D. but OceanStor V3 The smallest granularity of storage is the storage pool

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 265

In the Huawei Desktop Cloud Solution, which of the following is incorrect about the description of linked clone desktop features?

- A. Linked clone is a technology that groups and maps a parent volume and differential volume to a linked clone volume
- B. Linked clones have the advantages of fast virtual machine creation and small storage footprint
- C. Linked-clone desktops have higher computing power than ordinary virtual machines
- D. The linked-clone desktop pool provides desktop maintenance functions such as unified software update and unified system restoration, which greatly reduces maintenance costs and improves the efficiency of desktop maintenance.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 266

When using HUAWEI Desktop Cloud, someone mistakenly set the IP of their virtual machine to the IP of the gateway, so that other users' desktops cannot be connected to the Internet. In order to avoid this phenomenon, which of the following functions can be enabled?

- A. It is strictly forbidden to modify the IP address
- B. Bind IP address and MAC
- C. Suppress virtual machine IP broadcast packets
- D. Suppress virtual machine ARP broadcast packets

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 267

When deploying FusionCloud Type I, network nodes need to deploy various components to realize SDN, Which of the following components need to be deployed on network nodes? (many)

- A. DMK
- B. L3 NAT
- C. FusionSphere OpenStack
- D. vRouter

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 268

In the FusionSphere private cloud solution, users can apply for cloud hard disk backup to realize local backup of cloud hard disks backup and recovery.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 269

After the local data storage on FusionCompute is connected to FusionSphere OpenStack, the data storage resource on FusionSphere OpenStack belongs to shared storage rather than local storage.

A. FALSE

B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 270

Which of the following descriptions about FusionCompute snapshots is incorrect?

A. The pressure on disk 10 will cause the failure to create a consistent snapshot. It is recommended to create a consistent snapshot when the pressure on disk 10 is low.

B. When the virtual machine is being live migrated, the virtual machine memory snapshot operation cannot be performed

C. When the virtual machine system disk data storage type is NAS storage, it supports creating memory snapshots

D. A virtual machine can create multiple memory snapshots. When one snapshot is used to restore the virtual machine, it will not affect other snapshots

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 271

If you do not purchase the license related to Rainbow8.0.0, you can only migrate two source hosts, and the maximum migration rate does not exceed over 30M/S

A. False

B. Correct

Answer: ([SHOW ANSWER](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam!

PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com

H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:

https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As

Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 272

As the most popular open source cloud operating system platform, OpenStack belongs to which of the following cloud computing service models?

A. SaaS

B. IaaS

C. DaaS

D. PaaS

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 273

(Multiple Choice) If FusionCompute port group in VLAN ID set as 10, then which of the following options is correct?

A. There is no bandwidth for passing through the port group VLAN Label the data frame VLAN 10 forwarded after the tag.

B. Passing through the port group with non-VLAN 10 Dataframe of labels to drop

C. to pass through the port group with VLAN 10 The labeled data frame is forwarded after de-labeling.

D. Passing through the port group with non-VLAN 10 Label the dataframe to change the label to VLAN 10 then forwarded.

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 274

To delete a VDC in FusionCloud, which of the following resources need to be deleted in advance

A. cloud resource pool

B. custom role

C. project

D. user

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 275

The storage device of "local disk" type cannot be scanned on the CNA host. Which of the following reasons may be caused? (Multiple choice)

A. The disk is not configured with RAID.

B. The disk is added to RAID10 and is under reconstruction

C. The disk is a hot spare for RAID1

D. The disk is added to RAID1, but not formatted.

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 276

What are the functions of domain policy? (Multiple choice)

A. Can control the system software environment of domain users.

B. Centralized management at the domain level and decentralized management at the user group level.

C. Mandatory security configuration can be performed on the client in the network.

D. It can flexibly deploy software to clients in the network.

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 277

After logging in to FusionSphere OpenStack CPS for the first time, you need to change the password of the administrator account admin to ensure the system installation.

- A. TRUE
- B. FALSE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 278

In the following description of adding a domain to a FusionAccess virtual machine, which options are incorrect? (Multiple choice)

- A. Linked-clone VMs are joined to the domain during template creation
- B. Full replication VMs are domain-joined when provisioned
- C. The full copy virtual machine is added to the domain when the template is made
- D. Linked-clone VMs are domain-joined when provisioned

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 279

On the Fusioncompute virtual machine, it is found that the QoS of the virtual machine network card cannot be set. Which of the following What might be causing the problem?

- A. ToolsB is not installed in the virtual machine, and the virtual machine is in a shutdown state
- B. Link aggregation is set on the physical host where it is located
- C. Uplink is not set

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 280

Regarding the description of the functions of each module of FusionSphere OpenStack, which of the following is incorrect?

- A. HealthCheckAnswers to health checks and related information collection functions are provided
- B. BackupProvide management data backup and recovery functions, support regular automatic backup management data
- C. LOGProvides log management function, supports log level setting and log dump
- D. CPSPProvide cloud data centerPXWay to installOSFunction

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 281

Fusion compute virtual machine supports the first full permanent incremental backup

- A. TRUE
- B. FALSE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 282

(Single-choice questions) Two virtual machines in the cluster that can communicate with each other cannot communicate with each other after the administrator performs which of the following operations?

- A. One of the administrator's adjustments VM memory size
- B. The administrator adjusted the disk capacity of one of them
- C. The administrator adjusted one of the VM description of
- D. The administrator adjusted the port group of one of them

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 283

The following description about deploying the gateway/load balancer in the FusionAccess desktop cloud is correct Which items are there? (many)

- A. The load balancer can automatically perform health checks on WI to ensure that all user requests can be allocated WI used
- B. A load balancer is used to distribute users' HTTP(S) requests to different WIs
- C. When the gateway and load balancer deployment scheme adopts F5, VAG / VLB can also be installed
- D. When deploying a VAG, according to different user access types, there are intranet user access and external/public network access.

Two deployment scenarios for user access

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 284

Virtualization technology can virtualize one server into multiple virtual machines, thereby improving performance

- A. True
- B. False

Answer: (SHOW ANSWER)

NEW QUESTION: 285

Regarding the VDI desktop cloud architecture, which of the following description is incorrect?

- A. The calculation is performed in the cloud, and the data is also stored in the cloud
- B. There is no need for centralized construction management,
- C. Can work offline without being affected by the network.
- D. The architecture of thin terminal + cloud virtual desktop can be extended to any terminal,

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 286

What is the main function implemented by the FusionAccess component WI?

- A. Protocol gateway for desktop access, isolation of internal and external networks, and encryption of transmission
- B. Provide end user access interface entry
- C. Desktop access login load balancing
- D. Interact with the HDA in the virtual machine to collect the virtual machine status and access status reported by the HDA

Answer: ([SHOW ANSWER](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 287

In the common OA office scenario of Huawei Desktop Cloud Solution, how much bandwidth does each desktop need?

- A. 20MB/s
- B. 20KB/s
- C. 200KB/s
- D. 2MB/s

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 288

(multiple choice)FusionSphere OpenStackBy which of the following dimensions can a logical host befc-nova-computePerform performance evaluation, select the logical host with the best overall performance, and schedule cluster resources?

- A. vCPUUtilization
- B. vCPUremaining resources
- C. vCPUreservation rate
- D. remaining memory resources

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 289

On the same host of FusionCompute, smart NICs and common NICs cannot be mixed.

- A. TRUE
- B. FALSE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 290

If there is a problem with the HDC process, you need to use the command service---restart to restart

- A. component
- B. HDCService

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 291

In FusionCloud, the --- component in the cloud server backup service CSBS is responsible for saving and Schedule backup policies, and provide an AP1 interface for connecting to the cloud management platform. (Please fill in the full English name of the component)

- A. Karbor
- B. cloud

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 292

Which of the following descriptions about FusionCloud's cloud disk service EVS are correct? (many)

- A. EVS provides basic block storage functions.
- B. Calling the externally open interface of EVS can realize EVS application, expansion and deletion and other functions.
- C. EVS needs to be mounted to ECS and formatted before it can be used normally.
- D. EVS supports creating cloud disk snapshots.

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 293

The administrator uses Fusioncompute to block the pauses that do not need attention. When a masked alarm is generated, it will not It will be displayed on the real-time alarm interface, which can be queried and masked through conditional search in historical alarms. The configuration includes which of the following in some ways?

- A. Shield by type
- B. mask by time
- C. Mask by object and ID
- D. Block by ID

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 294

In HUAWEI Desktop Cloud, when creating a template, the template that is completely copied, quickly packaged, and linked to the base needs to be added to the domain.

- A. FALSE
- B. TRUE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 295

(Single choice)(FusionAccessmiddlelicenseWhere is the remainder deducted?

- A. After getting the list of virtual machines
- B. After authentication
- C. Get the login interface
- D. After the pre-connection is successful

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 296

A virtual machine in a KVM virtualization platform consists of at least two files. One is the virtual machine configuration file. One is the virtual machine speed disk file.

- A. FALSE
- B. TRUE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 297

Which of the following description of FusionCompute's high availability is wrong?

- A. FusionCompute supports virtual machine live migration, and can switch the host where the virtual machine resides without interrupting services.
- B. If the virtual machine live migration fails, the FusionCompute system will automatically retry the live migration until the migration is successful.
- C. FusionCompute virtual machines support fault recovery. When a cluster host fails, the virtual machine will be HA to other hosts.
- D. Services will be interrupted when virtual machine HA occurs

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 298

In the FusionComput cluster configuration, the virtual machine startup strategy only has the load balancing startup strategy.

- A. FALSE
- B. TRUE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 299

Which of the following options is incorrect about the memory description in Fusion Compute?

- A. When the memory hot add policy is enabled, increase the memory value and take effect online
- B. When the memory hot add strategy is enabled, reduce the memory value and need to modify it offline

C. When the memory hot add policy is not enabled, the virtual machine increases the memory value and needs to be restarted to take effect

D. When the memory hot add policy is not enabled, it needs to be modified offline when adjusting the memory QoS

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 300

Regarding the Huawei desktop cloud clock synchronization solution, which of the following descriptions is incorrect?

A. The customer cannot provide an external clock source. When Huawei provides AD, it promotes the use of AD to synchronize the time from the host where the primary VRM is located through the management plane

B. The customer cannot provide an external clock source. When Huawei provides AD, the AD is used as the secondary clock source to synchronize time to the infrastructure virtual machine and user virtual machine through the management plane.

C. The customer provides an external clock source, and when Huawei provides AD, the AD synchronizes the time from the main VRM through the management plane through the service plane

D. When the customer provides an external clock source, and the clock source server is also used as AD, the FusionAccess infrastructure virtual machine and user virtual machine synchronize time from AD (clock source) through the service plane

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 301

A unit currently uses the local Oracle database to carry the current network services, and now plans to migrate the local database server to the cloud. In the V2V migration scenario, which of the following descriptions about the migration method are correct?

(many)

A. If the amount of file data in the database is large, you can choose to stop the business and use Rainbow to complete the full amount at one time.

The way to migrate virtual machines to migrate operating systems and databases

B. If the database uses a file system to store data files, and the amount of data is not large, the downtime window is sufficient, You can choose to migrate the operating system and data by migrating the entire virtual machine at one time after the business is stopped.

database

C. If the amount of file data in the database is large and the downtime is short, you can re-issue a file at the target end.

After the virtual machine is installed, reinstall the Oracle database, and use the RMAN backup and recovery method for data migration

D. If the amount of file data in the database is large and the downtime is long, you can re-issue a file at the target end.

After the virtual machine is installed, reinstall the Oracle database and use Rainbow for data migration

Answer: A,B,C ([LEAVE A REPLY](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 302

FusionCompute use IP SAN Storage, probabilistic failure when creating disk, which of the following may cause this failure?

- A. LUN bad block
- B. Data consistency check is enabled on the storage resource
- C. storage interface VLAN ID wrong setting
- D. Configure a separate network plane to host virtualization SAN Store heartbeat traffic

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 303

The ManageOne operation and maintenance plane provides the unified log function. Which of the following log types does the unified log support? (many)

- A. Operation log
- B. Security log
- C. Management side operation log
- D. Tenant operation log

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 304

(Multiple choice) If FusionCompute virtual machine A and virtual machine B are running on different physical hosts, which device must be used in the communication process?

- A. physical switch
- B. virtual network card
- C. physical network card
- D. virtual switch

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 305

(multiple choice)FusionStorage BlackFailed to create a storage pool, the exception message is "The corresponding process or configuration file already exists on the server" Which of the following are the possible causes of the exception?

- A. FSMInconsistent with control cluster metadata
- B. The service did not delete the cluster normally
- C. The disk of the storage node is not configuredRAID0
- D. Anomalous nodes are blocked by otherFusionStorageeuse

Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 306

Which of the following operations is feasible when using rainbow for V2V migration?

- A. Use the NAT function of the router to open up the network between the source and destination virtual machines.
- B. Configure nat on rainbow; connect the network between the source and destination virtual machines.
- C. Use the routing function of the Layer 3 switch to open up the network between the source and destination virtual machines.
- D. Configure the routing function on the rainbow to connect the network between the source and destination virtual machines.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 307

The filtering templates of different pages for shielding alarms are different. Users need to set filtering templates for each page.

Which of the following is wrong in the description of the FusionCloud private cloud operation and maintenance plane system filter template? (multiple choice)

- A. "Other templates" is the default template of the system
- B. "Following template" is the template that users follow. Users can set commonly used templates as follow templates for easy selection.
- C. Users with Admin role can manage templates saved by all users
- D. "custom template" is the template customized by the current user, and the user can set whether to share the template with other users.

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 308

Regarding DNS backup, which of the following descriptions is incorrect?

- A. In FusionAccess "System Management > Initial Configuration > Domain/OU", set "Enable Backup" to Yes
- B. The backup path needs to be configured on the DNS server.
- C. DNS information needs to be configured in "Alarm Component" of Fusion Access.
- D. A monitoring agent needs to be installed on the DNS server.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 309

The shortcomings of enterprises using traditional PC office work are mainly reflected in which of the following aspects? (Multiple choice)

- A. Poor data security
- B. Low data reliability
- C. Low resource utilization
- D. High operating and maintenance expenses

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 310

(Multiple choice questions) The following FusionAccess. Which options are incorrect in the description of the virtual machine plus domain?

- A. Linked-clone VM joins domain at template creation time
- B. Linked-clone VMs are domain-joined when provisioned
- C. Full replication virtual machines join the domain when provisioned
- D. Full replication VM joins domain at template making

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 311

Which indicators of service virtual machines are not supported by FusionCompute?

- A. Virtual machine NMA structure
- B. CPU usage
- C. Disk I/O
- D. Network Throughput

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 312

(Multiple Choice) Which of the following descriptions are correct regarding the correspondence between desktop groups and virtual groups in the Huawei Desktop Cloud solution?

- A. "The "linked clone" virtual machine group uses the "static pool" desktop group. When the user logs in for the first time, the desktop group will randomly assign a virtual machine to bind the user.
- B. "The "Linked Clone" virtual machine group uses the "Dynamic Pool" desktop group. When a user logs in for the first time, the desktop group will randomly assign a virtual machine to bind the user.
- C. "Full Replication" virtual groups correspond to "private" desktop groups, including "static multi-user" and "single-user"
- D. "Linked-clone" virtual groups correspond to "private" desktop groups, which include "static multi-user" and "single-user"

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 313

(Multiple Choice) Huawei FusionStorage Block The alarm prompts "The storage pool is faulty and the data in the storage pool is inaccessible". Which of the following are possible causes?

- A. The hard disk where the last copy of the three copies of data resides or Cache Unreadable failure occurred
- B. Storage network exception
- C. Not enough hard drive space
- D. Multiple hard disk failures in a storage pool in a short period of time

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 314

Regarding the related concept of EVS, which of the following is the wrong?

- A. Run user-mode EVS on the Host, and use DPDK's network card management API and huge page memory to improve the performance and processing capabilities of physical network cards.
- B. EVS is a flexible point-to-switch based on OVS forwarding technology that improves its IO performance
- C. Based on vhost-user technology, vhost directly interacts with EVS in kernel mode, and obtains DPDK huge page address through address offset, which improves performance by 30%-40%
- D. EVS uses batch processing and polling mechanisms to improve message processing capabilities

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 315

When a maintenance engineer maintains the FusionCompute virtualization environment, which of the following operations can be applied?

Corruption to VIMS shared storage file system? (many)

- A. mkfs. ext4 -fn device command" to check the faulty device information
- B. Stop the business operation on the faulty storage device
- C. Repair read-only volumes via fsck
- D. Cancel the automatic mount function of the file system and remount the file system immediately

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 316

The virtualization reuse ratio mainly refers to the conversion relationship between the VCPU and the physical CPU in the calculation virtualization. by In the description of adjusting the multiplexing ratio below, which one is recommended? (one)

- A. When the VCPU usage of the virtual machine is greater than 20% and less than 30%, the reuse ratio is set to 200%~300%
- B. When the VCPU usage of the virtual machine is less than 20%, the reuse ratio is set to 200%~300%
- C. When the VCPU usage of the virtual machine is greater than 10% and less than 20%: the reuse ratio is set to 300%~400%

D. The VCPU usage rate of the virtual machine is more than 30%, and the reuse ratio is set to 100%~200%

Answer: B ([LEAVE A REPLY](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 317

Which of the following descriptions about the ManageOne approval process is correct? (Multiple choice)

- A. Both the VDC administrator and the VDC salesperson can define the approval process.
- B. Each level of approval process can specify one or more approvers, as long as any approver approves, the approval of this level is passed.
- C. The approval process supports real-time modification and takes effect in the release state.
- D. The approval process can set up multi-level approval, up to 5 levels are supported.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 318

In Huawei FusionSphere OpenStack, the nova-scheduler component can migrate virtual machine instances to new computing nodes and dynamically adjust the load of each computing node.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 319

For which of the following objects can Huawei BCManager eBackup backup? (Multiple choice)

- A. LUNs in the protected environment
- B. Virtual machine disks in the protected environment
- C. Required virtual machines in the protected environment
- D. Host Disks in the Protected Environment

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 320

Which of the following scenarios requires manual data backup of each service instance in FusionCloud? (many)

- A. Before the server replaces the hard disk
- B. Routine backup
- C. Before upgrading the service instance
- D. Before major business adjustments

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 321

FusionCompute can use templates to deploy virtual machines, or convert templates into virtual machines. Deploy virtual in batches When using a virtual machine, the template is generally converted into a virtual machine.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 322

InFusionSphereIn the private cloud solution, users can apply for cloud hard disk backup to achieve local backup and recovery of cloud hard disks.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 323

In HUAWEI Desktop Cloud, which of the following are the factors in the performance triangle model that affects virtual machine density? (Multiple choice)

- A. QoS
- B. Workload
- C. Density
- D. capacity

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 324

FusionCloudAutomated installation tool

- A. FusionCloud Deploy
- B. FusionStage
- C. FusionNetDoctor
- D. FusionCare

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 325

Which of the following about the description of computing virtualization features is wrong?

- A. Support GPU virtualization, GPU pass-through

B. The online CPU and memory adjustment technology can adjust the CPU and memory specifications when the virtual machine supported by the platform is still running. At this time, the virtual machine needs to be restarted to take effect.

C. To be compatible with a new operating system, the manufacturer needs to provide a matching PV driver. Huawei has the ability to develop PV drivers. In addition to being compatible with mainstream Windows and Linux operating systems, FusionCompute is also compatible with domestic winning operating systems (specific versions may require customized drivers)

D. Has a flexible management structure

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 326

Regarding the correspondence between ports and subnets in FusionCloud, which of the following is correct?

A. M:N

B. N:1

C. 1:N

D. 1:1

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 327

(Multiple choice) In HuaweiFusionsphere Openstack, which of the following services needs to interact with all other services?

A. Cinder

B. keystone

C. Neutron

D. Nowa

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 328

In the branch deployment scenario of FusionAccess, if the network of the branch and the headquarters is interrupted, the users of the branch will not be able to access the cloud system of the desk.

A. TRUE

B. FALSE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 329

(Multiple Choice) Which of the following components areFusionAccessRequired components for desktop cloud?

A. HDC

B. TCM

C. ITA

D. LIC

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 330

Disaster recovery is to restore the system or business from the failure or paralysis caused by the disaster to the normal operating state, and the activities and processes designed, the national standard level of disaster recovery capability is divided into 6 classes, PTO/RPO. There is a slight correlation with the disaster recovery capability level. Which of the following options describes the correlation is wrong?

A. Disaster Recovery Capability Level 5 corresponds to RTO of 12 hours or more, RPO hours to 1 day.

B. Disaster Recovery Capability Level 1 level corresponds to RTO of 2 days or more, RPO of 1 day to 7 days.

C. Disaster Recovery Capability Level 4 level corresponds to RTO of 2 hours, RPO of 2 hours.

D. Disaster Recovery Capability Level 2 level corresponds to RTO of 24 hours or more, RPO of 1 day to 7 days.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 331

In a FusionAccess site, the administrator configures the naming process in the process of rapidly provisioning virtual desktops.

rule. Which of the following descriptions about configuration naming rules is correct? (many)

A. When setting the naming rules for linked-clone virtual machines, it is not allowed to include the domain account of the logged-in user virtual machine.

B. When setting the naming rule of the complete replication virtual machine, it is allowed to include the domain account of the logged in user virtual machine.

C. The computer name prefix can be "shared-vm".

D. The computer name prefix can be "shared vm".

Answer: A,B,C ([LEAVE A REPLY](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam!

PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com

H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get

the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:

https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As

Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 332

(Multiple Choice) Which of the following are the usage modes of Huawei Full Memory Desktop?

- A. Link Mode
- B. Copy Mode
- C. Pool Mode
- D. Share Mode

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 333

Which of the following descriptions about DVs on FusionCompute is incorrect?

- A. Provide virtual network security capabilities to prevent virtual machine IP address spoofing.
- B. The switching performance is slightly lower than the physical switch due to the consumption of the virtual switch module.
- C. Cross-server communication does not need to be forwarded through a physical switch.
- D. It is implemented by pure software, and the function expansion is flexible compared with the use of physical switches.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 334

TC can search for the TC terminal managed by the agent, without the need for active connection on the TC side.

- A. FALSE
- B. TRUE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 335

In FusionCompute, which of the following protocols are supported for exporting a template from a virtual machine to a common directory? (Multiple choice)

- A. NFS
- B. CIFS
- C. FTP
- D. HTTPS

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 336

(Multiple choice) Business migration is a high-risk operation. Which of the following factors will affect business migration?

- A. Web environment
- B. Migration method
- C. OS type
- D. business type

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 337

Which of the following descriptions about FusionCompute memory virtualization is incorrect?

- A. Memory virtualization technology can achieve memory over-allocation.
- B. Applications can start from a non-zero address when applying for virtual memory.
- C. FusionCompute supports memory hardware-assisted virtualization technology to reduce memory virtualization overhead.
- D. The virtual memory requested by the application is contiguous.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 338

In FusionAccess, by configuring application policies, you can meet the actual needs of each end user for the use of virtual machine desktops. Correspond the usage scenarios of the following policies to their operations.

Answer:

Use the server-side decoding method to play local video and network video, and require the best display effect and the highest bandwidth ----- open the "display" of the customized strategy, and set the "display strategy level" to "level 5"

Only allow users to copy files from the client to the virtual machine desktop, and do not allow copying files from the virtual machine desktop to the client ----- Open the "File and Clipboard" of the custom policy, and select "Cut" "Board Redirect" is set to "Enable Client to Server"

If the virtual machine is inactive for 10 minutes, the virtual machine will automatically lock the screen ----- Open the "Session" of the customized policy, and set "Automatic lock screen" to "Enabled"

The user can open the file in the USB device in the virtual machine, but cannot modify the file ----- Open the "File and Cut" of the custom policy. Board", set File Redirection to "Read Only", set "Client Removable Drives" to "Enabled"

NEW QUESTION: 339

In FusionCompute, the vlan pool provides VLAN resources for virtual machines that use vlan-type port groups. The port group must be configured with five VLLAN ID. The VLAN must be within the range of the VLAN resources provided by the VAN pool.

- A. FALSE
- B. TRUE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 340

When using FusionAccess, when the virtual machine network card, desktop proxy service, etc. are stopped unexpectedly, use If the user cannot connect to the virtual machine, the user can self-

check through the tool and try to solve the problem. The following about Description of inspection tools and problem solving, which one is wrong? (one)

- A. The desktop cloud connection maintenance tool can solve the virtual machine patch update problem
- B. The use of the self-service maintenance desk can solve the problem that the virtual machine takes too long to start or restart
- C. The desktop cloud connection repair tool can detect whether the virtual machine network card is disabled
- D. Using the self-service maintenance desk can solve the blue screen/stuck problem of the virtual machine

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 341

Which of the following operations does the running virtual machine in FusionCompute support?

- A. clone the virtual machine
- B. Convert to template
- C. clone as template
- D. Export as template

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 342

Regarding the description of the PCoIP Desktop Cloud Protocol, which of the following is incorrect?

- A. The user's operation only transmits the changed part, which can be used efficiently under low bandwidth.
- B. It is closely integrated with hardware, and graphics processing can be done through dedicated hardware.
- C. Compress and transmit the user's session as an image.
- D. The transmission speed is slow, not suitable for multimedia transmission.

Answer: (SHOW ANSWER)

NEW QUESTION: 343

(Single-choice questions) FusionCloud, which of the following can be achievedVDCIsolation of internal resources?

- A. available partition
- B. quota
- C. Project
- D. tenant

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 344

In FusionCloud, a private image can be created by calling the IMS interface of the image service, as follows:

Which way of creation is incorrect? (many)

- A. After selecting an elastic cloud server (ECS) to shut down, use the ECS to apply for a private image.
- B. Register the image file on ServiceOM, and then use the image to apply for a private image.
- C. Upload the image file to the OBS bucket, and use the image file in the OBS bucket to apply for a private image.
- D. After selecting a bare metal server (BMS) and shutting it down, use the BMS to apply for a private image.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 345

Which of the following descriptions about adding virtual machine users to FusionAccess is incorrect?

- A. The added user can be a user that does not exist in the domain controller
- B. When adding multiple users, separate the accounts with commas
- C. When setting the permission group of the newly added user, only "Users" and "Administrators" are optional
- D. The added user must be the same as the "User Login Name" set when creating the virtual machine user

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 346

When the FusionCompute department mode is three-member separation, the system super administrator account is admin.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 347

When using Huawei BCManager eBackup for data backup, only the backup storage type is SAN storage and NAS storage.

- A. TRUE
- B. FALSE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 348

FusionCare provides health check and information collection functions. If multiple AZs of FusionSphere are checked, new AZs can be added multiple times on the FusionCare interface.

- A. TRUE
- B. FALSE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 349

Which of the following descriptions about the system packaging tool Sysprep is incorrect?

- A. Reset Windows Product Activation.
- B. After configuring Windows to start, enter "Welcome to Windows".
- C. Windows will be configured to boot into Safe Mode.
- D. Delete specific data from Windows system.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 350

The following about FusionCompute virtual machine HA description, which options are correct? (multiple choice)

- A. The system detects a virtual machine blue screen and the configuration processing policy is HA, the system will select other normal computing nodes to rebuild the virtual machine.
- B. open in cluster HA After a host failure, virtual machines can be rebuilt on other hosts.
- C. virtual machine HA The function can quickly restore business when a failure occurs.
- D. As long as the resources are reserved in the cluster, when a fault occurs, the HA Properties of the virtual machine can be successfully rebuilt on other computing nodes

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 351

Which description is correct about the data storage in FusionCompute?

- A. Virtual machine files and snapshots are stored in the datastore,
- B. Each host uses a separate data store.
- C. With the help of storage precise configuration technology, data storage can be larger than storage device capacity,
- D. Each storage device must create a data store before it can be used.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 352

Fusioncompute virtual machines in and DVS relationship, the correct.

- A. A virtual machine has multiple network cards, and each network card is associated with one DVS
- B. One
- C. A virtual machine has multiple network cards, and all network cards can only be associated with one DVS
- D. virtual machine and one network card, and the network card is associated with multiple DVS
- E. One virtual machine has one network card, and the network card can only be associated with one DVS

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 353

Which of the following statements is true about FusionAccess? (Multiple choice)

- A. Thin provisioning is recommended for linked-clone virtual machines
- B. It is recommended to use normal delay zeroing for full replication virtual machines
- C. Full replicated virtual machines must be zeroed with normal delay
- D. Linked clone virtual machines must use thin provisioning

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 354

ManageOne Operation Center middle key stopper After the configuration is complete, FusionSphere OpenStack. The connection will be automatically completed in the interface.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 355

It is assumed that a portal website needs to be built to provide external services, and the elastic scaling in Fusioncloud is used.

The service can dynamically adjust the number of instances according to the business load. In addition, we may also use which of the following some cloud services? (many)

- A. VPC
- B. ELB
- C. EIP
- D. ECS

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 356

In the cloud commercial office of Huawei Desktop, if the gateway is not configured, user data cannot be encrypted, and there is a hidden danger of leakage.

- A. FALSE

B. TRUE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 357

(multiple choice) inFusionSphereIn the private cloud solution, which of the following functions can be implemented when a tenant (non-tenant administrator) applies for the cloud server backup service?

- A. Self-modified service period
- B. Configure backup strategy or recovery strategy according to actual needs
- C. Modify Backup Capacity Quota
- D. Perform backup tasks automatically or manually

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 358

DashboardIt is a data visualization page, consisting of one or more visualization components, displaying data center measurement information and key business indicators.

The operation and maintenance map is aManageOneCentralized display interface for system operation and maintenance function services

- A. mistake
- B. correct

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 359

Which of the following descriptions about FusionCompute storage live migration is incorrect?

- A. Migration of mounted "shared" type disks and disks of linked-clone virtual machines is not supported.
- B. Supports live migration of virtual machine disks without affecting user usage, enabling planned storage maintenance and storage migration without business interruption.
- C. Support the migration of non-persistent disks.
- D. Storage live migration can be performed within the same storage device under storage virtualization management and between different storage devices.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 360

Xiao Zhang designed a disaster recovery system for the FusionSphere server virtualization platform for Company A, but Company A's system further reduces the RPO based on this solution. What optimizations can Xiao Zhang make for the existing solution? (Multiple choice)

- A. Add links and configure load balancing between the active and standby sites
- B. Lease higher bandwidth for initial data synchronization
- C. Change the BCManager eReplication based on the host remote replication disaster recovery scheme to the storage remote replication disaster recovery

D. Change the BCManager eReplication based on the storage remote replication disaster recovery scheme to the host remote replication disaster recovery

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 361

HuaweiManageOne OperationCenterpassHTTPSandSNMP TrapThere are two ways to synchronize alarm data from the lower management system. The former ensures that alarms can be detected in time, and the latter ensures that alarms will not be lost.

A. True

B. False

Answer: A ([LEAVE A REPLY](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here: https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 362

When using rainbow for virtual machine migration, Win SrcAgent will automatically identify the operating system type of the original virtual machine

A. TRUE

B. FLASE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 363

(multiple choice)FusionSphereIn a server virtualization scenario, which of the following situations will causeVMCan't hot migrate?

A. VMnot mountedTools

B. The target host is in maintenance state

C. VMThe disk property is "non-persistent"

D. VMThe uplink of the distributed switch where the NIC is located is not associated with both the source host and the target host

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 364

In the FusionSphere private cloud solution, when a tenant manually triggers a cloud server backup task, which of the following Component calls Cinder to create consistent snapshots on production storage?

- A. Backup Manager
- B. arbor
- C. backupBackup agent
- D. Backup Workflow

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 365

How many pairs of vLBs are generally deployed to meet the performance requirements of a desktop cloud office?

- A. 2
- B. 4
- C. 3
- D. 1

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 366

existFusionCloud, when the administrator needs to view the data statistics and analysis results of specific dimensions such as capacity and resources, he can view the reports under the specific dimension, so that the administrator can understand the indicators and analysis results under the dimension in real time, and grasp the health of the business. ,Timely detection of problems. Which of the following is correct about resource utilization analysis report types and their descriptions?

- A. Cloud platform management system resource utilization analysis is used to count the computing resource utilization of each cloud platform management system.
- B. Physical host resource utilizationTOPNUUsed to count the resource usage trends of all physical hosts in the system.
- C. The computing resource utilization trend is used to collect statistics on the average usage of computing resources in a certain period of time in regions, AZs, and clusters.
- D. the aggregation analysis of elastic cloud server resource utilization is used to count the resource usage of elastic cloud server in area, availability zone, and cluster dimension

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 367

Which of the following descriptions about Fusioncompute snapshots is incorrect? (one)

- A. Snapshots can be saved within the virtual machine existing condition.
- B. All virtual machines on a host can only create one memory snapshot at the same time.
- C. A virtual machine can create multiple snapshots. When a virtual machine is restored using a snapshot, the subsequent snapshots will be lost effect.
- D. Snapshots can save both virtual machine settings and data on virtual machine disks.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 368

When using Rainbow to migrate, which of the following are correct about the description of Windows online file-level migration? (Multiple choice)

- A. Speed is relatively slow
- B. Supports partition resizing
- C. The partition structure must be consistent with the source
- D. fast

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 369

During the creation of the FusionAccess template, if the "Users" permission group is not configured, then the virtual machine users are added.

Which of the following permission groups can be set?

- A. Administrators
- B. Operators
- C. Auditors
- D. Users

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 370

Which of the following descriptions about the rapid encapsulation of virtual desktops is wrong?
(one)

- A. There is no essential difference between full reproduction and rapid distribution
- B. using sysprep package
- C. Compared with the complete copy template, using the fast encapsulation template to issue virtual machines is faster and more efficient
- D. Rename and add domain by the application in the virtual machine

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 371

In fusioncompute, after the virtual machine is assigned to a specific host, some of the following functions are affected?

- A. HA
- B. reboot
- C. DPM
- D. DRS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 372

When collecting cloud computing fault information, which of the following principles must be followed? (Multiple choice)

- A. The fault information must be collected by the customer himself, and the engineer can only guide the operation
- B. Before using an information collection tool (such as FusionCare), you should proactively provide the customer with a description of the tool
- C. The transfer of problem location data out of the customer network must be authorized by the customer
- D. Any maintenance operation must be authorized by the customer, and any operation beyond the scope of customer approval is prohibited

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 373

Which description is correct about rainbow software.

- A. Rainbow Migrator Linux must be deployed
- B. Rainbow Server must be deployed
- C. Decide whether to deploy or not based on the source virtual machine to be migrated Rainbow Migrator
- D. Rainbow Migrator Windows The correct answer must be deployed

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 374

Each cluster in FusionCompute can only create one distributed virtual switch.

- A. TRUE
- B. FALSE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 375

The alarm "The CPU usage of the virtual machine exceeds the set value" is reported on FusionCompute. What is the possible reason? (Multiple choice)

- A. The virtual machine is busy and overloaded.
- B. The IMC feature is not enabled.
- C. The "Shares" setting in the virtual machine CPU QoS is too small.
- D. The virtual machine CPU usage alarm threshold is set too low.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 376

vTools cannot collect information about components, but can analyze and count ITA data collected by information collection tools

- A. FALSE
- B. TRUE

Answer: A ([LEAVE A REPLY](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 377

In the Region Type III scenario of Fusioncloud, which of the following nodes are required? (Multiple choice)

- A. Control Node
- B. Storage Node
- C. Network Nodes
- D. KVM compute node

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 378

Which of the following descriptions about the IMC mode is wrong?

- A. When the cluster IMC mode is changed, virtual machines in the "running" state in the cluster continue to maintain the previous IMC policy after the change.
- B. When provisioning/starting a virtual machine, if the cluster where the virtual machine is located has enabled IMC mode, the CPU configuration of the virtual machine cannot be lower than the current CPU function set of the cluster.
- C. The IMC mode of the cluster must be equal to the function set of the host with the smallest CPU function set in the cluster, or a subset of the CPU function set.
- D. After the virtual machine is migrated, its IMC mode will not change, and the IMC mode of the target host or the cluster where the target host is located can be kept the same after the virtual machine is powered off and then powered on again.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 379

FusionAccess desktop cloud is based on server virtualization technology, which allows multiple user desktops to run independently in the form of virtual machines, and each desktop virtual machine exclusively shares the underlying physical hardware resources such as CPU, memory, network, and storage.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 380

Security administrators can maintain user, role and action set information and reset other User password, in which role information maintenance includes which of the following common operations (multiple choices)

- A. View role information
- B. Import role information
- C. delete role information
- D. Modify role information

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 381

Regarding the description of domain controllers in AD, which of the following is incorrect?

- A. The domain's directory data is stored in the domain controller.
- B. There can be multiple domain controllers in a domain.
- C. The controllers in the same domain operate independently.
- D. Almost identical AD databases are stored in each controller in the same domain.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 382

What is the relationship between BMS, IMS, and ECS? (Multiple choice)

- A. Creating BMC must go through IMS service
- B. The creation of ECS must be done through IMS service
- C. IMS is a standalone service
- D. Create BMS without using IMS service

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 383

What should I do if the virtual desktop freezes when using the FusionAccess desktop cloud? (Multiple choice)

- A. Delete HDA.
- B. Restart the virtual machine and log back into the virtual desktop.
- C. Disable HDP related services in the service list.
- D. Close processes with high CPU and memory usage.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 384

Compared with traditional PCs, what are the advantages of desktop cloud? (Multiple choice)

- A. The operation and maintenance are complex and require multiple expert-level engineers.
- B. The terminal does not save data, and the data security is higher.

- C. Rapid recovery of failures, reducing business interruption time.
- D. Mobile office, you can access anytime, anywhere.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 385

Common features of Huawei Desktop Cloud SolutionOAHow much bandwidth does each desktop need in an office scenario?

- A. 2MB/s
- B. 20MB/s
- C. 20KB/s
- D. 200KB/s

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 386

Disaster recovery protects business, and backup protects data.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 387

(Multiple choice) The scale is 20 less than one physical machine, 200 less than one virtual machine FusionSphere. Which of the following configurations are recommended for server virtualization solutions?

- A. Physical machine deployment VRM node
- B. management node OS disk use RAID 1 mode
- C. Virtual machine deployment VRM node
- D. management node at least 4 individual GE network port

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 388

Which of the following descriptions about disaster recovery technology is wrong? (Multiple)

- A. Disaster recovery can achieve RPO=0
- B. RTO=0 during backup and recovery
- C. Backups are generally performed periodically
- D. Disaster recovery can replace the role of backup

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 389

The following about FusionAccess The description of the daily operation and maintenance specification, which option is incorrect?

- A. License self it is about to expire, you need to process it in time and apply for a new one License

B. Pay attention to the number of unregistered users. If there is a large area of unregistered users, analyze the reasons and handle them urgently.

C. Storage resource and computing resource usage exceeds 100%. After that, start the expansion task

D. Emergency alarms such as server heartbeat abnormality, restart, and data service abnormality need to be handled in time.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 390

In Huawei FusionAccess, linked clone desktops can be reassigned after being deallocated.

A. TRUE

B. FALSE

Answer: **B** ([LEAVE A REPLY](#))

NEW QUESTION: 391

Which of the following operations is not supported by the network card of the running FusionCompute virtual machine? (Multiple choice)

A. Delete the network card

B. Modify MAC

C. Configure Security Groups

D. Modify the port group

Answer: **A,B,C** ([LEAVE A REPLY](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam!

PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com

H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get

the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:

https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As

Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 392

FusionSphere OpenStack but KVM In the environment of , which of the following components uses a series of algorithms to calculate nodes suitable for creating virtual machines?

A. nova-compute

B. nova conductor

C. Libvirt

D. nova-scheduler

Answer: **D** ([LEAVE A REPLY](#))

NEW QUESTION: 393

Which of the following features does not require virtualized storage support?

- A. Snapshot
- B. Storage live Migration
- C. Virtual Machine Cold Migration
- D. Virtual machine live migration

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 394

(Multiple choice) The following about Fusion Access middle ITADescription of the component, which options are correct?

- A. ITA essentially based on Tomcat built one Web Services.
- B. It can realize virtual machine creation and allocation, virtual machine state management, etc.
- C. ITA components with HDC There is interaction between components, and Fusion compute There is no interaction between the
- D. Provides management for desktop cloud system administrators Portal

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 395

The cloud server backup CSBS service in FusionCloud can not only back up and restore all the cloud hard disks of the cloud server, but also back up and restore some cloud hard disks of the cloud server.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 396

In FusionCompute, when deploying a virtual machine according to a template, which of the following properties is not inherited from the template and can be customized?

- A. Virtual machine disk capacity
- B. The memory size of the virtual machine.
- C. The number of network cards of the virtual machine.
- D. The number, capacity and bus type of the virtual machine disk

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 397

Which of the following descriptions about HDA components in FusionAccess is incorrect?

- A. HDA is installed when making the template
- B. HDA is a series of desktop connection service brokers
- C. and HDA The interactive protocol is HDPProtocol
- D. Every desktop virtual machine does not have to be installed HDA

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 398

Which of the following scenarios is not suitable for improving the memory reuse ratio of FusionCompute?

- A. Reduce customer hardware procurement costs
- B. Low virtual machine memory utilization
- C. While ensuring performance, customers require a single host to deploy the maximum number of virtual machines
- D. The memory reuse rate has reached 150% in commercial scenarios

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 399

In FusionCompute, the 10 rings can be appropriately increased, which can alleviate the packet loss of the front-end driver and improve the performance.

- A. TRUE
- B. FALSE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 400

In the Huawei desktop cloud system, which of the following descriptions are correct? (Multiple choice)

- A. When two virtual desktops with a dedicated desktop group type are quickly provisioned at one time, users can log in to the WI and see the two virtual machines.
- B. When two virtual desktops with a dedicated desktop group type are quickly provisioned at one time, users can log in to the WI and see one virtual machine.
- C. When two virtual desktops with the desktop group type of dynamic pool are rapidly provisioned at one time and a combined user group is assigned, users can only see one virtual machine when they log in to the WI.
- D. When two virtual desktops with a desktop group type of dynamic pool are quickly provisioned at one time and assigned to a user group, the user can log in to the WI and see the two virtual machines.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 401

Which of the following statement is correct?

- A. ITA group input access layer in FusionAccess
- B. The WI component in FusionAccess belongs to the virtual desktop management layer
- C. The desktop protocol used by FusionAccess is HDP protocol
- D. FusionAccess only supports thin terminal access

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 402

In FusionSphere OpenStack, which network plane addresses can be used to log in to the CPS interface?

- A. External API
- B. External OM
- C. Internal Base
- D. External Base

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 403

What are the log collection methods of FusionAccess? (Multiple choice)

- A. Manually obtain logs through WinSCP
- B. Use HuaweiDesk to collect user virtual logs
- C. Use the "Log Extraction" function on TCM to obtain logs remotely
- D. Use the FusionCare tool to obtain logs

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 404

The following about eBackupDescription of virtual machine automatic backup, which options are correct? (multiple choice)

- A. Support separate backup time windows for full backup, incremental backup or differential backup.
- B. Backup storage can only be a local virtual disk.
- C. Supports setting the retention time of backup data to automatically clear expired backup data.
- D. Support setting backup policy priority.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 405

When configuring FusionCompute, if the binding mode of the network card of the CNA host is set to load sharing, the switch port must do port aggregation; if the binding mode of the network card of the CNA host is active and standby, the connected switch port must be connected. LACP protocol must be configured.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 406

In FusionAccess, which of the following allocation types of full replication virtual machines cannot be restored after allocation?

- A. Dynamic Multi-User

- B. Static Multi-User
- C. Pool Mode Users
- D. Single User

Answer: B ([LEAVE A REPLY](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 407

On AD, a sub-OU can be created for an OU according to the organizational structure of the enterprise

- A. TRUE
- B. FALSE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 408

Which virtual disk type is used for the thin disk configuration of the FusionCompute virtual machine?

- A. Fixed disk
- B. SSD
- C. Differential Disk
- D. Dynamic Disks

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 409

[True or False] In order to ensure the consistency of the source and destination data after business migration, the business migration should be done before the final synchronization.

Machine out of business.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

(judge Question) In order to ensure the consistency of the source and destination data after the business migration, the business migration should be done before the final synchronization.

NEW QUESTION: 410

Which of the following operations cannot be performed by FusionCompute on the data disk mounted on the running virtual machine?

- A. Increase disk capacity
- B. Modify the 10th floor style of the disk
- C. Unbind the disk
- D. Modify the disk name

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 411

(Multiple choice) The following about FusionCompute in the description of Virtualization Antivirus, which options are correct?

- A. use FusionCompute Secure User VM supports generating memory snapshots when virtualizing antivirus
- B. use Fusion Compute When virtualizing antivirus, the security service virtual machine does not support generating memory snapshots
- C. Deploy one security service virtual machine per host
- D. Each host can be configured with multiple secure user virtual machines

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 412

Which description is incorrect about the memory QoS of FusionCompute? (Multiple choice)

- A. After enabling memory QoS, the memory space that the virtual machine can use can exceed the memory size set by the virtual machine.
- B. Memory QoS technology is as effective as physical machines.
- C. Through memory QoS, the problem of resource preemption during memory multiplexing can be solved.
- D. Memory QoS technology is mainly implemented by setting memory reservation and memory share.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 413

During the deployment and implementation of the FusionAccess gateway and load balancer, if the user logs in to the self-service maintenance gateway, the It shows that there is no gateway available, which of the following reasons cannot be caused?

- A. ITA configure on vAG of IP wrong address.
- B. vAG After the component was installed, the service did not start.
- C. There is a firewall in the network, and the firewall is not allowed to pass through vAG service port.
- D. vAG configure on HDC wrong port.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 414

In the FusionSphere server virtualization backup scenario, which of the following items can be used as eBackup protection set in ? (many)

- A. Virtual machine disks in FusionCompute
- B. Virtual machines in FusionCompute
- C. Clusters in FusionCompute
- D. Data storage in FusionCompute

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 415

Which of the following components does the GaussDB component in FusionAccess provide data storage services for? (Multiple choice)

- A. WI
- B. HDC
- C. ITA
- D. TCM

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 416

Which of the following are the characteristics of linked clone type virtual machines? (Multiple choice)

- A. Suitable for highly standardized desktop scenarios
- B. Fast creation
- C. takes up little storage space
- D. Suitable for personalized users

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 417

After a user logs in to the virtual machine, when the FusionAccess infrastructure virtual machine (including HDC, WI, DB, and ITA components) is shut down, the logged-in user can still use it normally.

- A. TRUE
- B. FALSE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 418

To restore data to the backup server, you need to select the backup file of the corresponding component. What is the principle of the backup file?

- A. Check the time of the corresponding component failure alarm first, and select the closest backup file before the failure time to restore
- B. Check the time of the corresponding component failure alarm first, and select the backup file with the largest volume before the failure time to restore

C. Check the time of the corresponding component failure alarm first, and select the closest backup file after the failure time to restore

D. Check the time of the corresponding component failure alarm first, and select the backup file with the largest volume after the failure time to restore

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 419

(Multiple choice) Users use VNC Log in FusionCompute. After the virtual machine is found to be unable to operate normally, there is a stuck phenomenon (for example, the file cannot be opened, etc.), which of the following reasons may cause this phenomenon?

A. Storage link is unstable

B. virtual machine corruption

C. The service link is unstable

D. The management link is unstable

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 420

In the Huawei FusionCloud scenario, in the following description of the AZ planning and design, the wrong one is which items?

A. OpenStack can be divided into multiple different bare metal resource pools (AZ)

B. If the tag of the group matches, selecting a certain specification is equivalent to selecting the host group with the corresponding tag.

C. The same virtualization is divided into several AZs using the principle of maximum computing pool and storage pool, that is, if there are 2 computing pools. All pools are connected to the same set of storage pools and are divided into 2 AZs: If there is 1 compute pool connected to 3 sets of storage pools, Divide into 3 AZ

D. The division of host groups is ultimately reflected in the choice of specifications when creating cloud hosts. Specification of labels required and host

E. AZ is included in Region, AZ cannot cross Region

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 421

Huawei Desktop Cloud launched a sub-HD mapping desktop solution, which can support a variety of high-definition mapping software.

According to its 3D display implementation principle, which of the following technologies are mainly used? (Multiple)

A. GPU hardware virtualization

B. graphics workstation management

C. Device redirection

D. GPU pass-through

Answer: A,D ([LEAVE A REPLY](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 422

During the process of distributing virtual desktops by FusionAccess, which of the following components will the virtual desktops send a registration request message to?

- A. HDC
- B. HDA
- C. ITA
- D. GaussDB

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 423

(Multiple choice questions) FusionaccessWhich of the following logs are collected during system failure?

- A. User terminal log
- B. Fusioncomputerun log
- C. User VM logs
- D. LinuxInfrastructure virtual machine running log

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 424

The virtual machine fails to start on FusionCompute. Which of the following measures can be taken to fix the failure? (Multiple choice)

- A. Repair the host network link
- B. Recreate a virtual machine of the same size
- C. Check the remaining storage space to ensure that there is enough storage space
- D. Take the host out of maintenance mode

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 425

Backing up different components in the FusionAccess system requires different backup settings by which of the following descriptions about the backup settings corresponding to each component is correct? (many)

- A. When backing up AD, in FusionAccess "System Management > Initial Configuration > Domain/OU", the "Enable Backup" is set to "Yes"
- B. When backing up DHCP, you need to configure DHCP information in the "Alarm Component" of FusionAccess
- C. When backing up VLB components, you need to configure VLB information in FusionAccess "Monitoring Components"
- D. When backing up DNS, you need to configure DNS information in FusionAccess "Alarm Component"

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 426

In the distributed virtual switch of FusionCompute, which of the following are required for the virtual machine to communicate with the external network communicate with each other?

- A. virtual network card
- B. storage interface
- C. uplink
- D. port group

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 427

In FusionCompute, what is the north-south flow of business data?

- A. Traffic generated by customers accessing the data center through the Internet
- B. Virtual machine live migration
- C. Cross-data center mutual access between virtual machines
- D. The virtual machines in the data center access each other

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 428

The FusionAccess WI has displayed a list of virtual machines, but the virtual machine desktop cannot be logged in. Recommended for this situation.

Check from which of the following aspects? (multiple choice)

- A. Whether the template virtual machine is configured with an administrator password.
- B. Whether other users have logged in to the virtual machine.
- C. Whether the virtual machine cloudClient client is deleted by mistake.
- D. Whether AD and HDC are double-clicked abnormally.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 429

Which of the following descriptions about the HA configuration of the FusionCompute virtual machine are correct? (Multiple choice)

- A.** The delay policy is configured. During the delay time, the I/O of the virtual machine will be retransmitted in the back-end driver.
- B.** The data storage failure handling policy is set to not be processed. If the data storage failure time exceeds the time set by "Policy Delay", the virtual machine will be automatically shut down to avoid data damage.
- C.** The host fault handling policy is set to HA virtual machine. When the host where the virtual machine is located fails, the system will re-select the host to start the virtual virtual machine according to the virtual machine startup policy set in the cluster.
- D.** The host failure handling policy is set to restore the virtual machine on the original host. When the host where the virtual machine is located fails, the system will restart the virtual machine on the original host only after the host has recovered.

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 430

When using FusionCompute to modify the system management plane VLAN fails, when the VRN is deployed on the physical server.

When the management plane VLAN of the VRM node and host can be modified manually, the administrator needs to What are the prerequisites? (multiple choice)

- A.** The VRM node or host version to be modified has been obtained.
- B.** The BMC IP address of the VRM node or host of the VLAN to be modified has been obtained.
- C.** The login user name and password of the VRMI node or host BNC system of the VLAN to be modified have been obtained.
- D.** The "root" user password of the VRM node or host of the VLAN to be modified has been obtained.

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 431

Which of the following descriptions about HDA components in FusionAccess is incorrect?

- A.** HDA is a series of desktop connection service agents
- B.** Every desktop virtual machine does not have to install HDA
- C.** HDA is installed when the template is made
- D.** The protocol that interacts with HDA is the HDP protocol

Answer: B (LEAVE A REPLY)

NEW QUESTION: 432

The IP address of the cloud service ink that needs to be configured when using the terminal to access the virtual desktop is the IP address of which of the following components?

- A.** HDC
- B.** ITA
- C.** WI
- D.** HDA

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 433

Regarding the description of the user logging in to the virtual machine, which of the following is incorrect?

- A.** When a user logs in to a desktop virtual machine with a domain account, the system compares the account information stored in the domain controller database with the information provided by the user.
- B.** When a user logs in to a desktop virtual machine with a non-domain account VNC, the system will use the account information stored in the virtual machine database to compare with the information provided by the user.
- C.** When a user logs in to a desktop VM with a domain account, the WI will authenticate the user information to AD.
- D.** The user virtual machine synchronizes information from the domain controller, which can be synchronized when the user logs in, or can be forced to synchronize through AD.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 434

FusionAccess supports using the issued full replication virtual machine as a full replication virtual machine template, and corresponding the operation sequence to its operation.

Answer:

Correspondence

Step 1-----Reset the built-in administrator password

Step 2-----Remove domain users

Step 3-----Virtual machine de-domain

Step 4-----Update the template

Step 5----- Convert the virtual machine to a template

Step 6-----Configure the template

NEW QUESTION: 435

FusionCompute supports importing a VMDK type disk file to create a new virtual machine.

- A.** TRUE
- B.** FALSE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 436

Regarding the description of HDP display technology, which of the following is incorrect?

- A.** Only support Huawei's specific self-developed image compression algorithm.
- B.** It can automatically identify unnatural images such as text, Windows frames, and lines in the entire image.

C. Natural images such as photos and pictures are lossy compressed with an appropriate compression rate.

D. Use lossless compression for unnatural images.

Answer: ([SHOW ANSWER](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 437

Which of the following descriptions about the image service/MS in the FusionCloud private cloud scenario is wrong? (one)

A. Users can accept private images shared by other users, but cannot use them as their own images

B. The public image is a common standard operating system image, visible to all users, and the public image includes operations The system and pre-installed public applications need to self-configure the application environment or related software according to the actual situation of the user.

piece B.

Support customers to complete the custom management of images through the console or API

C. According to the creation method, private images are divided into the following two types: those created through the elastic cloud server and those created through external images. like file creation

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 438

(True or False)FusionaccessSupports monitoring of resource load by manual or automatic means. Shut down virtual machines that are not in use.

A. True

B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 439

Which of the following scenarios does virtualization apply to? (multiple choice)

A. An enterprise needs a high-load, sophisticated environment

B. The daily use of office desk applications by employees of a certain unit is highly similar.

C. A company has a total of ten business systems, and the utilization rate of the host resources carrying these businesses is less than 20%.

D. A scientific research institution uses a customized operating system to ensure the confidentiality of scientific research results.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 440

The distributed switch function of Fusion compute is similar to that of a physical switch. Which of the following options can link virtual machines and physical network? (multiple choice)

A. VLAN Pool and Subnet Alarm Definition Rules

B. port group

C. downlink

D. Uplink

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 441

Which of the following descriptions about Fusioncompute deleting security groups is incorrect? (Multiple choice)

A. After the security group is deleted, all security group rules in the group are deleted at the same time

B. Except for a security group to which the virtual machine belongs, other security groups do not affect the virtual machine.

C. There is no virtual machine in the security group. If there is a virtual machine in the security group, you need to move the virtual machine out of the security group.

D. The authorization behavior between the security group to be deleted and other security groups does not affect the deletion operation.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 442

WI provides users with access to virtual desktops, where users can connect, start, and restart virtual desktops.

A. FALSE

B. TRUE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 443

Users may encounter various problems in the process of using the FusionAccess virtual machine desktop. Correspond the following fault phenomena and their possible fault causes. (Connection question)

Answer:

Cannot enter text when logging in to the virtual machine in SC mode-----Users frequently switch between the local PC and the virtual machine desktop

When inserting a USB device, it prompts "installing the driver" ----- the policy is incorrect or not configured

The virtual machine desktop screen flickers -- a browser configuration problem

The virtual machine desktop blue screen or black screen ----- The virtual machine operating system is faulty

NEW QUESTION: 444

In FusionCompute, it is found that the IP address of a Windows PC is 0.0.0.0. Which of the following may be the cause?

- A. the virtual machine's IP address is manually set to 0.0.0.0.
- B. the virtual machine's IP address is DHCP distributed.
- C. The virtual machine is not installed Tools.
- D. the virtual machine's IP address is set manually.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 445

Users can either FusionAccess Modify the specifications of the virtual machine on the FusionCompute Modify the specifications of the virtual machine above.

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 446

A multi-threaded application has a relatively large overhead on memory and CPU. In order to improve the performance of the application in FusionCompute performance during deployment, which of the following functions is recommended to be enabled? (one)

- A. NUMA Affinity Scheduling
- B. DRS
- C. Memory over-allocation
- D. CPU over-allocation

Answer: (SHOW ANSWER)

NEW QUESTION: 447

Which of the following product logs can FusionCare collect? (Multiple choice)

- A. FusionAccess
- B. OceanStor BCManager eB ackup
- C. FusionCompute
- D. FusionStorage Block

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 448

In ManageOne, the administrator can know what is in the user's system through the user monitoring session.

Online users and the addresses of these users accessing the system, the time of access, and the roles they belong to.

- A. FALSE
- B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 449

In the user login connection process of FusionAccess, the user accesses the virtual machine through the vAG, then Which of the following information does HDC generate after a successful preconnect? (multiple choice)

- A. Login ticket
- B. Token
- C. Address ticket
- D. Virtual machine IP and port

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 450

(Multiple choice) Which of the following laasservice usageFusioncloudUsed when building a forum website?

- A. EVS
- B. RDS
- C. VPC
- D. ECS

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 451

In the following description of the relationship between IMS and ECS.BMS in Fusioncloud, which options are correct?

Exactly? (many)

- A. The BMS needs the IMS to provide an available image in order to create it normally
- B. IMS is an independent service and has no relationship with other services.
- C. Users can convert ECS into a private image.
- D. ECS promises to provide a usable image from IMS before it can be created.

Answer: ([SHOW ANSWER](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 452

In Huawei FC, in order to facilitate unified management, each DVS needs to be configured with a management IP address.

- A. Correct
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 453

(Multiple Choice) Huawei Fusion Sphere Openstack middle Neutron Which of the following advanced network services can be provided to tenants?

- A. VPN
- B. firewall
- C. load balancing
- D. anti-virus

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 454

What type of migration is the migration of desktop virtual machines?

- A. Live Migration
- B. Cold Migration
- C. Storage Migration
- D. Memory Migration

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 455

Which data on the FusionCompute host is usually forwarded using the management port? (single choice)

- A. Business virtual machine live migration command
- B. Business virtual machine system disk data
- C. Business virtual machine data disk data
- D. Business virtual machine memory access data

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 456

The panorama of Huawei's disaster recovery solutions includes local, intra-city, and remote storage. Which of the following descriptions about the three disaster recovery solutions is incorrect?

- A. Local high availability can use real-time mirroring and synchronous replication solutions. Due to the close bandwidth and distance, it usually requires RPO=0.
- B. Local high availability deploys services in the same computer room in close proximity.
- C. the remote disaster recovery party can choose the remote active-active and remote active-standby solutions according to different needs
- D. For intra-city disaster recovery, you can choose intra-city active-active and intra-city active/standby solutions according to different needs.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 457

(multiple choice) Which of the following is ManageOne's operation side? What are the functions provided by the operation side?

- A. VDCmanage
- B. Application management
- C. Application resource monitoring
- D. project management

Answer: (SHOW ANSWER)

NEW QUESTION: 458

FusionCompute performs virtual machine hot migration when memory multiplexing is enabled. If some data of the virtual machine is in the swap space, the migration time will be longer.

- A. TRUE
- B. FALSE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 459

FusionCloud supports the capability of one cloud and multiple pools, and supports heterogeneous virtualization. VMware and KVM virtualization.

The pool can be connected to the same Az for easy scheduling and management.

- A. FALSE
- B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 460

Which of the following is incorrect about the description of the cloud disk service in the FusionSphere cloud data center?

- A. When creating a cloud host, if you use an image with the option of "Quick Provisioning of Virtual Machines" checked, the system disk does not support capacity expansion.

- B. Cloud hard disk does not support changing storageSLA
- C. The available partition type is "FusionCompute"and"KVM", the system disk can be uninstalled from the cloud host
- D. Cloud hard disk does not support online expansion, you need to uninstall the cloud hard disk from the host first

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 461

When an engineer designed Huawei BCManager eBackup backup for a customer, he found that FusionStorage was used for production storage. Which of the following networking methods is more suitable for this customer?

- A. LAN-Base
- B. LAN-Free
- C. Server-Less
- D. Server-Free

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 462

BMS,IMS,ECSRelationship. (many)

- A. IMSis a standalone service
- B. createBMSmust passIMSServe
- C. createBMScan not be usedIMSService
- D. createECSmust passIMSServe

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 463

The company plans to deploy a large number of linked clones, using oneOceanStor5500As back-end storage, which disk solution is more suitable?

- A. 100piece1T8 SATADisks form storage pools. internal useRAID6Beautiful
- B. 50piece2TB SATADisks form storage pools. internal useRAID5type
- C. 50piece2TB SATAAdministrative disks form a storage pool for internal useRAID6type
- D. 100piece1TB SATADisks form a storage pool for internal useRAID5type

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 464

In the user login connection process of FusionAccess, what information does vAG send to HDC in exchange for the real IP and port of the virtual machine?

- A. Login ticket
- B. Token
- C. Address ticket
- D. Network ticket

Answer: C (LEAVE A REPLY)

NEW QUESTION: 465

What are the memory multiplexing technologies of FusionCompute? (Multiple choice)

- A. Memory sharing
- B. Memory replacement
- C. Memory Transparent Huge Pages
- D. Memory bubbles

Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 466

Which of the following descriptions about the Fusion Compute disk mode is incorrect?

- A. If a virtual machine is bound to an "independent persistent" or "independent-non-persistent" disk, after creating a snapshot of the virtual machine, the disk is unbound and not bound to other virtual machines, the virtual machine restored from the snapshot will be reset The disk is set, but the disk data is not restored.
- B. If the virtual machine is bound to an "independent persistent" or "independent-non-persistent" disk, the data on the disk will not be affected after the power is turned off or the snapshot is restored.
- C. If you select "Independent-Persistent" or "Independent-Non-Persistent", the data of the disk density will not be snapshotted when creating a snapshot of the virtual machine. When restoring a virtual machine using a snapshot, the data on that disk is not restored.
- D. If the virtual machine is bound to an "independent persistent" or "independent non-persistent" disk and the disk is deleted, the disk does not exist on the virtual machine recovered from the snapshot

Answer: C (LEAVE A REPLY)

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:

https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As

Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 467

A company plans to migrate some of its existing businesses running on physical devices to Before migrating the FusionCloud platform, the status quo needs to be assessed. Which of the following scenarios is best for migration Go to the cloud?

- A. The application requires special hardware support.

- B. The application requires high-performance graphics card and image processing.
- C. Physical server non-X86 architecture.
- D. The company's daily office system, such as OA system.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 468

The FusionAccess system administrator needs to delete the user from the user group in AD to recover the dynamic multi-user with the desktop group type of dynamic pool.

- A. FALSE
- B. TRUE

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 469

Regarding the four disk configuration modes supported by FusionSphere, which of the following descriptions are correct? (Multiple choice)

- A. Non-virtualized storage of block storage only supports ordinary disks and raw device disks
- B. NAS storage supports normal, thin disks and raw device disks
- C. The raw device disk uses the physical LUN stored in the SAN directly as a disk and binds it to the service virtual machine.
- D. Virtualized storage supports normal disks, thin disks and normal delayed zeroed disks

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 470

In the usage scenario of the Rainbow migration tool, which of the following methods can be used for Linux and Windows to resume the transfer from a break-point?

- A. Sersunc, astcopy
- B. rsync, fastcopy
- C. unison, fastcopy
- D. rsync, teracopy

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 471

Which of the following descriptions about disaster recovery backup are correct? (many)

- A. The disaster recovery system only protects the recoverable version data at different time points
- B. The backup system not only protects data, but also ensures business continuity
- C. Disaster recovery is mainly aimed at major natural disasters such as fires and earthquakes. Therefore, there must be a connection between the production site and the disaster recovery site. A certain safety distance must be maintained
- D. Backup is mainly aimed at factors such as human misoperation, virus infection, logic errors, etc. Data recovery, data backup is generally carried out in the same data center

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 472

In the FusionCompute system, which of the following is not a storage device?

- A. A LUN on OceanStor
- B. Storage pools on FusionStorage
- C. Local hard drive
- D. NAS

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 473

In the ManageOne operation and maintenance plane, when the administrator performs routine maintenance or handles user requests, the Tenant resource page, query resources according to requirements. After querying the required resources, click the required query The resource name of , which of the following can be seen on the resource details page? (many)

- A. Topology
- B. Basic information about the resource
- C. alarm
- D. Components

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 474

Which of the following is not information stored in a domain controller?

- A. Workstation Partition Information
- B. User Authentication Information
- C. Security Policy Information
- D. Account Information

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 475

When the desktop virtual machine cannot be connected, vDek can be used to check and repair the repairable options automatically,

- A. FALSE
- B. TRUE

Answer: (SHOW ANSWER)

NEW QUESTION: 476

The reasons for the failure to log in to the FusionAccess management system do not include which of the following?

- A. Incompatible browser version
- B. WIService exception
- C. ITAService exception

D. username or password is incorrect

Answer: [B \(LEAVE A REPLY\)](#)

NEW QUESTION: 477

Regarding the description of the HDP voice technology implementation process, which of the following is correct? (Multiple choice)

- A. In the recording stage, the desktop cloud client will obtain the local recording data, compress the data and transmit it to the desktop cloud server, and the server will decode it and return it to the Windows audio subsystem by the audio driver.
- B. In the playback stage, the audio driver will receive the audio data sent by the Windows audio subsystem, and directly transmit it to the desktop cloud client for playback without compression.
- C. The desktop cloud server can implement an audio driver in the virtual machine, and the audio driver will interact with the Windows audio subsystem.
- D. Audio is very sensitive to delay, so the process of HDP voice technology implementation should strictly control the audio delay.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 478

(Multiple choice) Which of the following is FusionCompute. What are the necessary conditions for a virtual machine to communicate properly with other virtual machines?

- A. Configure pinning for this virtual machine IP address
- B. Configure the correct virtual machine IP address
- C. Configure the gateway address for this virtual machine
- D. Configure the correct configuration for this virtual machine MAC address

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 479

The following about FusionAccess in the description of the virtual machine disk configuration mode during fast provisioning, which options are correct?

- A. When the virtual machine template is a full copy template, the configuration mode is recommended to be normal delay zero.
- B. When the virtual machine template is a full copy template, the configuration mode must be normal delay zero
- C. When the virtual machine template is a linked clone template, the configuration mode is recommended to be thin
- D. When the virtual machine template is a linked-clone template, the configuration mode must be condensed Correct

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 480

(Multiple Choice) In HuaweiBCManager eBackupmiddle,CBTIt is one of the ways to achieve backup. The backup method used in the first backup is full backup. For different backup objects, the content of the backup is different. Which of the following descriptions are correct?

- A. When the backup object is a host, back up all the data of the host
- B. The backup object isLUNwhen theLUNAll data in the storage pool to which it belongs are backed up
- C. When the backup object is a virtual machine, the first backup will back up all data on all disks of the virtual machine
- D. When the backup object is a virtual machine disk, the first backup will back up all the data on the disk.

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 481

Regarding the description of the cloud server disaster recovery service in the FusionSphere private cloud solution, which of the following is incorrect?

- A. The storage layer replication disaster recovery technology used by the cloud server disaster recovery service
- B. In order to provide cloud server disaster recovery services, the storage used by the protected cloud server can be AdvancedSAN
- C. After the cloud service data center is built, customers can apply for cloud server disaster recovery services to ensure the business connectivity of the cloud server. The whole process does not require administrators to operate in the background
- D. In order to provide cloud server disaster recovery services, the back-end storage needs to enable remote replication

Answer: (SHOW ANSWER)

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here: https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 482

The following description about FusionCompute clusters, hosts and virtual machines, which option is incorrect of?

- A. Virtual machines can be migrated across clusters
- B. Whether multiple hosts belong to the same cluster depends on whether they use the same shared storage

- C. A cluster is composed of storage and network resources associated with multiple host machines.
- D. Hosts can be moved between different clusters

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 483

In the process of the daily operation and maintenance, Huawei desktop administrators need to manage accounts in the system. Which of the following description of account management specifications is incorrect?

- A. After changing the password, maintain and regularly change the system password table
- B. In order to prevent the problem of easy loss and trouble recording due to too many user passwords, multiple operation and maintenance administrators can share the same account.
- C. For operation and maintenance personnel in different regions, it is recommended to create different accounts and manage them separately.
- D. Record and manage the login account and password of FusionCompute and FusionAccess.TCM Porta1.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 484

When using Rainbow for virtual machine license migration, if the destination platform FC uses the mode of three-member separation then.

Which privilege user can be used as a docking user

- A. super administrator
- B. Security Auditor
- C. system administrator
- D. Security administrator

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 485

Which of the following descriptions about VLAN pools in Fusioncompute are correct? (Multiple choice)

- A. Port groups can be created as long as there is a VLAN pool.
- B. The start VLAN ID and end VLAN ID must be set when creating a VLAN pool
- C. VLAN IDs cannot overlap between different VLAN pools in a DVS
- D. When deleting a VLAN segment, there must be a start VLAN ID and an end VLAN ID. By default, the entire VLAN segment is deleted.

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 486

When registering the image type of Fusioncompute, the user needs to select the corresponding image server type, Which of the following are standard mirror server types? (many)

- A.** Glance: When registering an image, upload the image file to Glance through HTTPS or NFS upload Register in backend storage
- B.** OBS: To use OBS as a mirror server, the IP address of the OBS service is required to be on the same level as the CNA management.
face to face
- C.** The management plane of CNA communicates with C and NFS: use a third-party NFS server as a mirror server, and require NFS to provide the IP service the address communicates with the management plane of the CNA
- D.** Swift: Use the object file as the mirror server, requiring the IP address of the object storage service to be the same as the

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 487

The FusionSphere unified installation tool cannot discover the host. Which of the following may cause this fault? (Multiple choice)

- A.** The local PC and the host installation plane are not in the same network segment, and the DHCP relay is not configured
- B.** The host has an operating system installed
- C.** The host network card does not enable the PXE function
- D.** There is no free IP in the DHCP address pool

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 488

Before creating a FusionCare information collection task, you must ensure that the client time, FusionCare server time, and machine time of the node to be collected are consistent, otherwise, abnormal information collection may occur.

- A.** FALSE
- B.** TRUE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 489

In the FusionCompute system, which of the following description about the disk bus type is incorrect?

- A.** The disk bus type created on the raw device mapped data store can be IDE.
- B.** virtio performance is better, IDE performance is poor
- C.** The disk bus type created on the raw device mapped data store can be virtio
- D.** The disk bus type created on a non-raw device mapped data store can be SCSI

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 490

In the Huawei Desktop Cloud solution, which of the following descriptions are correct regarding the correspondence between desktop groups and virtual groups? (Multiple choice)

- A. "Linked-clone" virtual groups correspond to "exclusive" desktop groups, including "static multi-user" and "single-user"
- B. The "full replication" virtual group corresponds to the "private" desktop group, which includes "static multi-user" and "single-user"
- C. The "linked clone" virtual group uses the "dynamic pool" desktop group. When the user logs in for the first time, the desktop group will randomly assign a virtual machine to bind the user.
- D. The "linked clone" virtual group uses the "static pool" desktop group. When a user logs in for the first time, the desktop group will randomly assign a virtual machine to bind the user

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 491

Use the Rainbow tool for migration operations, after the migration of the operating system's magnetic, network card, system, etc.

Configuration may change. Which of the following descriptions about the system changes after the Rainbow River relocation are correct item? (many)

- A. The license needs to be reactivated after Windows migration
- B. Windows dynamic disk will become a shared disk after migration
- C. The network card MAC and IP address will change
- D. Disk drives may change after migration

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 492

Huawei ManageOne OperationCenter synchronizes alarm data from lower-level management systems through HTTPS and SNMP Trap. The former ensures that alarms can be detected in a timely manner, while the latter ensures that alarms will not be lost.

- A. FALSE
- B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 493

Which of the DVS descriptions of FusionCompute are correct? (Multiple choice)

- A. The uplink of a distributed virtual switch can only correspond to one network port of one CNA host.
- B. A CNA can only be associated with one distributed virtual switch.
- C. A distributed virtual switch is a necessary condition to realize cross-host migration of virtual machines.
- D. A distributed virtual switch can only have one uplink on a CNA host.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 494

Which of the following descriptions about FusionAccess log collection are correct? (Multiple choice)

- A. Linux system logs are generally located in the /var/log directory.
- B. You can log in to the Linux system infrastructure virtual machine through the gandalf user ssh, and then copy the component logs to the local.
- C. You can log in to the user virtual machine through ssh to collect logs.
- D. The database service check log and database operation log of GuessDB can be collected.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 495

In the FusionSphere server virtualization scenario, when deploying a virtual machine according to a template, if the disk property is set to "non-persistent", the operating system will be lost after the virtual machine is restarted.

- A. FALSE
- B. TRUE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 496

Which of the following GPOs are built into the AD domain by default? (Multiple choice)

- A. Default Domain User Policy
- B. Default Domain Policy
- C. Default Domain Controller Policy
- D. Default UserGroup Policy

Answer: B,C ([LEAVE A REPLY](#))

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam! PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 497

(multiple choice) inFusionSphere OpenStack, which roles must be deployed on the control node?

- A. controller
- B. zookeeper
- C. sys-server
- D. keystone

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 498

At present, there are many mainstream cloud desktop protocols in the desktop cloud market. The following desktop cloud protocols are corresponding to their descriptions: (Connection question)

Answer:

RDP-----The worst image display experience among all mainstream protocols

LCA and HDP----the lowest transmission bandwidth requirement among all mainstream protocols

PCoIP-----Worst support for bidirectional audio and video playback among all mainstream protocols

NEW QUESTION: 499

FusionComputeThe virtual machine fails to create a memory snapshot. Which of the following conditions may cause this failure?

A. The host "host memory multiplexing" of the cluster where the virtual machine is located is disabled

B. The virtual machine is bound to a shared disk

C. Another virtual machine on the current host is taking a memory snapshot

D. The guest operating system does not support creating memory snapshots

Answer: B,C,D (LEAVE A REPLY)

Valid H13-531_V2.0 Dumps shared by PrepPdf.com for Helping Passing H13-531_V2.0 Exam!

PrepPdf.com now offer the **newest H13-531_V2.0 exam dumps**, the PrepPdf.com

H13-531_V2.0 exam **questions have been updated** and **answers have been corrected** get

the **newest** PrepPdf.com H13-531_V2.0 dumps with Test Engine here:

https://www.preppdf.com/Huawei/H13-531_V2.0-prepaway-exam-dumps.html (768 Q&As

Dumps, **40%OFF Special Discount: Exam-Tests**)