

Huawei.H13-611_V4.5.v2022-10-30.q154

Exam Code:	H13-611_V4.5
Exam Name:	HCIA-Storage V4.5
Certification Provider:	Huawei
Free Question Number:	154
Version:	v2022-10-30
# of views:	2291
# of Questions views:	1540
https://www.freeqas.com/qa/Huawei/H13-611_V4.5/Huawei.H13-611_V4.5.v2022-10-30.q154.html	

NEW QUESTION: 1

When a company customer needs to complete data migration between devices, which features can be used to complete it? (Multiple choice)

- A. Remote replication
- B. LUN copy
- C. Smart Migration
- D. Clone

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 2

A company has a variety of services such as mail and online storage, and has limited storage space. It plans to use Smart Thin technology to optimize storage space.

Regarding Smart Thin, which of the following statements are correct? (Multiple Choice)

- A. Smart Thin does not allocate all the space in advance, but presents the capacity form larger than the physical storage space to the customer
- B. Smart Thin does not support the creation of LUNs larger than the maximum physical free space of the storage pool
- C. Smart Thin virtualizes storage resources
- D. The implementation of Smart Thin is to allocate on demand

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

All-flash memory (such as Huawei Oceanstor) uses the smartMation architecture to realize the front-end and back-end interconnection. The failure of any controller does not affect the normal business.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

Which of the following description about CIFS and NFS sharing is incorrect? (Multiple choice)

- * If the file system has been set as a CIFS share and then an NFS share is added, the NFS share can only be set as read-only.
- * If the file system has been set as an NFS share and then a CIFS share is added, the CIFS share can only be set as read-only.

Protocol	Transfer Protocol	Client	Failure Effect	Efficient	Supported operating system
CIFS	TCP/IP	Operating system integration does not require other softwares	Big	High	Windows
NFS	TCP or UDP	Need other softwares	Small: The connection can be automatically restored when the interactive process is interrupted.	Low	Linux

- * CIFS is a network-based sharing protocol, which requires high reliability of network transmission, so it usually uses TCP/IP. NFS is used for independent transmission, so it uses TCP or UDP.
 - * One disadvantage of NFS is that the client must be equipped with dedicated software. CIFS is integrated into the operating system and no additional software is required.
 - * NES is a stateless protocol. And CifS is a stateful protocol. After NFS connection fails, the connection can be automatically restored, but CIFS cannot. CIFS only sends a little redundant information, so it has a higher transmission efficiency than NFS.
- A.** CIFS is a protocol based on network sharing, which has high requirements on the reliability of network transmission, so TCP protocol is usually used for transmission
- B.** One disadvantage of CIFS is that Windows clients must install professional software
- C.** NFS is a stateless protocol, while CIFS is a stateful protocol. NFS can automatically recover from link failures, while CIFS cannot
- D.** Regardless of CIFS or NFS protocol, the client is required to perform file format conversion.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

Distributed storage uses system storage on the cloud and only provides object storage. If you need file storage, you need to purchase NAS equipment separately.

- A.** False
- B.** True

Answer: **A** ([LEAVE A REPLY](#))

NEW QUESTION: 6

In which of the following scenarios InfiniBand can be applied? (Multiple Choice)

- A. Interconnection between Fusion Cube devices
- B. Interconnection between distributed storage nodes
- C. Interconnection between storage controllers
- D. Storage interconnection between ordinary disk enclosures

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 7

Which of the following descriptions is correct? (Multiple choice)

- A. OceanStor V3 series products support 8 controllers, and the switching plane between the controllers is IP-based Scale-out interconnection
- B. In the OceanStor V3 series of new-generation storage products, the back-end loop of the same SAS interface card can be mixed with ordinary disk enclosures and high-density disk enclosures.
- C. When the control frame of OceanStor5300 V3 is expanded from 2 controllers to 4 controllers, either direct connection networking or switch networking can be used
- D. OceanStor V3 mid-range storage arrays use IP switches for interconnection, which has cost advantages. PCIe switches are dedicated switches and have relatively high costs. They are mainly used in high-end storage.

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 8

Which of the following statement of Quota tree is correct?

- A. Quota tree is a first-level directory under the file system,
- B. Ordinary users can perform quota management on the number or capacity of files under Quota Tree
- C. Quota tree can be renamed and deleted when shared by agreement
- D. Can only be created, deleted, and renamed by the administrator through the command line or GUI management interface, ordinary users can delete the empty Quota tree

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

Which of the following are the FC topology? (Multiple Choice)

- A. Peer-to-peer network
- B. Arbitration Ring Network
- C. Switching network
- D. Dual exchange network

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 10

Which of the following is correct about the NDMP protocol? (Multiple Choice)

- A. Is an open protocol based on enterprise-level data management
- B. Does not support backup disk library

- C. Mainly oriented to the field of data backup and recovery
- D. Support file backup based on CIFS or NFS

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 11

Description 1: SATA hard disk can be used in SAS environment

Description 2: In terms of interface standards, SATA is a sub-standard of SAS, so the SAS controller can directly control SATA hard disks, but SAS cannot be used directly in the SATA environment.

- A. Description 1 is wrong, description 2 is correct
- B. Description 1 is correct, description 2 is wrong
- C. Description 1 is correct, description 2 is correct

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 12

During the host's read operation of Thin LUN, what technology is used to read data from the corresponding actual storage space in the storage pool?

- A. Capacity-on-write
- B. Capacity-on-read
- C. Direct-on-read
- D. Direct-on-time

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 13

When an engineer understands the local write process of the storage system, he believes that the host first writes the IO request to a certain controller engine, and then the engine writes the value directly to the engine's local hard disk.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

Most of the data generated by the Internet industry is structured data, and this part of the data accounts for about 80% of the total amount of data.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 15

Which of the following options are not the constituent elements of the SAN architecture?


- A. Server

- B. Switch
- C. Back-end storage system
- D. Router

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

In the FC protocol, which layer is responsible for encoding and decoding?



- A. FC-3
- B. FC-2
- C. FC-0
- D. FC-1

Answer: ([SHOW ANSWER](#))

Valid H13-611_V4.5 Dumps shared by PrepPdf.com for Helping Passing H13-611_V4.5 Exam! PrepPdf.com now offer the **newest H13-611_V4.5 exam dumps**, the PrepPdf.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-611_V4.5 dumps with Test Engine here: https://www.preppdf.com/Huawei/H13-611_V4.5-prepaway-exam-dumps.html (538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

Which of the following about FC SAN network switching technology is wrong?

- A. A widely used technology that supports up to 127 devices.
- B. The switch can provide simultaneous communication between multiple nodes connected to it.
- C. A node failure in one zone will not affect node services in other zones.

D. Switches use zone to manage network partitions and provide the best interconnection method.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 18

During routine maintenance of the storage device, Engineer A entered a command such as "change user user_name=new user level=admin" through the CLI.

Which of the following statements is correct about this command? (Multiple Choice)

- A. The operation performed is: change
- B. The object to perform the operation is: user_name
- C. The attribute of the object that performs the operation is: user
- D. The modified user level is: admin

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 19

What is the measurement index of a storage system's performance? (Multiple choice)

- A. Capacity
- B. Delay
- C. IOPS
- D. Bandwidth

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

Which of the following descriptions about RAID and LUN is wrong?

- A. Multiple LUN can be created on a RAID
- B. A LUN can be created on a RAID
- C. A RAID group is like a physical volume containing many disks
- D. A LUN can belong to multiple RAID groups

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 21

The data of a certain company is archived data and online business data. If the cost of using SSD solid state drives is high, and the use of NL-SAS hard drives cannot meet the performance requirements, what are the following technologies that cannot meet user needs? (Multiple Choice)

- A. Smart Metro
- B. Smart Cache
- C. Smart Clone
- D. Smart Tier

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

The dual-switch network design is widely used in the FC SAN environment. Which of the following descriptions about the dual-switch network redundancy design is correct? (Multiple choice)

- A. Each host needs 2 available FC ports and connect the two ports to different switches
- B. Although there are multiple paths, the dual-switch network only supports link redundancy and does not support load balancing
- C. Deploy two FC switches cross-connected to the two controllers of the storage device in the SAN environment
- D. The host port and storage device port that need to communicate on the switch must be in the same zone

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

What kind of data does company employees look for in mySQL for payroll?

- A. Unstructured data
- B. Metadata
- C. Semi-structured data
- D. Structured data

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 24

The storage architectures listed below, which are scalable? (Multiple choice)

- A. IPS AN
- B. NAS
- C. FC SAN
- D. DAS

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 25

The enterprise storage device has 30T space, divided into three 10TThinLUNs, and imported 20T old data, so an error is reported.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

Huawei's full-flash storage system uses the Smart Matrix architecture to achieve front-end and back-end interconnection, and the failure of any controller does not affect normal business operations.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 27

In a database, all small IO requests, the engineer should configure

- A. raid 0
- B. raid 5
- C. raid 3
- D. raid 6

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 28

When the disk is read and written, the sector is the smallest addressing unit. You can write a piece of data to the first half of a sector, and then write a piece of data to another sector.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 29

The performance of the controller, front-end and back-end ports can be monitored through Device Manager.

Backup architecture	Advantages	Disadvantages
LAN-Base	The backup system and the application system are separated, and the hardware resources of the application server are not occupied during backup.	- Increase the investment cost of additional backup server hardware. - The backed up proxy will affect the performance of the application server. - The backup data is based on LAN, which affects network performance. - Need to maintain the backup business separately, increasing the difficulty of management and maintenance. - Higher requirements for user business processing capabilities
LAN-Free	The backup data stream does not occupy LAN resources, greatly improves the backup performance, and does not affect the user's network performance.	- The backed up proxy will affect the performance of the application server. - higher cost - There are certain requirements for equipment.
Server-Free	- The backup data stream does not occupy LAN resources and does not affect user network performance. - Almost no impact on the mainframe business - Good backup performance	- higher cost - Higher requirements for equipment
NDMP	Can shorten the backup and recovery time. It is the speed of the storage device, not the processing power of the server, that determines the throughput, so the system performance will be greatly improved.	- Although the burden of the server is greatly reduced, but still need to back up the application software. (And its host server) to control the backup process - Metadata must be recorded in the database of the backup software, which still requires CPU resources.

A. False

B. True

Answer: (SHOW ANSWER)

NEW QUESTION: 30

The x86 architecture is a type of data center infrastructure.

A. True

B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 31

Which one of the following methods can achieve the RTO optimization?

A. Disk-disk-tape

B. Disk-disk

- C. Virtual tape library
- D. Remote replication

Answer: D ([LEAVE A REPLY](#))

Valid H13-611_V4.5 Dumps shared by PrepPdf.com for Helping Passing H13-611_V4.5 Exam! PrepPdf.com now offer the **newest H13-611_V4.5 exam dumps**, the PrepPdf.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-611_V4.5 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-611_V4.5-prepaway-exam-dumps.html (538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 32

When the Meteorological Center needs to store a large amount of satellite pictures and image data, and the amount of data will grow rapidly in a short period of time, due to the elastic expansion of cloud storage, the engineer recommends using the cloud storage platform.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 33

The OceanS to r6800V 3 frame itself can be configured with four controls or only two controls. If the dual-control power supply and BBU are fully configured, the interface cards and controllers are all configured in the upper row.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 34

The IT storage equipment of a bank was relocated, and the mechanical hard disk could not be read. The engineer judged that the hard disk was broken. What are the possible reasons? (Multiple Choice)

- A. The control circuit is short-circuited and burned out
- B. Head displacement scratches the disc
- C. The flash memory particles are bad
- D. Broken head

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 35

According to the physical location of the NAS engine and storage device, NAS is divided into _____.
(Multiple choice)

- A. Internal NAS
- B. System-NAS
- C. Gateway NAS
- D. External NAS

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 36

Which RAID use parity? (Multiple Choice)

- A. RAID 3
- B. RAID 1
- C. RAID 0
- D. RAID 5

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 37

Which of the following different types of SSD disks have the lowest price per unit capacity?

- A. TLC
- B. SLC
- C. eMLC
- D. cMLC

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 38

In the Huawei OceanStor V3 storage system, a customer plans to deploy 3 systems, a business system, running an Oracle database, which requires high random read and write performance; a mail system for daily mail processing; a video system, save long-term archived videos.

When creating LUNs for each system separately, which of the following Smart Tier policy settings are correct? (Multiple choice)

- A. Video system: 1. Initial capacity allocation: priority allocation from the capacity layer 2. Data migration strategy: automatic migration
- B. Video system: 1. Initial capacity allocation: priority allocation from the capacity tier 2. Data migration strategy: migration to the low-performance tier
- C. Mail system: 1. Initial capacity allocation: automatic allocation 2. Data migration strategy: automatic migration
- D. Business system: 1. Initial capacity allocation: priority allocation from the performance layer 2. Data migration strategy: migration to the low performance layer

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 39

A data center is an infrastructure built to access and carry server services. According to the business, the data center can be divided into _____. (Multiple choice)

- A. Cloud Data Center
- B. Internet Data Center
- C. Carrier Data Center
- D. Enterprise Data Center

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 40

If the disaster recovery center in the same city fails, the production center in the cascade networking mode will lose all the backup sites.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 41

Compared with NAS storage system and file server, what are the advantages of NAS storage system? (Multiple Choice)

- A. High data security
- B. Diversified services and powerful functions
- C. Large storage space
- D. High stability

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 42

Which of the following statements about the smart matrix architecture of Huawei's flash storage system are correct? (Multiple Choice)

- A. When a controller fails, the business carried by it is forced to switch to the mirror controller.
- B. The front-end interface card can be accessed by all the controllers in the control box at the same time.
- C. The controller in a single engine can access the engine through the SAS 3.0 fully interconnected IO module, which is any hard disk.
- D. The storage pool is evenly distributed on all controllers, and RAID 2.0+ is used to manage all the SSD disks in the storage pool.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 43

Regarding the description of the Hyper Clone function, which are correct? (Multiple Choice)

- A. If the hard disk of the source LUN configured with Hyper Clone has a physical failure, the service can continue to be provided through the split target LUN

- B.** When the business source LUN fails, the data backed up by the Hyper Clone feature can be restored to the business data at any point in time
- C.** In the event of a logical failure of the source LUN, data can be reversely synchronized through the target LUN to restore the business of the source LUN
- D.** If there are multiple applications that need to use the business data of the source LUN, you can use the Hyper Clone feature to generate multiple target LUNs for multiple applications

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 44

Which of the following are Huawei storage solutions? (Multiple Choice)

- A.** Disaster recovery solution
- B.** Backup solution
- C.** Archiving solutions
- D.** Copy solution

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 45

An employee of a company did the following in the company's storage system: 9:00 took a snapshot of LUNA and activated it, 10:00 modified all the data of the snapshot LUN and source LUN, and 11:00 rolled back the snapshot.

Which of the following is correct? (Multiple choice)

- A.** After the snapshot is rolled back, the data of the source LUN becomes the data of the modified snapshot LUN at 10:00
- B.** The data in the copy space before COW write is 10:00 LUNA data
- C.** The data of the source LUN is the modified data at 10:00
- D.** The data in the copy space before COW write is 9:00 LUNA data

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 46

If a company uses an OLTP database, which migration strategy is suitable for the company's Smart Tier?

- A.** No migration
- B.** Migrate to the low-performance tier
- C.** Automatic migration
- D.** Migrate to the high-performance tier

Answer: D ([LEAVE A REPLY](#))

H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-611_V4.5 dumps with Test Engine here:

https://www.preppdf.com/Huawei/H13-611_V4.5-prepaway-exam-dumps.html (538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 47

Regarding the characteristics of DAS, which of the following descriptions is correct? (Multiple choice)

- A. When maintaining the internal DAS, the system needs to be powered off
- B. When multiple hosts connect to DAS, they can provide services of different service levels
- C. If the DAS with tight storage space can share the remaining space of the DAS with excess storage resources
- D. The number of ports that can be connected to the host is limited

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 48

The address of the sector is also called the CHS address, and the addressing sequence is?

- A. Sector-head-cylinder
- B. head-cylinder-sector
- C. Cylinder-head-sector
- D. Cylinder-sector-head

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 49

Xiao Wang, an employee of a company, serves as the administrator of the company's storage system. When he uses two sets of OceanStor5500 V3 as a disaster recovery solution, he only needs one of the OceanStor5500 V3 configuration data to remote replication software.

- A. True
- B. False

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 50

Software RAID realizes unified management of disks through RAID card.

- A. False
- B. True

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 51

Which description is wrong about NFS? (Multiple Choice)

- A. NFS does not support access control
- B. NFS can be transmitted based on FC network

- C. NFS protocol transmission distance is not more than 100 meters
- D. NFS supports Windows and Linux systems

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 52

From the perspective of the cloud computing business model, Huawei's network disk belongs to PaaS.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 53

The host layer disaster recovery investment is less, and the compatibility is better.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 54

Which of the following statements is correct about dual-controller storage? (Multiple Choice)

- A. There is only one controller at the same time in Active-Standby mode
- B. In the Active-Standby mode, a controller is not enough for business at all
- C. Compared with the Active-Standby mode, when a controller fails, the active-active mode switches higher
- D. There are two working programs: Active-Standby mode and Active-Active mode

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 55

The cloud data center virtualizes storage, computing and network resources, and provides a virtualization platform for users to use.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 56

Which of the following statements about Huawei RAID 2.0+ is correct? (Multiple choice)

- A. Automatically reserve a certain amount of hot spare space in the disk domain according to the hot spare policy
- B. RAID 2.0+ uses an independent hot spare disk
- C. Hot spare space cannot cross engines
- D. Chunk size and Extent size are not adjustable

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 57

Incremental backups must rely on the last full backup and the last incremental backup to fully restore the data during data restoration. Data reconstruction during restoration is slower than a full backup, and the restoration window is larger.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 58

Which of the following storage system architectures has its own file system?

- A. IPS AN
- B. FC SAN
- C. NAS
- D. DAS

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 59

Which is the correct description of the FTP file transfer protocol?

- A. Port 21 transmits data by default
- B. Cannot be used in Linux scenarios
- C. Port 21 create control information by default
- D. Transmission based on TCP protocol

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 60

Regarding the Refactoring, which of the following statement is incorrect?

- A. Refactoring affects RAID performance
- B. Refactoring will not interrupt the RAID business
- C. Refactoring does not necessarily require a hot spare disk
- D. RAID 0, 1, 3, 5, 6 and 10 support Refactoring

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 61

Which of the following descriptions are correct about IP scale-out expansion? (Multiple Choice)

- A. IB protocol can be used
- B. PCIe protocol can be used
- C. TCP/IP protocol can be used
- D. iwaRP protocol can be used

Answer: C,D ([LEAVE A REPLY](#))

Valid H13-611_V4.5 Dumps shared by PrepPdf.com for Helping Passing H13-611_V4.5 Exam! PrepPdf.com now offer the **newest H13-611_V4.5 exam dumps**, the PrepPdf.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-611_V4.5 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-611_V4.5-prepaway-exam-dumps.html (538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 62

Description 1: The data recovery of the snapshot depends on the source data.

If the source data is physically damaged, it cannot be recovered.

In this case, the clone can still recover the source data.

Description 2: After the source data is damaged, LUN copy must make a complete copy of the backup data to restore the source data.

The clone only needs to restore the damaged data, which greatly shortens the recovery time.

-Snapshot: The data recovery of a snapshot depends on the source data. If the source data is physically damaged, it cannot be recovered. In this case, the clone can still recover the source data.

-LUN copy: After the source data is damaged, LUN copy must make a complete copy of the backup data to restore the source data. The clone only needs to restore the damaged data (incremental copy), which greatly reduces the recovery time.

-Remote replication: Remote replication can only protect data between storage devices. The hardware cost is high, and the remote link bandwidth is usually low, and the data recovery time is long. The cloning can realize data protection in the storage device, which can effectively save expenses and shorten the data recovery time.

- A. Description 1 is wrong, description 2 is wrong
- B. Description 1 is wrong, description 2 is correct
- C. Description 1 is correct, description 2 is wrong
- D. Description 1 is correct, description 2 is correct

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 63

pcie can provide the business interface between the control box and the data switch for exchanging control flow and data flow information between the control boxes.

- A. True
- B. False

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 64

Which of the following is the correct configuration process for the Huawei OceanStor V3 storage system?

- A. Create LUN->Add Mapping->Create Storage Pool
- B. Create storage pool -> add mapping -> create LUN
- C. Create LUN->Create Storage Pool->Add Mapping
- D. Create storage pool -> create LUN -> add mapping

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 65

Which of the following descriptions about Huawei RAID 2.0+ technology is correct? (Multiple choice)

- A. The hard disk types of each storage layer in the hard disk domain are the same
- B. Grain is the smallest granularity of data migration and the basic unit that constitutes Thin LUN
- C. The user can set the "RAID strategy" for each storage tier in the storage pool.
- D. The hard disk space is divided into fixed-size blocks

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 66

The RPO in the disaster recovery system measurement indicators is used to measure the business recovery capability of the disaster recovery system

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 67

In Huawei OceanStorV3, which of the following statements about cloning are correct? (Multiple Choice)

- A. There can be only one master LUN in a clone, and multiple slave LUNs can be added, but the master LUN and all slave LUNs are a pair.
- B. After splitting and resynchronizing, incremental synchronization will be performed.
- C. To ensure data consistency during the initial synchronization of the cloned master-slave LUN, the host business will be suspended.
- D. After synchronization is completed, if host I/O is written, it will be written to both the master LUN and the slave LUN at the same time.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 68

When there are bad sectors or bad blocks on the hard disk, which reconstruction method is used?

- A. Local remodeling
- B. Local Remeshing
- C. Restoration reconfiguration
- D. Whole disk reconstruction

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 69

Engineer A configures a snapshot of the business data LUN of the Huawei OceanStor hybrid flash memory system. Which of the following steps are correct? (Multiple Choice)

- A. Create a pair of snapshots
- B. Create a snapshot
- C. Confirm that the snapshot license is within the validity period
- D. Set snapshot description information

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 70

Statement 1: NAS file system is managed by storage or server that provides resources.

Statement 2: The file system of the SAN is managed by the host itself.

- A. Statement 1 is correct, Statement 2 is correct
- B. Statement 1 is wrong, Statement 2 is wrong
- C. Statement 1 is wrong, Statement 2 is correct
- D. Statement 1 is correct, Statement 2 is wrong

Answer: A [\(LEAVE A REPLY\)](#)

NEW QUESTION: 71

Which three data centers refers to 3DC in the disaster recovery solution? (Multiple choice)

- A. City Disaster Recovery Center
- B. Production Center
- C. Remote disaster recovery center
- D. Data Center

Answer: A,B,C [\(LEAVE A REPLY\)](#)

NEW QUESTION: 72

In an Internet company's storage system, two businesses, A and B, are constantly competing for cache and network resources, causing other businesses to wait longer. In order to solve this problem, it is necessary to configure cache partition and flow control technology. Among them, business A is a transaction processing application, business B is an analytical query application, and it needs to ensure that business A responds immediately.

So how to configure it reasonably? (Multiple Choice)

- A. Configure the QoS priority of service B to be higher than service A
- B. Configure service A to have a higher QoS priority than service B
- C. When configuring the cache partition, the corresponding cache of B business is larger than the corresponding cache of A business
- D. When configuring the cache partition, the cache corresponding to service A is larger than the cache corresponding to service B

Answer: B,D [\(LEAVE A REPLY\)](#)

NEW QUESTION: 73

SmartThin is a storage space management technology provided by Huawei OceanStor V3 storage system that allocates storage resources on demand. Based on virtualization technology, SmartThin reduces the deployment of physical storage resources and maximizes the utilization of storage space.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 74

The lowest level of disaster tolerance during backup.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 75

Which of the following are the business models of cloud computing? (Multiple choice)

A. PaaS

B. MaaS

C. SaaS

D. IaaS

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 76

The data compression feature refers to the reduction of the transmission processing and storage efficiency of the system by reorganizing the data and deleting duplicate data blocks without losing information.

A. True

B. False

Answer: ([SHOW ANSWER](#))

Valid H13-611_V4.5 Dumps shared by PrepPdf.com for Helping Passing H13-611_V4.5 Exam!

PrepPdf.com now offer the **newest H13-611_V4.5 exam dumps**, the PrepPdf.com

H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-611_V4.5 dumps with Test Engine here:

https://www.preppdf.com/Huawei/H13-611_V4.5-prepaway-exam-dumps.html (538 Q&As

Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 77

A government unit adopts Huawei's two-location three-center solution for disaster recovery construction, and its business is mainly concentrated from 8:00 to 18:00. Which of the following is wrong?

- A. When doing remote replication, a consistency group should be created according to the business of the unit, and related businesses should be placed in a consistent group
- B. The production center and the remote disaster recovery center should adopt synchronous remote replication
- C. The BC Manager software can be used to set the data synchronization period
- D. The time period for data synchronization between the production center and the disaster recovery center should be selected at night when the business volume is small

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 78

What are the correct analysis of the dual-control architecture storage subsystem? (Multiple Choice)

- A. There are two working formats: Active-Active, Standby
- B. In Active-Active, only one controller receives data requests in the same time period
- C. Only for high-end storage
- D. In Standby, the controller does not receive data requests and does not 0 hard disks

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 79

Which of the following statements of RAID 1 is incorrect?

- A. RAID 1 uses X OR algorithm to check
- B. When the data of some member disks is damaged, RAID 1 allows it to quickly recover data from other member disks
- C. Normally, RAID 1 reads data from the data disk and the mirror disk
- D. RAID 1 writes data to each member disk, and the data on each member disk is the same

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 80

The amount of data backed up by incremental backup is greater than that of differential backup.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 81

Which of the following descriptions are correct about the hard disk interface? (Multiple Choice)

- A. The hard disk interface is to connect the hard disk to the host system
- B. The hard disk interface is the hard disk cache and memory for data exchange
- C. The speed of the hard disk interface affects the data exchange between the CPU and the memory

D. The speed of the hard disk interface affects the performance of the storage

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 82

The initial capacity allocation strategy of the Huawei OceanStor V3 storage system defaults to automatic allocation.

A. True

B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 83

Which of the following descriptions of RAID striping related concepts are correct? (Multiple Choice)

A. Striping technology divides a continuous piece of data into many small parts and stores them on different disks.

B. After striping, the speed that the RAID group can provide is faster than that of a single disk

C. Striping is a technology that automatically balances the I/O load to multiple physical hard drives

D. Single or multiple consecutive sectors in a single hard disk form a strip, which is the element that makes up the strip

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 84

Which of the following descriptions about SCSI is wrong?

A. Support communication between different devices.

B. The latest is that the protocol transmission speed can reach 1GB/S

C. SCSI, the interface of a small computer, is a protocol system.

D. Experienced the changes of SCSI-1, SCSI-2, SCSI-3 and other versions.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 85

Which of the following RAID technologies need to calculate parity data when writing data? (Multiple Choice)

A. RAID 50

B. RAID 3

C. RAID 6

D. RAID 0

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 86

Which one of the following transmission protocols can be used without the switch?

A. iSCSI protocol

B. FC protocol

C. FCoE protocol

D. SCSI protocol

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 87

Which of the following commands can be used to view the license information?

A. show information

B. show license

C. show general

D. license shown

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 88

What are the NFS protocols? (Multiple Choice)

A. NFS v 1

B. NFS v 4

C. NFS v 2

D. NFS v 3

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 89

Which of the following are the goals of integrating artificial intelligence into storage? (Multiple Choice)

A. Easy to use

B. Simple

C. Efficient

D. High energy consumption

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 90

Huawei Dorado is positioned as small and medium-sized enterprises, centralized storage, video surveillance, database applications, etc.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 91

Which of the following storage services does Huawei distributed storage (such as Huawei OceanStor100D) support? (Multiple Choice)

A. File storage

B. Chain storage

- C. Block storage
- D. Object storage
- E. HDFS storage

Answer: ([SHOW ANSWER](#))

Valid H13-611_V4.5 Dumps shared by PrepPdf.com for Helping Passing H13-611_V4.5 Exam! PrepPdf.com now offer the **newest H13-611_V4.5 exam dumps**, the PrepPdf.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-611_V4.5 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-611_V4.5-prepaway-exam-dumps.html (538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 92

Which of the following statement is wrong? (Multiple choice)

- A. Backup cannot solve the recovery of historical data
- B. Backup can directly take over the business
- C. Backup to solve the recovery of data loss
- D. Backup cannot solve the recovery of data damage

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 93

Which of the following descriptions about disaster recovery is wrong?

- A. Regardless of whether disaster recovery or backup solutions are used, the data of disaster recovery is unavoidable compared with the data at the time of system failure.
- B. The restored data hope to meet the current work requirements immediately
- C. The traditional use of software for data backup still has usage scenarios
- D. After the disaster, I hope to be able to access the backup on the remote device immediately

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 94

The capacity and volume of computer hard disks are constantly changing during the development of computer hard disks. Which of the following is the size of the mechanical hard disk used in Huawei storage products?

- A. 3.5 inches
- B. 1.8 inches
- C. 5.25 inches
- D. 8 inches

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 95

The backup software in the backup system is called the backup server.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 96

Which of the following VLANs are correct? (Multiple Choice)

- A. VLAN is a communication technology that logically divides a physical LAN into multiple broadcast domains
- B. In Huawei OceanStor hybrid flash memory, multiple Ethernet ports can be added to multiple independent VLANs
- C. Different services can be configured in different VLANs in the storage system
- D. In the storage system, different VLANs can be assigned the same ID

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 97

There are two statements about backups as follows:

Statement 1: The data backed up on the tape can be used for data recovery at any time, but only the historical data at the time of the backup can be recovered, not the data at the time of the failure.

Statement 2: Using tape as the backup medium is the highest RTO backup method.

- A. Statement 1 is correct, Statement 2 is correct
- B. Statement 1 is wrong, Statement 2 is correct
- C. Statement 1 is wrong, Statement 2 is wrong
- D. Statement 1 is correct, Statement 2 is wrong

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 98

Snapshots used for backup purposes should be set to read-only to prevent being modified by other applications and affecting the consistency of backup data.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 99

Regarding the definition of information, which of the following descriptions are correct? (Multiple Choice)

- A. Information is not the same as data
- B. Information used to eliminate random uncertainty
- C. Information is the data representation of all things
- D. Information is processed data

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 100

The RDMA protocol can achieve direct access to the memory of the remote device. RDMA achieves ultra-low latency between endpoints, ultra-high throughput transmission, and does not require cpu, os intervention does not need to consume too many other resources for the processing and transmission of network data.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 101

A user of a company can automatically report the alarms of connected storage devices to the Huawei Service Support Center through a piece of management software.

So, which software is this user using?

- A. eService
- B. Device Manager
- C. Toolkit
- D. CLI management interface

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 102

There are two statements about backups below, which is correct?

Statement 1: The retention period refers to the time it takes to backup.

Statement 2: Incremental backup takes the longest time among the three backup types.

- A. Statements 1 and 2 are both wrong
- B. Statement 1 and 2 are both correct
- C. Statement 1 is wrong, Statement 2 is correct
- D. Statement 1 is correct, Statement 2 is wrong

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 103

The hard disk domain supports online adding hard disks, and the storage pool supports online expansion.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 104

Which one of the following statements is correct?

- A. The available space of 6 200G hard disks as RAID 5 is 1200G

- B.** NLS AS/SATA hard disks are suitable for data protection using RAID 6 and SAS hard disks are suitable for data protection using RAID 5
- C.** OceanStor V3 series products support RAID0/RAID 1/RAID 5/RAID 10, but not RAID 6
- D.** S2200V 3 can support SSD, SAS, SATA hard drives

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 105

There are two statements of fiber optic switches below, which is correct?

Statement 1: A port can be in multiple zones.

Statement 2: A switch can have multiple zones.

- A.** Statement 1 is correct, Statement 2 is wrong
- B.** Statement 1 is wrong, Statement 2 is correct
- C.** Both Statement 1 and Statement 2 are correct
- D.** Both Statement 1 and Statement 2 are wrong

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 106

The steps of asynchronous remote replication technology at multiple points in time. Which of the following statements is correct?

- (1) A new time slice (T2, P2) is generated in the cache of the primary LUN and the secondary LUN when each replication cycle starts
- (2) The data newly written by the host is cached in the time slice T2 of the main LUN Cache, and the response host is completed
- (3) The data received by the master and slave LUN will be downloaded to disk respectively
- (4) Copy the data of time slice T1 directly to the slave LUN, and write it into the time slice P2 of the slave LUN

- A.** (1) (3) (2) (4)
- B.** (1) (2) (3) (4)
- C.** (1) (2) (4) (3)
- D.** (2) (1) (4) (3)

Answer: C ([LEAVE A REPLY](#))

Valid H13-611_V4.5 Dumps shared by PrepPdf.com for Helping Passing H13-611_V4.5 Exam!

PrepPdf.com now offer the **newest H13-611_V4.5 exam dumps**, the PrepPdf.com

H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-611_V4.5 dumps with Test Engine here:

https://www.preppdf.com/Huawei/H13-611_V4.5-prepaway-exam-dumps.html (538 Q&As

Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 107

Common backup topologies include Lan-Base, Lan-Free, and Server-Base.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 108

What are the data protection methods of RAID? (Multiple Choice)

- A. Parity check algorithm
- B. Data striping method
- C. JBOD
- D. Mirror

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 109

Take Huawei OceanStor hybrid flash memory as an example. In the following description of hybrid flash memory, which options are correct? (Multiple Choice)

- A. Device Manager only supports command line management operations
- B. Smart Matrix comprehensive interconnection architecture and component full redundancy design, supporting Active-Active working mode
- C. Support 0 hard disk types including SATA and ATA
- D. Provide advanced data protection technologies including Smart Tier and Smart Thin

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 110

The SATA connector can support both SATA and SAS hard disks at the same time.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 111

Which of the following is wrong about the features of OceanStor V3?

- A. LUN copy can support data backup and migration within and between arrays (including homogeneous and heterogeneous)
- B. Cloning provides physical full copy, incremental copy
- C. Cloning does not support cross-engine LUN cloning. The master and slave LUNs must be under the same engine
- D. LUN copy supports incremental LUN copy, and LUN copy should be done offline

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 112

When Ultra Path is installed on the application server, the operating system can automatically identify the LUN mapped to the host without restarting the host.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 113

Which of the following are the maintenance items of the data center storage administrator? (Multiple choice)

A. Weekly maintenance project

B. Real-time maintenance project


C. Daily regular maintenance project

D. First maintenance project

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 114

Which one of the following options is in the correct order of the basic business configuration process for data center block storage?



1. Create a mapping view.

2. Create a storage pool.

3. Create a hard disk domain.

4. Create LUNs and create LUN groups.

5. Create a host group.

6. Log in to Device Manager

A. 6->3->2->4->5->1

- B. 4->5->2->3->1->6
- C. 6->2->3->4->5->1
- D. 3->2->4->5->1->6

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 115

When using the NFS protocol, adding a client and setting read and write permissions will have an impact on performance.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 116

In the Huawei storage system, which of the following descriptions about the characteristics of virtual snapshot LUNs is correct? (Multiple choice)

- A. The storage system can generate a snapshot in a few seconds
- B. Use the mapping table to find the data
- C. Snapshot LUN cannot be mapped to the host
- D. Complete data replication is not necessary

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 117

Regarding the new era of ICT and technology, which of the following statements is correct? (Multiple choice)

- A. CPS (Cyber Physical System) includes system engineering such as ubiquitous environment perception, embedded computing, network communication and network control in the future. It is a physical system with functions of computing, communication, precise control, remote collaboration and autonomy.
- B. Cloud computing is an increase, use and delivery model of Internet-based related services, usually involving the provision of dynamic, easy-scalable and often virtualized resources through the Internet
- C. In the new ICT era, ICT systems migrate from support systems to production systems
- D. social media is a virtual community and network platform that people use to create, share, and exchange opinions, opinions and experiences

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 118

PCIE is a high-performance and high-bandwidth serial communication interconnection standard to replace the bus-based communication architecture. It follows the existing PCI concepts and signal standards, and builds a higher-speed serial communication system standard.

- A. False

B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 119

In order to access the bearer server, the data center establishes the infrastructure, which can be divided according to the business? (Multiple Choice)

- A. Internet Data Center
- B. Cloud Data Center
- C. Enterprise Data Center
- D. Operating the data center

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 120

What are the common protocols in NAS systems? (Multiple Choice)

- A. NFS
- B. CIFS
- C. FTP
- D. HTTP

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 121

In the OceanStor V3 storage system, the types of hard disks in the same hard disk domain must be the same

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

Valid H13-611_V4.5 Dumps shared by PrepPdf.com for Helping Passing H13-611_V4.5 Exam! PrepPdf.com now offer the **newest H13-611_V4.5 exam dumps**, the PrepPdf.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-611_V4.5 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-611_V4.5-prepaway-exam-dumps.html (538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 122

Statement 1: There is an interconnection line between the controllers of the storage system. If one of the controllers is broken, the working controller belonging to the LUN managed by it will be switched to a working controller.

Statement 2: The working controller and the owning controller of a LUN must be unified into one controller.

- A. Statement 1 is correct, Statement 2 is wrong.
- B. Statement 1 is wrong, Statement 2 is wrong.
- C. Statement 1 is correct, Statement 2 is correct.
- D. Statement 1 is wrong, Statement 2 is correct.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 123

Extent is the logical storage space divided on the basis of CKG. It is the smallest unit of hot data statistics. The extent size in the same storage pool can be different.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 124

Regarding the characteristics of the four disaster recovery modes of active-active, hot standby, warm standby, and cold standby, which of the following statement is wrong?

- A. The RTO time of the data center adopting the cold standby mode is long and unpredictable.
- B. Hot standby mode requires the highest software cost.
- C. When the service is unavailable due to a data center failure, the hot standby and active-active modes can automatically switch services with software, while the warm standby mode requires manual intervention, and the cold standby mode requires strong manual intervention.
- D. The data center with the active-active mode has the shortest RTO time.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 125

Which of the following are the key features of cloud computing? (Multiple choice)

- A. Users can self-service on demand
- B. Can quickly and flexibly provide users with capabilities, such as computing capabilities, storage capabilities, etc.
- C. The resource pool used by the user has nothing to do with the exact geographic location of the resource pool
- D. Charge according to the actual usage of users

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 126

Which statements are correct about storage expansion? (Multiple Choice)

- A. Scale-UP technology is horizontal expansion, Scale-Out technology is vertical expansion
- B. The device nodes of Scale-Out can be in the same city
- C. Scale-Up technology needs to increase storage equipment to increase storage capacity

D. Scale-Out technology can increase storage performance and capacity

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 127

A company belongs to the fields of banking and finance, with a large amount of business data and high security requirements. Which RAID level is suitable for this company?

A. RAID 10

B. RAID 1

C. RAID 5

D. RAID0

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 128

For the data stored on the media, there is no situation that requires physical shredding or destruction like data recorded on paper.

A. False

B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 129

Which of the weather forecast cloud images are correct? (Multiple Choice)

A. The weather forecast is a conclusion drawn from the weather map

B. Satellite cloud image is a kind of information.

C. Weather forecast is a kind of information

D. The weather map can have a tree shape or a fan shape.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 130

In the storage planning and deployment stage, an enterprise has learned that the company's business requires high read and write performance, data redundancy and data recovery capabilities, and hopes to ensure that data can be recovered by one person in the event of a single failure. At the same time, it is required that the utilization rate of the hard disks in the RAID group composed of 6 hard disks is not less than 60%. According to the above requirements, which RAID levels can be selected? (Multiple Choice)

A. RAID 1

B. RAID 50

C. RAID 6

D. RAID 5

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 131

In the bank's bill imaging system, structured data is often stored on the SAN array, and unstructured data is stored on the NAS array.

A. False

B. True

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 132

An enterprise needs to purchase backup media for data backup. It must inherit the enterprise's original tape backup structure and strategy and increase the backup speed. What kind of backup media does this company buy?

A. CD Tower

B. Disk array

C. Tape library

D. Virtual tape library

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 133

Smart Tier technology discovers large-scale IO active data after running. In order to improve performance, the initial capacity is set to the capacity layer.

A. False

B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 134

Which of the following is correct for RAID 3? (Multiple Choice)

A. 5 hard disks form RAID 3, the utilization rate is 80%

B. 5 hard disks form RAID 3, the utilization rate is 60%

C. RAID 3 uses mirroring technology to protect data

D. RAID 3 has a dedicated parity disk

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 135

Regarding the characteristics of the LAN-BASED backup method, which of the following is incorrect?

A. The backup data is based on LAN, which affects network performance

B. The backup business needs to be maintained separately, which increases the difficulty of management and maintenance

C. The backup agent will affect the performance of the application server

D. The instruction flow passes through the LAN network, and the data flow does not pass through the LAN network

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 136

Huawei OceanStor V3 SmartTier feature can be used to place data on the specified disk type.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

Valid H13-611_V4.5 Dumps shared by PrepPdf.com for Helping Passing H13-611_V4.5 Exam! PrepPdf.com now offer the **newest H13-611_V4.5 exam dumps**, the PrepPdf.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-611_V4.5 dumps with Test Engine here:
https://www.preppdf.com/Huawei/H13-611_V4.5-prepaway-exam-dumps.html (538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 137

Which of the following descriptions of the relationship between the FC protocol and the SCSI protocol is wrong?

A. SCSI is the upper layer protocol of FC 4, SCSI is a subset of FC protocol

B. FC or iSCSI protocol is used to carry SCSI protocol, which is an extension of SCSI protocol

C. FC can transmit SCSI commands, data and status information units by constructing frames

D. FC is an alternative to SCSI

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 138

Regarding Huawei's OceanStor V3 storage dynamic tiered storage technology, which of the following descriptions is wrong?

A. Smart Tier calculates and analyzes the activity of the data to determine the activity level of the data

B. Smart Tier data movement based on configuration data migration strategy

C. Smart Tier automatically and dynamically moves data to storage media of different performance according to the different activity levels of the data

D. Data statistics, analysis and data migration of Smart Tier features will affect business continuity and data availability

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 139

①Scale-out, horizontal expansion, can improve capacity and performance at the same time

②Scale-up, horizontal expansion, cannot improve capacity and performance at the same time

(Multiple Choice)

- A. Description 1 is wrong
- B. Description 2 is correct
- C. Description 1 is correct
- D. Description 2 is wrong

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 140

Which of the following about the Thin LUN reading data process is correct?

- A. Capacity-on-write
- B. Direct-on-time
- C. Direct-on-read
- D. Capacity-on-read

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 141

Regarding PCIe Lscale-Out and IP Scale-Out, which of the following are correct? (Multiple Choice)

- A. PCIe Lscale-Out can support Ethernet protocol
- B. PCIe Lscale-Out can support iWARP technology
- C. PCIe Lscale-Out is Lscale-Out technology built on PCIe protocol, IP Lscale-Out is based on IP protocol
- D. PCIe Lscale-Out integrates PCIe channels and RDMA technology to achieve controller service exchange

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 142

What are the functions that can be achieved by storage snapshots? (Multiple Choice)

- A. Obtain real-time data analysis business status through snapshot data
- B. Take a snapshot of the business LUN at the end of the month and analyze the business data of the previous month through the snapshot.
- C. Use the snapshot LUN data for the development and testing of the new version
- D. Take regular snapshots of the storage at 12 o'clock every evening, and use the snapshot data for backup

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 143

What scenarios are supported by Huawei's full storage devices, such as OceanStor100D? (Multiple Choice)

- A. Distributed database
- B. Big data analysis
- C. Virtualization
- D. Private Cloud

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 144

The data compression feature saves space by deleting data.

A. TRUE

B. FALSE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 145

The RTO in the metrics for disaster recovery systems refers to the point in time target requirements at which the system and data must be restored after a disaster occurs.

A. True

B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 146

In Huawei OceanStor V3 based on RAID 2.0+, when a user creates a file system, the system will first automatically create a corresponding LUN and generate a file system on the LUN.

A. False

B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 147

The advantages and disadvantages of disaster recovery technology at the host layer, network layer and array layer. Which of the following statements is correct? (Multiple choice)

A. The initial construction cost of network layer disaster recovery is relatively low, and there are more vendors that can provide solutions

B. Disaster recovery at the array layer, the arrays at both ends must be products of the same manufacturer, which cannot solve the heterogeneous problem

C. For host-level disaster recovery, host-level replication will occupy a certain amount of host resources, which will affect the application system

D. Disaster recovery at the host layer is implemented on the host side without considering the compatibility between the underlying devices

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 148

An enterprise has established active-active data centers in city A and city B.

If the active-active arbitration mode of storage (such as Huawei OceanStor hybrid flash memory) is static priority mode, site A is a static priority site.

Which of the following descriptions are correct? (Multiple Choice)

- A. The link between the host and site A and site B fails at the same time, and the dual-active pair status is displayed as *normal"
- B. The link between the storage systems is faulty, and both sites A and B continue to run services
- C. Site A fails, site B automatically takes over the business
- D. Site B fails, site A automatically takes over the business

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 149

The earliest form of external storage is to connect some independent disks in series. Only increasing the capacity cannot provide security. Which of the following description is correct?

- A. SAN
- B. FAS
- C. JBOD
- D. NAS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 150

Which of the following is not an IP SAN component?

- A. NIC
- B. FC switch
- C. Twisted pair
- D. Storage devices with iSCSI interface

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 151

Take Huawei Ocean Stor flash storage products as an example. Which of the following descriptions of indicator lights are correct? (Multiple Choice)

- A. The locating indicator in the control box is steady blue, indicating that the control board is locating
- B. The battery button and battery indicator must be separated
- C. The warning light in the control phase is amber, indicating that the control has an alarm
- D. In the control box, the positioning indicator is off, indicating that the control board is not positioned

Answer: A,C,D ([LEAVE A REPLY](#))

Valid H13-611_V4.5 Dumps shared by PrepPdf.com for Helping Passing H13-611_V4.5 Exam! PrepPdf.com now offer the **newest H13-611_V4.5 exam dumps**, the PrepPdf.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-611_V4.5 dumps with Test Engine here:

NEW QUESTION: 152

Which of the following are included in the host-level disaster recovery? (Multiple choice)

- A. Database level
- B. Logical volume level
- C. Application level
- D. Array level

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 153

Regarding the four disaster recovery modes of active-active, hot standby, warm standby, and cold standby, which of the following statements is wrong?

- A. The hot standby service is responded by the main data center. When the service is unavailable due to a data center failure, the service can be automatically switched to the backup data center within the specified RTO time
- B. Active-active technology can realize that both the active and standby data centers provide external services. During normal operation, the services of the two data centers can be load-shared based on weights. There is no distinction between active and standby. They respond to some users separately. The weights can be divided by region, data center service capacity or external bandwidth
- C. The biggest feature of Multi Live is that it will not cause waste of data center resources, and data centers all carry application services.
- D. Warm backup technology, when a data center failure causes the service to be unavailable, the service can be automatically switched to the backup data center within the specified RTO time

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 154

Integrated edge storage is mainly used in edge branch application scenarios, such as gas stations and power grids.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

Valid H13-611_V4.5 Dumps shared by PrepPdf.com for Helping Passing H13-611_V4.5 Exam! PrepPdf.com now offer the **newest H13-611_V4.5 exam dumps**, the PrepPdf.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com H13-611_V4.5 dumps with Test Engine here:

https://www.preppdf.com/Huawei/H13-611_V4.5-prepaway-exam-dumps.html (538 Q&As
Dumps, **40%OFF** Special Discount: **Exam-Tests**)