

Juniper.JN0-334.v2022-09-16.q97

Exam Code:	JN0-334
Exam Name:	Security, Specialist (JNCIS-SEC)
Certification Provider:	Juniper
Free Question Number:	97
Version:	v2022-09-16
# of views:	1583
# of Questions views:	970
https://www.freeqas.com/qa/Juniper/JN0-334/Juniper.JN0-334.v2022-09-16.q97.html	

NEW QUESTION: 1

Click the Exhibit button.

Referring to the exhibit, which action will be taken for traffic coming from the untrust zone going to the trust zone?

- A. Source address 10.1.1.8 will be translated to 2001:db8::8.
- B. Source address 10.1.1.5 will be translated to 2001:db8::8.
- C. Source address 2001:db8::8 will be translated to 10.1.1.5.
- D. Source address 2001:db8::8 will be translated to 10.1.1.8.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

Which statement is true about JATP incidents?

- A. Incidents consist of all the events associated with a single threat.
- B. Incidents are sorted by category, followed by severity.
- C. Incidents have an associated threat number assigned to them.
- D. Incidents are always automatically mitigated.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 3

A routing change occurs on an SRX Series device that involves choosing a new egress interface. In this scenario, which statement is true for all affected current sessions?

- A. The current session are torn down only if the policy-rematch option has been enabled.
- B. The current sessions do not change.
- C. The current sessions are torn down and go through first path processing based on the new route.
- D. The current sessions might change based on the corresponding security policy.

Answer: B ([LEAVE A REPLY](#))

<https://forums.juniper.net/t5/ScreenOS-Firewalls-NOT-SRX/Affect-of-Route-change-on-Session/m-p/27810#M11385>

NEW QUESTION: 4

Where is AppSecure executed in the flow process on an SRX Series device?

- A. screens
- B. zones
- C. security policy
- D. services

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

Which two statements apply to policy scheduling? (Choose two.)

- A. Multiple policies can refer to the same schedule.
- B. A policy refers to one schedule.
- C. A policy refers to many schedules.
- D. A policy stays active regardless of when the schedule is active.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Click the Exhibit button.

Which two statements are true about the configuration shown in the exhibit? (Choose two.)

- A. Aggressive aging is triggered if the session table reaches 95% capacity.
- B. The session is removed from the session table after 10 milliseconds of inactivity.
- C. The session is removed from the session table after 10 seconds of inactivity.
- D. Aggressive aging is triggered if the session table reaches 80% capacity.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

Exhibit.

Referring to the exhibit, which two devices are considered to be part of the secure fabric site with Policy Enforcer? (Choose two)

- A. SRX-1
- B. Server-1
- C. Server-2
- D. QFX-1

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 8

You are asked to enable AppTrack to monitor application traffic from hosts in the User zone destined to hosts in the Internet zone In this scenario, which statement is true?

- A. You must enable the AppTrack feature within the User zone configuration
- B. You must enable the AppTrack feature within the ingress interface configuration associated with the Internet zone
- C. You must enable the AppTrack feature within the interface configuration associated with the User zone
- D. You must enable the AppTrack feature within the Internet zone configuration

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 9

What is the default session timeout value for ICMP and UDP traffic?

- A. 30 minutes
- B. 60 seconds
- C. 5 minutes
- D. 30 seconds

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 10

Click the Exhibit button.

Which two statements are true about the configuration shown in the exhibit? (Choose two.)

- A. Aggressive aging is triggered if the session table reaches 95% capacity.
- B. The session is removed from the session table after 10 seconds of inactivity.
- C. The session is removed from the session table after 10 milliseconds of inactivity.
- D. Aggressive aging is triggered if the session table reaches 80% capacity.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 11

Click the Exhibit button.

Which statement would explain why the IP-monitoring feature is functioning incorrectly?

- A. The secondary IP address is the same as the reth IP address.
- B. The monitored IP address is not on the same subnet as the reth IP address.
- C. The secondary IP address should be on a different subnet than the reth IP address.
- D. The global weight value is too large for the configured global threshold.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 12

You want to ensure that any certificates used in your IPsec implementation do not expire while in use by your SRX Series devices.

In this scenario, what must be enabled on your devices?

- A. SCEP
- B. CRL
- C. RSA

D. TLS

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 13

The DNS ALG performs which three functions? (Choose three)

- A. The DNS ALG performs DNSSEC
- B. The DNS ALG modifies the DNS payload in NAT mode
- C. The DNS ALG performs DNS load balancing
- D. The DNS ALG performs DNS doctoring.
- E. The DNS ALG performs the IPv4 and IPv6 address transformations

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

Which two statements describe SSL proxy on SRX Series devices? (Choose two.)

- A. SSL proxy supports TLS version 1.2.
- B. Client-protection is also known as reverse proxy.
- C. SSL proxy is supported when enabled within logical systems.
- D. SSL proxy relies on Active Directory to provide secure communication.

Answer: A,C ([LEAVE A REPLY](#))

Explanation/Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-user-auth-ssl-tls.html

NEW QUESTION: 15

Which two statements are true when implementing source NAT on an SRX Series device? (Choose two.)

- A. Source NAT is applied before the security policy search.
- B. Source NAT is applied after the route table lookup.
- C. Source NAT is applied after the security policy search.
- D. Source NAT is applied before the route table lookup.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

You are asked to improve resiliency for individual redundancy groups in an SRX4600 chassis cluster. Which two features would accomplish this task? (Choose two.)

- A. interface monitoring
- B. IP address monitoring
- C. dual fabric links
- D. control link recovery

Answer: C,D ([LEAVE A REPLY](#))

Valid JN0-334 Dumps shared by PrepPdf.com for Helping Passing JN0-334 Exam!
PrepPdf.com now offer the **newest JN0-334 exam dumps**, the PrepPdf.com JN0-334 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JN0-334 dumps with Test Engine here:
<https://www.preppdf.com/Juniper/JN0-334-prepaway-exam-dumps.html> (93 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

Which statement describes the AppTrack module in AppSecure?

- A. The AppTrack module provides enforcement with the ability to block traffic, based on specific applications.
- B. The AppTrack module provides control by the routing of traffic, based on the application.
- C. The AppTrack module identifies the applications that are present in network traffic.
- D. The AppTrack module provides visibility and volumetric reporting of application usage on the network.

Answer: ([SHOW ANSWER](#))

https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-application-tracking.html

NEW QUESTION: 18

A routing change occurs on an SRX Series device that involves choosing a new egress interface
In this scenario, which statement is true for all affected current sessions?

- A. The current sessions do not change
- B. The current sessions are torn down only if the policy-rematch option has been enabled.
- C. The current sessions might change based on the corresponding security policy
- D. The current sessions are torn down and go through first path processing based on the new route.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

Exhibit.

You have configured your SRX Series device to receive authentication information from a JIMS server However, the SRX is not receiving any authentication information Referring to the exhibit, how would you solve the problem'

- A. Change the SRX configuration to connect to the JIMS server using HTTP
- B. Generate an access token on the SRX device that matches the access token on the JIMS server
- C. Use the JIMS Administrator user interface to add the SRX device as a client.
- D. Update the IP address of the JIMS server

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 20

You must fine tune an IPS security policy to eliminate false positives. You want to create exemptions to the normal traffic examination for specific traffic.

Which two parameters are required to accomplish this task? (Choose two.)

- A. destination port
- B. source port
- C. destination IP address
- D. source IP address

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

Which statement is true about JATP incidents?

- A. Incidents consist of all the events associated with a single threat.
- B. Incidents have an associated threat number assigned to them.
- C. Incidents are sorted by category, followed by severity.
- D. Incidents are always automatically mitigated.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 22

Which feature supports sandboxing of zero-day attacks?

- A. SSL proxy
- B. Sky ATP
- C. ALGs
- D. high availability

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 23

You are asked to enable AppTrack to monitor application traffic from hosts in the User zone destined to hosts in the Internet zone. In this scenario, which statement is true?

- A. You must enable the AppTrack feature within the Internet zone configuration
- B. You must enable the AppTrack feature within the User zone configuration
- C. You must enable the AppTrack feature within the interface configuration associated with the User zone
- D. You must enable the AppTrack feature within the ingress interface configuration associated with the Internet zone

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 24

Which two statements are true about virtualized SRX Series devices? (Choose two.)

- A. vSRX cannot be deployed in transparent mode.

- B. cSRX can be deployed in routed mode.
- C. cSRX cannot be deployed in routed mode.
- D. vSRX can be deployed in transparent mode.

Answer: ([SHOW ANSWER](#))

https://www.juniper.net/documentation/en_US/csrX/information-products/pathway-pages/security-csrX-contrail-guide-pwp.pdf

NEW QUESTION: 25

Which solution should you use if you want to detect known attacks using signature-based methods?

- A. JIMS
- B. ALGs
- C. IPS
- D. SSL proxy

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 26

Click the Exhibit button.

Referring to the SRX Series flow module diagram shown in the exhibit, where is IDP/IPS processed?

- A. Services ALGs
- B. Screens
- C. Forwarding Lookup
- D. Security Policy

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 27

What are two examples of RTOs? (Choose two.)

- A. control link heartbeats
- B. session table entries
- C. IPsec SA entries
- D. fabric link probes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

Click the Exhibit button.

You have configured NAT on your network so that Host A can communicate with Server B.

You want to ensure that Host C can initiate communication with Host A using Host A's reflexive address.

Referring to the exhibit, which parameter should you configure on the SRX Series device to satisfy this requirement?

- A. Configure persistent NAT with the port-overloadingparameter.
- B. Configure persistent NAT with the target-hostparameter.
- C. Configure persistent NAT with the target-host-portparameter.
- D. Configure persistent NAT with the any-remote-hostparameter.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

What are two valid JIMS event log sources? (Choose two.)

- A. Microsoft Windows Server 2012 audit logs
- B. Microsoft Active Directory server event logs
- C. Microsoft Exchange Server event logs
- D. Microsoft Active Directory audit logs

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 30

What are three valid virtual interface types for a vSRX? (Choose three.)

- A. SR-IOV
- B. VMXNET 3
- C. virtio
- D. eth0
- E. fxp0

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

Click the Exhibit button.

Referring to the SRX Series flow module diagram shown in the exhibit, where is IDP/IPS processed?

- A. Security Policy
- B. Screens
- C. Services ALGs
- D. Forwarding Lookup

Answer: C ([LEAVE A REPLY](#))

Valid JN0-334 Dumps shared by PrepPdf.com for Helping Passing JN0-334 Exam!
PrepPdf.com now offer the **newest JN0-334 exam dumps**, the PrepPdf.com JN0-334 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JN0-334 dumps with Test Engine here:

NEW QUESTION: 32

What is the default session timeout value for ICMP and UDP traffic?

- A. 30 minutes
- B. 60 seconds
- C. 5 minutes
- D. 30 seconds

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

When working with network events on a Juniper Secure Analytics device, flow records come from which source?

- A. tap port
- B. SPAN
- C. switch
- D. mirror

Answer: B ([LEAVE A REPLY](#))

Explanation/Reference: https://www.juniper.net/documentation/en_US/jsa7.3.1/jsa-arch-deployment-guide/topics/concept/jsa-ad-jsa-events-and-flows.html

NEW QUESTION: 34

Which default protocol and port are used for JIMS to SRX client communication?

- A. WMI over TCP; port 389
- B. RPC over TCP, port 135
- C. ADSI over TCP; port 389
- D. HTTPS over TCP: port 443

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 35

Click the Exhibit button.

Users at a remote office are unable to access an FTP server located at the remote corporate data center as expected. The remote FTP server is listening on the non-standard TCP port 2121.

Referring to the exhibit, what is causing the problem?

- A. The FTP clients must be configured to listen on non-standard client ports for the FTP data channel negotiations to succeed.
- B. The custom FTP application definition does not have the FTP ALG enabled.
- C. Two custom FTP applications must be defined to allow bidirectional FTP communication through the SRX Series device.
- D. A new security policy must be defined between the untrust and trust zones.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 36

You want to support reth LAG interfaces on a chassis cluster.

Which setting must be enabled on the interconnecting switch to accomplish this task?

- A. LLDP
- B. 802.3ad
- C. swfab
- D. RSTP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

Which two solutions provide a sandboxing feature for finding zero-day malware threats? (Choose two.)

- A. Sky ATP
- B. UTM
- C. JATP
- D. IPS

Answer: A,C ([LEAVE A REPLY](#))

Explanation/Reference:

NEW QUESTION: 38

Click the Exhibit button.

A customer would like to monitor their VPN using dead peer detection.

Referring to the exhibit, for how many minutes was the peer down before the customer was notified?

- A. 2
- B. 3
- C. 5
- D. 4

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 39

What are two supported hypervisors for hosting a vSRX? (Choose two.)

- A. Solaris Zones
- B. VMware ESXi
- C. Docker
- D. KVM

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 40

Your network uses a remote e-mail server that is used to send and receive e-mails for your users. In this scenario, what should you do to protect users from receiving malicious files through e-mail?

- A. Deploy Sky ATP SMTP e-mail protection
- B. Deploy Sky ATP MAPI e-mail protection
- C. Deploy Sky ATP IMAP e-mail protection
- D. Deploy Sky ATP POP3 e-mail protection

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 41

What are two valid zones available on an SRX Series device? (Choose two.)

- A. functional zones
- B. policy zones
- C. transit zones
- D. security zones

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 42

You are deploying a vSRX into a vSphere environment which applies the configuration from a bootable ISO file containing the juniper.conf file. After the vSRX boots and has the configuration applied, you make additional device specific configuration changes, commit, and reboot the device. Once the device finishes rebooting, you notice the specific changes you made are missing but the original configuration is applied.

In this scenario, what is the problem?

- A. The ISO file is still mounted on the vSRX.
- B. Configuration changes do not persist after reboots on vSRX.
- C. The configuration file is corrupt.
- D. The juniper.conf file was not applied to the vSRX.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 43

Which two protocols are supported for Sky ATP advanced anti-malware scanning? (Choose two)

- A. IMAP
- B. POP3
- C. SMTP
- D. MAPI

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 44

Exhibit.

Which two statements describe the output shown in the exhibit"? (Choose two)

- A. Node 1 is passing traffic for redundancy group 1
- B. Node 0 is passing traffic for redundancy group 1
- C. Redundancy group 1 was administratively failed over.
- D. Redundancy group 1 experienced an operational failure.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 45

Your manager asks you to find employees that are watching YouTube during office hours. Which AppSecure component would you configure to accomplish this task?

- A. AppQoE
- B. AppQoS
- C. AppFW
- D. AppTrack

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 46

Click the Exhibit button.

You are configuring an OSPF session between two SRX Series devices. The session will not come up. Referring to the exhibit, which configuration change will solve this problem?

- A. Configure the application junos-ospf parameter in the allow-trusted-traffic security policy.
- B. Configure a loopback interface and add it to the trust zone.
- C. Configure the host-inbound-traffic protocols ospf parameter in the trust security zone.
- D. Configure the host-inbound-traffic system-services any-service parameter in the trust security zone.

Answer: ([SHOW ANSWER](#))

Valid JN0-334 Dumps shared by PrepPdf.com for Helping Passing JN0-334 Exam! PrepPdf.com now offer the **newest JN0-334 exam dumps**, the PrepPdf.com JN0-334 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JN0-334 dumps with Test Engine here:
<https://www.preppdf.com/Juniper/JN0-334-prepaway-exam-dumps.html> (93 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

You are asked to convert two standalone SRX Series devices to a chassis cluster deployment. You must ensure that your IPsec tunnels will be compatible with the new deployment. In this scenario: which two interfaces should be used when binding your tunnel endpoints? (Choose two)

- A. reth
- B. pp0

C. lo0

D. ge

Answer: B (LEAVE A REPLY)

NEW QUESTION: 48

What are two types of attack objects used by IPS on SRX Series devices? (Choose two.)

A. signature-based attacks

B. protocol anomaly-based attacks

C. spam-based attacks

D. DDoS-based attacks

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 49

You are asked to change when your SRX high availability failover occurs. One network interface is considered more important than others in the high availability configuration. You want to prioritize failover based on the state of that interface.

Which configuration would accomplish this task?

A. Configure IP monitoring of the important interface's IP address and adjust the heartbeat interval and heartbeat threshold to the shortest settings.

B. Configure interface monitor inside the redundancy group that contains the important physical interface; adjust the weight associated with the monitored interface to 255.

C. Create a separate redundancy group to isolate the important interface; set the priority of the new redundancy group to 255.

D. Create a VRRP group configuration that lists the reth's IP address as the VIP while using each physical interface that make up the reth definition of each SRX HA pair.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 50

What are two examples of RTOs? (Choose two.)

A. control link heartbeats

B. IPsec SA entries

C. fabric link probes

D. session table entries

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 51

Click the Exhibit button.

You are configuring an SRX chassis cluster with the node-specific hostname and management address.

Referring to the exhibit, which configuration completes this requirement?

A.

- B.
- C.
- D.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 52

Which SRX5400 component is responsible for performing first pass security policy inspection?

- A. Switch Control Board
- B. Modular Port Concentrator
- C. Services Processing Unit
- D. Routing Engine

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 53

The DNS ALG performs which three functions? (Choose three.)

- A. The DNS ALG modifies the DNS payload in NAT mode.
- B. The DNS ALG performs DNS doctoring.
- C. The DNS ALG performs DNSSEC.
- D. The DNS ALG performs the IPv4 and IPV6 address transformations.
- E. The DNS ALG performs DNS load balancing.

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 54

Click the Exhibit button.

Referring to the exhibit, which two devices are considered to be part of the secure fabric site with Policy Enforcer? (Choose two.)

- A. SRX-1
- B. Server-2
- C. QFX-1
- D. Server-1

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 55

Which statement describes the function of screen options?

- A. Screen options protect against various attacks on traffic entering a security device.
- B. Screen options encrypt transit traffic in a tunnel.
- C. Screen options translate a private address to a public address.
- D. Screen options restrict or permit users individually or in a group.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 56

Which two statements describe superflows in Juniper Secure Analytics? (Choose two.)

- A. Superflows combine many flows into a single flow.
- B. Disk space usage is reduced on the JSA device.
- C. Superflows can negatively impact licensing limitations.
- D. JSA only supports Type A and Type C superflows.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 57

Exhibit.

The output shown in the exhibit is displayed in which format?

- A. sd-syslog
- B. binary
- C. WELF
- D. syslog

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 58

You are asked to improve resiliency for individual redundancy groups in an SRX4600 chassis cluster.

Which two features would accomplish this task? (Choose two.)

- A. interface monitoring
- B. IP address monitoring
- C. dual fabric links
- D. control link recovery

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

Click the Exhibit button.

Referring to the exhibit, which two values in the JIMS SRX client configuration must match the values configured on the SRX client? (Choose two.)

- A. Client ID
- B. Token Lifetime
- C. Client Secret
- D. IPv6 Reporting

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 60

What are two types of attack objects used by IPS on SRX Series devices? (Choose two.)

- A. protocol anomaly-based attacks
- B. spam-based attacks
- C. signature-based attacks

D. DDoS-based attacks

Answer: A,C ([LEAVE A REPLY](#))

Explanation

<https://www.oreilly.com/library/view/juniper-srx-series/9781449339029/ch13.html>

NEW QUESTION: 61

Click the Exhibit button.

Referring to the exhibit, you want to deploy Sky ATP with Policy Enforcer to block infected hosts at the access layer.

To complete this task, where should you configure the default gateway for the User-1 device?

- A. the irb interface on QFX-2
- B. the irb interface on QFX-1
- C. the interface of QFX-1 that connects to User-1
- D. the interface on SRX-1 that connects to QFX-2

Answer: B ([LEAVE A REPLY](#))

Valid JN0-334 Dumps shared by PrepPdf.com for Helping Passing JN0-334 Exam!
PrepPdf.com now offer the **newest JN0-334 exam dumps**, the PrepPdf.com JN0-334 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JN0-334 dumps with Test Engine here:
<https://www.preppdf.com/Juniper/JN0-334-prepaway-exam-dumps.html> (93 Q&As Dumps,
40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 62

Which two statements are true about global security policies? (Choose two.)

- A. Global security policies do not support IPv6 traffic.
- B. Global security policies can be configured to match addresses across multiple zones.
- C. Global security policies are evaluated before regular security policies.
- D. Global security policies can match traffic regardless of security zones.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 63

Click the Exhibit button.

Referring to the exhibit, what will happen if client 172.16.128.50 tries to connect to destination 192.168.150.3 using HTTP?

- A. The client will be denied by policy p3.
- B. The client will be denied by policy p2.
- C. The client will be permitted by the global policy.
- D. The client will be permitted by policy p1.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 64

In a chassis cluster, which two characteristics are true regarding reth interfaces? (Choose two.)

- A. A reth interface inherits its failover properties from a redundancy group.
- B. Reth interfaces must be in the same slots on each node.
- C. Reth interfaces must be the same type of interface.
- D. A reth interface goes down if one of its child interfaces become unavailable.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 65

Click the exhibit button.

Referring to the exhibit, which statement is true?

- A. Packets entering the interface are getting dropped because the interface is not bound to a zone.
- B. Packets entering the interface matching an ALG are getting dropped.
- C. Packets entering the interface are being dropped because of a stateless filter.
- D. TCP packets entering the interface are failing the TCP sequence check.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 66

You are deploying the Junos application firewall feature in your network.

In this scenario, which two elements are mapped to applications in the application system cache? (Choose two.)

- A. source IP address
- B. destination IP address
- C. source port
- D. destination port

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 67

What are two elements of a custom IDP/IPS attack object? (Choose two)

- A. the exempt rulebase
- B. the severity of the attack
- C. the attack signature
- D. the destination zone

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 68

When considering managed sessions, which configuration parameter determines how full the session table must be to implement the early age-out function? (Choose two)

- A. policy rematch
- B. low watermark
- C. high watermark
- D. session service timeout

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 69

Which three features are parts of Juniper Networks' AppSecure suite? (Choose three.)

- A. AppQoE
- B. APBR
- C. Secure Application Manager
- D. AppQoS
- E. AppFormix

Answer: A,B,D ([LEAVE A REPLY](#))

Reference:

https://www.juniper.net/documentation/en_US/junos/information-products/pathway-pages/security/security-application-identification.pdf

NEW QUESTION: 70

Which two functions are performed by Juniper Identity Management Service (JIMS)? (Choose two.)

- A. JIMS replicates Active Directory authentication information to non-trusted Active Directory domain controllers.
- B. JIMS forwards Active Directory authentication information to SRX Series client devices.
- C. JIMS collects and maintains a database of authentication information from Active Directory domains.
- D. JIMS synchronizes Active Directory authentication information between a primary and secondary JIMS server.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 71

Referring to the configuration shown in the exhibit, which two statements are true? (Choose two)

- A. The syslog is configured for a user facility
- B. The log is being stored on the local Routing Engine
- C. The syslog is configured for an info facility
- D. The log is being sent to a remote server

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 72

Click the Exhibit button.

You have implemented SSL proxy client protection. After implementing this feature, your users are complaining about the warning message shown in the exhibit.

Which action must you perform to eliminate the warning message?

- A. Import the SRX self-signed CA certificate into the SRX certificate public store.
- B. Import the SRX self-signed CA certificate into the client Web browsers.
- C. Configure the SRX Series device as a trusted site in the client Web browsers.
- D. Regenerate the SRX self-signed CA certificate and include the correct organization name.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 73

A routing change occurs on an SRX Series device that involves choosing a new egress interface. In this scenario, which statement is true for all affected current sessions?

- A. The current sessions do not change.
- B. The current sessions are torn down and go through first path processing based on the new route.
- C. The current sessions are torn down only if the policy-rematch option has been enabled.
- D. The current sessions might change based on the corresponding security policy.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 74

You want to deploy vSRX in Amazon Web Services (AWS) virtual private clouds (VPCs). Which two statements are true in this scenario? (Choose two.)

- A. MPLS LSPs can be used to connect vSRXs in different VPCs.
- B. IPsec tunnels can be used to connect vSRXs in different VPCs.
- C. The vSRX devices serving as local enforcement points for VPCs can be managed by a centralized Junos Space Security Director instance.
- D. The vSRX devices serving as local enforcement points for VPCs can be managed by a centralized Junos Space Network Director instance.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 75

What is the maximum number of supported interfaces on a vSRX hosted in a VMware environment?

- A. 3
- B. 4
- C. 12
- D. 10

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 76

Click the Exhibit button.

Referring to the exhibit, you want to deploy Sky ATP with Policy Enforcer to block infected hosts at the access layer.

To complete this task, where should you configure the default gateway for the User-1 device?

- A. the irb interface on QFX-1
- B. the interface of QFX-1 that connects to User-1
- C. the interface on SRX-1 that connects to QFX-2
- D. the irb interface on QFX-2

Answer: ([SHOW ANSWER](#))

Valid JN0-334 Dumps shared by PrepPdf.com for Helping Passing JN0-334 Exam! PrepPdf.com now offer the **newest JN0-334 exam dumps**, the PrepPdf.com JN0-334 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JN0-334 dumps with Test Engine here:
<https://www.preppdf.com/Juniper/JN0-334-prepaway-exam-dumps.html> (93 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 77

Which three statements are correct about fabric interfaces on the SRX5800? (Choose three.)

- A. Fabric interfaces must have a user-assigned IP address.
- B. Fabric interfaces must be same interface type.
- C. Fabric interfaces must be on the same Layer 2 segment.
- D. Fabric interfaces must be user-assigned interfaces.
- E. Fabric interfaces must be system-assigned interfaces.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 78

What is the correct ordering of Junos policy evaluation from first to last?

- A. zone-based policy > global policy > default policy
- B. default policy > zone-based policy > global policy
- C. global policy > default policy > zone-based policy
- D. global policy > zone-based policy > default policy

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 79

Which two statements about JIMS high availability are true? (Choose two.)

- A. SRX clients are configured with the unique IP addresses of the primary and secondary JIMS servers.
- B. JIMS supports high availability through the installation of the primary and secondary JIMS servers.

C. SRX clients synchronize authentication tables with both the primary and secondary JIMS servers.

D. SRX clients are configured with the shared virtual IP (VIP) address of the JIMS server.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 80

You want to collect events and flows from third-party vendors. Which solution should you deploy to accomplish this task?

- A. Log Director
- B. Policy Enforcer
- C. Contrail
- D. JSA

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 81

Which statement is true about JATP incidents?

- A. Incidents are sorted by category, followed by severity.
- B. Incidents have an associated threat number assigned to them
- C. Incidents are always automatically mitigated
- D. Incidents consist of all the events associated with a single threat

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 82

The AppQoE module of AppSecure provides which function?

- A. The AppQoE module provides application-based routing.
- B. The AppQoE module prioritizes important applications.
- C. The AppQoE module provides routing, based on network conditions.
- D. The AppQoE module blocks access to risky applications.

Answer: A ([LEAVE A REPLY](#))

Explanation

NEW QUESTION: 83

Click the Exhibit button.

Which two statements describe the output shown in the exhibit? (Choose two.)

- A. Node 0 is passing traffic for redundancy group 1.
- B. Node 1 is passing traffic for redundancy group1.
- C. Redundancy group 1 experienced an operational failure.
- D. Redundancy group 1 was administratively failed over.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 84

You are deploying the Junos application firewall feature in your network. In this scenario, which two elements are mapped to applications in the application system cache? (Choose two.)

- A. destination IP address
- B. source port
- C. source IP address
- D. destination port

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 85

Which two statements describe how rules are used with Juniper Secure Analytics? (Choose two.)

- A. When a rule is triggered, JSA can respond by blocking all traffic from a specific source address.
- B. When a rule is triggered, JSA can respond by sending an e-mail to JSA administrators.
- C. Rules are defined on Junos Space Security Director, and then pushed to JSA log collectors.
- D. A rule defines matching criteria and actions that should be taken when an event matches the rule.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 86

Which three features are parts of Juniper Networks' AppSecure suite? (Choose three.)

- A. AppQoS
- B. AppQoE
- C. APBR
- D. AppFormix
- E. Secure Application Manager

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 87

What is the correct step sequence used when Sky ATP analyzes a file?

- A. cache lookup -> static analysis -> antivirus scanning -> dynamic analysis
- B. cache lookup -> antivirus scanning -> static analysis -> dynamic analysis
- C. dynamic analysis -> static analysis -> antivirus scanning -> cache lookup
- D. static analysis -> cache lookup -> antivirus scanning -> dynamic analysis

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 88

You want to collect events and flows from third-party vendors. Which solution should you deploy to accomplish this task?

- A. JSA
- B. Policy Enforcer
- C. Log Director
- D. Contrail

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 89

Which three features are part of Juniper Networks' AppSecure suite? (Choose three)

- A. Secure Application Manager
- B. AppOoS
- C. AppQoE
- D. APBR
- E. AppFormix

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 90

You have deployed JSA and you need to view events and network activity that match rule criteria. You must view this data using a single interface. Which JSA feature should you use in this scenario?

- A. Offense Manager
- B. Assets
- C. Network Activity
- D. Log Collector

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 91

Click the Exhibit button.

Referring to the exhibit, which statement is true?

- A. IDP ignores the connection on matched sessions.
- B. IDP blocks all users.
- C. IDP closes the connection on matched sessions.
- D. IDP blocks root users.

Answer: A ([LEAVE A REPLY](#))

Valid JN0-334 Dumps shared by PrepPdf.com for Helping Passing JN0-334 Exam!
PrepPdf.com now offer the **newest JN0-334 exam dumps**, the PrepPdf.com JN0-334 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JN0-334 dumps with Test Engine here:
<https://www.preppdf.com/Juniper/JN0-334-prepaway-exam-dumps.html> (93 Q&As Dumps,
40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 92

Which two statements describe JSA? (Choose two.)

- A. Security Director must be used to view third-party events from JSA flow collectors
- B. JSA can be used as a log node with Security Director or as a standalone solution
- C. JSA events must be manually imported into Security Director using an SSH connection
- D. JSA supports events and flows from Junos devices, including third-party devices.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 93

Click the Exhibit button.

Referring to the exhibit, what will happen if client 172.16.128.50 tries to connect to destination 192.168.150.111 using HTTP?

- A. The client will be permitted by policy p1.
- B. The client will be denied by policy p1.
- C. The client will be permitted by policy p2.
- D. The client will be denied by policy p2.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 94

In an Active/Active chassis cluster deployment which chassis cluster component is responsible for RGO traffic?

- A. the master routing engine of the secondary node
- B. the backup routing engine of the primary node
- C. the primary node
- D. the secondary node

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 95

Click to the Exhibit button.

Referring to the exhibit, which two statements are true? (Choose two.)

- A. Interface ge-0/0/1.0 will respond to pings.
- B. Interface ge-0/0/0.0 will respond to pings.
- C. Interface ge-0/0/0 will not accept SSH connections.
- D. Interfaces ge-0/0/0.0 and ge-0/0/1.0 will allow SSH connections.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 96

Click the Exhibit button.

Referring to the exhibit, which statement is true?

- A. Hosts are always able to communicate through the SRX Series device no matter the threat score assigned to them on the infected host feed.
- B. Malicious HTTP file downloads are never blocked.
- C. Malicious HTTP file downloads are always blocked.

D. Hosts are unable to communicate through the SRX Series device after being placed on the infected host feed with a high enough threat score.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 97

Which two statements describe JSA? (Choose two.)

- A. Security Director must be used to view third-party events from JSA flow collectors.
- B. JSA can be used as a log node with Security Director or as a standalone solution.
- C. JSA events must be manually imported into Security Directory using an SSH connection.
- D. JSA supports events and flows from Junos devices, including third-party devices.

Answer: B,D ([LEAVE A REPLY](#))

Valid JN0-334 Dumps shared by PrepPdf.com for Helping Passing JN0-334 Exam!
PrepPdf.com now offer the **newest JN0-334 exam dumps**, the PrepPdf.com JN0-334 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JN0-334 dumps with Test Engine here:
<https://www.preppdf.com/Juniper/JN0-334-prepaway-exam-dumps.html> (93 Q&As Dumps,
40%OFF Special Discount: Exam-Tests)