

## Microsoft.AZ-800.v2022-02-23.q40

<b>Exam Code:</b>	AZ-800
<b>Exam Name:</b>	Administering Windows Server Hybrid Core Infrastructure
<b>Certification Provider:</b>	Microsoft
<b>Free Question Number:</b>	40
<b>Version:</b>	v2022-02-23
<b># of views:</b>	9304
<b># of Questions views:</b>	400
<a href="https://www.freeqas.com/qa/Microsoft/AZ-800/Microsoft.AZ-800.v2022-02-23.q40.html">https://www.freeqas.com/qa/Microsoft/AZ-800/Microsoft.AZ-800.v2022-02-23.q40.html</a>	

### NEW QUESTION: 1

Your network contains an Active Directory Domain Services (AD DS) forest. The forest contains three Active Directory sites named Site1, Site2, and Site3. Each site contains two domain controllers. The sites are connected by using DEFAULTIPSITELINK.

You open a new branch office that contains only client computers.

You need to ensure that the client computers in the new office are primarily authenticated by the domain controllers in Site1.

Solution: You create an organizational unit (OU) that contains the client computers in the new branch office. You configure the Try Next Closest Site Group Policy Object (GPO) setting in a GPO that is linked to the new OU.

Does this meet the goal?

A. Yes

B. No

**Answer: A ([LEAVE A REPLY](#))**

### NEW QUESTION: 2

Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com. The domain contains two servers named Server1 and Server2.

Server1 contains a disk named Disk2. Disk2 contains a folder named UserData. UserData is shared to the Domain Users group. Disk2 is configured for deduplication. Server1 is protected by using Azure Backup.

Server1 fails.

You connect Disk2 to Server2.

You need to ensure that you can access all the files on Disk2 as quickly as possible.

What should you do?

A. Create a storage pool.

B. Restore files from Azure Backup.

C. Install the File Server Resource Manager server role.

D. Install the Data Deduplication server role.

**Answer: D (LEAVE A REPLY)**

Reference:

<https://docs.microsoft.com/en-us/windows-server/storage/data-deduplication/overview>

### NEW QUESTION: 3

You have a server named Server1 that runs Windows Server and has the Hyper-V server role installed.

You need to limit which Hyper-V module cmdlets helpdesk users can use when administering Server 1 remotely.

You configure Just Enough Administration (JEA) and successfully build the role capabilities and session configuration files.

How should you complete the PowerShell command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



**Answer:**

Answer Area




Reference:

<https://docs.microsoft.com/en-us/powershell/scripting/learn/remoting/jea/session-configurations?view=powershell-7.2>

<https://docs.microsoft.com/en-us/powershell/module/microsoft.powershell.core/new-pssessionconfigurationfile?view=powershell-7.2>

### NEW QUESTION: 4

Your network contains an Active Directory Domain Services (AD DS) domain named adatum.com.



The domain contains a server named Server1 and three users named User1, User2, and User3. Server1 contains a shared folder named Share1 that has the following configurations:



The share permissions for Share1 are configured as shown in the Share Permissions exhibit. (Click the Share Permissions tab.) Share1 contains a file named File1.txt. The advanced security settings for File1.txt are configured as shown in the File Permissions exhibit. (Click the File Permissions tab.) For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
When User1 connects to \\Server1.adatum.com\Share1, the user can take ownership of File1.txt.	<input type="radio"/>	<input type="radio"/>
When User2 connects to \\Server1.adatum.com\Share1, File1.txt is visible.	<input type="radio"/>	<input type="radio"/>
When User3 connects to \\Server1.adatum.com\Share1, File1.txt is visible.	<input type="radio"/>	<input type="radio"/>

**Answer:**

Statements	Yes	No
When User1 connects to \\Server1.adatum.com\Share1, the user can take ownership of File1.txt.	<input type="radio"/>	<input checked="" type="radio"/>
When User2 connects to \\Server1.adatum.com\Share1, File1.txt is visible.	<input checked="" type="radio"/>	<input type="radio"/>
When User3 connects to \\Server1.adatum.com\Share1, File1.txt is visible.	<input type="radio"/>	<input checked="" type="radio"/>

### NEW QUESTION: 5

Your network contains an Active Directory Domain Services (AD DS) domain- The domain contains 10 servers that run Windows Server. The servers have static IP addresses.

You plan to use DHCP to assign IP addresses to the servers.

You need to ensure that each server always receives the same IP address.

Which type of identifier should you use to create a DHCP reservation for each server?

- A. MAC address
- B. NetBIOS name
- C. universally unique identifier (UUID)
- D. fully qualified domain name (FQDN)

**Answer: A** ([LEAVE A REPLY](#))

### NEW QUESTION: 6

You have a Windows Server container host named Server 1 and a container image named Image1.

You need to start a container from image1. The solution must run the container on a Hyper-V virtual machine.

Which parameter should you specify when you run the docker run command?

- A. --privileged
- B. --isolation
- C. --expose
- D. --entrypoint
- E. --runtime

**Answer: E** ([LEAVE A REPLY](#))

### NEW QUESTION: 7

You have a file server named Server1 that runs Windows Server and contains the volumes shown in the following table.

Name	File system
C	NTFS
D	NTFS
E	REFS

On which volumes can you use BitLocker Drive Encryption (BitLocker) and disk quotas? To answer select the appropriate options in the answer area. NOTE Each correct selection is worth one point.

Answer Area



BitLocker:

- C only
- D only
- C and D only
- D and E only
- C, D, and E

Disk quotas:

- C only
- D only
- C and D only
- D and E only
- C, D, and E

**Answer:**

Answer Area



BitLocker:

- C only
- D only
- C and D only
- D and E only
- C, D, and E**

Disk quotas:

- C only
- D only
- C and D only**
- D and E only
- C, D, and E

Reference:

<https://docs.microsoft.com/en-us/windows-server/storage/refs/refs-overview>

**NEW QUESTION: 8**

You plan to deploy an Azure virtual machine that will run Windows Server.

You need to ensure that an Azure Active Directory (Azure AD) user named user1@contoso.com can connect to the virtual machine by using the Azure Serial Console.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Configure on the Azure virtual machine:

- Boot diagnostics with a custom storage account
- Operating system guest diagnostics
- A system-assigned managed identity**

Assign the following role to User1:

- Virtual Machine Contributor
- Virtual Machine Administrator Login
- Virtual Machine User Login**

**Answer:**



### NEW QUESTION: 9

You have an on premises Active Directory Domain Services (AD DS) domain that syncs with an Azure Active Directory (Azure AD) tenant.

You plan to implement self-service password reset (SSPR) in Azure AD.

You need to ensure that users that reset their passwords by using SSPR can use the new password resources in the AD DS domain.

What should you do?

- A. Deploy the Azure AD Password Protection proxy service to the on premises network.
- B. Run the Microsoft Azure Active Directory Connect wizard and select Password writeback.
- C. Grant the Change password permission for the domain to the Azure AD Connect service account.
- D. Grant the impersonate a client after authentication user right to the Azure AD Connect service account.

**Answer: B** ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/tutorial-enable-sspr-writeback>

### NEW QUESTION: 10

You have a server named Server1 that hosts Windows containers. You plan to deploy an application that will have multiple containers. Each container will be You need to create a Docker network that supports the deployment of the application. Which type of network should you create?

- A. transparent
- B. I2bridge
- C. NAT
- D. I2tunnel

**Answer: B** ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/virtualization/windowscontainers/container-networking/network-drivers-topologies>

### NEW QUESTION: 11

You have a server named Server1 that runs Windows Server and has the Hyper-V server role installed.

You need 10 limit which Hyper-V module cmdlets helpdesk users can use when administering Server 1 remotely.

You configure Just Enough Administration (JEA) and successfully build the role capabilities and session configuration files.

How should you complete the PowerShell command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



**Answer:**



### NEW QUESTION: 12

You are planning the implementation Azure Arc to support the planned changes. You need to configure the environment to support configuration management policies. What should you do?

- A. Create a hybrid runbook worker in Azure Automation.
- B. Deploy the Azure Connected Machine agent to all the servers.
- C. Deploy the Azure Monitor agent to all the servers.
- D. Hybrid Azure AD join all the servers.

**Answer:** ([SHOW ANSWER](#))

### NEW QUESTION: 13

You have a server named Server1 that runs Windows Server and has the Hyper V server role installed. Server1 hosts a virtual machine named VM1.

Server1 has an NVMe storage device. The device is currently assigned to VM1 by using Discrete Device Assignment.

You need to make the device available to Server1.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

## Actions

## Answer Area

From Server1, stop VM1.

From Server1, run the `Remove-VMAssignableDevice` cmdlet.

From Server1, run the `Mount-VMHostAssignableDevice` cmdlet.

From Server1, enable the device by using Device Manager.

From VM1, disable the device by using Device Manager.

## Answer:

## Answer Area

From Server1, stop VM1.

From Server1, run the `Remove-VMAssignableDevice` cmdlet.

From Server1, run the `Mount-VMHostAssignableDevice` cmdlet.

From Server1, enable the device by using Device Manager.

- 1 - From Server1, stop VM1.
- 2 - From Server1, run the `Remove-VMAssignableDevice` cmdlet.
- 3 - From Server1, run the `Mount-VMHostAssignableDevice` cmdlet.
- 4 - From Server1, enable the device by using Device Manager.

Reference:

<https://docs.microsoft.com/en-us/windows-server/virtualization/hyper-v/deploy/deploying-storage-devices-using-dda>

## NEW QUESTION: 14

Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com.

You need to identify which server is the PDC emulator for the domain.

Solution: From Active Directory Sites and Services, you right-click Default-First-Site-Name in the console tree, and then select Properties.

Does this meet the goal?

- A. No
- B. Yes

**Answer: A (LEAVE A REPLY)**

### NEW QUESTION: 15

You have a server named Host1 that has the Hyper-V server role installed. Host1 hosts a virtual machine named VM1.

You have a management server named Server1 that runs Windows Server. You remotely manage Host1 from Server1 by using Hyper-V Manager.

You need to ensure that you can access a USB hard drive connected to Server1 when you connect to VM1 by using Virtual Machine Connection.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From Disk Management on Host1, select Rescan Disks
- B. From Virtual Machine Connection select Show Options and then select the USB hard drive.
- C. From Virtual Machine Connection, switch to a basic session.
- D. From the Hyper-V Settings of Host1, select Allow enhanced session mode
- E. From Disk Management on Host1, attach a virtual hard disk.

**Answer: B,D (LEAVE A REPLY)**

### NEW QUESTION: 16

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are planning the deployment of DNS to a new network.

You have three internal DNS servers as shown in the following table.

Name	Location	IP address	Local DNS zone
Server1	Montreal	10.0.1.10	contoso.local
Server2	Toronto	10.0.2.10	east.contoso.local
Server3	Seattle	10.0.3.10	west.contoso.local

The contoso.local zone contains zone delegations for east.contoso.local and west.contoso.local. All the DNS servers use root hints.

You need to ensure that all the DNS servers can resolve the names of all the internal namespaces and internet hosts.

Solution: On Server2, you create a conditional forwarder for contoso.local and west.contoso.local. On Server3, you create a conditional forwarder for contoso.local and east.contoso.local.

Does this meet the goal?

- A. No
- B. Yes

Answer: ([SHOW ANSWER](#))

**Valid AZ-800 Dumps** shared by PrepPdf.com for Helping Passing AZ-800 Exam!  
PrepPdf.com now offer the **newest AZ-800 exam dumps**, the PrepPdf.com AZ-800 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com AZ-800 dumps with Test Engine here:  
<https://www.preppdf.com/Microsoft/AZ-800-prepaway-exam-dumps.html> (333 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 17**

Your network contains two Active Directory Domain Services (AD DS) forests named contoso.com and fabrikam.com. A two-way forest trust exists between the forests. Each forest contains a single domain. The domains contain the servers shown in the following table.

Name	Domain	Description
Server1	contoso.com	Hosts a Windows Admin Center gateway
Server2	fabrikam.com	Hosts resources that will be managed remotely by using Windows Admin Center on Server1

You need to configure resources based constrained delegation so that the users in contoso.com can use Windows Admin Center on Server2 to connect to Server1. How should you complete the command? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

```
Set-ADComputer -Identity (Get-ADComputer server1.contoso.com) -PrincipalsAllowedToDelegateToAccount (Get-ADComputer server2.fabrikam.com) (Get-ADGroup 'Contoso\Domain Users') (Get-ADGroup 'Fabrikam\Domain Users')
```

Answer:

Answer Area

```
Set-ADComputer -Identity (Get-ADComputer server1.contoso.com) -PrincipalsAllowedToDelegateToAccount (Get-ADComputer server2.fabrikam.com) (Get-ADGroup 'Contoso\Domain Users') (Get-ADGroup 'Fabrikam\Domain Users')
```

Reference:

<https://docs.microsoft.com/en-us/windows-server/security/kerberos/kerberos-constrained-delegation-overview>

<https://docs.microsoft.com/en-us/powershell/module/activedirectory/set-adcomputer?view=windowsserver2022-ps>

**NEW QUESTION: 18**

Your network contains two VLANs for client computers and one VLAN for a datacenter. Each VLAN is assigned an IPv4 subnet. Currently, all the client computers use static IP addresses.

You plan to deploy a DHCP server to the VLAN in the datacenter.

You need to use the DHCP server to provide IP configurations to all the client computers.

What is the minimum number of scopes and DHCP relays you should create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



Microsoft

freeqas.com

DHCP scopes:

- 1
- 2
- 3
- 4

DHCP relays:

- 1
- 2
- 3
- 4

the selections for DHCP relays:

Answer:

Answer Area



Microsoft

freeqas.com

DHCP scopes:

- 1
- 2
- 3
- 4

DHCP relays:

- 1
- 2
- 3
- 4

the selections for DHCP relays:

Reference:

<https://sites.google.com/site/chaseerry/cisco-routing/dhcp-relay-agent---one-dhcp-server-for-many-vlans>

### NEW QUESTION: 19

You have a server named Server1 that runs Windows Server. Server1 has the storage pools shown in the following table.

Name	Number of 7,200-RPM HDDs	Number of 10,000-RPM HDDs	Number of SSDs
Pool1	4	4	None
Pool2	None	2	2
Pool3	8	None	4

You plan to create a virtual disk named VDisk1 that will use storage tiers. Which pools can you use to create VDisk1 ?

- A. Pool 2 only
- B. Pool3 only
- C. Pool1 and Pool2 only
- D. Pool only
- E. Pool1 and Pool3 only
- F. Pool, Pool2, and Pool3
- G. Pool2 and Pool3 only

Answer: C (**LEAVE A REPLY**)

**NEW QUESTION: 20**

What should you implement for the deployment of DC3?

- A. Azure AD Application Proxy
- B. Azure Active Directory Domain Services (Azure AD DS)
- C. an Azure virtual machine
- D. an Azure AD administrative unit

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 21**

Which groups can you add to Group3 and Group5? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Group3:	<input type="checkbox"/> Group6 only
	<input type="checkbox"/> Group1 and Group2 only
	<input type="checkbox"/> Group1 and Group4 only
	<input type="checkbox"/> Group1, Group2, Group4, and Group5 only
	<input type="checkbox"/> Group1, Group2, Group4, Groups, and Group6
	<input type="checkbox"/>
Group5:	<input type="checkbox"/> Group1 only
	<input type="checkbox"/> Group4 only
	<input type="checkbox"/> Group6 only
	<input type="checkbox"/> Group2 and Group4 only
	<input type="checkbox"/> Group4 and Group6 only
	<input type="checkbox"/>

**Answer:**

Group3:

- Group6 only
- Group1 and Group2 only
- Group1 and Group4 only
- Group1, Group2, Group4, and Group5 only
- Group1, Group2, Group4, Groups, and Group6

Group5:

- Group1 only
- Group4 only
- Group6 only
- Group2 and Group4 only
- Group4 and Group6 only

Reference:

<https://docs.microsoft.com/en-us/windows/security/identity-protection/access-control/active-directory-security-groups>

**NEW QUESTION: 22**

You need to sync files from an on-premises server named Server1 to Azure by using Azure File Sync. You have a cloud tiering policy that is configured for 30 percent free space and 70 days. Volume f on Server1 is 500 GB.

A year ago, you configured E:\Oata on Server1 to sync by using Azure File Sync. The files that are visible in E:\Data are shown in the following table.

Name	Size	Last accessed
File1	200 GB	2 days ago
File2	100 GB	10 days ago
File3	200 GB	60 days ago
File4	50 GB	100 days ago

Volume E does NOT contain any other files.

Where are File1 and file3 located? To answer, select the appropriate options In the answer area.

Answer Area

File1:

- Server1 only
- The Azure file share only
- Server1 and the Azure file share

File3:

- Server1 only
- The Azure file share only
- Server 1 and the Azure file share

**Answer:**

Answer Area 

File1:  Server1 only  
 The Azure file share only  
 Server 1 and the Azure file share

File3:  Server1 only  
 The Azure file share only  
 Server 1 and the Azure file share

**NEW QUESTION: 23**

You need to meet the technical requirements for VM1.

Which cmdlet should you run first? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Set-VM  
 Set-VM BIOS  
 Set-VMHost  
 Set-VMFirmware  
 Set-VMProcessor

-NewVMName  
 -GuestControlledCacheTypes  
 -EnableHostResourceProtection  
 -ExposeVirtualizationExtensions

**Answer:**

Answer Area

Set-VM  
 Set-VM BIOS  
 Set-VMHost  
 Set-VMFirmware  
 Set-VMProcessor

-NewVMName  
 -GuestControlledCacheTypes  
 -EnableHostResourceProtection  
 -ExposeVirtualizationExtensions

**NEW QUESTION: 24**

You have a server named Server1 that has Windows Admin Center installed. The certificate used by Windows Admin Center was obtained from a certification authority (CA).

The certificate expires.

You need to replace the certificate.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Copy the certificate thumbprint.	
From Internet Information Services (IIS) Manager, bind a certificate.	
Rerun <b>Windows Admin Center Setup</b> and select <b>Change</b> .	
Rerun <b>Windows Admin Center Setup</b> and select <b>Repair</b> .	
Rerun <b>Windows Admin Center Setup</b> and select <b>Remove</b> .	

**Answer:**

Answer Area
From Internet Information Services (IIS) Manager, bind a certificate.
Copy the certificate thumbprint.
Rerun Windows Admin Center Setuo and select Change.

- 1 - From Internet Information Services (IIS) Manager, bind a certificate.
- 2 - Copy the certificate thumbprint.
- 3 - Rerun Windows Admin Center Setuo and select Change.

Reference:

<https://www.starwindsoftware.com/blog/change-the-windows-admin-center-certificate>

**NEW QUESTION: 25**

Your network contains an Active Directory Domain Services (AD DS) forest. The forest contains three Active Directory sites named Site1, Site2, and Site3. Each site contains two domain controllers. The sites are connected by using DEFAULTIPSITELINK.

You open a new branch office that contains only client computers.

You need to ensure that the client computers in the new office are primarily authenticated by the domain controllers in Site1.

Solution: You create a new subnet object that is associated to Site1.

Does this meet the goal?

**A. Yes**

B. No

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 26**

You have an Azure virtual machine named VM1 that has a private IP address only.

You configure the Windows Admin Center extension on VM1.

You have an on-premises computer that runs Windows 11. You use the computer for server management. You need to ensure that you can use Windows Admin Center from the Azure portal to manage VM1.

What should you configure?

- A. a VPN connection to the virtual network that contains VM1.
- B. an Azure Bastion host on the virtual network that contains VM1.
- C. a network security group (NSG) rule that allows inbound traffic on port 443.
- D. a private endpoint on the virtual network that contains VM1.

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 27**

You need to configure Azure File Sync to meet the file sharing requirements. What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

ANSWER AREA

Minimum number of sync groups to create:

Minimum number of Storage Sync Services to create:

Minimum number of Storage Sync Services to create:

Answer:  
ANSWER AREA

Minimum number of sync groups to create:

Minimum number of Storage Sync Services to create:

Minimum number of Storage Sync Services to create:

**NEW QUESTION: 28**

Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com. The domain contains a server named Server1 that has the DFS Namespaces role service installed. Server1 hosts a domain-based Distributed File System (DFS) Namespace named Files.

The domain contains a file server named Server2. Server2 contains a shared folder named Share1. Share1 contains a subfolder named Folder 1.

In the Files namespace, you create a folder named Folder1 that has a target of `\Server2.contoso.com\Share1\Folder1`.

You need to configure a logon script that will map drive letter M to Folder1. The solution must use the path of the DFS Namespace.

How should you complete the command to map the drive letter? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



### NEW QUESTION: 29

You have an on-premises server named Server1 that runs Windows Server.

You have an Azure virtual network that contains an Azure virtual network gateway.

You need to connect only Server1 to the Azure virtual network.

What should you use?

- A. Azure Network Adapter
- B. an ExpressRoute circuit
- C. Azure Extended Network
- D. a Site-to-SiteVPN

Answer: A ([LEAVE A REPLY](#))

### NEW QUESTION: 30

You need to meet the technical requirements for VM2.

What should you do?

- A. Implement shielded virtual machines.
- B. Enable the Guest services integration service.
- C. Implement Credential Guard.
- D. Enable enhanced session mode.

Answer: D ([LEAVE A REPLY](#))

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and

sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements, if the case study has an All Information tab. Note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

## Overview

Fabrikam, Inc. is a manufacturing company that has a main office in New York and a branch office in Seattle.

## On-premises Servers

The on-premises network contains servers that run Windows Server as shown in the following table.

Name	Configuration	Office
AADC1	Azure AD Connect	New York
APP1	Application server	New York
APP2	Application server	Seattle
DC1	Domain controller	New York
DC2	Domain controller	Seattle
DHCP1	DHCP server	New York
DHCP2	DHCP server	Seattle
FS1	File server	New York
FS2	File server	Seattle
VM1	None	New York
VM2	None	Seattle
WEB1	Web server	New York
WEB2	Web server	Seattle

DC1 hosts all the operation master roles.

WEB1 and WEB2 run an Internet Information Services (IIS) web app named Webapp1.

## On-premises Network

The New York and Seattle offices are connected by using redundant WAN links.

The client computers in each office get IP addresses from their local DHCP server.

DHCP1 contains a scope named Scope1 that has addresses for the New York office. DHCP2 contains a scope named Scope2 that has addresses for the Seattle office.

Group Policy Object (GPOs)

The cwp.fabrikam.com domain contains the organizational units (OUs) and custom Group Policy Objects (GPOs) shown in the following table.

OU name	Linked GPO	Description
AllUsers	GPO1	Contains all the user accounts in the domain.
AllComputers	GPO2	Contains all the computer accounts for the client computers in the domain.
AllServers	GPO3	Contains all the computer accounts for Windows servers.
VirtualDesktops	GPO4	A new OU that will contain the computers account for Azure Virtual Desktop session hosts.

### NEW QUESTION: 31

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are planning the deployment of DNS to a new network.

You have three internal DNS servers as shown in the following table.

Name	Location	IP address	Local DNS zone
Server1	Montreal	10.0.1.10	contoso.local
Server2	Toronto	10.0.2.10	east.contoso.local
Server3	Seattle	10.0.3.10	west.contoso.local

The contoso.local zone contains zone delegations for east.contoso.local and west.contoso.local. All the DNS servers use root hints.

You need to ensure that all the DNS servers can resolve the names of all the internal namespaces and internet hosts.

Solution: You configure Server2 and Server3 to forward DNS requests to 10.0.1.10.

Does this meet the goal?

A. No

B. Yes

Answer: A ([LEAVE A REPLY](#))

**Valid AZ-800 Dumps** shared by PrepPdf.com for Helping Passing AZ-800 Exam!  
PrepPdf.com now offer the **newest AZ-800 exam dumps**, the PrepPdf.com AZ-800 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com AZ-800 dumps with Test Engine here:

<https://www.preppdf.com/Microsoft/AZ-800-prepaway-exam-dumps.html> (333 Q&As Dumps, 40%OFF Special Discount: Exam-Tests)

**NEW QUESTION: 32**

You need to configure remote administration to meet the security requirements. What should you use?

- A. just in time (JIT) VM access
- B. Azure AD Privileged Identity Management (PIM)
- C. the Remote Desktop extension for Azure Cloud Services
- D. an Azure Bastion host

**Answer:** ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/azure/defender-for-cloud/just-in-time-access-usage?tabs=jit-config-asc%2Cjit-request-asc>

**NEW QUESTION: 33**

Which groups can you add to Group3 and Group5? To answer, select the appropriate options in the answer area. NOTE Each correct selection is worth one point.

Answer Area

Group3:  
Group6 only  
Group1 and Group2 only  
Group1 and Group4 only  
Group1, Group2, Group4, and Group5 only  
Group1, Group2, Group4, Group5, and Group6

Group5:  
Group1 only  
Group4 only  
Group6 only  
Group2 and Group4 only  
Group4 and Group6 only

**Answer:**

Answer Area

Group3:  
Group6 only  
Group1 and Group2 only  
Group1 and Group4 only  
Group1, Group2, Group4, and Group5 only  
Group1, Group2, Group4, Group5, and Group6

Group5:  
Group1 only  
Group4 only  
Group6 only  
Group2 and Group4 only  
Group4 and Group6 only

**NEW QUESTION: 34**

You have an Azure virtual machine named VM1 that runs Windows Server and has the following configurations:

Size: D2s\_v4

Operating system disk: 127-GiB standard SSD

Data disk 128-GiB standard SSD

Virtual machine generation: Gen 2

You plan to perform the following changes to VM1:

Change the virtual machine size to D4s\_v4.

Detach the data disk.

Add a new standard SSD.

Which changes require downtime for VM1?

**A.** Detaching the data disk only and adding a new standard SSD.

**B.** Detaching the data disk only.

**C.** Changing the virtual machine size only.

**D.** Adding a new standard SSD only.

**Answer: A (LEAVE A REPLY)**

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/convert-disk-storage>

### NEW QUESTION: 35

You have an on-premises Active Directory Domain Services (AD DS) domain that syncs with an Azure Active Directory (Azure AD) tenant. You have an on-premises web app named WebApp1 that only supports Kerberos authentication.

You need to ensure that users can access WebApp1 by using their Azure AD account. The solution must minimize administrative effort.

What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

The screenshot shows the configuration page for WebApp1 in the Azure portal. It is divided into two sections: 'In Azure AD:' and 'On-premises:'. Each section contains a list of three options: 'The Azure AD Application Proxy connector', 'The Azure AD Application Proxy service', and 'Web Application Proxy'. The 'On-premises' section has a mouse cursor hovering over the first option.

**Answer:**

The screenshot shows the configuration page for WebApp1 in the Azure portal. It is divided into two sections: 'In Azure AD:' and 'On-premises:'. Each section contains a list of three options: 'The Azure AD Application Proxy connector', 'The Azure AD Application Proxy service', and 'Web Application Proxy'. All three options in both sections are selected, indicated by red checkmarks.

### NEW QUESTION: 36


You need to meet the technical requirements for the site links. Which users can perform the required tasks?

- A. Admin1 and Admin3 only
- B. Admin1, Adrrun2. and Admin3
- C. Admin1 and Admin2 only
- D. Admin3 only
- E. Admin1 only

**Answer: C** ([LEAVE A REPLY](#))

**NEW QUESTION: 37**

Which three actions should you perform in sequence to meet the security requirements for Webapp1? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create a standalone managed service account (sMSA) in AD DS.	
Configure the IIS application pool to run as Network Service.	
Configure the IIS application pool to run as a specified user account.	
Create a group managed service account (gMSA) in Active Directory.	
Create a system-assigned managed identity in Azure AD.	
Create a user-assigned managed identity in Azure AD.	
Create the Key Distribution Services (KDS) root key in AD DS.	

**Answer:**

**Answer Area**

---

Configure the IS application pool to run as Network Service.

---

Create a group managed service account (gMSA) in Active Directory.

---

Create the Key Distribution Services (KDS)root key in AD DS.

---

- 1 - Configure the IS application pool to run as Network Service.
- 2 - Create a group managed service account (gMSA) in Active Directory.
- 3 - Create the Key Distribution Services (KDS)root key in AD DS.

**NEW QUESTION: 38**

You have a Windows Server container host named Server1 and an Azure subscription. You deploy an Azure container registry named Registry1 to the subscription. On Server1, you create a container image named image1. You need to store imager in Registry1.

Which command should you run on Server1 ? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



Answer:



**NEW QUESTION: 39**

You have on-premises servers that run Windows Server as shown in the following table.

Name	Local content
Server1	D:\Folder1\File1.docx
Server2	D:\Data1\File3.docx

You have an Azure file share named share1 that stores two files named File2.docx and File3.docx.

You create an Azure File Sync sync group that includes the following endpoints:

share

D:\Folder1 on Server1

D:\Data1 on Server2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
You can create a file named File2.docx in D:\Folder1 on Server1.	<input type="checkbox"/>	<input type="checkbox"/>
You can create a file named File1.docx in D:\Data1 on Server2.	<input type="checkbox"/>	<input type="checkbox"/>
File3.docx will sync to Server1.	<input type="checkbox"/>	<input type="checkbox"/>

Answer:

Statements	Yes	No
You can create a file named File2.docx in D:\Folder1 on Server1.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
You can create a file named File1.docx in D:\Data1 on Server2.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
File3.docx will sync to Server1.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Reference:

<https://docs.microsoft.com/en-us/azure/storage/file-sync/file-sync-introduction>

### NEW QUESTION: 40

You need to meet the technical requirements for VM3  
On which volumes can you enable Data Deduplication?

- A. C and D only
- B. D only
- C. C, D, E, and F
- D. D, E, and F only
- E. D and E only

Answer: A ([LEAVE A REPLY](#))

**Valid AZ-800 Dumps** shared by PrepPdf.com for Helping Passing AZ-800 Exam!  
PrepPdf.com now offer the **newest AZ-800 exam dumps**, the PrepPdf.com AZ-800 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com AZ-800 dumps with Test Engine here:  
<https://www.preppdf.com/Microsoft/AZ-800-prepaway-exam-dumps.html> (333 Q&As Dumps,  
**40%OFF Special Discount: Exam-Tests**)