

Microsoft.MS-600.v2022-04-04.q138

Exam Code:	MS-600
Exam Name:	Building Applications and Solutions with Microsoft 365 Core Services
Certification Provider:	Microsoft
Free Question Number:	138
Version:	v2022-04-04
# of views:	2963
# of Questions views:	1380
https://www.freeqas.com/qa/Microsoft/MS-600/Microsoft.MS-600.v2022-04-04.q138.html	

NEW QUESTION: 1

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
A Microsoft Office Add-in manifest must be stored in Azure Directory (Azure AD).	<input type="radio"/>	<input type="radio"/>
A Microsoft Office Add-in manifest must be in the JSON format.	<input type="radio"/>	<input type="radio"/>
A Microsoft Office Add-in manifest must contain a URI that points to the location that hosts the add-in.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
You can use the Adaptive Cards Designer to create Microsoft Outlook actionable messages.	<input checked="" type="radio"/>	<input type="radio"/>
Microsoft Outlook actionable messages are written in JSON.	<input checked="" type="radio"/>	<input type="radio"/>
You need Azure Active Directory (Azure AD) tenant admin privileges to enable Microsoft Outlook actionable messages.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation

Graphical user interface, text, application Description automatically generated

Statements	Yes	No
A Microsoft Office Add-in manifest must be stored in Azure Directory (Azure AD).	<input type="radio"/>	<input checked="" type="radio"/>
A Microsoft Office Add-in manifest must be in the JSON format.	<input type="radio"/>	<input checked="" type="radio"/>
A Microsoft Office Add-in manifest must contain a URI that points to the location that hosts the add-in.	<input checked="" type="radio"/>	<input type="radio"/>

Box 1: No

Box 2: No

The manifest is in XML format.

Box 3: Yes

SourceLocation is required and specifies the source file location(s) for your Office Add-in as a URL between 1 and 2018 characters long. The source location must be an HTTPS address, not a file path.

References: <https://docs.microsoft.com/en-us/office/dev/add-ins/develop/add-in-manifests>

<https://docs.microsoft.com/en-us/office/dev/add-ins/reference/manifest/sourcelocation>

NEW QUESTION: 2

You are building a conversational bot that will have an interactive UI. When the user invokes the bot by using a keyword, the bot will reply with a dialog that lets the user choose one of multiple options.

After the user chooses an option, and the response is received by the backend logic, you need to prompt the user to select additional options.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Implement a Hero Card that has an invoke card action.
- B. Implement an Adaptive Card that has an `showCard` card action.
- C. Return an HTTP response that contains a `TaskInfo` object of type message and an Adaptive Card.
- D. Return an HTTP response that contains a `TaskInfo` object of type continue and an Adaptive Card.
- E. Return an HTTP response that contains a `TaskInfo` object of type message and an embedded web view.

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 3

You use Azure Active Directory (Azure AD) to store user identities.

The user profile information is inconsistently populated.

You need to develop a web app that will provide users with a page where they can enter their interests, skill, and description. When the user click the submit button, the app will use Microsoft graph to send the data to Azure AD.

Which HTTP method should you use against the Microsoft graph endpoint?

- A. PUT
- B. GET
- C. PATCH
- D. POST


Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4


You are building a new tab as part of a new Microsoft Teams application. Users will experience the tab privately.

How should you complete the application manifest? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



NEW QUESTION: 5

You need to complete the MSAL.js code for SSO.

Which code segment should you insert at line 06?

- A. storeAuthStateInCookie: false
- B. storeAuthStateInCookie: true
- C. cacheLocation: 'localStorage'
- D. cacheLocation: 'sessionStorage'

Answer: ([SHOW ANSWER](#))

Explanation

Scenario: Implement single sign-on (SSO) and minimize login prompts across browser tabs.


When your application is open in multiple tabs and you first sign in the user on one tab, the user is also signed in on the other tabs without being prompted. MSAL.js caches the ID token for the user in the browser localStorage and will sign the user in to the application on the other open tabs.

By default, MSAL.js uses sessionStorage which does not allow the session to be shared between tabs. To get SSO between tabs, make sure to set the cacheLocation in MSAL.js to localStorage. Reference: <https://docs.microsoft.com/bs-latn-ba/Azure/active-directory/develop/msal-js-ssso>

NEW QUESTION: 6

What are two possible URIs that you can use to configure the content administration user interface? Each correct answer present a complete solution.

NOTE: Each correct selection is worth one point.



- A. Option D
- B. Option B
- C. Option C
- D. Option A

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 7

You have a Microsoft 365 tenant.

You develop a custom Microsoft Office Add-in for Word.

You need to sideload the add-in.

You sign in to Microsoft 365 in a web browser and create a new Word document What should you do next?

- A. Select Upload My Add-in and verify that the add-in was installed.
- B. Upload the add-in to Microsoft AppSource.
- C. Attach a remote debugger by using Microsoft Visual Studio Code.
- D. Upload the add-in to the tenant app catalog.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 8

You are developing a Microsoft Office Add-in for Microsoft Word.

Which Office UI element can contain commands from the add-in?

- A. dialog boxes
- B. the Quick Access Toolbar (QAT)
- C. context menus

D. task panes

Answer: A ([LEAVE A REPLY](#))

Topic 1, ADatum Corporation

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the button to return to the question.

Overview

ADatum Corporation develops a software as a service (SaaS) application named E-invoicing.

Existing Environment

Application Architecture

E-invoicing consists of a single-page application (SPA) and a backend web service that provides invoice management and processing functionality.

E-invoicing stores all the details of each invoicing operation in a backend cloud database. E-invoicing generates invoices in PDF format and provides users with the ability to download the PDF after it is generated.

Each invoice has a unique identifier named invoiceid.

The users have a common workflow where they sign in to E-invoicing, and then open E-invoicing in multiple tabs of a web browser so they can use different parts of the application simultaneously.

Security Architecture

ADatum uses the principle of least privilege whenever possible. ADatum always uses the latest libraries and integration endpoints.

Requirements

Business Goals

ADatum wants to integrate E-invoicing, Azure Active Directory (Azure AD), and Microsoft Graph so that their customers can leverage Microsoft Office 365 services directly from within E-invoicing.

Planned Changes

ADatum plans to add the following capabilities to E-invoicing:

- * Email the generated invoices to customers on behalf of the current signed-in user. Any emails generated by the system will contain the invoiced.
- * Perform as many operations as possible in the browser without having to leave the E-invoicing application.
- * Use Azure AD to manage identities, authentication, and authorization.
- * Display all emails that contain a specific invoiced.

Technical Requirements

ADatum identifies the following technical requirements for the planned E-invoicing capabilities:

- * Ensure that all operations performed by E-invoicing against Office 365 are initiated by a user. Require that the user authorize E-invoicing to access the Office 365 data the first time the application attempts to access Office 365 data on the user's behalf.
- * Send scheduled reminders to customers before a payment due date. Create an administration user interface to enable the scheduled reminders.
- * Implement Microsoft Graph change notifications to detect emails from vendors that arrive in a designated mailbox.
- * Implement single sign-on (SSO) and minimize login prompts across browser tabs.
- * Secure access to the backend web service by using Azure AD.
- * Ensure that all solutions use secure coding practices.

Backend Security Planned Changes

ADatum wants to use custom application roles to map user functionality to permissions granted to users.

E-invoicing will have internal logic that will dynamically identify whether the user should be allowed to call the backend API.

SSO JavaScript Script

You plan to implement SSO with Microsoft Authentication Library (MSAL) by using the following code:

```
01 const config = {
02   auth: {
03     clientId: '3b41e6eb-29a1-44cc-8473-e8abfe5c4e07'
04   },
05   cache: {
06     ...
07   }
08 }
09 const myMSALObj = new UserAgentApplication(config);
10 ...
```

Access Token JavaScript Script

You have the following JavaScript code to obtain an access token.

```

01 ...
02 userAgentApplication.acquireTokenSilent(accessTokenRequest).then(
03 function(accessTokenResponse) {
04   let accessToken = accessTokenResponse.accessToken;
05 }).catch(function (error) {
06   if (error.errorMessage.indexOf('interaction_required') !== -1) {
07     userAgentApplication.acquireTokenPopup(accessTokenRequest).then(
08       function(accessTokenResponse) {
09         ...
10       }).catch(function(error) {
11         console.log(error);
12       });
13   }
14   console.log(error);
15 });

```

Change Notification JSON

You have the following JSON message that will be sent by the Microsoft Graph service to detect the vendor emails.

```

01 {
02   "value": [
03     {
04       "subscriptionId": "<subscription_guid>"
05       "subscriptionExpirationDateTime": "<expirationdate>",
06       "clientState": "<secret>",
07       "changeType": "created",
08       "resource":
09         "users/<user_guid>@<tenant_guid>/messages/<long_id_string>",
10       "resourceData":
11         {
12           "@odata.type": "#Microsoft.Graph.Message",
13           "@odata.id": "Users/<user_guid>@<tenant_guid>/Messages/<long_id_string>",
14           "@odata.etag": "W/\"CQAAAByAAADkrWGo7bouTKlsgTZMr9KwAAAUWRhf\"",
15           "id": "<long_id_string>"
16         }
17     }
18 ]
19 }

```



NEW QUESTION: 9

You are designing a Microsoft Teams application. The application will enable content authors to start conversations about news coming from a third-party application.

Which development technique should you use?

- A. incoming webhooks
- B. outgoing webhooks
- C. activity feeds
- D. deep links

Answer: D (LEAVE A REPLY)

Create deep links to content and features in Microsoft Teams.

You can create links to information and features within the Teams client. Examples of where this may be useful:

Your app automates or simplifies certain user tasks, such as creating a chat or scheduling a meeting, by pre-populating the deep links with required parameters. This avoids the need for users to manually enter information.

Navigating the user to content within one of your app's tabs.

Incorrect Answers:

A: Incoming webhooks are the simplest type of connector. Connectors allow users to subscribe to receive notifications and messages from your web services B: Outgoing webhooks allow your users to send text messages from a channel to your web services. Once configured, your users will be able to @mention your outgoing webhook.

C: The activity feed in Microsoft Teams is the user's single inbox for all activity across Teams. The feed aggregates important content.

NEW QUESTION: 10

You need to implement the role functionality for the backend web service calls.

Which three actions should you perform in sequence? To answer, move the actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Upload a certificate for the application registration of the backend web service.
- Modify the manifest that defines the application roles and set Allowed Member Types to **Apps**.
- Modify the manifest that defines the application roles and set Allowed Member Types to **Users**.
- Create a new client secret in the application registration of the backend web service.
- Verify for the role claims in the backend web service.
- Assign the roles to the Azure AD group that contains the users who are mapped to the roles.

Answer Area

- 1
- 2
- 3

Microsoft

Answer:

Answer Area

Create a new client secret in the application registration of the backend web service.

Verify for the role claims in the backend web service.

Assign the roles to the Azure AD group that contains the users who are mapped to the roles.

Microsoft

- 1 - Create a new client secret in the application registration of the backend web service.
- 2 - Verify for the role claims in the backend web service.
- 3 - Assign the roles to the Azure AD group that contains the users who are mapped to the roles.

NEW QUESTION: 11

You need to configure the initial login request in the access token JavaScript script.

Which code segment should you insert at line 01?

- A. `const scopes = ['https://graph.microsoft.com/.default'];`
- B. `const accessTokenRequest = {`
`};`
- C. `const scopes = ['https://graph.microsoft.com/Files.Read.All',`
`'https://graph.microsoft.com/Mail.Send.All'];`
- D. `const accessTokenRequest = {`
`scopes: ['https://graph.microsoft.com/Files.ReadWrite',`
`'https://graph.microsoft.com/Mail.Send']`
`};`

Answer: (SHOW ANSWER)

Scenario: ADatum identifies the following technical requirements for the planned E-invoicing capabilities:

Ensure that all operations performed by E-invoicing against Office 365 are initiated by a user. Require that the user authorize E-invoicing to access the Office 365 data the first time the application attempts to access Office 365 data on the user's behalf.

NEW QUESTION: 12

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a new application named App1 that uses the Microsoft identity platform to authenticate to Azure Active Directory (Azure AD).

Currently, App1 can read user profile information.

You need to allow App1 to read the user's calendar.

Solution: In the code of App1, dynamically request the Calendar.Read permission from the Microsoft Graph API.

Does this meet the goal?

- A. Yes
- B. No

Answer: (SHOW ANSWER)

Explanation

For your app to access data in Microsoft Graph, the user or administrator must grant it the correct permissions via a consent process.

Application permissions can only be consented by an administrator.

References: <https://docs.microsoft.com/en-us/azure/active-directory/develop/v2-permissions-and-consent>

<https://docs.microsoft.com/en-us/graph/permissions-reference>

NEW QUESTION: 13

For each of the following statements, select Yes if the statement is true. Otherwise, select NO.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Search-based messaging extensions can query a third-party service and show the information on a card.	<input type="radio"/>	<input type="radio"/>
Search-based messaging extensions can use the Bot Framework to interact with third-party applications.	<input type="radio"/>	<input type="radio"/>
Search-based messaging extensions can be used to display information on a tab.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
Search-based messaging extensions can query a third-party service and show the information on a card.	<input type="radio"/>	<input checked="" type="radio"/>
Search-based messaging extensions can use the Bot Framework to interact with third-party applications.	<input checked="" type="radio"/>	<input type="radio"/>
Search-based messaging extensions can be used to display information on a tab.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION: 14

Your company has a third-party invoicing web app.

You need to display the app within Microsoft Teams for one user only. The app will not require conversational interactions.

How should you display the app by using the minimum amount of effort?

- A. Instruct the user to add a website tab
- B. Instruct the user to add an App Studio app
- C. Create a SharePoint Framework (SPFx) web part
- D. Create a search-based messaging extension

Answer: ([SHOW ANSWER](#))

There are currently three methods of app integration in Teams: Connectors, Bots, and Tabs. Tabs offer more extensive integration by allowing you to view entire third-party services within Microsoft Teams.

NEW QUESTION: 15

You have a backend service that will access the Microsoft Graph API.

You need to configure the service to authenticate by using the most secure authentication method.

What should you configure the service to use?

- A. a certificate
- B. a client secret
- C. a shared key
- D. a hash

Answer: A (LEAVE A REPLY)

You can authenticate to the Graph API with two primary methods: AppId/Secret and certificate based authentication. Certificate is the preferred and more secure way of authenticating.

Reference: <https://adamtheautomator.com/microsoft-graph-api-powershell/> Build Apps with Microsoft Graph Testlet 1 This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end on this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview

ADatum Corporation develops a software as a service (SaaS) application named E-invoicing.

Existing Environment

Application Architecture

E-invoicing consists of a single-page application (SPA) and a backend web service that provides invoice management and processing functionality.

E-invoicing stores all the details of each invoicing operation in a backend cloud database. E-invoicing generates invoices in PDF format and provides users with the ability to download the PDF after it is generated.

Each invoice has a unique identifier named invoiceid.

The users have a common workflow where they sign in to E-invoicing, and then open E-invoicing in multiple tabs of a web browser so they can use different parts of the application simultaneously.

Security Architecture

ADatum uses the principle of least privilege whenever possible. ADatum always uses the latest libraries and integration endpoints.

Requirements

Business Goals

ADatum wants to integrate E-invoicing, Azure Active Directory (Azure AD), and Microsoft Graph so that their customers can leverage Microsoft Office 365 services directly from within E-invoicing.

Planned Changes

ADatum plans to add the following capabilities to E-invoicing:

- * Email the generated invoices to customers on behalf of the current signed-in user. Any emails generated by the system will contain the invoiceid.
- * Perform as many operations as possible in the browser without having to leave the E-invoicing application.
- * Use Azure AD to manage identities, authentication, and authorization.
- * Display all emails that contain a specific invoiceid.

Technical Requirements

ADatum identifies the following technical requirements for the planned E-invoicing capabilities:

- * Ensure that all operations performed by E-invoicing against Office 365 are initiated by a user. Require that the user authorize E-invoicing to access the Office 365 data the first time the application attempts to access Office 365 data on the user's behalf.
- * Send scheduled reminders to customers before a payment due date. Create an administration user interface to enable the scheduled reminders.
- * Implement Microsoft Graph change notifications to detect emails from vendors that arrive in a designated mailbox.
- * Implement single sign-on (SSO) and minimize login prompts across browser tabs.
- * Secure access to the backend web service by using Azure AD.
- * Ensure that all solutions use secure coding practices.

Backend Security Planned Changes

ADatum wants to use custom application roles to map user functionality to permissions granted to users.

E-invoicing will have internal logic that will dynamically identify whether the user should be allowed to call the backend API.

SSO JavaScript Script

You plan to implement SSO with Microsoft Authentication Library (MSAL) by using the following code:

```

01 const config = {
02   auth: {
03     clientId: '3b41e6eb-29a1-44cc-8473-e8abfe5c4e07'
04   },
05   cache: {
06     ...
07   }
08 }
09 const myMSALObj = new UserAgentApplication(config);
10 ...

```

Access Token JavaScript Script

You have the following JavaScript code to obtain an access token.

```

01 ...
02 userAgentApplication.acquireTokenSilent(accessTokenRequest).then(
03   function(accessTokenResponse) {
04     let accessToken = accessTokenResponse.accessToken;
05   }).catch(function (error) {
06     if (error.errorMessage.indexOf('interaction_required') !== -1) {
07       userAgentApplication.acquireTokenPopup(accessTokenRequest).then(
08         function(accessTokenResponse) {
09           ...
10         }).catch(function(error) {
11           console.log(error);
12         });
13     }
14     console.log(error);
15 });

```

Change Notification JSON

You have the following JSON message that will be sent by the Microsoft Graph service to detect the vendor emails.

```

01 {
02   "value": [
03     {
04       "subscriptionId": "<subscription_guid>"
05       "subscriptionExpirationDateTime": "<expirationdate>",
06       "clientState": "<secret>",
07       "changeType": "created",
08       "resource":
09         "users/<user_guid>@<tenant_guid>/messages/<long_id_string>",
10       "resourceData":
11         {
12           "@odata.type": "#Microsoft.Graph.Message",
13           "@odata.id": "Users/<user_guid>@<tenant_guid>/Messages/<long_id_string>",
14           "@odata.etag": "W/\"CQAAABYAAADkrWGo7bouTKlsgTZMr9KwAAAUWRhf\"",
15           "id": <long_id_string>"
16         }
17     }
18   ]
19 }

```

NEW QUESTION: 16

You are developing a single page application (SPA) named App1 that will be used by the public. Many users of App1 restrict pop-up windows from opening in their browser.

You need to authenticate the users by using the Microsoft identity platform. The solution must meet the following requirements:

- * Ensure that App1 can read the profile of a user.
- * Minimize user interaction during authentication.
- * Prevent App1 from requiring admin consent for any permissions.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

```

Answer Area
function authCallback(error, response) {
}
userAgentApplication.handleRedirectCallback(authCallback);
const accessTokenRequest: AuthenticationParameters = {
  scopes: ["user.read"],
  scopes: ["user.read.all"],
  scopes: ["people.read"],
  scopes: ["people.read.all"]
};
let accessTokenRequest;
userAgentApplication.acquireTokenRedirect(accessTokenRequest).then(function(accessTokenResponse) {
  let accessToken = accessTokenResponse.accessToken;
}).catch(function (error) {
  console.log(error);
  if (error.errorMessage.indexOf("interaction_required") != -1) {
    userAgentApplication.acquireTokenRedirect(accessTokenRequest);
  }
});

```

Valid MS-600 Dumps shared by PrepPdf.com for Helping Passing MS-600 Exam!
 PrepPdf.com now offer the **newest MS-600 exam dumps**, the PrepPdf.com MS-600 exam questions have been updated and answers have been corrected get the newest PrepPdf.com MS-600 dumps with Test Engine here:
<https://www.preppdf.com/Microsoft/MS-600-prepaway-exam-dumps.html> (244 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

You are building a new tab as part of a new Microsoft Teams application. Users will experience the tab privately.

How should you complete the application manifest? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Object key to declare the tab: bots configurableTabs connectors staticTabs

Scope of the tab: Groupchat Personal Team

Answer:

Answer Area

Object key to declare the tab: bots configurableTabs connectors staticTabs

Scope of the tab: Groupchat Personal Team


NEW QUESTION: 18

You are developing a mobile application that will display the current signed-in user's display name and the application settings. The application settings are stored as Microsoft graph extension of the user profile.

Users of the application have intermittent network connectivity.

You need to retrieve the least amount of data by using a single REST request. The solution must minimize network traffic.

Which URI Should you use to retrieve the data?



- A. Option C
- B. Option A
- C. Option D
- D. Option B

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 19

This question requires that you evaluate the underlined text to determine if it is correct.

In Microsoft Word on Windows, before you can sideload a Microsoft Office Add-in, you must first upload the manifest to Microsoft_pnePrivc.

Instructions: Review the underlined text. If it makes the statement correct, select "No change is needed." If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed.
- B. publish the manifest to a trusted network location
- C. set Microsoft Edge to Developer Mode
- D. deploy the manifest to an Azure website

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 20

You need to request permission to create a group in a Sharepoint Framework (SPFx) solution. To which file should you add the permission request?

- A. Config.json
- B. Package.json
- C. Package-solution.json
- D. Serve.json

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

You have a single-page application (SPA) named TodoListSPA and a server-based web app named TodoListService.

The permissions for the TodoList SPA API are configured as shown in the TodoList SPA exhibit. (Click the TodoListSPA tab.)



API/PERMISSIONS NAME	TYPE	DESCRIPTION	ADMIN CONSENT REQUIRED
▼ TodoListService-OBO-sample-v2 (1)			
user_impersonation	Delegated	Access TodoListService-OBO-sample-v2	

The permissions for the TodoListService API are configured as shown in the TodoListService exhibit. (Click the TodoListService tab.)



API/PERMISSIONS NAME	TYPE	DESCRIPTION
▼ Microsoft Graph (2)		
UserRead	Delegated	Sign in and read user profile

You need to ensure that TodoListService can access a Microsoft OneDrive file of the signed-in user. The solution must use the principle of least privilege.

Which permission should to grant?

- A. the Sites.Read.All delegated permission for TodoListService
- B. the Sites.Read.All delegated permission for TodoListSpa
- C. the Sites.Read.All application permission for TodoListSPA
- D. the Sites.Read.All application permission for TodoListService

Answer: (SHOW ANSWER)

Explanation

A client application gains access to a resource server by declaring permission requests. Two types are available:

"Delegated" permissions, which specify scope-based access using delegated authorization from the signed-in resource owner, are presented to the resource at run-time as "scp" claims in the client's access token.

"Application" permissions, which specify role-based access using the client application's credentials/identity, are presented to the resource at run-time as "roles" claims in the client's access token.

Reference: <https://docs.microsoft.com/en-us/azure/active-directory/develop/developer-glossary#permissions>

NEW QUESTION: 22

You plan to integrate a web-based support ticketing system and Microsoft Teams.

You need to recommend a solution that will prompt users for specific information before a ticket is created.

The solution must minimize development effort.

What should you include in the recommendation?

- A. outgoing webhooks
- B. incoming webhooks
- C. a notification-only bot
- D. a conversational bot

Answer: ([SHOW ANSWER](#))

Explanation

Webhooks are a great way for Teams to integrate with external apps. A webhook is essentially a POST request sent to a callback URL. In Teams, outgoing webhooks provide a simple way to allow users to send messages to your web service without having to go through the full process of creating bots via the Microsoft Bot Framework. Outgoing webhooks post data from Teams to any chosen service capable of accepting a JSON payload. Once an outgoing webhook is added to a team, it acts like bot, listening in channels for messages using @mention, sending notifications to external web services, and responding with rich messages that can include cards and images.

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/platform/webhooks-and-connectors/how-to/add-outgoing-webh>

NEW QUESTION: 23

You are developing a Microsoft Teams app that will use an Azure function to send scheduled messages from a bot to users. What is required for the Teams app to send a proactive message to the users?

- A. The bot must be approved in Azure Active Directory (Azure AD).
- B. The bot must be granted admin access to the users.
- C. The Teams app must be added for each user.
- D. The users must send at least one message to the bot.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 24

You develop a web API named WebApi1.

When validating a token received from a client application, WebApi1 receives a MsalUiRequiredException exception from Azure Active Directory (Azure AD).

You need to formulate the response that WebApi1 will return to the client application.

Which HTTP response should you send?

- A. HTTP 307 Temporary Redirect
- B. HTTP 400 Bad Request
- C. HTTP 403 Forbidden
- D. HTTP 412 Precondition Failed

Answer: D (LEAVE A REPLY)

The HyperText Transfer Protocol (HTTP) 412 Precondition Failed client error response code indicates that access to the target resource has been denied. This happens with conditional requests on methods other than GET or HEAD when the condition defined by the If-Unmodified-Since or If-None-Match headers is not fulfilled. In that case, the request, usually an upload or a modification of a resource, cannot be made and this error response is sent back.

MsalUiRequiredException

The "Ui Required" is proposed as a specialization of MsalServiceException named MsalUiRequiredException. This means you have attempted to use a non-interactive method of acquiring a token (e.g. AcquireTokenSilent), but MSAL could not do it silently. this can be because:

you need to sign-in

you need to consent

you need to go through a multi-factor authentication experience.

The remediation is to call AcquireTokenInteractive

```
try
{
app.AcquireTokenXXX(scopes, account)
.WithYYYY(...)
.ExecuteAsync()
}
catch(MsalUiRequiredException ex)
{
app.AcquireTokenInteractive(scopes)
.WithAccount(account)
.WithClaims(ex.Claims)
.ExcecuteAsync();
}
```

Incorrect Answers:

A: A 307 Temporary Redirect message is an HTTP response status code indicating that the requested resource has been temporarily moved to another URI , as indicated by the special Location header returned within the response B: The 400 Bad Request Error is an HTTP response status code that indicates that the server was unable to process the request sent by the client due to invalid syntax.

C: The 403 Forbidden Error happens when the web page (or other resource) that you're trying to open in your web browser is a resource that you're not allowed to access.

References: <https://docs.microsoft.com/en-us/azure/active-directory/develop/msal-handling-exceptions>

<https://docs.microsoft.com/en-us/azure/active-directory/develop/msal-handling-exceptions>

<https://github.com/AzureAD/microsoft-authentication-library-for-dotnet/wiki/exceptions>

NEW QUESTION: 25

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
You can use the Adaptive Cards Designer to create Microsoft Outlook actionable messages.	<input type="radio"/>	<input type="radio"/>
Microsoft Outlook actionable messages are written in JSON.	<input type="radio"/>	<input type="radio"/>
You need Azure Active Directory (Azure AD) tenant admin privileges to enable Microsoft Outlook actionable messages.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
You can use the Adaptive Cards Designer to create Microsoft Outlook actionable messages.	<input checked="" type="radio"/>	<input type="radio"/>
Microsoft Outlook actionable messages are written in JSON.	<input checked="" type="radio"/>	<input type="radio"/>
You need Azure Active Directory (Azure AD) tenant admin privileges to enable Microsoft Outlook actionable messages.	<input type="radio"/>	<input checked="" type="radio"/>

References: <https://docs.microsoft.com/en-us/outlook/actionable-messages/adaptive-card>

<https://gingkoapp.com/create-tenant-administrator.html>

NEW QUESTION: 26

You have an application that has the code shown in the exhibits. (Click the JavaScript Version tab or the C# Version tab.) For each of the following statements, select Yes if the statement is true.

Otherwise, select No.

NOTE: Each correct selection is worth one point.

JavaScript Version

```

const fs = require("fs");
const execute = async (accessToken: string, filename: string): Promise<void> => {
  //...
  const stream = await client.api('/me/drive/root/children/${filename}/content')
    .getStream();
  let writeStream = fs.createWriteStream(`../${filename}`);
  stream.pipe(writeStream).on("error", (err) => {
    throw err;
  });
  writeStream.on("error", (err) => {
    throw err;
  });
  await new Promise((resolve) => writeStream.on("finish", resolve));
}
//...

```

C# Version

```

namespace MyProject
{
    class Handler
    {
        public async Task Execute(string accessToken, string path) {
            var client = new GraphServiceClient(new GraphAuthProvider(accessToken));
            var pathRequestBuilder = client.Drive.Root.ItemWithPath(path);
            var file = await pathRequestBuilder.Request().GetAsync();
            if (file.File != null)
            {
                using (var content = await pathRequestBuilder.Content.Request().GetAsync())
                using (var diskFile = System.IO.File.Create(file.Name))
                {
                    content.Seek(0, System.IO.SeekOrigin.Begin);
                    await content.CopyToAsync(diskFile);
                    await diskFile.FlushAsync();
                }
            }
        }
    }
}

```

Statements	Yes	No
The code uploads a file to a Microsoft SharePoint Online site.	<input type="radio"/>	<input type="radio"/>
The code creates a file in Microsoft OneDrive.	<input type="radio"/>	<input type="radio"/>
The code downloads a file from Microsoft OneDrive.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
The code uploads a file to a Microsoft SharePoint Online site.	<input type="radio"/>	<input checked="" type="radio"/>
The code creates a file in Microsoft OneDrive.	<input checked="" type="radio"/>	<input type="radio"/>
The code downloads a file from Microsoft OneDrive.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION: 27

You are developing a single-page application (SPA).

You plan to access user data from Microsoft Graph by using an AJAX call.

You need to obtain an access token by the Microsoft Authentication Library (MSAL). The solution must minimize authentication prompts.


How should you complete the code segment? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
var msalApp = new Msal.UserAgentApplication(msalConfig);
```

```
...
```

```
var loginRequest = {scopes: appConfig.scopes};
```

```
msalApp.  (loginRequest).then(function(loginResponse) {
```

```
  acquireTokenPopup
```

```
  acquireTokenSilent
```

```
  loginPopup
```

```
  loginRedirect
```

```
var tokenRequest = {scopes: appConfig.scopes};
```

```
msalApp.  (tokenRequest).then(function(tokenResponse) {
```

```
  acquireTokenByAuthorizationCode
```

```
  acquireTokenPopup
```

```
  acquireTokenRedirect
```

```
  acquireTokenSilent
```

```
  updateApplicationUI(tokenResponse);
```

```
}).catch(function(error) {
```

```
  msalApp.  (tokenRequest).then(function(tokenResponse)
```

```
    acquireTokenByAuthorizationCode
```

```
    acquireTokenPopup
```

```
    acquireTokenRedirect
```

```
    acquireTokenSilent
```

```
    updateApplicationUI(tokenResponse);
```

```
  ...
```

Answer:

Statements	Yes	No
The code creates a unified group in Microsoft Office 365.	<input type="radio"/>	<input type="radio"/>
The code adds a member to a group.	<input type="radio"/>	<input type="radio"/>
The code adds an owner to a group.	<input type="radio"/>	<input checked="" type="radio"/>
 The code creates a team in Microsoft Teams.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation

Graphical user interface, text, application Description automatically generated

```

var msalApp = new Msal.UserAgentApplication(msalConfig);
...
var loginRequest = {scopes: appConfig.scopes};
msalApp. [dropdown] (loginRequest).then(function(loginResponse) {
  [dropdown]
  acquireTokenPopup
  acquireToken Silent
  loginPopup
  loginRedirect
});

var tokenRequest = {scopes: appConfig.scopes};
msalApp. [dropdown] (tokenRequest).then(function(tokenResponse) {
  [dropdown]
  acquireTokenByAuthorizationCode
  acquireTokenPopup
  acquireTokenRedirect
  acquireTokenSilent
});

updateApplicationUI(tokenResponse);
}).catch(function (error) {
  msalApp. [dropdown] (tokenRequest).then(function(tokenResponse) {
    [dropdown]
    acquireTokenByAuthorizationCode
    acquireTokenPopup
    acquireTokenRedirect
    acquireTokenSilent
  });

  updateApplicationUI(tokenResponse);
});
});

```

Box 1: loginPopup

Box 2: acquireTokenSilent

The pattern for acquiring tokens for APIs with MSAL.js is to first attempt a silent token request by using the acquireTokenSilent method. When this method is called, the library first checks the cache in browser storage to see if a valid token exists and returns it. When no valid token is in the cache, it sends a silent token request to Azure Active Directory (Azure AD) from a hidden iframe. This method also allows the library to renew tokens.

Box 3: acquireTokenPopup

//AcquireToken Failure, send an interactive request.

Example:

```
userAgentApplication.loginPopup(applicationConfig.graphScopes).then(function (idToken) {
//Login Success
userAgentApplication.acquireTokenSilent(applicationConfig.graphScopes).then(function
(accessToken) {
//AcquireToken Success
updateUI();
}, function (error) {
//AcquireToken Failure, send an interactive request.
userAgentApplication.acquireTokenPopup(applicationConfig.graphScopes).then(function
(accessToken) { updateUI();
}, function (error) {
console.log(error);
});
})
}, function (error) {
console.log(error);
});
```

Reference: <https://github.com/AzureAD/microsoft-authentication-library-for-js/issues/339>

NEW QUESTION: 28

You are creating an app manifest for Microsoft Teams.

You need to create a team tab and a personal tab. The team tab must be scoped for group chat. How should you complete the manifest? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```
...
  "configurableTabs": [
    {
      "configurationUrl": "https://yourconfiguration.contoso.com",
      "canUpdateConfiguration": true,
      "scopes": [
        "groupchat"
        "personal"
        "sharePointFullPage"
        "team"
      ]
    }
  ]
}
...

```

Answer:

Answer Area

```
...
  "configurableTabs": [
    {
      "configurationUrl": "https://yourconfiguration.contoso.com",
      "canUpdateConfiguration": true,
      "scopes": [
        "groupchat"
        "personal"
        "sharePointFullPage"
        "team"
      ]
    }
  ]
}
...

```

NEW QUESTION: 29

You receive the following JSON document when you use Microsoft Graph to query the current signed-in user.

```

{
  "@odata.context": "https://graph.microsoft.com/v1.0/$metadata#users/$entity",
  "businessPhones": [
    "+1 555 444 222#"
  ],
  "displayName": "BenSmith",
  "givenName": "Ben",
  "jobTitle": "Developer",
  "mail": "ben.smith@contoso.com",
  "mobilePhone": "+1 555 444 222",
  "officeLocation": null,
  "preferredLanguage": null,
  "surname": "Smith",
  "userPrincipalName": "ben.smith@contoso.com",
  "id": "5fa74bb7-b45b-426d-8ac7-446f090feeb5"
}

```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If you query a URI of <code>https://graph.microsoft.com/v1.0/me/photo/\$value</code> , you will get the profile picture.	<input type="radio"/>	<input type="radio"/>
If you query a URI of <code>https://graph.microsoft.com/v1.0/users/ben.smith@contoso.com/photo/\$value</code> , you will get the profile picture.	<input type="radio"/>	<input type="radio"/>
If you query a URI of <code>https://graph.microsoft.com/v1.0/users/5fa74bb7-b45b-426d-8ac7-446f090feeb5/photo/\$value</code> , you will get the profile picture.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
If you query a URI of <code>https://graph.microsoft.com/v1.0/me/photo/\$value</code> , you will get the profile picture.	<input checked="" type="radio"/>	<input type="radio"/>
If you query a URI of <code>https://graph.microsoft.com/v1.0/users/ben.smith@contoso.com/photo/\$value</code> , you will get the profile picture.	<input type="radio"/>	<input type="radio"/>
If you query a URI of <code>https://graph.microsoft.com/v1.0/users/5fa74bb7-b45b-426d-8ac7-446f090feeb5/photo/\$value</code> , you will get the profile picture.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation

Statements	Yes	No
If you query a URI of <code>https://graph.microsoft.com/v1.0/me/photo/\$value</code> , you will get the profile picture.	<input checked="" type="radio"/>	<input type="radio"/>
If you query a URI of <code>https://graph.microsoft.com/v1.0/users/ben.smith@contoso.com/photo/\$value</code> , you will get the profile picture.	<input checked="" type="radio"/>	<input type="radio"/>
If you query a URI of <code>https://graph.microsoft.com/v1.0/users/5fa74bb7-b45b-426d-8ac7-446f090feeb5/photo/\$value</code> , you will get the profile picture.	<input checked="" type="radio"/>	<input type="radio"/>

Box 1: Yes

Syntax: `GET /me/photo/$value`

Get the specified profilePhoto or its metadata (profilePhoto properties).

Example: Get the photo for the signed-in user in the largest available size `GET`

`https://graph.microsoft.com/v1.0/me/photo/$value` Box 2: Yes Syntax: `GET /users/{id |`

`userPrincipalName}/photo/$value` Get the specified profilePhoto or its metadata (profilePhoto properties).

Box 3: Yes

Syntax: `GET /users/{id | userPrincipalName}/photo/$value`

Get the specified profilePhoto or its metadata (profilePhoto properties).

Reference: <https://docs.microsoft.com/en-us/graph/api/profilephoto-get>

NEW QUESTION: 30

You are evaluating the SharePoint Framework (SPFx) ListView Command Set extension.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The ListView Command Set extension is a client-side component that runs inside the context of a Microsoft SharePoint page.	<input type="radio"/>	<input type="radio"/>
You can create custom toolbar buttons in lists and libraries by using the ListView Command Set extension.	<input type="radio"/>	<input type="radio"/>
You can create context menu items in lists and libraries by using the ListView Command Set extension.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
The ListView Command Set extension is a client-side component that runs inside the context of a Microsoft SharePoint page.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
You can create custom toolbar buttons in lists and libraries by using the ListView Command Set extension.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
You can create context menu items in lists and libraries by using the ListView Command Set extension.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Explanation

Statements	Yes	No
The ListView Command Set extension is a client-side component that runs inside the context of a Microsoft SharePoint page.	<input type="checkbox"/>	<input type="checkbox"/>
You can create custom toolbar buttons in lists and libraries by using the ListView Command Set extension.	<input type="checkbox"/>	<input type="checkbox"/>
You can create context menu items in lists and libraries by using the ListView Command Set extension.	<input type="checkbox"/>	<input type="checkbox"/>

Box 1: Yes

Extensions are client-side components that run inside the context of a SharePoint page.

Box 2: Yes

ClientSideExtension.ListViewCommandSet.CommandBar: The top command set menu in a list or library.

Box 3: Yes

ClientSideExtension.ListViewCommandSet.ContextMenu: The context menu of the item(s).

Reference:

<https://docs.microsoft.com/en-us/sharepoint/dev/spfx/extensions/get-started/building-simple-cmdset-with-dialog->

NEW QUESTION: 31


You need to develop a server-based web app that will be registered with the Microsoft identity platform. The solution must ensure that the app can perform operations on behalf of the user.

Which type of authorization flow should you use?

- A. authorization code
- B. refresh token
- C. resource owner password
- D. device code

Answer: A (LEAVE A REPLY)

In web server apps, the sign-in authentication flow takes these high-level steps:



You can ensure the user's identity by validating the ID token with a public signing key that is received from the Microsoft identity platform endpoint. A session cookie is set, which can be used to identify the user on subsequent page requests.

In addition to simple sign-in, a web server app might need to access another web service, such as a REST API. In this case, the web server app engages in a combined OpenID Connect and OAuth 2.0 flow, by using the OAuth 2.0 authorization code flow.

Reference: <https://docs.microsoft.com/en-us/azure/active-directory/develop/v2-app-types>

Valid MS-600 Dumps shared by PrepPdf.com for Helping Passing MS-600 Exam!
 PrepPdf.com now offer the **newest MS-600 exam dumps**, the PrepPdf.com MS-600 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com MS-600 dumps with Test Engine here:
<https://www.preppdf.com/Microsoft/MS-600-prepaway-exam-dumps.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

You are developing a mobile application that will display the current signed-in user's display name and the application settings. The application settings are stored as Microsoft graph extension of the user profile.

Users of the application have intermittent network connectivity.

You need to retrieve the least amount of data by using a single REST request. The solution must minimize network traffic.

Which URI Should you use to retrieve the data?



```
https://graph.microsoft.com/v1.0/me?$select=displayName,userType&$expand=extensions
https://graph.microsoft.com/v1.0/me?$select=displayName,id&$expand=extensions
https://graph.microsoft.com/v1.0/me
https://graph.microsoft.com/v1.0/me?$expand=extensions
```

A. Option A

B. Option D

C. Option C

D. Option B

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 33

You are designing a Microsoft Teams application. The application will enable content authors to start conversations about news coming from a third-party application.

Which development technique should you use?

A. incoming webhooks

B. outgoing webhooks

C. activity feeds

D. deep links

Answer: D ([LEAVE A REPLY](#))

Explanation

Create deep links to content and features in Microsoft Teams.

You can create links to information and features within the Teams client. Examples of where this may be useful:

- * Your app automates or simplifies certain user tasks, such as creating a chat or scheduling a meeting, by pre-populating the deep links with required parameters. This avoids the need for users to manually enter information.

- * Navigating the user to content within one of your app's tabs.

Reference: <https://docs.microsoft.com/en-us/microsoftteams/platform/concepts/build-and-test/deep-links>

NEW QUESTION: 34

You are developing an interactive invoicing application that will be used by end users. The application will have the following features:

Save invoices generated by a user to the user's Microsoft OneDrive.

Email daily automated reminders.

You need to identify which permissions to grant for the application features. The solution must use the principle of least privilege.

Which permission should you grant for each feature? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Save invoices

Administrator
Application
Delegated
Super User

Send automated reminder's

Administrator
Application
Delegated
Super User

Answer:

Save invoices

Administrator
Application
Delegated
Super User

Send automated reminder's

Administrator
Application
Delegated
Super User

NEW QUESTION: 35

Which tool can you use to generate a SharePoint Framework (SPFx) solution?

- A. Eclipse
- B. App Studio
- C. Yacc
- D. Yeoman

Answer: (SHOW ANSWER)

Explanation

Yeoman helps you to kickstart new projects, prescribing best practices and tools to help you stay productive.

Using the Yeoman SharePoint generator, developers are able to scaffold new client-side solution projects to build, package, and deploy SharePoint solutions. The generator provides common build tools, boilerplate code, and a common playground website to host web parts for testing.

Reference:

<https://docs.microsoft.com/en-us/sharepoint/dev/spfx/toolchain/scaffolding-projects-using-yeomansharepoint-gen>

NEW QUESTION: 36

You are developing a SharePoint Framework (SPFx) solution.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Field Customizer extensions be used to change the rendering of a field.	<input type="radio"/>	<input type="radio"/>
Field Customizer extensions can use the Server-Side Object Model.	<input type="radio"/>	<input type="radio"/>
Field Customizer extensions can use client-side libraries such as AngularJS and React.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
Field Customizer extensions be used to change the rendering of a field.	<input checked="" type="radio"/>	<input type="radio"/>
Field Customizer extensions can use the Server-Side Object Model.	<input type="radio"/>	<input checked="" type="radio"/>
Field Customizer extensions can use client-side libraries such as AngularJS and React.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION: 37

You are building a single-page application (SPA) that will have the following parameters:

- * App Id: DBA22F72-64PA4C44-AA2C-FAA0DA5A471B
- * Tenant Id: DC045C4D-5881-43C7-97AB-3C5A1ADB8DBC
- * AppName: Contoso.Spa

You have a line-of-business API for invoicing that is secured by using the Microsoft identity platform. The API has the following parameters:

- * App Id: 8/9A43D7-1794-47A0-AB2B-440B63FEC248
- * Tenant Id: DC04SC4D S881-43C7-97AB 3C5A1ADB8DBC
- * AppName: Contoso.Invoicing

Contoso.Invoicing declares the following custom scopes:

- * Invoices-Read
- * Invoices. Read Write

Contoso.Spa needs to call Contoso.Invoicing to create new invoices.

Which code should you use in Contoso.Spa to obtain an access token for Contoso.Invoicing? To answer, select the appropriate options in the answer area.


NOTE: Each correct select is worth one point.

Answer Area



```
const app = new UserAgentApplication({
  auth: {
    clientId: 'DBA22F72-642A-4C44-AA2C-FAA0DA5A471B',
    clientId: '879A43D7-1794-47A0-AB2B-440B63FEC248',
    clientId: 'DC045C4D-5881-43C7-97AB-3C5A1ADB8DBC',
    authority: 'https://login.microsoftonline.com/DBA22F72-642A-4C44-AA2C-FAA0DA5A471B/',
    authority: 'https://login.microsoftonline.com/879A43D7-1794-47A0-AB2B-440B63FEC248/',
    authority: 'https://login.microsoftonline.com/DC045C4D-5881-43C7-97AB-3C5A1ADB8DBC/',
    redirectUri: 'https://invoicing.contoso.com/signin'
  },
  system: {
    logger: new Logger(this.logger)
  },
  cache: {cacheLocation: "localStorage"}
});
const response = await app.acquireTokenSilent({
  scopes: ['api://879A43D7-1794-47A0-AB2B-440B63FEC248/Invoices.Read']
  scopes: ['api://879A43D7-1794-47A0-AB2B-440B63FEC248/Invoices.ReadWrite']
  scopes: ['api://DBA22F72-642A-4C44-AA2C-FAA0DA5A471B/Invoices.ReadWrite']
  scopes: ['api://DC045C4D-5881-43C7-97AB-3C5A1ADB8DBC/Invoices.Read']
  scopes: ['Invoices.Read']
  scopes: ['Invoices.ReadWrite']
});
const token = response.accessToken;
```

Answer:



Explanation

Text Description automatically generated

```
const app = new UserAgentApplication({
  auth: {
```

A screenshot of a dropdown menu with three entries:

- clientId: 'DBA22F72-642A-4C44-AA2C-FAA0DA5A471B', authority: 'https://login.microsoftonline.com/DBA22F72-642A-4C44-AA2C-FAA0DA5A471B/',
- clientId: '879A43D7-1794-47A0-AB2B-440B63FEC248', authority: 'https://login.microsoftonline.com/879A43D7-1794-47A0-AB2B-440B63FEC248/',
- clientId: 'DC045C4D-5881-43C7-97AB-3C5A1ADB8DBC', authority: 'https://login.microsoftonline.com/DC045C4D-5881-43C7-97AB-3C5A1ADB8DBC/',

Below the dropdown, the text "redirectUri: 'https://invoicing.contoso.com/signin'" is visible.

```
},
  system: {
    logger: new Logger(this.logger)
  },
  cache: {cacheLocation: "localStorage"}
});
```

Graphical user interface, text Description automatically generated

```
const response = await app.acquireTokenSilent({
```

A screenshot of a dropdown menu with six entries:

- scopes: ['api://879A43D7-1794-47A0-AB2B-440B63FEC248/Invoices.Read']
- scopes: ['api://879A43D7-1794-47A0-AB2B-440B63FEC248/Invoices.ReadWrite']
- scopes: ['api://DBA22F72-642A-4C44-AA2C-FAA0DA5A471B/Invoices.ReadWrite']
- scopes: ['api://DC045C4D-5881-43C7-97AB-3C5A1ADB8DBC/Invoices.Read']
- scopes: ['Invoices.Read']
- scopes: ['Invoices.ReadWrite']

```
});
const token = response.accessToken;
```

NEW QUESTION: 38

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
A Microsoft Teams bot receives a notification when a user clicks a conversation to which the bot is deployed.	<input type="radio"/>	<input type="radio"/>
A Microsoft Teams bot receives a notification when the team membership changes for a team of which the bot is a member.	<input type="radio"/>	<input type="radio"/>
A Microsoft Teams bot receives a notification when a user likes a message of the boot.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
A Microsoft Teams bot receives a notification when a user clicks a conversation to which the bot is deployed.	<input type="radio"/>	<input checked="" type="radio"/>
A Microsoft Teams bot receives a notification when the team membership changes for a team of which the bot is a member.	<input checked="" type="radio"/>	<input type="radio"/>
A Microsoft Teams bot receives a notification when a user likes a message of the boot.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION: 39

You have a Microsoft 365 tenant that contains a Microsoft SharePoint Online site named Projects. You need to get a list of documents in the Documents library by using the Microsoft Graph API. How should you complete the query? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

https://graph.microsoft.com/v1.0/

sites/{siteid}/
drives/Documents/
my/sites/Documents/
files/{siteid}/Projects/

sites/{siteid}/items
lists/Documents/items
sites/{siteid}/Documents
sites/Projects/Documents

Answer:

Answer Area

https://graph.microsoft.com/v1.0/

sites/{siteid}/
drives/Documents/
my/sites/Documents/
files/{siteid}/Projects/

sites/{siteid}/items
lists/Documents/items
sites/{siteid}/Documents
sites/Projects/Documents

NEW QUESTION: 40


For each of the following statements, select Yes if the statement is true. Otherwise, select NO.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Search-based messaging extensions can query a third-party service and show the information on a card.	<input type="radio"/>	<input type="radio"/>
Search-based messaging extensions can use the Bot Framework to interact with third-party applications.	<input type="radio"/>	<input type="radio"/>
Search-based messaging extensions can be used to display information on a tab.	<input type="radio"/>	<input type="radio"/>

Answer:




NEW QUESTION: 41

Match the SharePoint Framework (SPFx) extensions to the correct descriptions.

To answer, drag the appropriate SPFx extension from the column on the left to its description on the right. Each SPFx extension may be used once, more than once, or not at all.

NOTE Each correct match is worth one point.



Answer:



NEW QUESTION: 42

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to deploy a Microsoft Teams app. The app will create a Microsoft Teams personal tab that displays a website.

Solution: You manually create a Microsoft Teams manifest file that includes a configurableTabs section containing the name, ID, and content URL of the website.

Does this meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/platform/tabs/how-to/create-personal-tab?tabs=nodejs>

NEW QUESTION: 43

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to deploy a Microsoft Teams app. The app will create a Microsoft Teams personal tab that displays a website.

Solution: From the Microsoft Teams client, you add a new tab, you select the Website app, and then you enter the URL of the website.

Does this meet the goal?

- A. Yes
- B. No

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/platform/tabs/how-to/create-personal-tab?tabs=nodejs>


NEW QUESTION: 44

For each of the following statements, select Yes if the statement is true. Otherwise, select NO.

NOTE: Each correct selection is worth one point.



Answer:



NEW QUESTION: 45

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a new application named App1 that uses the Microsoft identity platform to authenticate to Azure Active Directory (Azure AD).

Currently, App1 can read user profile information.

You need to allow App1 to read the user's calendar.

Solution: Perform a POST request against <https://graph.microsoft.com/v1.0/me/events>.

Does this meet the goal?

A. Yes

B. No

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct select is worth one point.

Statements	Yes	No
A Microsoft Office Web Add-in can be scaffolded by using a Yeoman generator.	<input type="radio"/>	<input type="radio"/>
Microsoft Office Web Add-ins can be developed by using C#.	<input type="radio"/>	<input type="radio"/>
The code for a Microsoft Office Web Add-in has access to the local file system of a device.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
A Microsoft Office Web Add-in can be scaffolded by using a Yeoman generator.	<input checked="" type="radio"/>	<input type="radio"/>
Microsoft Office Web Add-ins can be developed by using C#.	<input checked="" type="radio"/>	<input type="radio"/>
The code for a Microsoft Office Web Add-in has access to the local file system of a device.	<input checked="" type="radio"/>	<input type="radio"/>

Valid MS-600 Dumps shared by PrepPdf.com for Helping Passing MS-600 Exam!

PrepPdf.com now offer the **newest MS-600 exam dumps**, the PrepPdf.com MS-600 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com MS-600 dumps with Test Engine here:

<https://www.preppdf.com/Microsoft/MS-600-prepaway-exam-dumps.html> (244 Q&As Dumps,

40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 47

You are developing a SharePoint Framework (SPFx) web part. The web part will call a backed API that is secured by using Azure Active Directory (Azure AD). The web part will be on a page that has many other web parts.

Which type of web part should you use ensure that access to the exclusive to the web part?

A. Domain isolated

- B. Connected
- C. Provider-hosted
- D. SharePoint-hosted

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 48

This question requires that you evaluate the underlined BOLD text to determine if it is correct. You develop a Microsoft Teams application that uses a messaging extension. Users can invoke the messaging extension from the Teams sidebar menu. Instructions: Review the underlined text. If it makes the statement correct, select "No change is needed". If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed
- B. from the compose box of a Teams chat
- C. by using the Manage teams option for a team
- D. by using the Add a tab option in the Teams channel



Answer: B ([LEAVE A REPLY](#))

In the app manifest for your Microsoft Teams app you'll define a single messaging extension with up to ten different commands. Each command defines a type (action or search), and the locations in the client it can be invoked from (compose message area, command bar, and/or message).



NEW QUESTION: 49

You need to retrieve a list of the last 10 files that the current user opened from Microsoft OneDrive. The response must contain only the file ID and the file name. Which URI should you use to retrieve the results? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.

https://graph.microsoft.com/v1.0/me/drive/  ?  &\$top=10

Answer:

https://graph.microsoft.com/v1.0/me/drive/  ?  &\$top=10

Explanation



"graph.microsoft.com" "drive" onedrive

Box 1: root

/root - The root folder for the drive.

Box 2: \$select=id,name

To specify a different set of properties to return than the default set provided by the Graph, use the \$select query option. The \$select option allows for choosing a subset or superset of the default set returned. For example, when retrieving your messages, you might want to select that only the from and subject properties of messages are returned.

References: <https://docs.microsoft.com/en-us/onedrive/developer/rest-api/concepts/addressing-driveitems>

https://developer.microsoft.com/en-us/graph/docs/overview/query_parameters

NEW QUESTION: 50

You are evaluating the SharePoint Framework (SPFx) ListView Command Set extension.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The ListView Command Set extension is a client-side component that runs inside the context of a Microsoft SharePoint page.	<input type="radio"/>	<input type="radio"/>
You can create custom toolbar buttons in lists and libraries by using the ListView Command Set extension.	<input type="radio"/>	<input type="radio"/>
You can create context menu items in lists and libraries by using the ListView Command Set extension.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
The ListView Command Set extension is a client-side component that runs inside the context of a Microsoft SharePoint page.	<input type="radio"/>	<input type="radio"/>
You can create custom toolbar buttons in lists and libraries by using the ListView Command Set extension.	<input type="radio"/>	<input type="radio"/>
You can create context menu items in lists and libraries by using the ListView Command Set extension.	<input type="radio"/>	<input type="radio"/>

Explanation

Statements	Yes	No
The ListView Command Set extension is a client-side component that runs inside the context of a Microsoft SharePoint page.	<input type="radio"/>	<input type="radio"/>
You can create custom toolbar buttons in lists and libraries by using the ListView Command Set extension.	<input type="radio"/>	<input type="radio"/>
You can create context menu items in lists and libraries by using the ListView Command Set extension.	<input type="radio"/>	<input type="radio"/>

Box 1: Yes

Extensions are client-side components that run inside the context of a SharePoint page.

Box 2: Yes

ClientSideExtension.ListViewCommandSet.CommandBar: The top command set menu in a list or library.

Box 3: Yes

ClientSideExtension.ListViewCommandSet.ContextMenu: The context menu of the item(s).

Reference:

<https://docs.microsoft.com/en-us/sharepoint/dev/spfx/extensions/get-started/building-simple-cmdset-with-dialog->

NEW QUESTION: 51

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
A Microsoft Office Add-in manifest must be stored in Azure Directory (Azure AD).	<input type="radio"/>	<input type="radio"/>
A Microsoft Office Add-in manifest must be in the JSON format.	<input type="radio"/>	<input type="radio"/>
A Microsoft Office Add-in manifest must contain a URI that points to the location that hosts the add-in.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
A Microsoft Office Add-in manifest must be stored in Azure Directory (Azure AD).	<input type="radio"/>	<input checked="" type="radio"/>
A Microsoft Office Add-in manifest must be in the JSON format.	<input type="radio"/>	<input checked="" type="radio"/>
A Microsoft Office Add-in manifest must contain a URI that points to the location that hosts the add-in.	<input checked="" type="radio"/>	<input type="radio"/>

References: <https://docs.microsoft.com/en-us/office/dev/add-ins/develop/add-in-manifests>
<https://docs.microsoft.com/en-us/office/dev/add-ins/reference/manifest/sourcelocation>

NEW QUESTION: 52


You are developing an Azure function to provision a team in Microsoft Teams.

You need to create a group named Project A, add a classification of Private to the group, and then convert Project A to a team group.

How should you complete the REST requests? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Request 1:

 https://graph.microsoft.com/v1.0/groups

GET
PATCH
POST
PUT

```
{  
  "description": "",  
  "displayName": "Project A",  
  "groupTypes": ["Unified"],  
  "mailEnabled": true,  
  "mailNickname": "projecta",  
  "securityEnabled": "projecta",  
  "securityEnabled": false  
}
```

Request 2:

 https://graph.microsoft.com/v1.0/groups/{GroupID}

GET
PATCH
POST
PUT

```
{  
  "classification": "Private"  
}
```

Request 3:

 https://graph.microsoft.com/v1.0/groups/{GroupID}/team

GET
PATCH
POST
PUT

```
{  
  "memberSettings": {  
    "allowCreateUpdateChannels": true  
  }  
}
```

Answer:

Explanation

Graphical user interface, text, application Description automatically generated
Graphical user interface, application Description automatically generated

Request 1:

https://graph.microsoft.com/v1.0/groups

GET
PATCH
POST
PUT

```
{
  "description": "",
  "displayName": "Project A",
  "groupTypes": ["Unified"],
  "mailEnabled": true,
  "mailNickname": "projecta",
  "securityEnabled": "projecta",
  "securityEnabled": false
}
```

Request 2:

https://graph.microsoft.com/v1.0/groups/{GroupID}

GET
PATCH
POST
PUT

```
{
  "classification": "Private"
}
```

Request 3:

https://graph.microsoft.com/v1.0/groups/{GroupID}/team

GET
PATCH
POST
PUT

```
{
  "memberSettings": {
    "allowCreateUpdateChannels": true
  }
}
```

Box 1: post

You need to create a group named Project A.

The following example creates an Office 365 group.

POST https://graph.microsoft.com/v1.0/groups

Content-type: application/json

Content-length: 244

```
{
  "description": "Self help community for library",
  "displayName": "Library Assist",
  "groupTypes": [
    "Unified"
  ],
  "mailEnabled": true,
  "mailNickname": "library",
  "securityEnabled": false
}
```

Box 2: PATCH

Add a classification of Private to the group.

You can set the classification property in a PATCH request for the group, if do not set it in the initial POST request that creates the group.

Box 3: put

Then convert Project A to a team group.

Syntax: PUT /groups/{id}/team

References: <https://docs.microsoft.com/en-us/graph/api/group-post-groups>

<https://docs.microsoft.com/en-us/graph/api/resources/group>

<https://docs.microsoft.com/en-us/graph/api/team-put-teams>

NEW QUESTION: 53

You have a single-page application (SPA) named TodoListSPA and a server-based web app named TodoListService.

The permissions for the TodoList SPA API are configured as shown in the TodoList SPA exhibit. (Click the TodoListSPA tab.)

API/PERMISSIONS NAME	TYPE	DESCRIPTION	ADMIN CONSENT REQUIRED
▼ TodoListService-OBO-sample-v2 (1)			
user_impersonation	Delegated	Access TodoListService-OBO-sample-v2	

The permissions for the TodoListService API are configured as shown in the TodoListService exhibit. (Click the TodoListService tab.)

API/PERMISSIONS NAME	TYPE	DESCRIPTION
▼ Microsoft Graph (1)		
UserRead	Delegated	Sign in and read user profile

You need to ensure that TodoListService can access a Microsoft OneDrive file of the signed-in user. The solution must use the principle of least privilege.

Which permission should to grant?

- A. the Sites.Read.All delegated permission for TodoListService
- B. the Sites.Read.All delegated permission for TodoListSpa
- C. the Sites.Read.All application permission for TodoListSPA
- D. the Sites.Read.All application permission for TodoListService

Answer: A (LEAVE A REPLY)

A client application gains access to a resource server by declaring permission requests. Two types are available:

"Delegated" permissions, which specify scope-based access using delegated authorization from the signed-in resource owner, are presented to the resource at run-time as "scp" claims in the client's access token.

"Application" permissions, which specify role-based access using the client application's credentials/identity, are presented to the resource at run-time as "roles" claims in the client's access token.

NEW QUESTION: 54

You need to protect the backend web service to meet the technical requirements.

Which four actions should you perform in sequence? To answer, move the actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Set the App ID URI for the backend web service application registration

Register an application in Azure AD for the backend web service

Define the scopes in the E-invoicing application registration


Register an application in Azure AD for E-invoicing. Grant admin consent to the E-invoicing application registration to the API scopes of the backend web service application registration

Define the scopes in the backend web service application registration


Answer Area



Answer:



Explanation



Here is a quick overview of the steps:

Step 1: Register an application in Azure AD for the backend web service Register an application (backend-app) in Azure AD to represent the API.

Step 2: Set the App ID URI for the backend service application registration When the application is created (step 1) select Expose an API and click on Save and continue to create an Application ID URI.

Step 3: Defend the scopes in the backend web service application registration In the Add a scope page, create a new scope supported by the API. (e.g., Read) then click on Add scope to create the scope. Repeat this step to add all scopes supported by your API.

Step 4: Register an application in Azure AD for E-invoicing.

Step 4.1 Register another application in Azure AD to represent a client application Step 4.2 Now that you have registered two applications to represent the API and the Developer Console, you need to grant permissions to allow the client-app to call the backend-app.

Scenario:

Secure access to the backend web service by using Azure AD

E-invoicing will have internal logic that will dynamically identify whether the user should be allowed to call the backend API.

Reference:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-howto-protect-backend-with-aad>

NEW QUESTION: 55

This question requires that you evaluate the bold text to determine if it is correct.

You can use a Command Set extension to develop a breadcrumb element that will appear on every Microsoft SharePoint page.

Instructions: Review the underlined text. If it makes the statement correct, select "No change is needed". If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed
- B. an Application Customizer
- C. a Field Customizer
- D. a web part

Answer: B (LEAVE A REPLY)

Application Customizers provide access to well-known locations on SharePoint pages that you can modify based on your business and functional requirements. For example, you can create dynamic header and footer experiences that render across all the pages in SharePoint Online.

NEW QUESTION: 56

You have an application named App1 that is used to administer an Azure Active Directory (Azure AD) tenant.

When administrators install Appl, they are prompted for admin consent.

Which application permission can cause the administrators to be prompted for consent?

- A. RoleManagement. Read . Directory
- B. Device.Command
- C. Calendars.ReadWrite
- D. Device.Read

Answer: A (LEAVE A REPLY)

NEW QUESTION: 57

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
You can use the JavaScript API for Microsoft Office to create a tab in Microsoft Teams.	<input type="radio"/>	<input type="radio"/>
You can use the JavaScript API for Microsoft Office to create a content add-in in Microsoft Excel.	<input type="radio"/>	<input type="radio"/>
You can use the JavaScript API for Microsoft Office to create a task pane add-in in Microsoft PowerPoint.	<input type="radio"/>	<input type="radio"/>

Answer:



Statements

Yes

No

You can use the JavaScript API for Microsoft Office to create a tab in Microsoft Teams.

You can use the JavaScript API for Microsoft Office to create a content add-in in Microsoft Excel.

You can use the JavaScript API for Microsoft Office to create a task pane add-in in Microsoft PowerPoint.

Explanation

Statements

Yes

No

You can use the JavaScript API for Microsoft Office to create a tab in Microsoft Teams.



You can use the JavaScript API for Microsoft Office to create a content add-in in Microsoft Excel.

You can use the JavaScript API for Microsoft Office to create a task pane add-in in Microsoft PowerPoint.

Box 1: Yes

As part of your app you can add custom tabs to embed your own web content in Teams, and using the Teams JavaScript client SDK, add Teams-specific functionality to your web content.

Box 2: Yes

You can use the Office JavaScript API to create task pane or content add-ins for Office 2013 host applications.

Box 3: Yes

You can use the Office JavaScript API to create task pane or content add-ins for Office 2013 host applications.

Reference: <https://docs.microsoft.com/en-us/microsoftteams/platform/tabs/what-are-tabs>
<https://docs.microsoft.com/en-us/office/dev/add-ins/develop/support-for-task-pane-and-content-add-ins>

NEW QUESTION: 58

HOTSPOT


You are developing an interactive invoicing application that will be used by end users. The application will have the following features:

- * Save invoices generated by a user to the user's Microsoft OneDrive.
- * Email daily automated reminders.


You need to identify which permissions to grant for the application features. The solution must use the principle of least privilege.

Which permission should you grant for each feature? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.



Answer:



Explanation



Microsoft identity platform supports two types of permissions: delegated permissions and application permissions.

Box 1: Delegated

* Delegated permissions are used by apps that have a signed-in user present. For these apps, either the user or an administrator consents to the permissions that the app requests, and the app is delegated permission to act as the signed-in user when making calls to the target resource.

Box 2: Application

* Application permissions are used by apps that run without a signed-in user present; for example, apps that run as background services or daemons. Application permissions can only be consented by an administrator.

Reference: <https://docs.microsoft.com/en-us/azure/active-directory/develop/v2-permissions-and-consent>

NEW QUESTION: 59

You are developing a human resources application that will show users where they are in their company's organization chart.

You are adding a new feature that will display the name of a user's manager inside the application.

You need to create a REST query to retrieve the information. The solution must minimize the amount of data retrieved.

Which query should you use?

A. GET <https://graph.microsoft.com/v1.0/users/{UserPrincipalName}>/

B. `manager?$select=displayName`

GET <https://graph.microsoft.com/v1.0/users/{UserPrincipalName}>/

C. `people?$filter=jobTitle eq 'manager'&$select=displayName`

GET <https://graph.microsoft.com/v1.0/users/{UserPrincipalName}>/

D. `contacts?$filter=jobTitle eq 'manager'`

GET <https://graph.microsoft.com/v1.0/users/{UserPrincipalName}/manager>

Answer: A (LEAVE A REPLY)

Get user's manager. Returns the user or organizational contact assigned as the user's manager.

Syntax:

GET /me/manager

GET /users/{id | userPrincipalName}/manager

Only the name of the user's manager should be displayed so we use ?select=displayname To specify a different set of properties to return than the default set provided by the Graph, use the \$select query option. The \$select option allows for choosing a subset or superset of the default set returned.

References: <https://docs.microsoft.com/en-us/graph/api/user-list-manager>

https://developer.microsoft.com/en-us/graph/docs/overview/query_parameters

NEW QUESTION: 60

You are developing an interactive invoicing application that will be used by end users. The application will have the following features:


Save invoices generated by a user to the user's Microsoft OneDrive.

Email daily automated reminders.


You need to identify which permissions to grant for the application features. The solution must use the principle of least privilege.

Which permission should you grant for each feature? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



NEW QUESTION: 61

You are developing a front end web app.

You want to display the current username as part of the user interface.

You need to retrieve the current username from Microsoft Graph by using a REST request. The solution must minimize the amount of information returned.

To which URI should you send the request?



- A. Option B
- B. Option C
- C. Option D
- D. Option A

Answer: D ([LEAVE A REPLY](#))

Valid MS-600 Dumps shared by PrepPdf.com for Helping Passing MS-600 Exam!
PrepPdf.com now offer the **newest MS-600 exam dumps**, the PrepPdf.com MS-600 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com MS-600 dumps with Test Engine here:
<https://www.preppdf.com/Microsoft/MS-600-prepaway-exam-dumps.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

This question requires that you evaluate the underlined text to determine if it is correct. You can use App Studio for Microsoft Teams to develop all the components of a bot application. Instructions: Review the underlined text. If it makes the statement correct, select "No change is needed". If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed
- B. configure a Teams tab in an application
- C. develop a SharePoint Framework (SPFx) web part
- D. provision a bot by using the Bot Framework

Answer: B (LEAVE A REPLY)

Tabs provide a place for you to display rich interactive web content. You can define both personal and team tabs.

There can be only 1 team tab per app, but up to 16 personal tabs per app.

Incorrect Answers:

D: Bots that you create in Microsoft Bot Framework can be specified in an App manifest and included as Teams Apps.

Reference: <https://blog.thoughtstuff.co.uk/2019/04/what-is-app-studio-in-microsoft-teams-and-why-do-i-care/>

NEW QUESTION: 63

You need to implement the role functionality for the backend web service calls.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Upload a certificate for the application registration of the backend web service.
- B. Modify the manifest that defines the application roles and set Allowed Member Types to Apps.
- C. Modify the manifest that defines the application roles and set Allowed Member Types to Users.
- D. Assign the application roles to the Azure AD group that contains the users who are mapped to the roles.
- E. Create a new client secret in the application registration of the backed web service.

Answer: (SHOW ANSWER)

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/develop/howto-add-app-roles-in-azure-ad-apps>

NEW QUESTION: 64

You have an API that is secured by using Azure Active Directory (Azure AD).

You are designing a SharePoint Framework (SPFx) solution.

Which object should you use to connect to the API from the solution?

- A. SPHttpClient
- B. HttpClient
- C. AadHttpClient

Answer: C (LEAVE A REPLY)

By using the AadHttpClient, you can easily connect to APIs secured by using Azure AD without having to implement the OAuth flow yourself.

Reference: <https://docs.microsoft.com/en-us/sharepoint/dev/spfx/use-aadhttpclient>

NEW QUESTION: 65

You have a custom Microsoft Word add-in that was written by using Microsoft Visual Studio Code.

A user reports that there is an issue with the add-in.

You need to debug the add-in for Word Online.

What should you do before you begin debugging in Visual Studio Code?

- A. Disable script debugging in your web browser
- B. Sideload the add-in
- C. Publish the manifest to the Microsoft SharePoint app catalog
- D. Add the manifest path to the trusted catalogs

Answer: (SHOW ANSWER)

Debug your add-in from Excel or Word on the web

To debug your add-in by using Office on the web (see step 3):

8. Deploy your add-in to a server that supports SSL.

9. In your add-in manifest file, update the SourceLocation element value to include an absolute, rather than a relative, URI.

10. Upload the manifest to the Office Add-ins library in the app catalog on SharePoint.

11. Launch Excel or Word on the web from the app launcher in Office 365, and open a new document.

12. On the Insert tab, choose My Add-ins or Office Add-ins to insert your add-in and test it in the app.

13. Use your favorite browser tool debugger to debug your add-in.

Reference: <https://docs.microsoft.com/en-us/office/dev/add-ins/testing/debug-add-ins-in-office-online>

NEW QUESTION: 66

You are building a Microsoft Outlook add-in.

Which object should you use to save a user's preferences between sessions and devices?

- A. CustomProperties
- B. CustomXMLParts
- C. localStorage
- D. RoamingSettings

Answer: (SHOW ANSWER)

NEW QUESTION: 67

You have an invoice approval process in which an approver is sent an automated email that contains a link to a web-based accounts system whenever an invoice requires approval.

Which benefit can be achieved by using actionable messages for the approval process?

- A. The approver can delegate invoice approvals to other users by forwarding actionable messages
- B. Invoices can be approved directly from Microsoft Outlook by using actionable messages
- C. Actionable messages will work in any email client
- D. Actionable messages can provide detailed auditing of all the approved invoices and can be viewed in a rollup report

Answer: B (LEAVE A REPLY)

Whether you are filling out a survey, approving an expense report, or updating a CRM sales opportunity, Actionable Messages enable you to take quick actions right from within Outlook. Developers can now embed actions in their emails or notifications, elevating user engagement with their services and increasing organizational productivity.

Reference: <https://docs.microsoft.com/en-us/outlook/actionable-messages/>

NEW QUESTION: 68

You are developing an application that will track changes to the UserPrincipalName attribute of Microsoft 365 accounts.

You need to use a REST request to retrieve the information by using Microsoft Graph. The solution must minimize the amount of data retrieved.

What should you do?

- A. Use GET <https://graph.microsoft.com/v1.0/users/delta> for the first call. Use the state token in subsequent calls.
- B. Use GET [https://graph.microsoft.com/v1.0/users/delta?\\$select=UserPrincipalName](https://graph.microsoft.com/v1.0/users/delta?$select=UserPrincipalName) for the first call. Use the state token in subsequent calls.
- C. Use GET [https://graph.microsoft.com/v1.0/users?\\$select=UserPrincipalName](https://graph.microsoft.com/v1.0/users?$select=UserPrincipalName) for the calls and track the changes.
- D. Use GET <https://graph.microsoft.com/v1.0/users> for the calls and track the changes.

Answer: (SHOW ANSWER)

Use delta query to track changes in a resource collection

The typical call pattern is as follows: application begins by calling a GET request with the delta function on the desired resource.

Microsoft

The Graph sends a response containing the requested resource and a state token.

Example: Selecting three properties

The next example shows the initial request selecting three properties for change tracking, with default response behavior.

Note: Delta query enables applications to discover newly created, updated, or deleted entities without performing a full read of the target resource with every request.

Incorrect Answers:

A: Example: Default properties

The following is an example of the request. There is no \$select parameter, so a default set of properties is tracked and returned.

NEW QUESTION: 69

You have a SharePoint Framework (SPFx) 1.5 solution.

You need to ensure that the solution can be used as a tab in Microsoft Teams.

What should you do first?

- A. Convert the solution to use the Bot Framework
- B. Deploy the solution to a developer site collection
- C. Deploy the solution to the Microsoft AppSource store
- D. Upgrade the solution to the latest version of SPFx

Answer: D (LEAVE A REPLY)

Starting with the SharePoint Framework v1.8, you can implement your Microsoft Teams tabs using SharePoint Framework.

Reference: <https://docs.microsoft.com/en-us/sharepoint/dev/spfx/web-parts/get-started/using-web-part-as-ms-teams-tab>

NEW QUESTION: 70

You have an application that has the code shown in the exhibits. (Click the JavaScript Version tab or the C# Version tab.) For each of the following statements, select Yes if the statement is true.

Otherwise, select No.

NOTE: Each correct selection is worth one point.

JavaScript Version

```
const fs = require("fs");
const execute = async (accessToken: string, filename: string): Promise<void> => {
  //...
  const stream = await client.api('/me/drive/root/children/${filename}/content')
    .getStream();
  let writeStream = fs.createWriteStream(`../${filename}`);
  stream.pipe(writeStream).on("error", (err) => {
    throw err;
  });
  writeStream.on("error", (err) => {
    throw err;
  });
  await new Promise((resolve) => writeStream.on("finish", resolve));
}
//...
```



C# Version

```
namespace MyProject {
  class Handler {
    public async Task Execute(string accessToken, string path) {
      var client = new GraphServiceClient(new GraphAuthProvider(accessToken));
      var pathRequestBuilder = client.Drive.Root.GetItemWithPath(path);
      var file = await pathRequestBuilder.RequestAsync();
      if (file.File != null) {
        using (var content = await pathRequestBuilder.Content.Request().GetAsync())
          using (var diskFile = System.IO.File.Create(file.Name)) {
            content.Seek(0, System.IO.SeekOrigin.Begin);
            await content.CopyToAsync(diskFile);
            await diskFile.FlushAsync();
          }
      }
    }
  }
}
```



Statements	Yes	No
The code uploads a file to a Microsoft SharePoint Online site.	<input type="radio"/>	<input type="radio"/>
The code creates a file in Microsoft OneDrive.	<input type="radio"/>	<input type="radio"/>
The code downloads a file from Microsoft OneDrive.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area

```

{
  ...
  "bots": [
    {
      "commands": [
        {
          "composeExtensions": [
            {
              "connectors": [
                {
                  "botId": "57a3c29f-1fc5-4d97-a142-35bb662b7b23",
                  "canUpdateConfiguration": true,
                  "bots": [
                    {
                      "commands": [
                        {
                          "composeExtensions": [
                            {
                              "connectors": [
                                {
                                  "id": "myId",
                                  "description": "Search Bing for information on the web",
                                  "title": "Search",
                                  "initialRun": true,
                                  "parameters": [
                                    {
                                      "name": "searchKeyword",
                                      "description": "Enter your search keywords",
                                      "title": "Keywords"
                                    }
                                  ]
                                }
                              ]
                            }
                          ]
                        }
                      ]
                    }
                  ]
                }
              ]
            }
          ]
        }
      ]
    }
  ]
}

```

Explanation

Graphical user interface, text, application Description automatically generated

Microsoft	Statements	Yes	No
	The code uploads a file to a Microsoft SharePoint Online site.	<input type="radio"/>	<input checked="" type="radio"/>
	The code creates a file in Microsoft OneDrive.	<input type="radio"/>	<input checked="" type="radio"/>
	The code downloads a file from Microsoft OneDrive.	<input checked="" type="radio"/>	<input type="radio"/>

Box 1: No

Box 2: No

Box 3: Yes

A file is downloaded from OneDrive and saved locally.

Drive/Root is the drive resource is the top level object representing a user's OneDrive or a document library in SharePoint.

Reference: <https://docs.microsoft.com/en-us/graph/api/resources/drive>

NEW QUESTION: 71

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
You can use the JavaScript API for Microsoft Office to create a tab in Microsoft Teams.	<input type="radio"/>	<input type="radio"/>
You can use the JavaScript API for Microsoft Office to create a content add-in in Microsoft Excel.	<input type="radio"/>	<input type="radio"/>
You can use the JavaScript API for Microsoft Office to create a task pane add-in in Microsoft PowerPoint.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements

Yes

No

You can use the JavaScript API for Microsoft Office to create a tab in Microsoft Teams.

You can use the JavaScript API for Microsoft Office to create a content add-in in Microsoft Excel.

You can use the JavaScript API for Microsoft Office to create a task pane add-in in Microsoft PowerPoint.

Reference:

<https://docs.microsoft.com/en-us/office/dev/add-ins/develop/support-for-task-pane-and-content-add-ins>

NEW QUESTION: 72

Which URI should you use to query all the emails that relate to an invoice?

```
https://graph.microsoft.com/v1.0/me/messages?$search="{invoiceid}"
https://graph.microsoft.com/v1.0/me/messages?$subject eq {invoiceid}
https://graph.microsoft.com/v1.0/me/messages?${invoiceid}
https://graph.microsoft.com/v1.0/me/messages?$filter=contains(subject,{invoiceid})
```

- A. Option C
- B. Option B
- C. Option D
- D. Option A


Answer: ([SHOW ANSWER](#))

NEW QUESTION: 73


You are developing an application that will upload files that are larger than 50 MB to Microsoft OneDrive.

You need to recommend an upload solution to ensure that the file upload process can resume if a network error occurs during the upload.

Which four actions should you perform in sequence? To answer, move the actions from the list of actions to the answer area and arrange them in the correct order.



Answer:



- 1 - Upload the first sequence of bytes.
- 2 - Create a temporary upload folder in Onedrive.
- 3 - Use the nextExpectedRanges field to continue the upload process
- 4 - Send the final byte sequence.

NEW QUESTION: 74

You develop a web API named WebApi1.

When validating a token received from a client application, WebApi1 receives a `MsalUiRequiredException` exception from the Microsoft Identity Platform.

You need to ensure that the client application has the information required to complete the authentication.

Which header should you include in the HTTP response sent from WebApi1 to the client application?

- A. Accept
- B. Authorization
- C. WWW-Authenticate
- D. Access-Control-Allow-Credentials

Answer: C ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/dotnet/api/system.net.http.headers.httpresponseheaders.wwwauthenticate?view>

NEW QUESTION: 75

You create a SharePoint Framework (SPFx) web part and include MSGraphClient by using the following manifest.

```
{
  "$schema": "https://developer.microsoft.com/json-schemas/spfx-build/package-solution.schema.json",
  "solution": {
    "name": "WebPart1",
    "id": "841cd609-d846-468d-a6ef-2d207b966cd8",
    "version": "1.0.0.0",
    "includeClientSideAssets": true,
    "skipFeatureDeployment": true,
    "webApiPermissionRequests": [
      {
        "resource": "Microsoft Graph",
        "scope": "Mail.Send"
      }
    ]
  },
  "paths": {
    "zippedPackage": "solution/WebPart1.sppkg"
  }
}
```

Which two actions can the web part perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a file in the current user's Microsoft OneDrive.
- B. Access the user information of the current user only.
- C. Send an email on behalf of the current user.
- D. Access the user information of all users.
- E. Send an email on behalf of another user.

Answer: ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/sharepoint/dev/spfx/web-parts/get-started/build-a-hello-world-web-part>

NEW QUESTION: 76

You have a Microsoft 365 tenant that contains a Microsoft SharePoint Online site named Projects. You need to get a list of documents in the Documents library by using the Microsoft Graph API. How should you complete the query? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.

Answer Area

<https://graph.microsoft.com/v1.0/>

<input type="checkbox"/> sites/{siteid}/drives/Documents/my/sites/Documents/files/{siteid}/Projects/	<input type="checkbox"/> sites/{siteid}/items lists/Documents/items sites/{siteid}/Documents sites/Projects/Documents
--	--

Answer:



Explanation

Graphical user interface, text Description automatically generated



Reference:

<https://docs.microsoft.com/en-us/graph/api/list-get?view=graph-rest-1.0&tabs=http>

Valid MS-600 Dumps shared by PrepPdf.com for Helping Passing MS-600 Exam!
PrepPdf.com now offer the **newest MS-600 exam dumps**, the PrepPdf.com MS-600 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com MS-600 dumps with Test Engine here:
<https://www.preppdf.com/Microsoft/MS-600-prepaway-exam-dumps.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 77

You create a personal bot that you plan to distribute as a Microsoft Teams team app. The bot has the following app manifest.

```

"bots": [
  {
    "botId": "{botId0}",
    "scopes": [
      "personal"
    ],
    "supportsFiles": false,
    "isNotificationOnly": false,
    "commandLists": [
      {
        "scopes": [
          "personal"
        ],
        "commands": [
          {
            "title": "Hello",
            "description": "Sends a hello message and @mention the sender"
          }
        ]
      }
    ]
  }
]

```



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point

Answer Area	Microsoft	Statements	Yes	No
		You can use the bot in a 1:1 chat.	<input type="radio"/>	<input type="radio"/>
		You can use the bot in a group chat.	<input type="radio"/>	<input type="radio"/>
		You can invoke the bot from the compose box.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area	Microsoft	Statements	Yes	No
		You can use the bot in a 1:1 chat.	<input checked="" type="radio"/>	<input type="radio"/>
		You can use the bot in a group chat.	<input checked="" type="radio"/>	<input type="radio"/>
		You can invoke the bot from the compose box.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION: 78

You need to create a messaging extension search command for Microsoft Teams.

How should you complete the app manifest? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.


```
  "bots": [
  "commands": [
  "composeExtensions": [
  "connectors": [
```

```
{
  "botId": "57a3c29f-1fc5-4d97-a142-35bb662b7b23",
  "canUpdateConfiguration": true,
```

```
  bots: [{
  commands: [{
  composeExtensions: [{
  connectors: [{
```

```
    "id": "myId",
    "description": "Search Bing for information on the web",
    "title": "Search",
    "initialRun": true,
    "parameters": [{
      "name": "searchKeyword",
      "description": "Enter your search keywords",
      "title": "Keywords"
    ]
  ]
}
```

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/platform/messaging-extensions/how-to/search-commands/defin>

NEW QUESTION: 79

You plan to integrate a web-based support ticketing system and Microsoft Teams.

You need to recommend a solution that will prompt users for specific information before a ticket is created. The solution must minimize development effort.

What should you include in the recommendation?

- A. outgoing webhooks
- B. incoming webhooks
- C. a notification-only bot
- D. a conversational bot

Answer: A (LEAVE A REPLY)

Webhooks are a great way for Teams to integrate with external apps. A webhook is essentially a POST request sent to a callback URL. In Teams, outgoing webhooks provide a simple way to allow users to send messages to your web service without having to go through the full process of creating bots via the Microsoft Bot Framework. Outgoing webhooks post data from Teams to any chosen service capable of accepting a JSON payload. Once an outgoing webhook is added to a

team, it acts like bot, listening in channels for messages using @mention, sending notifications to external web services, and responding with rich messages that can include cards and images.

Reference: <https://docs.microsoft.com/en-us/microsoftteams/platform/webhooks-and-connectors/how-to/add-outgoing-webhook> Extend Office Question Set 1

NEW QUESTION: 80

You need to implement the role functionality for the backend web service calls.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Upload a certificate for the application registration of the backend web service.
- B. Modify the manifest that defines the application roles and set Allowed Member Types to Apps.
- C. Modify the manifest that defines the application roles and set Allowed Member Types to Users.
- D. Assign the application roles to the Azure AD group that contains the users who are mapped to the roles.
- E. Create a new client secret in the application registration of the backed web service.

Answer: B,D (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/develop/howto-add-app-roles-in-azure-ad-apps> Case Study Overview This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the question. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, n..... that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to ret..... to the question.

NEW QUESTION: 81

Which type of authentication flow should you recommend for the planned integration with Office 365?

- A. device code

- B. implicit grant
- C. authorization code
- D. client credentials

Answer: (SHOW ANSWER)

To use Microsoft Graph to read and write resources on behalf of a user, your app must get an access token from the Microsoft identity platform and attach the token to requests that it sends to Microsoft Graph.

One common flow used by native and mobile apps and also by some Web apps is the OAuth 2.0 authorization code grant flow.

Scenario: Email the generated invoices to customers on behalf of the current signed-in user. Any emails generated by the system will contain the invoiced.

Use Azure AD to manage identities, authentication, and authorization.

Reference: <https://docs.microsoft.com/en-us/graph/auth-v2-user>

Extend and Customize SharePoint

Question Set 2

NEW QUESTION: 82

You need to recommend a model for the expense claims solution. What should you recommend?

- A. actionable messages via connectors that use an actionable message card
- B. actionable messages via email that uses an adaptive card
- C. actionable messages via connectors that use an adaptive card
- D. actionable messages via email that uses an actionable message card

Answer: B (LEAVE A REPLY)

Overview

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the question. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, n..... that the information displayed is

identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to ret..... to the question.

NEW QUESTION: 83

This question requires that you evaluate the underlined text to determine if it is correct.

Centralized deployments for Microsoft Office Add-ins require Office Online Server.

Instructions: Review the underlined text. If it makes the statement correct, select "No change is needed". If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed
- B. Azure Active Directory (Azure AD)
- C. Azure AD Connect
- D. an Azure web app

Answer: A (LEAVE A REPLY)


Centralized deployment of add-ins requires that the users are using Office 365 ProPlus (and are signed into Office using their Organizational ID), and have Exchange Online and active Exchange Online mailboxes.

NEW QUESTION: 84


You are building a new tab as part of a new Microsoft Teams application. Users will experience the tab privately.

How should you complete the application manifest? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



NEW QUESTION: 85

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
A Microsoft Office Add-in manifest must be stored in Azure Directory (Azure AD).	<input type="radio"/>	<input type="radio"/>
A Microsoft Office Add-in manifest must be in the JSON format.	<input type="radio"/>	<input type="radio"/>
A Microsoft Office Add-in manifest must contain a URI that points to the location that hosts the add-in.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
A Microsoft Office Add-in manifest must be stored in Azure Directory (Azure AD).	<input type="radio"/>	<input checked="" type="radio"/>
A Microsoft Office Add-in manifest must be in the JSON format.	<input type="radio"/>	<input checked="" type="radio"/>
A Microsoft Office Add-in manifest must contain a URI that points to the location that hosts the add-in.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation

Statements	Yes	No
A Microsoft Office Add-in manifest must be stored in Azure Directory (Azure AD).	<input type="radio"/>	<input checked="" type="radio"/>
A Microsoft Office Add-in manifest must be in the JSON format.	<input type="radio"/>	<input checked="" type="radio"/>
A Microsoft Office Add-in manifest must contain a URI that points to the location that hosts the add-in.	<input checked="" type="radio"/>	<input type="radio"/>

Box 1: No

Box 2: No

The manifest is in XML format.

Box 3: Yes

SourceLocation is required and specifies the source file location(s) for your Office Add-in as a URL between 1 and 2018 characters long. The source location must be an HTTPS address, not a file path.

References: <https://docs.microsoft.com/en-us/office/dev/add-ins/develop/add-in-manifests>
<https://docs.microsoft.com/en-us/office/dev/add-ins/reference/manifest/sourcelocation>

NEW QUESTION: 86

You are developing a new Microsoft Office Add-in to integrate a corporate invoicing system and Microsoft Excel.

You need to add a new button to the Office ribbon.

What should you add to the add-in?

- A. a task pane
- B. a dialog
- C. a custom function
- D. a command

Answer: (SHOW ANSWER)

Explanation

Add commands to a custom group

1. In the Customize the Ribbon window under the Customize the Ribbon list, click the custom group that you want to add a command to.
2. In the Choose commands from list, click the list you want to add commands from, for example, Popular Commands or All Commands.



3. Click a command in the list that you choose.
4. Click Add.
5. To see and save your changes, click OK.

Reference:

<https://support.office.com/en-us/article/customize-the-ribbon-in-office-00f24ca7-6021-48d3-9514-a31a460ecb31>

NEW QUESTION: 87

HOTSPOT

You are developing an interactive invoicing application that will be used by end users. The application will have the following features:

- * Save invoices generated by a user to the user's Microsoft OneDrive.
- * Email daily automated reminders.

You need to identify which permissions to grant for the application features. The solution must use the principle of least privilege.

Which permission should you grant for each feature? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Save invoices

Administrator
Application
Delegated
Super User

Send automated reminder's

Administrator
Application
Delegated
Super User

Answer:

Explanation

Graphical user interface, text, application, chat or text message Description automatically generated

Save invoices

Administrator
Application
Delegated
Super User

Send automated reminder's

Administrator
Application
Delegated
Super User

Microsoft identity platform supports two types of permissions: delegated permissions and application permissions.

Box 1: Delegated

* Delegated permissions are used by apps that have a signed-in user present. For these apps, either the user or an administrator consents to the permissions that the app requests, and the app is delegated permission to act as the signed-in user when making calls to the target resource.

Box 2: Application

* Application permissions are used by apps that run without a signed-in user present; for example, apps that run as background services or daemons. Application permissions can only be consented by an administrator.

Reference: <https://docs.microsoft.com/en-us/azure/active-directory/develop/v2-permissions-and-consent>

NEW QUESTION: 88

This question requires that you evaluate the underlined text to determine if it is correct.

Centralized deployments for Microsoft Office Add-ins require Office Online Server.

Instructions: Review the underlined text. If it makes the statement correct, select "No change is needed". If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed
- B. Azure Active Directory (Azure AD)
- C. Azure AD Connect
- D. an Azure web app

Answer: (SHOW ANSWER)

Centralized deployment of add-ins requires that the users are using Office 365 ProPlus (and are signed into Office using their Organizational ID), and have Exchange Online and active Exchange Online mailboxes.

Reference: <https://docs.microsoft.com/en-us/office365/admin/manage/centralized-deployment-of-add-ins>

NEW QUESTION: 89

You are developing a SharePoint Framework (SPFx) web part.

Which API should you use to retrieve the Microsoft Teams memberships of a user by using the minimum amount of code?

- A. MSGraphClient
- B. AadHttpClient
- C. SPHttpClient
- D. XMLHttpRequest

Answer: A (LEAVE A REPLY)

You can use the Microsoft Graph API to work with Microsoft Teams. In Microsoft Graph, Microsoft Teams is represented by a group resource.

If you are targeting Microsoft Graph, you can use the MSGraphClient client object, which provides a more fluent syntax compared to AadHttpClient.

Note: In versions of the SharePoint Framework starting with v.1.4.1, you can access Microsoft Graph by using either the native graph client (MSGraphClient), or the low-level type used to access any Azure AD-secured REST API (AadHttpClient).

The AadHttpClient client object is useful for consuming any REST API. You can use it to consume Microsoft Graph or any other third-party (or first-party) REST API.

The MSGraphClient client object can consume the Microsoft Graph only. Internally it uses the AadHttpClient client object and supports the fluent syntax of the Microsoft Graph SDK.

References: <https://docs.microsoft.com/en-us/graph/api/resources/teams-api-overview?view=graph-rest-1.0>

<https://docs.microsoft.com/en-us/sharepoint/dev/spfx/use-aad-tutorial>

NEW QUESTION: 90

You need to provide users with access to SalesApp. The solution must meet the technical requirements. What should you include in the solution?

- A. sideloading
- B. Centralized Deployment
- C. App Catalog in SharePoint Online
- D. Microsoft AppSource

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 91

You are developing a server-based web app that will use OAuth2 on behalf of the user and will be registered with the Microsoft identity platform.

Which two types of token will the app retrieve as part of the authorization flow? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Kerberos token
- B. access token
- C. refresh token
- D. SAML token
- E. context token

Answer: A,D ([LEAVE A REPLY](#))

Valid MS-600 Dumps shared by PrepPdf.com for Helping Passing MS-600 Exam!

PrepPdf.com now offer the **newest MS-600 exam dumps**, the PrepPdf.com MS-600 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com MS-600 dumps with Test Engine here:

<https://www.preppdf.com/Microsoft/MS-600-prepaway-exam-dumps.html> (244 Q&As Dumps,

40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 92

You need to develop a leave request app that will use Microsoft Outlook and adaptive cards. The leave requests of an employee will be sent as an actionable message to the employee's managers. When one of the managers performs an action on the actionable message, the other managers must see only the updated message and the action performed by the manager. How should you complete the adaptive card JSON? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```
{
  "$schema": "http://adaptivecards.io/schemas/adaptive-card.json",
  "type": "AdaptiveCard",
  "version": "1.0",
  ...
  "actions": {
    "autoInvokeAction": {
      "expectedActors": {
        "method": "MERGE",
        "method": "POST",
        "method": "PUT",
        "url": "https://actionablemessages.contoso.com/api/getupdatedcard",
        "body": "",
        "type": "Action.Http"
      }
    }
  }
}
```

Answer:

Answer Area

```
{
  "$schema": "http://adaptivecards.io/schemas/adaptive-card.json",
  "type": "AdaptiveCard",
  "version": "1.0",
  ...
  "actions": {
    "autoInvokeAction": {
      "expectedActors": {
        "method": "MERGE",
        "method": "POST",
        "method": "PUT",
        "url": "https://actionablemessages.contoso.com/api/getupdatedcard",
        "body": "",
        "type": "Action.Http"
      }
    }
  }
}
```

NEW QUESTION: 93

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a new application named App1 that uses the Microsoft identity platform to authenticate to Azure Active Directory (Azure AD).

Currently, App1 can read user profile information.

You need to allow App1 to read the user's calendar.

Solution: Add <https://graph.windows.net/user.read> to the list of scopes during the initial login request.

Does this meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

Microsoft Graph Calendars.Read allows the app to read events in user calendars.

For your app to access data in Microsoft Graph, the user or administrator must grant it the correct permissions via a consent process.

Application permissions are used by apps that run without a signed-in user present; for example, apps that run as background services or daemons. Application permissions can only be consented by an administrator.

References: <https://docs.microsoft.com/en-us/azure/active-directory/develop/v2-permissions-and-consent>

<https://docs.microsoft.com/en-us/graph/permissions-reference>

NEW QUESTION: 94

You are developing a Microsoft Teams solution to host an existing webpage as a Teams tab.

Which requirement must the page meet?

A. The page must adhere to HTML 5.0 standards

B. The page must adhere to WCAG 2.0 accessibility guidelines

C. The page must be hosted on a domain that is on the validDomains list of the manifest

D. The page must use CSS3 stylesheets

Answer: C (LEAVE A REPLY)

Make sure that all domains used in your tab pages are listed in the manifest.json validDomains array.

Reference:

configuration-page

NEW QUESTION: 95

You develop a web API named WebApi1.

When validating a token received from a client application, WebApi1 receives a `MsalUiRequiredException` exception from Azure Active Directory (Azure AD). You need to formulate the response that WebApi1 will return to the client application. Which HTTP response should you send?

- A. HTTP 307 Temporary Redirect
- B. HTTP 400 Bad Request
- C. HTTP 403 Forbidden
- D. HTTP 412 Precondition Failed

Answer: ([SHOW ANSWER](#))

Explanation

The HyperText Transfer Protocol (HTTP) 412 Precondition Failed client error response code indicates that access to the target resource has been denied. This happens with conditional requests on methods other than GET or HEAD when the condition defined by the `If-Unmodified-Since` or `If-None-Match` headers is not fulfilled. In that case, the request, usually an upload or a modification of a resource, cannot be made and this error response is sent back.

`MsalUiRequiredException`

The "Ui Required" is proposed as a specialization of `MsalServiceException` named `MsalUiRequiredException`.

This means you have attempted to use a non-interactive method of acquiring a token (e.g. `AcquireTokenSilent`), but MSAL could not do it silently. this can be because:

- * you need to sign-in
- * you need to consent
- * you need to go through a multi-factor authentication experience.

The remediation is to call `AcquireTokenInteractive`

```
try
{
    app.AcquireTokenXXX(scopes, account)
    WithYYYY(...)
    ExecuteAsync()
}
catch(MsalUiRequiredException ex)
{
    app.AcquireTokenInteractive(scopes)
    WithAccount(account)
    WithClaims(ex.Claims)
    ExcecuteAsync();
}
```

NEW QUESTION: 96

You need to recommend which API object the SharePoint Framework (SPFx) intranet components will use to access the research department's project management solution.

What should you recommend?

- A. HttpClient
- B. AadHccpClient
- C. MSGraphClient
- D. SPHccpClient

Answer: (SHOW ANSWER)

Reference:

<https://docs.microsoft.com/en-us/sharepoint/dev/spfx/use-aadhttpclient>

NEW QUESTION: 97

How can you validate that the JSON notification message is sent from the Microsoft Graph service?

- A. The ClientState must match the value provided when subscribing.
- B. The user_guid must map to a user ID in the Azure AD tenant of the customer.
- C. The tenant ID must match the tenant ID of the customer's Office 365 tenant.
- D. The subscription ID must match the Azure subscription used by ADatum.

Answer: A (LEAVE A REPLY)

Explanation

clientState specifies the value of the clientState property sent by the service in each notification. The maximum length is 128 characters. The client can check that the notification came from the service by comparing the value of the clientState property sent with the subscription with the value of the clientState property received with each notification.

Note: A subscription allows a client app to receive notifications about changes to data in Microsoft Graph.

Reference: <https://docs.microsoft.com/en-us/graph/api/resources/subscription>

NEW QUESTION: 98

You need to recommend which type of Office Add-in must be used for SalesApp.

What should you recommend?

- A. module extension
- B. task pane
- C. custom function
- D. contextual

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/office/dev/add-ins/word/word-add-ins-programming-overview>

Topic 1, Contoso

Case Study

Overview

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and

sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the question. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, n..... that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to ret..... to the question.

Existing Environment

Microsoft 365

Contoso identifies the following business goals:

- * Utilize core functionality of apps whenever possible.
- * Reduce app development costs.
- * Minimize training costs for end users.

Microsoft SharePoint/Microsoft Exchange

Contoso has a Microsoft 365 subscription that uses a domain named contoso.com. Each user is assigned a Microsoft 365 Enterprise E5 licence.

Problem Statement

Contoso moves all email accounts to Microsoft 365.

Contoso migrates the SharePoint Server 2013 intranet sites of the research department to SharePoint Online.

Requirements

Business Goals

Contoso identifies the following issues:

- * Users in the sales department report that preparing quotations is time-consuming as it requires manually copying and pasting data from multiple sources.
- * Users in the HR department must use multiple apps to manage the hiring process.
- * The solution to claim expenses requires multiple manual steps.

Planned Changes

Contoso identifies the following business goals:

- * Utilize core functionality of apps whenever possible.
- * Reduce app development costs.
- * Minimize training costs for end users.

Technical Requirements

Contoso plans to implement the following changes;

- * Redesign the SharePoint Online sites of the research department to provide users with an experience that is consistent with the Microsoft 365 portal. The research department has a third-party project management solution that uses the Microsoft identity platform in Azure AD.
- * Create an email workflow solution for expense claims. Users will submit their expense claims and the system will email an approval request to their manager.
- * Implement a bring your own device (BYOD) model that supports Windows 10, macOS, and Android devices.
- * Develop a custom Microsoft 365 app named SalesApp for the sales department.
- * Develop a custom Microsoft 365 app named HRApp for the HR department

Security Requirement

Contoso identifies the following technical requirements for app development:

- * The expense claims solution must provide managers with claim information and the ability to manage the claim by using Microsoft Outlook. Outlook on the web, or Outlook for iOS and Android.
- * HRApp must include a bot named HRBot that will answer HR questions. Users must be able to access the bot by mentioning HRBot in a Microsoft Teams channel or private chat.
- * HRApp must enable users to query a third-party HR system by using a tab from within a Microsoft Teams channel.
- * HRApp must include a messaging extension that enables users to search jobs by job title or job ID.
- * SalesApp must be integrated with Microsoft Word and must combine images and text from multiple sources to create a quotation as a DOCX file.
- * The distribution of SalesApp must be automatic and require minimal user interaction.
- * Solutions for SharePoint Online and Microsoft Office must follow the current Office user interface (UI) design.
- * Development tools and solutions must support Windows and non-Windows devices.
- * Development effort must be minimized.


HRApp Manifest

All solutions must support the Microsoft identity platform in Azure AD.

Intranet components must not share access tokens.

NEW QUESTION: 99

You are developing a serverless application that reads all the emails in the Inbox of a specific Microsoft 365 mailbox. Some emails contain meeting dates and room mailbox names. The application has the following requirements:



- A. Option D
- B. Option C
- C. Option A
- D. Option B

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 100

You are developing a human resources application that will show users where they are in their company's organization chart.

You are adding a new feature that will display the name of a user's manager inside the application.

You need to create a REST query to retrieve the information. The solution must minimize the amount of data retrieved.

Which query should you use?

- A. GET `https://graph.microsoft.com/v1.0/users/{UserPrincipalName}/manager?$select=displayName`
- B. GET `https://graph.microsoft.com/v1.0/users/{UserPrincipalName}/people?$filter=jobTitle eq 'manager'&$select=displayName`
- C. GET `https://graph.microsoft.com/v1.0/users/{UserPrincipalName}/contacts?$filter=jobTitle eq 'manager'`
- D. GET `https://graph.microsoft.com/v1.0/users/{UserPrincipalName}/manager`

Answer: A ([LEAVE A REPLY](#))

Get user's manager. Returns the user or organizational contact assigned as the user's manager.

Syntax:

GET `/me/manager`

GET `/users/{id | userPrincipalName}/manager`

Only the name of the user's manager should be displayed so we use `?select=displayname` To specify a different set of properties to return than the default set provided by the Graph, use the `$select` query option. The `$select` option allows for choosing a subset or superset of the default set returned.

References: <https://docs.microsoft.com/en-us/graph/api/user-list-manager>

https://developer.microsoft.com/en-us/graph/docs/overview/query_parameters

NEW QUESTION: 101

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct select is worth one point.

Statements	Yes	No
A Microsoft Office Web Add-in can be scaffolded by using a Yeoman generator.	<input type="radio"/>	<input type="radio"/>
Microsoft Office Web Add-ins can be developed by using Git.	<input type="radio"/>	<input type="radio"/>
The code for a Microsoft Office Web Add-in has access to the local file system of a device.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
A Microsoft Office Web Add-in can be scaffolded by using a Yeoman generator.	<input type="radio"/>	<input checked="" type="radio"/>
Microsoft Office Web Add-ins can be developed by using Git.	<input checked="" type="radio"/>	<input type="radio"/>
The code for a Microsoft Office Web Add-in has access to the local file system of a device.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION: 102

Which type of authentication flow should you recommend for the planned integration with Office 365?

- A. device code
- B. implicit grant
- C. authorization code
- D. client credentials

Answer: ([SHOW ANSWER](#))

Explanation

To use Microsoft Graph to read and write resources on behalf of a user, your app must get an access token from the Microsoft identity platform and attach the token to requests that it sends to Microsoft Graph.

One common flow used by native and mobile apps and also by some Web apps is the OAuth 2.0 authorization code grant flow.


Scenario: Email the generated invoices to customers on behalf of the current signed-in user. Any emails generated by the system will contain the invoiced.

Use Azure AD to manage identities, authentication, and authorization.

Reference: <https://docs.microsoft.com/en-us/graph/auth-v2-user>

NEW QUESTION: 103

You are developing a serverless application that reads all the emails in the Inbox of a specific Microsoft 365 mailbox. Some emails contain meeting dates and room mailbox names. The application has the following requirements:




- A. Option C
- B. Option B
- C. Option D
- D. Option A


Answer: ([SHOW ANSWER](#))

NEW QUESTION: 104

You need to recommend the development environment and tools for the redesign of the research department's SharePoint Online sites. What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.



Answer:



Topic 2, ADatum Corporation

Existing Environment

Application Architecture

E-invoicing consists of a single-page application (SPA) and a backend web service that provides invoice management and processing functionality.

E-invoicing stores all the details of each invoicing operation in a backend cloud database. E-invoicing generates invoices in PDF format and provides users with the ability to download the PDF after it is generated. Each invoice has a unique identifier named invoiceid.

The users have a common workflow where they sign in to E-invoicing, and then open E-invoicing in multiple tabs of a web browser so they can use different parts of the application simultaneously.

Security Architecture

ADatum uses the principle of least privilege whenever possible. ADatum always uses the latest libraries and integration endpoints.

Requirements

Business Goals

ADatum wants to integrate E-invoicing, Azure Active Directory (Azure AD), and Microsoft Graph so that their customers can leverage Microsoft Office 365 services directly from within E-invoicing.

Planned Changes

ADatum plans to add the following capabilities to E-invoicing:

Email the generated invoices to customers on behalf of the current signed-in user. Any emails generated by the system will contain the invoiced.

Perform as many operations as possible in the browser without having to leave the E-invoicing application.

Use Azure AD to manage identities, authentication, and authorization.

Display all emails that contain a specific invoiced.

Technical Requirements

ADatum identifies the following technical requirements for the planned E-invoicing capabilities:

Ensure that all operations performed by E-invoicing against Office 365 are initiated by a user.

Require that the user authorize E-invoicing to access the Office 365 data the first time the application attempts to access Office 365 data on the user's behalf.

Send scheduled reminders to customers before a payment due date. Create an administration user interface to enable the scheduled reminders.

Implement Microsoft Graph change notifications to detect emails from vendors that arrive in a designated mailbox.

Implement single sign-on (SSO) and minimize login prompts across browser tabs.

Secure access to the backend web service by using Azure AD.

Ensure that all solutions use secure coding practices.

Backend Security Planned Changes

ADatum wants to use custom application roles to map user functionality to permissions granted to users.

E-invoicing will have internal logic that will dynamically identify whether the user should be allowed to call the backend API.

SSO JavaScript Script

You plan to implement SSO with Microsoft Authentication Library (MSAL) by using the following code:

```

01 const config = {
02   auth: {
03     clientId: '3b41e6eb-29a1-44cc-8473-e8abfe5c4e07'
04   },
05   cache: {
06     ...
07   }
08 }
09 const myMSALObj = new UserAgentApplication(config);
10 ...

```

Access Token JavaScript Script

You have the following JavaScript code to obtain an access token.

```

11 ...
12 userAgentApplication.acquireTokenSilent(accessTokenRequest).then(
13   function(accessTokenResponse) {
14     let accessToken = accessTokenResponse.accessToken;
15   }).catch(function (error) {
16     if (error.errorMessage.indexOf('interaction_required') !== -1) {
17       userAgentApplication.acquireTokenPopup(accessTokenRequest).then(
18         function(accessTokenResponse) {
19           ...
20         }).catch(function(error) {
21           console.log(error);
22         });
23     }
24     console.log(error);
25 });

```

Change Notification JSON

You have the following JSON message that will be sent by the Microsoft Graph service to detect the vendor emails.

```

01 {
02   "value": [
03     {
04       "subscriptionId": "<subscription_guid>",
05       "subscriptionExpirationDateTime": "<expirationdate>",
06       "clientState": "<secret>",
07       "changeType": "created",
08       "resource":
09         "users/<user_guid>@<tenant_guid>/messages/<long_id_string>",
10       "resourceData":
11         {
12           "@odata.type": "#Microsoft.Graph.Message",
13           "@odata.id": "Users/<user_guid>@<tenant_guid>/Messages/<long_id_string>",
14           "@odata.etag": "W/\"CQAAABYAAADkrWGo7bouTR1sgT2Mc9KwAAAUWRHE\"",
15           "id": "<long_id_string>"
16         }
17     }
18   ]
19 }

```

NEW QUESTION: 105

You plan to develop a Microsoft Teams bot tghat will return product information to users by using an adaptive card.

You need to card to contain a button that will invoke a web search for the product.

What should use?

- A. A search-based messaging extension
- B. An outgoing webhook
- C. An action-based messaging extension
- D. A task module

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 106

You plan to deploy a SharePoint Framework (SPFx) solution to the tenant app catalog. Which attribute should you configure in the package-solution.json file to ensure that the solution is available immediately to all site collections?

- A. skipFeatureDeployment
- B. zippedPackage
- C. ClientSideComponentId
- D. isDomainIsolated

Answer: ([SHOW ANSWER](#))

Explanation

You can configure your SharePoint Framework components to be immediately available across the tenant when the solution package is installed to the tenant app catalog. This can be configured by using the skipFeatureDeployment attribute in the package-solution.json file.

Reference: <https://docs.microsoft.com/en-us/sharepoint/dev/spfx/tenant-scoped-deployment>

Valid MS-600 Dumps shared by PrepPdf.com for Helping Passing MS-600 Exam!
PrepPdf.com now offer the **newest MS-600 exam dumps**, the PrepPdf.com MS-600 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com MS-600 dumps with Test Engine here:
<https://www.preppdf.com/Microsoft/MS-600-prepaway-exam-dumps.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 107

You are evaluating deep links in Microsoft Teams.

For each of the following statement, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Microsoft	Statements	Yes	No
	Deep links are used to create shorter links for users to remember and navigate.	<input type="radio"/>	<input type="radio"/>
	Deep links enable users to navigate to content within the tab of an application to view more details.	<input type="radio"/>	<input type="radio"/>
	Deep links can create private chats between users by specifying the set of participants.	<input type="radio"/>	<input type="radio"/>

Answer:

Microsoft	Statements	Yes	No
	An outgoing webhook can reply to messages by using an adaptive card.	<input type="radio"/>	<input type="radio"/>
	An outgoing webhook can post in Teams channels proactively.	<input type="radio"/>	<input type="radio"/>
	An outgoing webhook requires a callback URL.	<input type="radio"/>	<input type="radio"/>

Explanation

A screenshot of a computer Description automatically generated with low confidence

Microsoft	Statements	Yes	No
	Deep links are used to create shorter links for users to remember and navigate.	<input type="radio"/>	<input checked="" type="radio"/>
	Deep links enable users to navigate to content within the tab of an application to view more details.	<input checked="" type="radio"/>	<input type="radio"/>
	Deep links can create private chats between users by specifying the set of participants.	<input checked="" type="radio"/>	<input type="radio"/>

Box 1: No

Box 2: Yes

Box 3: Yes

You can create links to information and features within the Teams client. Examples of where this may be useful:

* Navigating the user to content within one of your app's tabs. For instance, your app may have a bot that sends messages notifying the user of an important activity. When the user taps on the notification, the deep link navigates to the tab so the user can view more details about the activity.

* Your app automates or simplifies certain user tasks, such as creating a chat or scheduling a meeting, by pre-populating the deep links with required parameters. This avoids the need for users to manually enter information.

Reference: <https://docs.microsoft.com/en-us/microsoftteams/platform/concepts/build-and-test/deep-links>

NEW QUESTION: 108

You receive the following JSON document when you use Microsoft Graph to query the current signed-in user.

```
{
  "@odata.context": "https://graph.microsoft.com/v1.0/$metadata#users/$entity",
  "businessPhones": [
    "+1 555 444 222"
  ],
  "displayName": "BenSmith",
  "givenName": "Ben",
  "jobTitle": "Developer",
  "mail": "ben.smith@contoso.com",
  "mobilePhone": "+1 555 444 222",
  "officeLocation": null,
  "preferredLanguage": null,
  "surname": "Smith",
  "userPrincipalName": "ben.smith@contoso.com",
  "id": "5fa74bb7-b45b-426d-8ac7-446f090feeb5"
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If you query a URI of https://graph.microsoft.com/v1.0/me/photo/\$value , you will get the profile picture.	<input type="radio"/>	<input type="radio"/>
If you query a URI of https://graph.microsoft.com/v1.0/users/ben.smith@contoso.com/photo/\$value , you will get the profile picture.	<input type="radio"/>	<input type="radio"/>
If you query a URI of https://graph.microsoft.com/v1.0/users/5fa74bb7-b45b-426d-8ac7-446f090feeb5/photo/\$value , you will get the profile picture.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
If you query a URI of <code>https://graph.microsoft.com/v1.0/me/photo/\$value</code> , you will get the profile picture.	<input checked="" type="radio"/>	<input type="radio"/>
If you query a URI of <code>https://graph.microsoft.com/v1.0/users/ben.smith@contoso.com/photo/\$value</code> , you will get the profile picture.	<input checked="" type="radio"/>	<input type="radio"/>
If you query a URI of <code>https://graph.microsoft.com/v1.0/users/5fa74bb7-b45b-426d-8ac7-446f090feeb5/photo/\$value</code> , you will get the profile picture.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION: 109

You create a personal bot that you plan to distribute as a Microsoft Teams team app. The bot has the following app manifest.

```


...
  "bots": [
    {
      "botId": "{botId0}",
      "scopes": [
        "personal"
      ],
      "supportsFiles": false,
      "isNotificationOnly": false,
      "commandLists": [
        {
          "scopes": [
            "personal"
          ],
          "commands": [
            {
              "title": "Hello",
              "description": "Sends a hello message and @mention the sender"
            }
          ]
        }
      ]
    }
  ]
}
...

```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point

Answer Area




Microsoft

Statements

	Yes	No
You can use the bot in a 1:1 chat.	<input type="radio"/>	<input type="radio"/>
You can use the bot in a group chat.	<input type="radio"/>	<input type="radio"/>
You can invoke the bot from the compose box.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area



Microsoft

Statements

	Yes	No
You can use the bot in a 1:1 chat.	<input checked="" type="radio"/>	<input type="radio"/>
You can use the bot in a group chat.	<input checked="" type="radio"/>	<input type="radio"/>
You can invoke the bot from the compose box.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION: 110

You need to develop a server-based web app that will be registered with the Microsoft identity platform. The solution must ensure that the app can perform operations on behalf of the user? Which type of authorization flow should you use?


- A. authorization code
- B. refresh token
- C. resource owner password
- D. device code

Answer: ([SHOW ANSWER](#))

Explanation

In web server apps, the sign-in authentication flow takes these high-level steps:

A picture containing table Description automatically generated



You can ensure the user's identity by validating the ID token with a public signing key that is received from the Microsoft identity platform endpoint. A session cookie is set, which can be used to identify the user on subsequent page requests.

In addition to simple sign-in, a web server app might need to access another web service, such as a REST API.

In this case, the web server app engages in a combined OpenID Connect and OAuth 2.0 flow, by using the OAuth 2.0 authorization code flow.

Reference: <https://docs.microsoft.com/en-us/azure/active-directory/develop/v2-app-types>

NEW QUESTION: 111

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
A Microsoft Office Add-in manifest must be stored in Azure Directory (Azure AD).	<input type="radio"/>	<input type="radio"/>
A Microsoft Office Add-in manifest must be in the JSON format.	<input type="radio"/>	<input type="radio"/>
A Microsoft Office Add-in manifest must contain a URI that points to the location that hosts the add-in.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
A Microsoft Office Add-in manifest must be stored in Azure Directory (Azure AD).	<input type="radio"/>	<input checked="" type="radio"/>
A Microsoft Office Add-in manifest must be in the JSON format.	<input type="radio"/>	<input checked="" type="radio"/>
A Microsoft Office Add-in manifest must contain a URI that points to the location that hosts the add-in.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION: 112

You need to modify the HRApp manifest to provide a tab that supports querying the third-party HR system.

Which section of the manifest should you modify, and which value should you set as the scope? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Section:

- bots
- staticTabs
- configurableTabs
- composeExtensions


Scope:

- team
- meeting
- personal

Answer:
Answer Area

Explanation

Graphical user interface, text, application Description automatically generated



Reference:

<https://docs.microsoft.com/en-us/microsoftteams/platform/resources/schema/manifest-schema#composeextensio>

NEW QUESTION: 113

What is the default permission scope when you request an access token by using MSGraphClient?

- A. People.Read
- B. User.Read.All
- C. People.Read.All
- D. User.Read

Answer: B (LEAVE A REPLY)

Explanation

By default, the service principal has no explicit permissions granted to access the Microsoft Graph. However, if you request an access token for the Microsoft Graph, you get a token with the user_impersonation permission scope that can be used for reading information about the users (that is, User.Read.All).

Reference: <https://docs.microsoft.com/en-us/sharepoint/dev/spfx/use-msgraph>

NEW QUESTION: 114

You are developing a Microsoft Office Add-in for Microsoft Word. Which Office UI element can contain commands from the add-in?

- A. dialog boxes
- B. the ribbon
- C. the File menu
- D. task panes

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/office/dev/add-ins/design/add-in-commands>

NEW QUESTION: 115

You are developing an Azure web app that will enable users to view a consolidated view of multiple users' tasks based on data in Microsoft Planner and Outlook. The app will use the Microsoft identity platform and a certificate to establish an authorization flow between the app and Microsoft 365.

You obtain a certificate and you create an Azure Active Directory (Azure AD) application. You need to set up authorization for the application.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From the Azure portal, upload a certificate public key for the Azure AD application.
- B. Add the application permissions to the Azure AD application.
- C. Add the required delegated permissions to the Azure AD application.
- D. Modify the code of the web app to use the certificate to obtain an access token for Microsoft Graph.
- E. Create a secret in the Azure AD application.

Answer: A,C,E (LEAVE A REPLY)

NEW QUESTION: 116

You are developing a SharePoint Framework (SPFx) solution.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Field Customizer extensions be used to change the rendering of a field.	<input type="radio"/>	<input type="radio"/>
Field Customizer extensions can use the Server-Side Object Model.	<input type="radio"/>	<input type="radio"/>
Field Customizer extensions can use client-side libraries such as Answer and React.	<input type="radio"/>	<input type="radio"/>

Answer:

Explanation

Graphical user interface, text, application, chat or text message Description automatically generated

Statements	Yes	No
Field Customizer extensions can be used to change the rendering of a field.	<input type="radio"/>	<input type="radio"/>
Field Customizer extensions can use the Server-Side Object Model.	<input type="radio"/>	<input type="radio"/>
Field Customizer extensions can use client-side libraries such as AngularJS and React.	<input type="radio"/>	<input type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/sharepoint/dev/spfx/extensions/get-started/building-simple-field-customizer#en>

<https://www.spguides.com/spfx-application-customizer/>

NEW QUESTION: 117

You have a SharePoint Framework (SPFx) web part named WebPartA that uses SPFx 1.11.0. You need to ensure that WebPartA can be installed as an app in Microsoft Teams. What should you do?

- A. From a command prompt, run the yo gmicrosoft/sharepoint command.
- B. Update the Config.json file.
- C. Upload WebPartA to the Microsoft Teams app catalog.
- D. Update the WebPartA.manifestjson file.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 118

How can you validate that the JSON notification message is sent from the Microsoft Graph service?

- A. The ClientState must match the value provided when subscribing.
- B. The user_guid must map to a user ID in the Azure AD tenant of the customer.
- C. The tenant ID must match the tenant ID of the customer's Office 365 tenant.
- D. The subscription ID must match the Azure subscription used by ADatum.

Answer: A (LEAVE A REPLY)

clientState specifies the value of the clientState property sent by the service in each notification. The maximum length is 128 characters. The client can check that the notification came from the service by comparing the value of the clientState property sent with the subscription with the value of the clientState property received with each notification.

Note: A subscription allows a client app to receive notifications about changes to data in Microsoft Graph.

Reference: <https://docs.microsoft.com/en-us/graph/api/resources/subscription> Build Apps with Microsoft Graph Question Set 2

NEW QUESTION: 119

You are building a Microsoft Outlook add-in.

Which object should you use to save additional information in an email?

- A. CustomProperties
- B. localStorage
- C. RoamingSettings
- D. CustomXMLParts

Answer: D (LEAVE A REPLY)

NEW QUESTION: 120

You have an application that uses the Microsoft Graph API.

You need to configure the application to retrieve the groups to which the current signed-in user belongs. The results must contain the extended priorities of the groups.

Which URI should you use?

- A. <https://graph.microsoft.com/v1.0/me/getMemberObjects>
- B. <https://graph.microsoft.com/v1.0/me/getMemberGroups>
- C. <https://graph.microsoft.com/v1.0/me/memberOf>
- D. <https://graph.microsoft.com/v1.0/me/checkMemberGroups>

Answer: B (LEAVE A REPLY)

Get member groups returns all the groups that the specified user, group, or directory object is a member of.

This function is transitive.

Reference: <https://docs.microsoft.com/en-us/graph/api/directoryobject-getmembergroups> Extend and Customize SharePoint Testlet 1 This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end on this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview

ADatum Corporation develops a software as a service (SaaS) application named E-invoicing.

Existing Environment

Application Architecture

E-invoicing consists of a single-page application (SPA) and a backend web service that provides invoice management and processing functionality.

E-invoicing stores all the details of each invoicing operation in a backend cloud database. E-invoicing generates invoices in PDF format and provides users with the ability to download the PDF after it is generated.

Each invoice has a unique identifier named invoiceid.

The users have a common workflow where they sign in to E-invoicing, and then open E-invoicing in multiple tabs of a web browser so they can use different parts of the application simultaneously.

Security Architecture

ADatum uses the principle of least privilege whenever possible. ADatum always uses the latest libraries and integration endpoints.

Requirements

Business Goals

ADatum wants to integrate E-invoicing, Azure Active Directory (Azure AD), and Microsoft Graph so that their customers can leverage Microsoft Office 365 services directly from within E-invoicing.

Planned Changes

ADatum plans to add the following capabilities to E-invoicing:

- * Email the generated invoices to customers on behalf of the current signed-in user. Any emails generated by the system will contain the invoiceid.
- * Perform as many operations as possible in the browser without having to leave the E-invoicing application.
- * Use Azure AD to manage identities, authentication, and authorization.
- * Display all emails that contain a specific invoiceid.

Technical Requirements

ADatum identifies the following technical requirements for the planned E-invoicing capabilities:

- * Ensure that all operations performed by E-invoicing against Office 365 are initiated by a user. Require that the user authorize E-invoicing to access the Office 365 data the first time the application attempts to access Office 365 data on the user's behalf.
- * Send scheduled reminders to customers before a payment due date. Create an administration user interface to enable the scheduled reminders.

- * Implement Microsoft Graph change notifications to detect emails from vendors that arrive in a designated mailbox.
- * Implement single sign-on (SSO) and minimize login prompts across browser tabs.
- * Secure access to the backend web service by using Azure AD.
- * Ensure that all solutions use secure coding practices.

Backend Security Planned Changes

ADatum wants to use custom application roles to map user functionality to permissions granted to users.

E-invoicing will have internal logic that will dynamically identify whether the user should be allowed to call the backend API.

SSO JavaScript Script

You plan to implement SSO with Microsoft Authentication Library (MSAL) by using the following code:

```

01 const config = {
02   auth: {
03     clientId: '3b41e6eb-29a1-44cc-8473-e8abfe5c4e07'
04   },
05   cache: {
06     ...
07   }
08 }
09 const myMSALObj = new UserAgentApplication(config);
10 ...

```

Access Token JavaScript Script

You have the following JavaScript code to obtain an access token.

```

01 ...
02 userAgentApplication.acquireTokenSilent(accessTokenRequest).then(
03   function(accessTokenResponse) {
04     let accessToken = accessTokenResponse.accessToken;
05   }).catch(function (error) {
06     if (error.errorMessage.indexOf('interaction_required') !== -1) {
07       userAgentApplication.acquireTokenPopup(accessTokenRequest).then(
08         function(accessTokenResponse) {
09           ...
10         }).catch(function(error) {
11           console.log(error);
12         });
13     }
14     console.log(error);
15 });

```

Change Notification JSON

You have the following JSON message that will be sent by the Microsoft Graph service to detect the vendor emails.

```

01 {
02   "value": [
03     {
04       "subscriptionId": "<subscription_guid>"
05       "subscriptionExpirationDateTime": "<expirationdate>",
06       "clientState": "<secret>",
07       "changeType": "created",
08       "resource":
09         "users/<user_guid>@<tenant_guid>/messages/<long_id_string>",
10       "resourceData":
11         {
12           "@odata.type": "#Microsoft.Graph.Message",
13           "@odata.id": "Users/<user_guid>@<tenant_guid>/Messages/<long_id_string>",
14           "@odata.etag": "W/\"CQAAABYAAADkrWGo7bouTKlsgTZMr9KwAAAUWRhf\"",
15           "id": "<long_id_string>"
16         }
17     }
18   ]
19 }

```

NEW QUESTION: 121

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a new application named App1 that uses the Microsoft identity platform to authenticate to Azure Active Directory (Azure AD).

Currently, App1 can read user profile information.

You need to allow App1 to read the user's calendar.

Solution: From the Azure portal, edit the API permission list for App1. Add the Microsoft Graph API and the Calendars.Read permissions and then grant tenant admin consent.

Does this meet the goal?

A. Yes

B. No

Answer: A ([LEAVE A REPLY](#))

Explanation

Microsoft Graph Calendars.Read allows the app to read events in user calendars.

For your app to access data in Microsoft Graph, the user or administrator must grant it the correct permissions via a consent process.

Application permissions are used by apps that run without a signed-in user present; for example, apps that run as background services or daemons. Application permissions can only be consented by an administrator.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/develop/v2-permissions-and-consent>







<https://docs.microsoft.com/en-us/graph/permissions-reference>

Valid MS-600 Dumps shared by PrepPdf.com for Helping Passing MS-600 Exam!
PrepPdf.com now offer the **newest MS-600 exam dumps**, the PrepPdf.com MS-600 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com MS-600 dumps with Test Engine here:
<https://www.preppdf.com/Microsoft/MS-600-prepaway-exam-dumps.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)


NEW QUESTION: 122

You need to protect the backend web service to meet the technical requirements.

Which four actions should you perform in sequence? To answer, move the actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Set the App ID URI for the backend web service application registration	     
Register an application in Azure AD for the backend web service	
Define the scopes in the E-invoicing application registration	
Register an application in Azure AD for E-invoicing. Grant admin consent to the E-invoicing application registration to the API scopes of the backend web service application registration	
Define the scopes in the backend web service application registration	

Answer:



Explanation

- Register an application in Azure AD for the backend web service
- Set the App ID URI for the backend web service application registration
- Define the scopes in the E-invoicing application registration
- Register an application in Azure AD for E-invoicing. Grant admin consent to the E-invoicing application registration to the API scopes of the backend web service application registration

Here is a quick overview of the steps:

Step 1: Register an application in Azure AD for the backend web service Register an application (backend-app) in Azure AD to represent the API.

Step 2: Set the App ID URI for the backend service application registration When the application is created (step 1) select Expose an API and click on Save and continue to create an Application ID URI.

Step 3: Defend the scopes in the backend web service application registration In the Add a scope page, create a new scope supported by the API. (e.g., Read) then click on Add scope to create the scope. Repeat this step to add all scopes supported by your API.

Step 4: Register an application in Azure AD for E-invoicing.

Step 4.1 Register another application in Azure AD to represent a client application Step 4.2 Now that you have registered two applications to represent the API and the Developer Console, you need to grant permissions to allow the client-app to call the backend-app.

Scenario:

Secure access to the backend web service by using Azure AD

E-invoicing will have internal logic that will dynamically identify whether the user should be allowed to call the backend API.

Reference:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-howto-protect-backend-with-aad>

NEW QUESTION: 123

You are developing a server-based application that has the following requirements:

Prompt the user to fill out form that contains a keyword.

Search the OneDrive for Business folder for files that contain the keyword and return the results to the user.

Allow the user to select one of the files from the results.

Copy the selected file to an Azure Blob storage container.


Which four actions should the application perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Store the <code>@microsoft.graph.downloadUrl</code> property in a variable.	
Store the file in a Blob storage container.	
Perform the following REST request. <code>POST /me/drive/items/{item-id}/copy</code>	
Store the file in a Blob storage container.	
Perform the following REST request. <code>GET /me/drive/items/{item-id}</code>	
Perform the following REST request. <code>GET /me/drive/root/search(q='{keyword}')</code>	
Store the <code>webUrl</code> property in a variable.	

Microsoft

Answer:

Answer Area
Perform the following rest...
Storag the mictosoft...
Store the file in a blode storage container.



- 1 - Perform the following rest...
- 2 - Storag the mictosoft...
- 3 - Store the file in a blode storage container.

NEW QUESTION: 124

You are developing a daemon application that reads all the emails in the Inbox of a specific Microsoft 365 mailbox. Some emails contain meeting dates and room mailbox names. The application has the following requirements:

- * Move each processed email to a subfolder in the mailbox.
- * If an email contains meeting data, create an event in the corresponding room mailbox calendar.

Which Microsoft Graph permissions should you grant for the application?

- A. Calendars.ReadWrite.Shared and Mail.ReadHrite delegated permissions
- B. Calendars.ReadWrite and Mail.Read application permissions
- C. Calendars.ReadWrite and Mail.ReadWrite delegated permissions
- D. Calendars.ReadWrite and Mail.ReadWrite application permissions

Answer: D (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/graph/permissions-reference>

NEW QUESTION: 125

You have a SharePoint Framework (SPFx) solution that contains a client-side web part named WebPart1.

WebPart1 has the following app manifest.

```

{
  "$schema": "https://developer.microsoft.com/json-schemas/spfx/client-side-web-part-manifest.schema.json",
  "id": "dccb3c63-a937-48ad-840c-317d10f122f5",
  "alias": "WebPart1",
  "componentType": "WebPart",
  "version": "*",
  "manifestVersion": 2,
  "requiresCustomScript": false,
  "supportedHosts": ["SharePointWebPart"],
  "preconfiguredEntries": [{
    "groupId": "5c03119e-3074-46fd-976b-c60198311f70", // Other
    "group": { "default": "Other" },
    "title": { "default": "WebPart1" },
    "description": { "default": "WebPart1" },
    "officeFabricIconFontName": "Page",
    "properties": {
      "description": "WebPart1"
    }
  ]
}]
}

```

You need to ensure that WebPart1 can be used in Microsoft Teams and Microsoft SharePoint Online.

How should you modify the app manifest?

- A. No modifications are required.
- B. Change the "supportedHosts" value to "TeamsTab".
- C. Add "Tea*sTab" to the existing "supportedHosts" value.
- D. Change the "coraponentType" value to "TeamsTab".

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 126

You are developing a single-page application (SPA).

You plan to access user data from Microsoft Graph by using an AJAX call.

You need to obtain an access token by the Microsoft Authentication Library (MSAL). The solution must minimize authentication prompts.

How should you complete the code segment? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```

var msalApp = new Msal.UserAgentApplication(msalConfig);
...
var loginRequest = {scopes: appConfig.scopes};
msalApp. [dropdown] (loginRequest).then(function(loginResponse) {
  [dropdown]
  acquireTokenPopup
  acquireToken Silent
  loginPopup
  loginRedirect
})

var tokenRequest = {scopes: appConfig.scopes};
msalApp. [dropdown] (tokenRequest).then(function(tokenResponse) {
  [dropdown]
  acquireTokenByAuthorizationCode
  acquireTokenPopup
  acquireTokenRedirect
  acquireTokenSilent
})

updateApplicationUI(tokenResponse);
}).catch(function (error) {
  [dropdown]
  acquireTokenByAuthorizationCode
  acquireTokenPopup
  acquireTokenRedirect
  acquireTokenSilent
})

updateApplicationUI(tokenResponse);
});

```

Answer:

```

var msalApp = new Msal.UserAgentApplication(msalConfig);
...
var loginRequest = {scopes: appConfig.scopes};
msalApp. [dropdown] (loginRequest).then(function(loginResponse) {
  [dropdown]
  acquireTokenPopup
  acquireToken Silent
  loginPopup
  loginRedirect
})

var tokenRequest = {scopes: appConfig.scopes};
msalApp. [dropdown] (tokenRequest).then(function(tokenResponse) {
  [dropdown]
  acquireTokenByAuthorizationCode
  acquireTokenPopup
  acquireTokenRedirect
  acquireTokenSilent
})

updateApplicationUI(tokenResponse);
}).catch(function (error) {
  [dropdown]
  acquireTokenByAuthorizationCode
  acquireTokenPopup
  acquireTokenRedirect
  acquireTokenSilent
})

updateApplicationUI(tokenResponse);
});

```

Explanation

```


var msalApp = new Msal.UserAgentApplication(msalConfig);
...
var loginRequest = {scopes: appConfig.scopes};
msalApp. [dropdown] (loginRequest).then(function(loginResponse) {
  [dropdown]
  acquireTokenPopup
  acquireTokenSilent
  loginPopup
  loginRedirect
});

var tokenRequest = {scopes: appConfig.scopes};
msalApp. [dropdown] (tokenRequest).then(function(tokenResponse) {
  [dropdown]
  acquireTokenByAuthorizationCode
  acquireTokenPopup
  acquireTokenRedirect
  acquireTokenSilent
});

updateApplicationUI(tokenResponse);
}).catch(function (error) {
  msalApp. [dropdown] (tokenRequest).then(function(tokenResponse) {
    [dropdown]
    acquireTokenByAuthorizationCode
    acquireTokenPopup
    acquireTokenRedirect
    acquireTokenSilent
  });

  updateApplicationUI(tokenResponse);
});
});

```



Box 1: loginPopup

Box 2: acquireTokenSilent

The pattern for acquiring tokens for APIs with MSAL.js is to first attempt a silent token request by using the acquireTokenSilent method. When this method is called, the library first checks the cache in browser storage to see if a valid token exists and returns it. When no valid token is in the cache, it sends a silent token request to Azure Active Directory (Azure AD) from a hidden iframe. This method also allows the library to renew tokens.

Box 3: acquireTokenPopup

//AcquireToken Failure, send an interactive request.

Example:

```

userAgentApplication.loginPopup(applicationConfig.graphScopes).then(function (idToken) {
//Login Success
userAgentApplication.acquireTokenSilent(applicationConfig.graphScopes).then(function
(accessToken) {
//AcquireToken Success
updateUI();
}, function (error) {
//AcquireToken Failure, send an interactive request.
userAgentApplication.acquireTokenPopup(applicationConfig.graphScopes).then(function
(accessToken) { updateUI();
}, function (error) {
console.log(error);
});
});

```

```
})  
, function (error) {  
  console.log(error);  
});
```

Reference: <https://github.com/AzureAD/microsoft-authentication-library-for-js/issues/339>

NEW QUESTION: 127

Your company has a sales system that emails an alert to all the members of the sales department when a new sale is made.

You need to ensure that a notification is posted to a team channel when a new sale is made. The solution must minimize development effort.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Post JSON to the webhook URL from the existing sales system.
- B. Set the configurationUrl property of a connector in the manifest.
- C. Post XML to the webhook URL from the existing sales system.
- D. Get an incoming webhook for the channel.

Answer: A,D ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/platform/webhooks-and-connectors/how-to/add-incoming-webh>

NEW QUESTION: 128

You need to recommend a model for the expense claims solution. What should you recommend?






- A. actionable messages via email that uses an actionable message card
- B. actionable messages via connectors that use an actionable message card
- C. actionable messages via email that uses an adaptive card
- D. actionable messages via connectors that use an adaptive card

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 129

You need to protect the backend web service to meet the technical requirements.

Which four actions should you perform in sequence? To answer, move the actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Set the App ID URI for the backend web service application registration	 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">   </div> <div style="text-align: center;">   </div> </div>
Register an application in Azure AD for the backend web service	
Define the scopes in the E-invoicing application registration	
Register an application in Azure AD for E-invoicing. Grant admin consent to the E-invoicing application registration to the API scopes of the backend web service application registration	
Define the scopes in the backend web service application registration	


Answer:



```

function authCallback(error, response) {
}
userAgentApplication.handleRedirectCallback(authCallback);
const accessTokenRequest: AuthenticationParameters = {
  scopes: ["user.read"],
  scopes: ["user.read.all"],
  scopes: ["people.read"],
  scopes: ["people.read.all"]
};
let accessToken = userAgentApplication
  .acquireTokenRedirect(accessTokenRequest)
  .then(function(accessTokenResponse) {
    return accessTokenResponse.accessToken;
  })
  .catch(function (error) {
    console.log(error);
    if (error.errorMessage.indexOf("interaction_required") !== -1) {
      userAgentApplication
        .acquireTokenRedirect(accessTokenRequest);
    }
  });
  
```

Explanation



Here is a quick overview of the steps:

Step 1: Register an application in Azure AD for the backend web service Register an application (backend-app) in Azure AD to represent the API.

Step 2: Set the App ID URI for the backend service application registration When the application is created (step 1) select Expose an API and click on Save and continue to create an Application ID URI.

Step 3: Define the scopes in the backend web service application registration In the Add a scope page, create a new scope supported by the API. (e.g., Read) then click on Add scope to create the scope. Repeat this step to add all scopes supported by your API.

Step 4: Register an application in Azure AD for E-invoicing.

Step 4.1 Register another application in Azure AD to represent a client application Step 4.2 Now that you have registered two applications to represent the API and the Developer Console, you need to grant permissions to allow the client-app to call the backend-app.

Scenario:

Secure access to the backend web service by using Azure AD

E-invoicing will have internal logic that will dynamically identify whether the user should be allowed to call the backend API.

Reference:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-howto-protect-backend-with-aad>

NEW QUESTION: 130

You have an app named App1 that uses the Microsoft Graph API.

You need to identify all users who have a job title of Developer. The solution must return only the display name and email address attributes of the users.

How should you complete the Microsoft Graph API query? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

GET https://graph.microsoft.com/v1.0/users?\$=displayName,mail&\$=jobTitle
eq "Developer"




expand
filter
select
top

expand
filter
select
top

Answer:

Answer Area



```
const app = new UserAgentApplication({
  auth: {
    clientId: 'DBA22F72-642A-4C44-AA2C-FAA0DA5A471B',
    clientId: '879A43D7-1794-47A0-AB2B-440B63FEC248',
    clientId: 'DC045C4D-5881-43C7-97AB-3C5A1ADB8DBC',
    authority: 'https://login.microsoftonline.com/DBA22F72-642A-4C44-AA2C-FAA0DA5A471B',
    authority: 'https://login.microsoftonline.com/879A43D7-1794-47A0-AB2B-440B63FEC248',
    authority: 'https://login.microsoftonline.com/DC045C4D-5881-43C7-97AB-3C5A1ADB8DBC',
    redirectUri: 'https://invoicing.contoso.com/signin'
  },
  system: {
    logger: new Logger(this.logger)
  },
  cache: {cacheLocation: "localStorage"}
});
const response = await app.acquireTokenSilent({
  scopes: ['api://879A43D7-1794-47A0-AB2B-440B63FEC248/Invoices.Read']
  scopes: ['api://879A43D7-1794-47A0-AB2B-440B63FEC248/Invoices.ReadWrite']
  scopes: ['api://DBA22F72-642A-4C44-AA2C-FAA0DA5A471B/Invoices.ReadWrite']
  scopes: ['api://DC045C4D-5881-43C7-97AB-3C5A1ADB8DBC/Invoices.Read']
  scopes: ['Invoices.Read']
  scopes: ['Invoices.ReadWrite']
});
const token = response.accessToken;
```

Explanation

Graphical user interface Description automatically generated

```
GET https://graph.microsoft.com/v1.0/users?$expand=displayName,mail&$filter=jobTitle eq "Developer"
```

Reference:

<https://docs.microsoft.com/en-us/graph/api/user-list?view=graph-rest-1.0&tabs=http>

NEW QUESTION: 131

Match the SharePoint Framework (SPFx) extensions to the correct descriptions.

To answer, drag the appropriate SPFx extension from the column on the left to its description on the right.

Each SPFx extension may be used once, more than once, or not at all.

NOTE Each correct match is worth one point.

Answer:

- * Application Customizers: Adds scripts to the page, and accesses well-known HTML element placeholders and extends them with custom renderings.
- * Field Customizers: Provides modified views to data for fields within a list.
- * Command Sets: Extends the SharePoint command surfaces to add new actions, and provides client-side code that you can use to implement behaviors.

NEW QUESTION: 132

You develop a custom messaging extension to translate messages in a Microsoft Teams chat. You need to provide users with the ability to invoke the extension from the More actions menu of a message.

What should you do?

- A. Add an Adaptive Card-based task module to a tab.
- B. Specify the command for the extension in the manifest file.
- C. Add an incoming webhook to the Microsoft Teams bot.
- D. Add an outgoing webhook to the Microsoft Teams bot.

Answer: (SHOW ANSWER)

NEW QUESTION: 133

This question requires that you evaluate the underlined BOLD text to determine if it is correct.

You develop a Microsoft Teams application that uses a messaging extension.

Users can invoke the messaging extension

Instructions: Review the underlined text. If it makes the statement correct, select "No change is needed". If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed
- B. from the compose box of a Teams chat
- C. by using the Manage teams option for a team
- D. by using the Add a tab option in the Teams channel

Answer: B (LEAVE A REPLY)

Explanation

In the app manifest for your Microsoft Teams app you'll define a single messaging extension with up to ten different commands. Each command defines a type (action or search), and the locations in the client it can be invoked from (compose message area, command bar, and/or message).

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/platform/messaging-extensions/what-are-messaging-extensions>

NEW QUESTION: 134

You have an application that has the code shown in the exhibits. (Click the JavaScript Version tab or the C# Version tab.) For each of the following statements, select Yes if the statement is true.

Otherwise, select No.

NOTE: Each correct selection is worth one point.

JavaScript Version

```
const fs = require("fs");
const execute = async (accessToken: string, filename: string): Promise<void> => {
  //...
  const stream = await client.api('/me/drive/root/children/${filename}/content')
    .getStream();
  let writeStream = fs.createWriteStream(`../${filename}`);
  stream.pipe(writeStream).on("error", (err) => {
    throw err;
  });
  writeStream.on("error", (err) => {
    throw err;
  });
  await new Promise((resolve) => writeStream.on("finish", resolve));
}
//...
```

C# Version

```

namespace MyProject {
    class Handler {
        public async Task Execute(string accessToken, string path) {
            var client = new GraphServiceClient(new GraphAuthProvider(accessToken));
            var pathRequestBuilder = client.Drive.Root.ItemWithPath(path);
            var file = await pathRequestBuilder.Request().GetAsync();
            if (file.File != null)
            {
                using (var content = await pathRequestBuilder.Content.Request().GetAsync())
                using (var diskFile = System.IO.File.Create(file.Name))
                {
                    content.Seek(0, System.IO.SeekOrigin.Begin);
                    await content.CopyToAsync(diskFile);
                    await diskFile.FlushAsync();
                }
            }
        }
    }
}

```

Statements	Yes	No
The code uploads a file to a Microsoft SharePoint Online site.	<input type="radio"/>	<input type="radio"/>
The code creates a file in Microsoft OneDrive.	<input type="radio"/>	<input type="radio"/>
The code downloads a file from Microsoft OneDrive.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
The code uploads a file to a Microsoft SharePoint Online site.	<input type="radio"/>	<input checked="" type="radio"/>
The code creates a file in Microsoft OneDrive.	<input checked="" type="radio"/>	<input type="radio"/>
The code downloads a file from Microsoft OneDrive.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation

Statements	Yes	No
The code uploads a file to a Microsoft SharePoint Online site.	<input type="radio"/>	<input checked="" type="radio"/>
The code creates a file in Microsoft OneDrive.	<input type="radio"/>	<input checked="" type="radio"/>
The code downloads a file from Microsoft OneDrive.	<input checked="" type="radio"/>	<input type="radio"/>

Box 1: No

Box 2: No

Box 3: Yes

A file is downloaded from OneDrive and saved locally.

Drive/Root is the drive resource is the top level object representing a user's OneDrive or a document library in SharePoint.

Reference: <https://docs.microsoft.com/en-us/graph/api/resources/drive>

NEW QUESTION: 135

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Microsoft SharePoint solutions that contain isolated web parts can be uploaded to the tenant app catalog.	<input type="radio"/>	<input type="radio"/>
Isolated web parts and non-isolated web parts can communicate with the Microsoft SharePoint REST API in the same way.	<input type="radio"/>	<input type="radio"/>
A non-isolated web part can be changed to an isolated web part.	<input type="radio"/>	<input type="radio"/>

Answer:

Explanation

Graphical user interface, text, application Description automatically generated

Statements	Yes	No
Microsoft SharePoint solutions that contain isolated web parts can be uploaded to the tenant app catalog.	<input checked="" type="radio"/>	<input type="radio"/>
Isolated web parts and non-isolated web parts can communicate with the Microsoft SharePoint REST API in the same way.	<input checked="" type="radio"/>	<input type="radio"/>
A non-isolated web part can be changed to an isolated web part.	<input checked="" type="radio"/>	<input type="radio"/>

Box 1: Yes

Using the isolated web parts capability, you can build web parts that securely communicate with APIs secured with Azure AD without exposing the access token to other components on the page or even scripts in the tenant.

When deploying these solutions to the app catalog, all API permission requests are specified as isolated.

Box 2: Yes

Even though on runtime isolated web parts will be loaded inside an iframe pointing to a unique domain, you can communicate with SharePoint REST API, the same way as you would in non-isolated web parts.

Box 3: Yes

If you're upgrading an existing SharePoint Framework project to v1.8.0 and want to use the isolated permissions capability, you can do it, by setting in the config/package-solution.json file, the isDomainIsolated property to true. You should ensure, that your project contains only web parts.

After changing the project to use isolated permissions, you should redeploy your project. This will issue new API permission requests, isolated to your solution, which will need to be approved by the tenant admin.

Reference: <https://docs.microsoft.com/en-us/sharepoint/dev/spfx/web-parts/isolated-web-parts>

NEW QUESTION: 136

You are building a Microsoft Teams application.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
An outgoing webhook can reply to messages by using an adaptive card.	<input type="radio"/>	<input type="radio"/>
An outgoing webhook can post in Teams channels proactively.	<input type="radio"/>	<input type="radio"/>
An outgoing webhook requires a callback URL.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements



Yes

No

An outgoing webhook can reply to messages by using an adaptive card.

An outgoing webhook can post in Teams channels proactively.

An outgoing webhook requires a callback URL.

Explanation

Statements	Yes	No
An outgoing webhook can reply to messages by using an adaptive card.	<input type="radio"/>	<input type="radio"/>
An outgoing webhook can post in Teams channels proactively.	<input type="radio"/>	<input type="radio"/>
An outgoing webhook requires a callback URL.	<input type="radio"/>	<input type="radio"/>

Box 1: Yes

Once an outgoing webhook is added to a team, it acts like bot, listening in channels for messages using

@mention, sending notifications to external web services, and responding with rich messages that can include cards and images.

Box 2: Yes

Webhooks are a great way for Teams to integrate with external apps. A webhook is essentially a POST request sent to a callback URL. In Teams, outgoing webhooks provide a simple way to allow users to send messages to your web service without having to go through the full process of creating bots via the Microsoft Bot Framework. Outgoing webhooks post data from Teams to any chosen service capable of accepting a JSON payload.

Box 3: Yes

Create an outgoing webhook

- * Select the appropriate team and select Manage team from the (* * *) drop-down menu.
- * Choose the Apps tab from the navigation bar.
- * From the window's lower right corner select Create an outgoing webhook.
- * In the resulting popup window complete the required fields:
- * Name - The webhook title and @mention tap.
- * Callback URL - The HTTPS endpoint that accepts JSON payloads and will receive POST requests from Teams.

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/platform/webhooks-and-connectors/how-to/add-outgoing-webh>

Valid MS-600 Dumps shared by PrepPdf.com for Helping Passing MS-600 Exam!
PrepPdf.com now offer the **newest MS-600 exam dumps**, the PrepPdf.com MS-600 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com MS-600 dumps with Test Engine here:
<https://www.preppdf.com/Microsoft/MS-600-prepaway-exam-dumps.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 137

Which type of authentication flow should you recommend for the planned integration with Office 365?

- A. device code
- B. implicit grant
- C. authorization code
- D. client credentials

Answer: C (LEAVE A REPLY)

To use Microsoft Graph to read and write resources on behalf of a user, your app must get an access token from the Microsoft identity platform and attach the token to requests that it sends to Microsoft Graph.

One common flow used by native and mobile apps and also by some Web apps is the OAuth 2.0 authorization code grant flow.

Scenario: Email the generated invoices to customers on behalf of the current signed-in user. Any emails generated by the system will contain the invoiced.

Use Azure AD to manage identities, authentication, and authorization.

NEW QUESTION: 138

You are building a Microsoft teams application by using an outgoing webhook.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area	Statements	Yes	No
	If you have an outgoing webhook named hook1, you can invoke the webhook by using the @hook1 mention.	<input type="radio"/>	<input type="radio"/>
	An outgoing webhook must be authenticated by using Azure Active Directory (Azure AD).	<input type="radio"/>	<input type="radio"/>
	The security token for an outgoing webhook expires after one year.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area	Statements	Yes	No
	If you have an outgoing webhook named hook1, you can invoke the webhook by using the @hook1 mention.	<input type="radio"/>	<input checked="" type="radio"/>
	An outgoing webhook must be authenticated by using Azure Active Directory (Azure AD).	<input type="radio"/>	<input checked="" type="radio"/>
	The security token for an outgoing webhook expires after one year.	<input checked="" type="radio"/>	<input type="radio"/>

Valid MS-600 Dumps shared by PrepPdf.com for Helping Passing MS-600 Exam!
PrepPdf.com now offer the **newest MS-600 exam dumps**, the PrepPdf.com MS-600 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com MS-600 dumps with Test Engine here:
<https://www.preppdf.com/Microsoft/MS-600-prepaway-exam-dumps.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)