

Microsoft.MS-720.v2022-12-13.q54

Exam Code:	MS-720
Exam Name:	Microsoft Teams Voice Engineer
Certification Provider:	Microsoft
Free Question Number:	54
Version:	v2022-12-13
# of views:	939
# of Questions views:	540
https://www.freeqas.com/qa/Microsoft/MS-720/Microsoft.MS-720.v2022-12-13.q54.html	

NEW QUESTION: 1


You need to assign the correct licenses to a sales team manager in the New York office who is scheduled to migrate from Skype for Business Server to Teams.

Which three licenses should you assign? To answer, select the licenses in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



Reference:

<https://docs.microsoft.com/en-us/microsoftteams/what-are-communications-credits>

NEW QUESTION: 2

You have a Microsoft Teams Phone deployment that uses Direct Routing.

You create a new Teams user named User1.

You need to enable User1 as an agent in a call queue.

What should you do first?

- A. Assign a dial plan to User1.
- B. Assign a phone number to User1.
- C. Enable hosted voicemail for User1.
- D. Enable Enterprise Voice for User1.

Answer: D (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/plan-auto-attendant-call-queue>

NEW QUESTION: 3

Your company assigns an Office 365 E3 license to each user. All users are in France.

You plan to deploy Direct Routing.

Which additional license should you assign to the users?

- A. Microsoft 365 Audio Conferencing

- B. Microsoft 365 Phone System - Virtual
- C. Microsoft 365 Phone System
- D. Microsoft 365 Domestic and International Calling Plan
- E. Microsoft 365 Domestic Calling

Answer: (SHOW ANSWER)

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/direct-routing-plan>

NEW QUESTION: 4

Your company is migrating from a legacy PBX system to Microsoft Teams.

The phone number range is +1-423-555-1xxx. The PBX system uses four-digit dialing internally. Extensions are the last four digits of the number.

You need to ensure that you can use four-digit dialing for your numbers in Teams. The solution must minimize administrative effort. How should you configure the normalization rule? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

The screenshot shows a configuration window with the Microsoft logo at the top left. A large watermark 'freeqas.com' is overlaid diagonally. There are two sections for configuring normalization rules. Each section has a 'Pattern:' field and a 'Translation:' field. The 'Pattern' field for both sections contains the same text: `^(\\d{4})$` and `^(1\\d{3})$`. The 'Translation' field for the top section contains: `+1423555$1`, `+14235551$3`, `+14235551\\d?3`, and `+14235551\\d(3)`. The 'Translation' field for the bottom section contains: `^(\\d{4})$`, `^(1\\d{3})$`, `+1423555$1`, `+14235551$3`, `+14235551\\d?3`, and `+14235551\\d(3)`.

Answer:

This screenshot is identical to the one above, but with red boxes highlighting the correct selections. In the top 'Translation' field, the option `+14235551$3` is highlighted. In the bottom 'Translation' field, the option `^(\\d{4})$` is highlighted. The Microsoft logo is visible at the bottom center of the interface.

NEW QUESTION: 5

You are migrating users from Microsoft Skype for Business to Microsoft Teams.
You plan to create an auto attendant that can be used by all the users during the migration.
You need to create the resource account for the auto attendant
What should you use?

- A. the New-CsOnlineApplicationEndpoint cmdlet
- B. the New-CsOnlineApplicationInstance cmdlet
- C. the Resource accounts node in the Microsoft Teams admin center
- D. the Users node in the Microsoft 365 admin center
- E. the New-CsHybridApplicationEndpoint cmdlet

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company uses Microsoft Teams Calling Plans.

The company acquires a small development team. Currently, users on the team have their own direct inward dial (DID) numbers that have PSTN capabilities.

You migrate the users to Teams.

You need to ensure that the users have phone numbers.

Solution: From the Microsoft Teams admin center, you create a new port order.

Does this meet the goal?

- A. Yes
- B. No

Answer: A ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/phone-number-calling-plans/transfer-phone-numbers-to-teams>

NEW QUESTION: 7

You are optimizing a network to better support voice and collaboration workloads in Microsoft Teams.

When the users are at a specific corporate site, you need to prevent the users from adding video during calls.

Solution: You run New-CsTeamsMeetingPolicy and set the -iPVideoHode parameter to disabled.

Does this meet the goal?

- A. No
- B. Yes

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 8

You have a Microsoft Teams Phone deployment that uses Direct Routing. The deployment has the following configurations:

- * Direct Routing Session Border Controller (SBC) public IP subnet: 198.51.100.0/24
- * Teams client external IP subnet: 203.0.113.0/24
- * Teams client internal IP subnet: 192.168.0.0/24

You need to configure the network topology to support emergency call routing.

Which network range should you add to the trusted IP addresses?

- A. 52.112.0.0/14
- B. 198.51.100.0/24
- C. 203.0.113.0/24
- D. 192.168.0.0/24

Answer: C ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/manage-your-network-topology>

NEW QUESTION: 9

You need to ensure that numbers dialed from the Melbourne warehouse conform to the dialing rules of the phone earner. How should you complete the command? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

```
New-CsTeamsTranslationRule -Identity 'Au-100Digit'
New-CsTenantDialPlan -Translation '051'
Set-CsTenantDialPlan
Grant-CsDialOutPolicy
```

-Pattern

```
^\+61(\d{9})$
^\+613(\d{9})$
^\+613(\d{9})$
^61(\d{10})$
```

-Translation '051'

Answer:

Answer Area

```
New-CsTeamsTranslationRule -Identity 'Au-100Digit'
New-CsTenantDialPlan -Translation '051'
Set-CsTenantDialPlan
Grant-CsDialOutPolicy
```

-Pattern

```
^\+61(\d{9})$
^\+613(\d{9})$
^\+613(\d{9})$
^61(\d{10})$
```

-Translation '051'

NEW QUESTION: 10


You have a Microsoft Teams Phone deployment.

You have a cloud-only user named user1@contoso.com.

You need to enable a Direct Routing phone number for user1@contoso.com.

How should you complete the PowerShell script? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



NEW QUESTION: 11

You need to recommend a PSTN solution for the Teams Phone deployment at the retail sites.

The solution must meet the technical requirements.

What should you include in the recommendation?

- A. Teams Calling Plans
- B. Direct Routing without media bypass
- C. Operator Connect
- D. Direct Routing with media bypass

Answer: C (**LEAVE A REPLY**)

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/pstn-connectivity>

Topic 1, Litware

Telephony Environment

The existing telecommunications system has several third-party IP-PBXes at the corporate and warehouse sites- Currently, the PBXes are linked through the corporate WAN and an inter-office dial plan is in place.

A unique PSTN direct inward dial (DID) is assigned to each user. The last five digits of each DID are used as an extension.

Litware piloted Microsoft Skype for Business Server Enterprise Voice, but has since decided to migrate directly to Teams Phone. During the pilot, a response group was created, and the

response group is still in use. Agents in the response group use Skype for Business Server-certified handsets.

Locations

Litware has global retail stores and datacenters-

The telephony topology contains the following four types of sites:

Corporate sites

The corporate sites contain information workers who collaborate by using the Teams desktop client and SharePoint Online.

The reception desk at each corporate site has an analog intercom with an integrated door control. Each intercom connects to an existing PBX by using an FXS Analog Telephony Adapter (ATA). SIP trunks are delivered directly to the site by using a resilient WAN that connects directly to the on-site PBX solution.

Warehouse sites

The warehouse sites are critical to the business. Users at these sites use either the Teams desktop client or the Teams mobile client.

Each warehouse has a public announcement (PA) system that connects to the PBX by using a SIP ATA along with the sites' existing ISDN trunks.

Currently, users at the company's warehouse in Georgia can call the PA system by dialing 123456.

All calls to emergency services from the warehouses are played over the warehouses' PA system automatically.

WAN connectivity at the warehouses can be unreliable, so local PSTN connectivity is preferred as compared to centrally hosted connectivity.

Retail sites

Each retail site has only one or two desk phones and a specialized point of sale (POS) computer that cannot run the desktop or web versions of the Teams client-Users at the retail sites have the Teams app and an associated data plan installed on their mobile device. Currently, each retail site uses a managed SD-WAN appliance to connect to both the internet and the corporate WAN. The users report that in the event of an internet outage at the retail sites, they can use their mobile devices, which have strong reception.

Planned Changes

Litware plans to implement the following changes:

- * Maintain the existing emergency call PA integration.
- * Replace the existing IP-PBX solutions by using Teams Phone.
- * Consolidate all its PSTN trunks by using region-specific datacenters, wherever possible.

During the planned deployment of Teams Phone, Litware will open a new retail site in the United Kingdom that will have five users. Litware does not have any existing telephony in the United Kingdom. Management at the new retail site wants to use Microsoft Teams Calling Plans for the users.

You are opening a new warehouse site in Melbourne. The new warehouse will connect to a phone carrier by using a Session Border Controller (SBC). Dialing rules are an area code of two

digits beginning with a zero followed by a subscriber number of eight digits. For example, an E.164 number of +61370105550 will be translated to 03 7010 5550, and +61255505550 will be translated to 02 5550 5550.

Technical Requirements

Litware identifies the following technical requirements:

- Minimize the amount of voice traffic over the-WAN.
- Whenever possible, use natively supported Teams solutions.
- * Avoid replacing existing analog device adapters and SIP phones.
- * Assign a Microsoft 365 Phone System license to all the users listed in a CSV file.
- * Ensure that the retail sites can place and receive calls in the event of a WAN failure.
- * Assign a phone number of +61370105550 to a user named User1. User1 is located at a corporate site.
- * Ensure that the warehouse sites maintain calling in the event of an internet outage or Teams service failure.
- * Provide users at the United Kingdom retail site with phone numbers. The users must only be allowed to make in-country calls.
- * Replace the response group from the Skype for Business Server Voice Enterprise pilot with a call queue. The agents must be able to use their existing handset.

NEW QUESTION: 12

You have a Microsoft Teams Phone deployment. The 613 7010 5XXX phone number range is allocated to the Session Border Controller (SBC). A user named User1 is configured as shown in the following exhibit.



```
PS C:\> get-csonlineuser -Identity user1@litwareinc.com
DisplayName           : User One
EnterpriseVoiceEnabled : True
RegistrarPool        : sip001msau103.infra.lync.com
OnPremLineURIManuallySet : False
OnPremLineURI         :
LineURI               : 61370105555
OnlineVoiceRoutingPolicy : VIC-All
DialPlan              : AU
TenantDialPlan        : Australia-VIC
MCOValidationErrors   : {}
VoicePolicy           :
InterpretedUserType   : HybridOnlineTeamsOnlyuser
UserProvisionType     :
TeamsUpgradeEffectiveMode : TeamsOnly
```


User1 reports that when an external caller attempts to call the phone number or User1, the external caller receives an error message.

User 1 can make outbound calls, but no caller ID appears.

Which two commands should you run to resolve the issues? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A)



```
Set-CsOnlineVoiceUser user1@litwareinc.com -TelephoneNumber "+61370105555"
```

B)

```
Set-CsOnlineVoiceUser user1@litwareinc.com -TelephoneNumber $null
```

C)

```
Set-CsUser user1@litwareinc.com -OnPremLineURI "tel:+61370105555"
```

D)

```
Set-CsUser user1@litwareinc.com -EnterpriseVoiceEnabled $false
```

E)

```
Grant-CsOnlineVoiceRoutingPolicy -Identity user1@litwareinc.com -PolicyName $null
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D
- E. Option E

Answer: A,D (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/powershell/module/skype/set-csonlinevoiceuser?view=skype-ps>

NEW QUESTION: 13

You have a Microsoft Teams Phone deployment.

You are deploying Direct Routing by using a certified Session Border Control (SBC). The FQDN of the SBC is sbc1.contoso.com. You use signaling port 5067.

You cannot place calls and receive an error message in the Microsoft Teams admin center as shown in the following exhibit.



What is a possible cause of the issue?

- A. The firewall blocks traffic on port 5067
- B. Location-Based Routing is enabled for the SBC.
- C. The SIP options are disabled.
- D. Calling plan licenses are not assigned to users.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 14

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to create a new call queue to route calls to support agents. The support agents must be able to see their call queue history and the shared transcribed voicemail. The solution must minimize administrative effort.

Solution: You redirect calls for the call queue to a shared voicemail box.

Does this meet the goal?

- A. Yes
- B. No

Answer: B (LEAVE A REPLY)

Reference:

<https://www.orbid365.be/shared-voicemail-arrives-in-teams/>

NEW QUESTION: 15

You have a Microsoft Teams Phone deployment. Direct Routing is enabled for all users. The users can place and receive PSTN calls. You are implementing emergency numbers in Teams. You need to remove the + symbol from any three-digit calls to the Session Border Controller (SBC)..

How should you complete the PowerShell script? To answer, drag the appropriate values to the correct targets.

Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

The screenshot shows a PowerShell script editor with three dropdown menus for parameter completion. The first dropdown is for '-Translation' with options: New-CsOnlinePSTNGateway, New-CsOnlinePstnUsage, New-CsTeamsTranslationRule, New-CsVoiceNormalizationRule. The second dropdown is for '-Identity' with options: Set-CsOnlineAudioConferencingRoutingPolicy, Set-CsOnlinePSTNGateway, Set-CsOnlinePstnUsage, Set-CsOnlineVoiceUser. The third dropdown is for '-Pattern' with options: -InboundPSTNumberTranslationRules, -OnlinePstnUsages, -OutboundPstnNumberTranslationRules, -OutboundTeamsNumberTranslationRules, -Usage. A watermark 'freedqas.com' and the Microsoft logo are visible.

Answer:



Explanation

Graphical user interface, text, application, email Description automatically generated



Reference:

- <https://docs.microsoft.com/en-us/powershell/module/skype/new-csteamtranslationrule?view=skype-ps>
- <https://docs.microsoft.com/en-us/microsoftteams/direct-routing-translate-numbers>


NEW QUESTION: 16

Your company is migrating from a legacy PBX system to Microsoft Teams.


The phone number range is +1-423-555-1xxx. The PBX system uses four-digit dialing internally. Extensions are the last four digits of the number.

You need to ensure that you can use four-digit dialing for your numbers in Teams. The solution must minimize administrative effort. How should you configure the normalization rule? To answer, select the appropriate options in the answer are

a. NOTE: Each correct selection is worth one point.



Answer:



Valid MS-720 Dumps shared by PrepPdf.com for Helping Passing MS-720 Exam!
 PrepPdf.com now offer the **newest MS-720 exam dumps**, the PrepPdf.com MS-720 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com MS-720 dumps with Test Engine here:
<https://www.preppdf.com/Microsoft/MS-720-prepaway-exam-dumps.html> (123 Q&As Dumps,
40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 17

You have a Microsoft Teams Phone deployment.

When you attempt to deploy a Session Border Controller (SBC) named sfac1xontoso.com. you receive the following error message: "We cant use the "SBCI-Contoso.com" domain as it hasn't been set up in the organization. Try agaax. If you continue to have problems, contact Microsoft customer support."

You need to add the SBC to the tenant.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- From the Microsoft 365 admin center, add a licensed user that has a UPN to the contoso.com domain.
- From the Microsoft Teams admin center, enable external access for the contoso.com domain.
- From the Microsoft Teams admin center, add the SBC as sbc1.contoso.onmicrosoft.com.
- From the Microsoft 365 admin center, validate the contoso.com domain.
- From the Microsoft Teams admin center, add the SBC as sbc1.contoso.com.

Answer Area

Answer:

Answer Area

- From the Microsoft Teams admin center, add the SBC as sbc1.contoso.onmicrosoft.com.
- From the Microsoft 365 admin center, add a licensed user that has a UPN to the contoso.com domain.
- From the Microsoft Teams admin center, add the SBC as sbc1.contoso.com.

- 1 - From the Microsoft Teams admin center, add the SBC as sbc1.contoso.onmicrosoft.com.
- 2 - From the Microsoft 365 admin center, add a licensed user that has a UPN to the contoso.com domain.
- 3 - From the Microsoft Teams admin center, add the SBC as sbc1.contoso.com.

NEW QUESTION: 18

Your company has offices in 10 countries. The company has a tenant dial plan configured for each country.

The company recently opened an office in a new country.

You need to create a new tenant dial plan that meets the unique dialing requirements of the new country.

What should you do?

- A. Run the New-CsOnlineVoiceRoutingPolicy cmdlet.
- B. From the Microsoft Teams admin center, select Voice, select Dial plan, and then select Add.
- C. From the Microsoft Teams admin center, select Locations, select Network topology, and then select Add.
- D. Run the Sec-CsTenancDialPlan cmdlet.

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/create-and-manage-dial-plans>

NEW QUESTION: 19

You have a Microsoft 365 tenant that has Modern authentication enabled for an services Multi-factor authentication (MFA) is enforced for all users.

You are deploying Microsoft Teams Rooms.

The first time you attempt to sign in to a Teams Rooms, you receive an error message indicating that the device cannot sign in to Teams.

You verify that Modern authentication is enabled in Teams Rooms.

What prevents you from signing in?

- A. The Teams Rooms account is not licensed for Microsoft Intune.
- B. MFA is unsupported in Teams Rooms.
- C. The Microsoft Authenticator app is not configured for the Teams Rooms account.
- D. Teams Rooms must be domain joined first.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 20

You have a Microsoft Teams Phone deployment.

You are designing a room that will be used for collaboration.

You need to select a device for the room. The device must meet the following requirements:

- * Support video.
- * Support one-touch join for meetings.
- * Can start new meetings from within the room.
- * Support HDMI ingestion of content into Teams.

Which type of device should you select? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Microsoft Teams Rooms on Android
- B. Microsoft Teams panels
- C. Microsoft Teams Rooms on Windows
- D. Microsoft Surface Hub 2S.
- E. Microsoft Teams displays.

Answer: A,C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/rooms/teams-devices-feature-comparison>

NEW QUESTION: 21

Your company has offices in Seattle.

You deploy Microsoft Teams Phone. You have three Session Border Controller (SBCs) named SBC1, SBC2, and SBC3.

You need to configure voice routing to meet the following requirements:

- * All calls to area codes 425 and 206 must attempt to go to SBC1, and if SBC1 is unavailable, fail over to SBC2.
- * All other calls to the United States and Canada must go out through SBC2.
- * International calls must go out through SBC2 or SBC3.

How should you complete the PowerShell script? To answer, drag the appropriate values to the correct targets.

Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area
<input type="text" value="'sbc1.contoso.com'"/>	<code>New-CsOnlineVoiceRoute -Identity 'Redmond' -NumberPattern '^\\+1(425 206) (\\d{7})\$'</code> <code>-OnlinePstnGatewayList</code> <input type="text"/>
<input type="text" value="'sbc2.contoso.com'"/>	<code>New-CsOnlineVoiceRoute -Identity 'US and Canada' -NumberPattern '^\\+1(\\d{10})\$'</code> <code>-OnlinePstnGatewayList</code> <input type="text"/>
<input type="text" value="'sbc1.contoso.com', 'sbc2.contoso.com'"/>	<code>New-CsOnlineVoiceRoute -Identity 'All other calls' -NumberPattern '^\\+(?!1)\\d+'</code> <code>-OnlinePstnGatewayList</code> <input type="text"/>
<input type="text" value="'sbc2.contoso.com', 'sbc3.contoso.com'"/>	
<input type="text" value="'sbc1.contoso.com', 'sbc3.contoso.com'"/>	

Answer:

Values	Answer Area
<input type="text" value="'sbc1.contoso.com'"/>	<code>New-CsOnlineVoiceRoute -Identity 'Redmond' -NumberPattern '^\\+1(425 206) (\\d{7})\$'</code> <code>-OnlinePstnGatewayList</code> <input type="text" value="'sbc1.contoso.com', 'sbc2.contoso.com'"/>
<input type="text" value="'sbc2.contoso.com'"/>	<code>New-CsOnlineVoiceRoute -Identity 'US and Canada' -NumberPattern '^\\+1(\\d{10})\$'</code> <code>-OnlinePstnGatewayList</code> <input type="text" value="'sbc2.contoso.com'"/>
<input type="text" value="'sbc1.contoso.com', 'sbc2.contoso.com'"/>	<code>New-CsOnlineVoiceRoute -Identity 'All other calls' -NumberPattern '^\\+(?!1)\\d+'</code> <code>-OnlinePstnGatewayList</code> <input type="text" value="'sbc2.contoso.com', 'sbc3.contoso.com'"/>
<input type="text" value="'sbc2.contoso.com', 'sbc3.contoso.com'"/>	
<input type="text" value="'sbc1.contoso.com', 'sbc3.contoso.com'"/>	

Explanation

Graphical user interface, text, application, email Description automatically generated

```

New-CsOnlineVoiceRoute -Identity 'Redmond' -NumberPattern '^\\+1(425|206) (\\d{7})$'
-OnlinePstnGatewayList 'sbc1.contoso.com', 'sbc2.contoso.com'

New-CsOnlineVoiceRoute -Identity 'US and Canada' -NumberPattern '^\\+1(\\d{10})$'
-OnlinePstnGatewayList 'sbc2.contoso.com'

New-CsOnlineVoiceRoute -Identity 'All other calls' -NumberPattern '^\\+(?!1)\\d+'
-OnlinePstnGatewayList 'sbc2.contoso.com', 'sbc3.contoso.com'

```






Reference:

<https://docs.microsoft.com/en-us/powershell/module/skype/new-csonlinevoiceroute?view=skype-ps>

NEW QUESTION: 22

You need to migrate a Vancouver facility user named jsmith from Skype for Business Server to Teams.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Run the following command. <code>Move-CsUser -Identity jsmith@contoso.com -Target sipfed.online.lync.com</code>	 Microsoft    
Run the following command. <code>Grant-CsOnlineVoiceRoutingPolicy -identity jsmith@contoso.com -PolicyName Vancouver</code>	
Assign the Microsoft 365 Phone System license to jsmith.	
Run the following command. <code>Set-CsOnlineUser -EnableEnterpriseVoice \$true -identity jsmith@contoso.com</code>	
Assign the Microsoft 365 Audio Conferencing license to jsmith.	

Answer:

Answer Area

Assign the Microsoft 365 Phone System license to jsmith.
Run the following command Move-,,,,,,,,,
Run the following command Grant-,,,,,,,,,

- 1 - Assign the Microsoft 365 Phone System license to jsmith.
- 2 - Run the following command Move-,,,,,,,,,
- 3 - Run the following command Grant-,,,,,,,,,

Reference:

<https://docs.microsoft.com/en-us/skypeforbusiness/hybrid/move-users-from-on-premises-to-teams>

<https://docs.microsoft.com/en-us/skypeforbusiness/hybrid/move-users-from-on-premises-to-teams>

<https://docs.microsoft.com/en-us/microsoftteams/direct-routing-voice-routing>

NEW QUESTION: 23

You need to provide Microsoft Teams users with the ability to perform PSTN calling through a Session Border Controller (SBC). Which licenses can you assign to achieve the goal?

- A. Microsoft 365 E5 and Office 365 E5
- B. Office 365 E3 and Microsoft 365 E3
- C. Microsoft 365 E3 and Microsoft 365 E5
- D. Office 365 E3 and Office 365 E5

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 24

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company uses Microsoft Teams Calling Plans.

The company acquires a small development team. Currently, users on the team have their own direct inward dial (DID) numbers that have PSTN capabilities.

You migrate the users to Teams.

You need to ensure that the users have phone numbers.

Solution: You run the New-CsHybridTelephoneNumber cmdlet.

Does this meet the goal?

- A. Yes
- B. No

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 25

Your company has a main office in New York and a branch office in Calgary. All offices connect to each other by using a dedicated WAN.

You have a Microsoft Teams Phone deployment.

You need to recommend a Direct Routing solution that meets the following requirements:

* If a Session Border Controller (SBC) fails in the New York office, PSTN services must remain available through a local PSTN egress in New York. The Calgary office must prioritize a local PSTN egress and ensure that PSTN services remain available in the event of a local SBC outage.

* The number of SBCs must be minimized.

What should you recommend for each office? To answer, drag the appropriate components to the correct offices. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



Answer:



NEW QUESTION: 26

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company uses Microsoft Teams Calling Plans.

The company acquires a small development team. Currently, users on the team have their own direct inward dial (DID) numbers that have PSTN capabilities.

You migrate the users to Teams.

You need to ensure that the users have phone numbers.

Solution: From the Microsoft Teams admin center, you place a new order for service numbers.

Does this meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/getting-service-phone-numbers>

NEW QUESTION: 27

You have a Microsoft Teams Phone deployment. Direct Routing is enabled for all users. The users can place and receive PSTN calls.

You need to create a new user policy to provide four-digit extension dialing for users to call analog endpoints that connect to the Session Border Controller (SBC).

Which three actions should you perform? Each correct answer presents part of the solution.

A. Create a trunk translation rule.

- B. Create an IP phone policy.
- C. Assign a dial plan to the users.
- D. Assign an IP phone policy to the users.
- E. Create a voice normalization rule.
- F. Create a tenant dial plan.

Answer: C,E,F (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/what-are-dial-plans>

<https://docs.microsoft.com/en-us/microsoftteams/create-and-manage-dial-plans>

NEW QUESTION: 28

What is a possible cause of the issue?

- A. The firewall blocks outbound traffic on port 443 to Microsoft Teams.
- B. The firewall blocks traffic to the signaling port on the SBC.
- C. TLS 1.2 is enabled on the SBC.
- D. Microsoft 365 Phone System licenses are not assigned to the users.

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/troubleshoot/phone-system/direct-routing/sip-options-tls-certificate-issues>

Topic 2, Litware

Telephony Environment

The existing telecommunications system has several third-party IP-PBXes at the corporate and warehouse sites- Currently, the PBXes are linked through the corporate WAN and an inter-office dial plan is in place.

A unique PSTN direct inward dial (DID) is assigned to each user. The last five digits of each DID are used as an extension.

Litware piloted Microsoft Skype for Business Server Enterprise Voice, but has since decided to migrate directly to Teams Phone. During the pilot, a response group was created, and the response group is still in use. Agents in the response group use Skype for Business Server-certified handsets.

Locations

Litware has global retail stores and datacenters-

The telephony topology contains the following four types of sites:

Corporate sites

The corporate sites contain information workers who collaborate by using the Teams desktop client and SharePoint Online.

The reception desk at each corporate site has an analog intercom with an integrated door control. Each intercom connects to an existing PBX by using an FXS Analog Telephony Adapter (ATA). SIP trunks are delivered directly to the site by using a resilient WAN that connects directly to the on-site PBX solution.

Warehouse sites

The warehouse sites are critical to the business. Users at these sites use either the Teams desktop client or the Teams mobile client.

Each warehouse has a public announcement (PA) system that connects to the PBX by using a SIP ATA along with the sites' existing ISDN trunks.

Currently, users at the company's warehouse in Georgia can call the PA system by dialing 123456.

All calls to emergency services from the warehouses are played over the warehouses' PA system automatically.

WAN connectivity at the warehouses can be unreliable, so local PSTN connectivity is preferred as compared to centrally hosted connectivity.

Retail sites

Each retail site has only one or two desk phones and a specialized point of sale (POS) computer that cannot run the desktop or web versions of the Teams client. Users at the retail sites have the Teams app and an associated data plan installed on their mobile device. Currently, each retail site uses a managed SD-WAN appliance to connect to both the internet and the corporate WAN. The users report that in the event of an internet outage at the retail sites, they can use their mobile devices, which have strong reception.

Planned Changes

Litware plans to implement the following changes:

- * Maintain the existing emergency call PA integration.
- * Replace the existing IP-PBX solutions by using Teams Phone.
- * Consolidate all its PSTN trunks by using region-specific datacenters, wherever possible.

During the planned deployment of Teams Phone, Litware will open a new retail site in the United Kingdom that will have five users. Litware does not have any existing telephony in the United Kingdom. Management at the new retail site wants to use Microsoft Teams Calling Plans for the users.

You are opening a new warehouse site in Melbourne. The new warehouse will connect to a phone carrier by using a Session Border Controller (SBC). Dialing rules are an area code of two digits beginning with a zero followed by a subscriber number of eight digits. For example, an E.164 number of +61370105550 will be translated to 03 7010 5550, and +61255505550 will be translated to 02 5550 5550.

Technical Requirements

Litware identifies the following technical requirements:

- Minimize the amount of voice traffic over the-WAN.
- Whenever possible, use natively supported Teams solutions.
- * Avoid replacing existing analog device adapters and SIP phones.
- * Assign a Microsoft 365 Phone System license to all the users listed in a CSV file.
- * Ensure that the retail sites can place and receive calls in the event of a WAN failure.
- * Assign a phone number of +61370105550 to a user named User1. User1 is located at a corporate site.

- * Ensure that the warehouse sites maintain calling in the event of an internet outage or Teams service failure.
- * Provide users at the United Kingdom retail site with phone numbers. The users must only be allowed to make in-country calls.
- * Replace the response group from the Skype for Business Server Voice Enterprise pilot with a call queue. The agents must be able to use their existing handset.

NEW QUESTION: 29

You have a Microsoft Teams Phone deployment.

You need to configure voice routing for Direct Routing. The solution must only allow calling within the United States and Canada for a user named user1 contoso.com.

Which four actions should you perform in sequence to minimize user call disruption? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.



Answer:



NEW QUESTION: 30

You have a Microsoft Teams deployment and an existing telephony solution that provides PSTN capability to on premises third-party PBX systems in two separate locations.

You need to implement a redundant PSTN solution for Microsoft Teams Phone. The solution must use the existing telephony carrier services. The solution must ensure that outbound calls can be made if a component fails.

Which three dial plan components should you implement? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point

- A. PSTN usages
- B. voice routing policies
- C. highly available Session Border Controllers (SBCs)
- D. tenant dial plans
- E. calling policies

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

You need to assign a phone number to User1 to meet the technical requirements. How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Microsoft
freeeqas.com

```
Set-CsUser -Identity User1@litwareinc.com
```

- Set-CsUser
- Set-CsOnlineVoiceUser
- Update-MgTeamMember
- Update-MgUserProfilePhone

```
"tel:+61370105550" -EnterpriseVoiceEnabled $true -ErrorAction Stop
```

- LineURI
- OnPremLineURI
- TelephoneNumber

Answer:

Microsoft
freeeqas.com

```
$ObjId = (Get-CsOnlineApplicationInstance -Identity returns.aa@contoso.com).ObjectId
```

```
New-CsCallingLineIdentity -Identity Returns -CallingIDSubstitute -ResourceAccount $ObjId -Company "Contoso"
```

- New-CsCallingLineIdentity
- New-CsOnlineApplicationInstance
- New-CsTeamsCallingPolicy

- Anonymous
- LineURI
- Resource
- Service

Explanation

Graphical user interface, text, application, email Description automatically generated



Reference:


<https://docs.microsoft.com/en-us/powershell/module/skype/set-csuser?view=skype-ps>

Valid MS-720 Dumps shared by PrepPdf.com for Helping Passing MS-720 Exam!
 PrepPdf.com now offer the **newest MS-720 exam dumps**, the PrepPdf.com MS-720 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com MS-720 dumps with Test Engine here:
<https://www.preppdf.com/Microsoft/MS-720-prepaway-exam-dumps.html> (123 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

You need to provision a Microsoft Teams-certified common area phone device at a field site. The solution must ensure that a standard user can complete the physical handset tasks without sharing credentials.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



Answer:

Answer Area

From the Microsoft Teams admin center, upload the MAC address of the device

From the Microsoft Teams admin center, generate a verification code

Instruct the user to enter the verification code on the device

From the Microsoft Teams admin center, remotely sign-in a user to the device

- 1 - From the Microsoft Teams admin center, upload the MAC address of the device
- 2 - From the Microsoft Teams admin center, generate a verification code
- 3 - Instruct the user to enter the verification code on the device
- 4 - From the Microsoft Teams admin center, remotely sign-in a user to the device

Reference:

<https://docs.microsoft.com/en-us/MicrosoftTeams/devices/remote-provision-remote-login>

NEW QUESTION: 33

You have a Microsoft Teams Phone deployment that is used in the United States. You need to ensure that emergency calls placed to 9911.

What should you configure?

- A. a dial plan normalization rule
- B. an outbound PSTN number translation rule
- C. an emergency calling policy
- D. an emergency call routing policy

Answer: D (LEAVE A REPLY)

NEW QUESTION: 34

You are selecting devices for use in conference rooms. The conference rooms must support two front of room displays.

Which two types of devices meet the requirements? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Microsoft Teams Rooms on Android
- B. Microsoft Teams displays

- C. Microsoft Teams audio conference phones
- D. Microsoft Teams Rooms on Windows
- E. Microsoft Surface Hub 2S

Answer: A,D (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/rooms/teams-devices-feature-comparison>

NEW QUESTION: 35


You have a Microsoft Teams Phone deployment.

You have a cloud-only user named user1@contoso.com.

You need to enable a Direct Routing phone number for user1@contoso.com.

How should you complete the PowerShell script? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



NEW QUESTION: 36

You are deploying Microsoft Skype for Business 3PIP phones to remote sites for use with Microsoft Teams.

You need to sign each 3PIP phone in to Teams.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From the Microsoft Teams admin center, remotely provision a new device.
- B. From the device, instruct a local user to use the direct inward dial (DID) number and PIN of the assigned account.
- C. From the device, instruct a local user to sign in from a computer that connects to the device by using a USB cable.
- D. From the device, instruct a local user to sign in from the web.

E. From the device, instruct a local user to sign in by using the device itself.

Answer: D,E (LEAVE A REPLY)

NEW QUESTION: 37

Your company hires a new employee in Lisbon.

You assign a Microsoft 365 E3 license to the employee.

The employee must schedule meetings that will include customers in Lisbon. The customers will dial in to the meetings by using PSTN.

You need to ensure that the employee can send meeting invitations that include a dial-in conferencing bridge. The bridge must be set to a local number in Lisbon instead of the company's default dial-in conferencing bridge number.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. From Users in the Microsoft Teams admin center, edit the Audio conferencing settings of the employee.

B. From the Microsoft Teams admin center, modify the settings of the default conferencing bridge.

C. From the Microsoft 365 admin center, assign an Auto Conferencing add-on license to the employee.

D. From the Microsoft 365 admin center, set the usage location of the employee to Portugal.

Answer: B,C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/audio-conferencing-in-office-365>

<https://docs.microsoft.com/en-us/microsoftteams/change-the-phone-numbers-on-your-audio-conferencing-bridge>

NEW QUESTION: 38

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to create a new call queue to route calls to support agents. The support agents must be able to see their call queue history and the shared transcribed voicemail. The solution must minimize administrative effort.

Solution: You configure the call queue to use a team and a channel.

Does this meet the goal?

A. Yes

B. No

Answer: A (LEAVE A REPLY)

Reference:

<https://regroove.ca/stellark/2021/09/15/redirect-teams-auto-attendant-voicemail-to-a-channel-updated-method/>

NEW QUESTION: 39

You need to configure a toll-free dial in bridge for Teams meetings. The solution must meet the technical requirements.

Which three prerequisites must be met before you can assign the toll-free bridge to Teams meeting organizers? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Purchase Communications Credits.
- B. Assign a phone number to a resource account.
- C. Get an auto attendant toll-free number.
- D. Get a Dedicated conference bridge (Toll Free) number.
- E. Purchase a Microsoft 365 Domestic and International Calling Plan license.
- F. From the meeting policy, set Allow dial -in users to bypass the lobby to On.
- G. Assign a phone number to the bridge.

Answer: A,D,G (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/set-up-audio-conferencing-in-teams>

NEW QUESTION: 40


You need to assign the correct licenses to a sales team manager in the New York office who is scheduled to migrate from Skype for Business Server to Teams.

Which three licenses should you assign? To answer, select the licenses in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



Explanation

Graphical user interface, text, application Description automatically generated

United States
Microsoft

Licenses (0)

- Common Area Phone**
24 of 25 licenses available
- Communications Credits**
Unlimited licenses available
- Microsoft 365 Audio Conferencing**
1378 of 1451 licenses available
- Microsoft 365 Domestic Calling Plan**
30 of 30 licenses available
- Microsoft 365 Phone System**
4 of 70 licenses available
- Microsoft 365 Phone System – Virtual User**
12 of 25 licenses available
- Office 365 E3**
1 of 2 licenses available

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/what-are-communications-credits>

NEW QUESTION: 41

Your company has a Microsoft Teams Phone deployment.

You plan to deploy auto attendants and call queues.

The support desk requires that its auto attendant be able to forward calls after hours to local mobile phone numbers.

You need to identify which licenses to assign to auto-attendant. The solution must minimize costs.

Which two licenses should you identify? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Microsoft 365 Phone System
- B. Microsoft 365 Domestic Calling Plan
- C. Microsoft 365 Phone System - Virtual User
- D. Office 365 E3
- E. Microsoft 365 E5
- F. Microsoft 365 Domestic and International Calling Plan

Answer: (SHOW ANSWER)

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/plan-auto-attendant-call-queue>

NEW QUESTION: 42

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to create a new call queue to route calls to support agents. The support agents must be able to see their call queue history and the shared transcribed voicemail. The solution must minimize administrative effort.

Solution: You set the routing method for the call queue to Attendant routing.

Does this meet the goal?

- A. Yes
- B. No

Answer: B (LEAVE A REPLY)

Reference:

<https://www.orbid365.be/shared-voicemail-arrives-in-teams/>

NEW QUESTION: 43

You have a Microsoft Teams Phone deployment.

You are deploying a new remote site.

You have a Session Border Controller (SBC) that has an E1/T1 Primary Rate Interface (PRI) deployed to the remote site.

You plan to deploy a Survivable Branch Appliance (SBA) to ensure PSTN connectivity.

Which type of endpoints is supported by the SBA?

- A. call queues in Microsoft Teams
- B. audio conferencing in Microsoft Teams
- C. Microsoft Teams panels
- D. Microsoft Teams Windows desktops

Answer: D (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/direct-routing-survivable-branch-appliance>

NEW QUESTION: 44

You have a Microsoft Teams Phone deployment that uses Direct Routing.

You need to implement Local Media Optimization.

In the Microsoft Teams admin center, you configure the external trusted IP addresses and define the network regions, network sites, and network subnets.

What should you do next?

- A. Define a voice route.
- B. Assign Session Border Controllers (SBCs) to sites.
- C. Create a trunk translation rule.

D. Modify the default emergency calling policy

Answer: ([SHOW ANSWER](#))

Reference:


<https://docs.microsoft.com/en-us/microsoftteams/direct-routing-media-optimization-configure>

NEW QUESTION: 45

You need to ensure that numbers dialed from the Melbourne warehouse conform to the dialing rules of the phone earner. How should you complete the command? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.



Answer:




NEW QUESTION: 46

Your company has a Microsoft Teams Phone deployment that uses Direct Routing and a single carrier.

You deploy a new Session Border Controller (SBC) that shows as healthy in the Microsoft Teams admin center.

You place a test call over the new SBC, and the call succeeds.

When you attempt to transfer the call, the transfer fails. A portion of the SIP ladder is shown in the exhibit. (Click the Exhibit tab.)



What is a possible cause of the issue?

- A. The SSL certificate of the SBC is incorrect.
- B. The Refer on the SBC is misconfigured.
- C. notify is enabled in the SIP options of the SBC.
- D. The carrier rejects the format of the forwarded FROM number.

Answer: ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/troubleshoot/phone-system/direct-routing/issues-with-call-transfers>

Valid MS-720 Dumps shared by PrepPdf.com for Helping Passing MS-720 Exam! PrepPdf.com now offer the **newest MS-720 exam dumps**, the PrepPdf.com MS-720 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com MS-720 dumps with Test Engine here: <https://www.preppdf.com/Microsoft/MS-720-prepaway-exam-dumps.html> (123 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

Which two cmdlets should you run? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. You are enabling users for Direct Routing.
- B. You already assigned licenses to the users.

C. You need to complete the user setup.

Answer: A ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/direct-routing-enable-users>

<https://docs.microsoft.com/en-us/microsoftteams/direct-routing-voice-routing>

NEW QUESTION: 48

Your company deploys 200 Microsoft Teams Rooms on Windows systems.

You are evaluating whether to purchase the Microsoft Teams Rooms Premium license for the rooms.

Which two actions require the Microsoft Teams Rooms Premium license? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point

- A. Postpone updates until a certain date.
- B. Download device logs.
- C. Get reporting insights into room usage and participant count
- D. Modify the Direct guest jam settings
- E. View peripheral health.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 49

Your company hires a new employee in Lisbon.

You assign a Microsoft 365 E3 license to the employee.

The employee must schedule meetings that will include customers in Lisbon. The customers will dial in to the meetings by using PSTN.

You need to ensure that the employee can send meeting invitations that include a dial-in conferencing bridge.

The bridge must be set to a local number in Lisbon instead of the company's default dial-in conferencing bridge number.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From Users in the Microsoft Teams admin center, edit the Audio conferencing settings of the employee.
- B. From the Microsoft Teams admin center, modify the settings of the default conferencing bridge.
- C. From the Microsoft 365 admin center, assign an Auto Conferencing add-on license to the employee.
- D. From the Microsoft 365 admin center, set the usage location of the employee to Portugal.

Answer: B,C ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/audio-conferencing-in-office-365>

<https://docs.microsoft.com/en-us/microsoftteams/change-the-phone-numbers-on-your-audio-conferencing-bridge>

NEW QUESTION: 50

You are optimizing a network to better support voice and collaboration workloads in Microsoft Teams. When the users are at a specific corporate site, you need to prevent the users from adding video during calls.

Solution: You run `New-CsTeamsMeetingPolicy` and set the `-AllowIPvideo` parameter to `SFalse`. Does this meet the goal?

- A. No
- B. Yes

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 51

You need to connect the analog intercoms to Teams Phone.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a trusted application endpoint for Teams.
- B. Create a resource account for each intercom.
- C. Register the ATAs with a Teams-certified SBC.
- D. Create a configuration profile for IP phones.
- E. Enable Direct Routing to a Teams-certified SBC.

Answer: ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/direct-routing-analog-devices>

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment and problem statements- If the case study has an All Information tab, note that the information displayed is

identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

NEW QUESTION: 52

You have a Microsoft Teams Phone deployment.

You have a dial plan that contains the following normalization rule:

* Pattern: ^8?(\d{7})\$

* Translation: +1330\$1

How will the phone numbers be normalized? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

The screenshot shows two dropdown menus for normalizing phone numbers. The first dropdown is for the number '5551212' and the second is for '85551212'. Both dropdowns have a Microsoft logo to their left. The options listed in both dropdowns are: '+1330', '+13305551212', '+133085551212', '5551212', and '85551212'. A watermark 'freeqas.com' is visible across the middle of the image.

Answer:

5551212: ▼

+1330
+13305551212
+133085551212
5551212
85551212

85551212: ▼

+1330
+13305551212
+133085551212
5551212
85551212

Explanation

5551212: ▼

+1330
+13305551212
+133085551212
5551212
85551212

85551212: ▼

+1330
+13305551212
+133085551212
5551212
85551212



Text, table Description automatically generated

NEW QUESTION: 53

You have a Microsoft Teams Phone deployment

You use Direct Routing with a Survivable Branch Appliance (SBA) at a site.

The site experiences an extended internet outage.

Which three PSTN calling scenarios are possible during the outage? Each coned answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. dynamic emergency calling
- B. outbound PSTN calls
- C. inbound PSTN calls
- D. call transfer of PSTN calls
- E. hold and resume of PSTN calls

Answer: A,B,C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/skypeforbusiness/plan-your-deployment/enterprise-voice-solution/enterprise-voice-resiliency>

NEW QUESTION: 54

You have a Microsoft Teams Phone deployment.

You have two users that must receive calls for one another. When a call is received by one user, the other user must only receive a visual notification.

What should you use?

- A. call forwarding
- B. a calling policy
- C. group call pickup
- D. call delegation
- E. call parte and retrieve

Answer: B (LEAVE A REPLY)

Valid MS-720 Dumps shared by PrepPdf.com for Helping Passing MS-720 Exam!

PrepPdf.com now offer the **newest MS-720 exam dumps**, the PrepPdf.com MS-720 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com MS-720 dumps with Test Engine here:

<https://www.preppdf.com/Microsoft/MS-720-prepaway-exam-dumps.html> (123 Q&As Dumps,

40%OFF Special Discount: Exam-Tests)