

Microsoft.SC-400.v2022-05-05.q121

| | |
|---|--|
| Exam Code: | SC-400 |
| Exam Name: | Microsoft Information Protection Administrator |
| Certification Provider: | Microsoft |
| Free Question Number: | 121 |
| Version: | v2022-05-05 |
| # of views: | 2485 |
| # of Questions views: | 1210 |
| https://www.freeqas.com/qa/Microsoft/SC-400/Microsoft.SC-400.v2022-05-05.q121.html | |

NEW QUESTION: 1

You plan to implement Microsoft 365 Endpoint data loss prevention (Endpoint DLP).

You need to identify which end user activities can be audited on the endpoints, and which activities can be restricted on the endpoints.

What should you identify for each activity? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Print a protected document:

| | |
|-------------------------------|---|
| | ▼ |
| Can be audited only | |
| Can be restricted only | |
| Can be audited and restricted | |

Create a document in a monitored location:

| | |
|-------------------------------|---|
| | ▼ |
| Can be audited only | |
| Can be restricted only | |
| Can be audited and restricted | |

Copy a protected document to USB removable media:

| | |
|-------------------------------|---|
| | ▼ |
| Can be audited only | |
| Can be restricted only | |
| Can be audited and restricted | |

Answer:

Print a protected document:

| |
|-------------------------------|
| ▼ |
| Can be audited only |
| Can be restricted only |
| Can be audited and restricted |

Create a document in a monitored location:

| |
|-------------------------------|
| ▼ |
| Can be audited only |
| Can be restricted only |
| Can be audited and restricted |

Copy a protected document to USB removable media:

| |
|-------------------------------|
| ▼ |
| Can be audited only |
| Can be restricted only |
| Can be audited and restricted |



Explanation

Print a protected document:

Create a document in a monitored location:

Copy a protected document to USB removable media:

Can be audited only

Can be restricted only

Can be audited and restricted

Can be audited only


Can be restricted only

Can be audited and restricted

Can be audited only

Can be restricted only

Can be audited and restricted



Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-learn-about?view=o365-worldwide>

NEW QUESTION: 2

You plan to implement Microsoft 365 Endpoint data loss prevention (Endpoint DLP).

You need to identify which end user activities can be audited on the endpoints, and which activities can be restricted on the endpoints.

What should you identify for each activity? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Print a protected document: ▼

- Can be audited only
- Can be restricted only
- Can be audited and restricted

Create a document in a monitored location: ▼

- Can be audited only
- Can be restricted only
- Can be audited and restricted

Copy a protected document to USB removable media: ▼

- Can be audited only
- Can be restricted only
- Can be audited and restricted

Answer:

Print a protected document: ▼

- Can be audited only
- Can be restricted only
- Can be audited and restricted

Create a document in a monitored location: ▼

- Can be audited only
- Can be restricted only
- Can be audited and restricted

Copy a protected document to USB removable media: ▼

- Can be audited only
- Can be restricted only
- Can be audited and restricted

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-learn-about?view=o365-worldwide>

NEW QUESTION: 3

How many files in Site2 will be visible to User1 and User2 after you turn on DLPpolicy1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Number of files visible to User1:

| | |
|-----------|---|
| Microsoft | ▼ |
| 1 | |
| 2 | |
| 3 | |
| 4 | |

Number of files visible to User2:

| | |
|---|---|
| | ▼ |
| 1 | |
| 2 | |
| 3 | |
| 4 | |

Answer:


Number of files visible to User1:

| | |
|---|---|
| | ▼ |
| 1 | |
| 2 | |
| 3 | |
| 4 | |

Number of files visible to User2:

| | |
|-----------|---|
| | ▼ |
| 1 | |
| Microsoft | |
| 3 | |
| 4 | |

Explanation

Number of files visible to User1:  Microsoft

- 1
- 2
- 3
- 4

Number of files visible to User2:

- 1
- 2
- 3
- 4

Reference:


<https://social.technet.microsoft.com/wiki/contents/articles/36527.implement-data-loss-prevention-dlp-in-sharepo>

NEW QUESTION: 4

You have the files shown in the following table.


| Name | Location | Date modified | Date created |
|-------|---|---------------|--------------|
| File1 | Microsoft SharePoint Online site | 06/01/2018 | 28/12/2011 |
| File2 | Microsoft OneDrive account | 03/02/2017 | 02/01/2011 |
| File3 | Microsoft Exchange Online public folder | 01/05/2006 | 01/05/2006 |

You configure a retention policy as shown in the following exhibit.




The current date is January 1, 2021.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.



Answer:



NEW QUESTION: 5

You have a Microsoft 365 tenant.

A retention hold is applied to all the mailboxes in Microsoft Exchange Online.

A user named User1 leaves your company, and the account of User1 is deleted from Azure Active Directory (Azure AD).

You need to create a new user named User2 and provide User2 with access to the mailbox of User1.

How should you complete the PowerShell command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Answer:

Graphical user interface, text, application Description automatically generated



Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/recover-an-inactive-mailbox?view=o365-worldwide>

NEW QUESTION: 6

You have a Microsoft 365 tenant that uses trainable classifiers.

You are creating a custom trainable classifier.

You collect 300 sample file types from various geographical locations to use as seed content.

Some of the file samples are encrypted.

You organize the files into categories as shown in the following table.

| Category | Type | Language | Encryption status |
|-----------|-------|----------|-------------------|
| Category1 | .docx | French | Not encrypted |
| Category2 | .xlsx | English | Encrypted |
| Category3 | .pptx | German | Encrypted |
| Category4 | .docx | English | Not encrypted |
| Category5 | .mht | English | Not encrypted |
| Category6 | .htm | English | Not encrypted |

Which file categories can be used as seed content?

- A. Category1 and Category3 only
- B. Category4 and Category5 only
- C. Category2, Category3, and Category5 only
- D. Category4 and Category6 only

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

You use project codes that have a format of three alphabetical characters that represent the project type, followed by three digits, for example Abc123.

You need to create a new sensitive info type for the project codes.

How should you configure the regular expression to detect the content? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.


(\s)([aA]{3} [abc]{3} [alpha]{3} [a-zA-Z]{3}) \ ([a-zA-Z]{3}) (\s)

d{000-999}


d{123}

d{3}

Answer:



Explanation




Reference:

<https://joanneklein.com/2018/08/07/build-and-use-custom-sensitive-information-types-in-office-365/>

NEW QUESTION: 8

You have a data loss prevention (DLP) policy configured for endpoints as shown in the following exhibit.



From a computer named Computer1, 3 user can sometimes upload files to cloud services and sometimes cannot. Other users experience the same issue. What are two possible causes of the issue? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. There are file path exclusions in the Microsoft 365 Endpoint data loss prevention (Endpoint DIP) settings.
- B. The computers are NOT onboarded to the Microsoft 365 compliance center.
- C. The Copy to clipboard action is set to Audit only.
- D. The unallowed browsers in the Microsoft 365 Endpoint data loss prevention (Endpoint DLP) settings are NOT configured.
- E. The Access by unallowed apps action is set to Audit only.

Answer: A,E (LEAVE A REPLY)

NEW QUESTION: 9

You have the retention label policy shown in the Policy exhibit. (Click the Policy tab.)

Define retention settings

When this label is applied to items, the content is retained and/or deleted based on the settings you choose here.

Retain items for a specific period
 Labeled items will be retained for the period you choose. During the retention period, users will be able to edit items and change or remove the label. If they delete items, we'll keep copies in a secure location. [Learn more](#)

Retention period:

Start the retention period based on:

+ Create new event type

At the end of the retention period:


Delete items automatically
 We'll delete items from where they're currently stored.

Trigger a disposition review

Do nothing
 This option isn't available for event-based labels.

Retain items forever
 Labeled items will be retained forever, even if users delete them. Users will be able to edit items and change or remove the label. If they delete items, we'll keep copies in a secure location. [Learn more](#)

Only delete items when they reach a certain age
 Labeled items won't be retained, but when they reach the age you choose, we'll delete them from where they're stored.



Users apply the retention label policy to files and set the asset ID as shown in the following table.

| File name | Creation date | Asset ID |
|-----------|--------------------|----------|
| Doc1.docx | September 1, 2020 | FY20 |
| Doc2.docx | September 20, 2020 | FY21 |
| Doc3.docx | October 15, 2020 | FY20 |

On December 1, 2020, you create the event shown in the Event exhibit. (Click the Event tab.):

Events > New Event

Name the Event

Event Settings

Review your Settings

Review your Settings

Event Name

Name: FY 2020

Description: [Edit](#)

Event Settings

Event type: Fiscal Year End


Event Labels: [Edit](#)

More Event Settings

Applies to Exchange items with these keywords:

Applies to SharePoint/OneDrive items with these asset IDs:

Event date: Wed Sep 30 2020 00:00:00 GMT-0400 (Eastern Daylight Time)



For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

| Answer Area | Microsoft | Statements | Yes | No |
|-------------|-----------|--|-----------------------|-----------------------|
| | | Doc1.docx will be retained until December 30, 2027. | <input type="radio"/> | <input type="radio"/> |
| | | Doc2.docx will be retained until September 30, 2027. | <input type="radio"/> | <input type="radio"/> |
| | | Doc3.docx will be retained until September 30, 2027. | <input type="radio"/> | <input type="radio"/> |

Answer:

| Answer Area | Microsoft | Statements | Yes | No |
|-------------|-----------|--|----------------------------------|----------------------------------|
| | | Doc1.docx will be retained until December 30, 2027. | <input checked="" type="radio"/> | <input type="radio"/> |
| | | Doc2.docx will be retained until September 30, 2027. | <input checked="" type="radio"/> | <input type="radio"/> |
| | | Doc3.docx will be retained until September 30, 2027. | <input type="radio"/> | <input checked="" type="radio"/> |

NEW QUESTION: 10

You have a Microsoft 365 tenant.

A new regulatory requirement states that all documents containing a patent ID be labeled, retained for 10 years, and then deleted. The policy used to apply the retention settings must never be disabled or deleted by anyone.

You need to implement the regulatory requirement.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose three.)

| Actions | Answer Area |
|----------------------------------|-------------|
| Create a retention policy. | |
| Add a preservation lock. | |
| Add a management lock. | |
| Create a retention label. | |
| Create a retention label policy. | |

Answer:

Actions



Microsoft

Answer Area

Create a retention policy.

Add a preservation lock.

Add a management lock.

Create a retention label.

Create a retention label policy.

Create a retention label.

Create a retention label policy.

Add a preservation lock.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide>

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention-preservation-lock?view=o365-worldwide>

NEW QUESTION: 11

You need to provide a user with the ability to view data loss prevention (DLP) alerts in the Microsoft 365 compliance center. The solution must use the principle of least privilege.

Which role should you assign to the user?

- A. Compliance administrator
- B. Security operator
- C. Compliance data administrator
- D. Security reader

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

You enable archive mailboxes for all the users at your company.

The Default MRM Policy is shown in the MRM exhibit.

Default MRM Policy

This policy contains the following retention tags:

. Month Delete

. Week Delete

. Year Delete

; Year Delete

; Month Delete

Default 2 year move to archive

unk Email

Never Delete

Personal 1 year move to archive

Personal 5 year move to archive

Personal never move to archive

Recoverable items 14 days move to archive

A Microsoft 365 retention label policy is shown in the Label Policy exhibit.

Exchange Label Policy

Status

Enabled (Pending)

Policy name

Exchange Label Policy



Description

Label policy for Exchange

Applies to content in these locations

Exchange email

Settings

Publish labels for your users

- 10 Year – Do not Delete
- 2 Year Delete

Preservation lock

No

You need to identify the following:

How many years until an email is archived?

What should you modify to change the retention period for archiving?

What should you identify? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.

By default, email is:

- Deleted after two years
- Deleted after one month
- Retained in the mailbox for 10 years
- Moved to the archive mailbox after two years

To change the retention period for archiving, modify:

- The Default MRM Policy
- The Exchange Label Policy
- The properties of the archive mailbox




Answer:

By default, email is:

- Deleted after two years
- Deleted after one month
- Retained in the mailbox for 10 years
- Moved to the archive mailbox after two years

To change the retention period for archiving, modify:

- The Default MRM Policy
- The Exchange Label Policy
- The properties of the archive mailbox



Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide#the-principles-of-retention-or-what-takes-precedence>

NEW QUESTION: 13


How many files in Site2 will be visible to User1 and User2 after you turn on DLPpolicy1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Number of files visible to User1:


| | |
|---|---|
| | ▼ |
| 1 | |
| 2 | |
| 3 | |
| 4 | |

Number of files visible to User2:

| | |
|---|---|
|  Microsoft | ▼ |
| 1 | |
| 2 | |
| 3 | |
| 4 | |

Answer:

Number of files visible to User1:

| | |
|---|---|
| | ▼ |
|  Microsoft | |
| 3 | |
| 4 | |

Number of files visible to User2:

| | |
|---|---|
| | ▼ |
| 1 | |
| 2 | |
| 3 | |
| 4 | |


Explanation

Number of files visible to User1:

| |
|---|
| 1 |
| 2 |
| 3 |
| 4 |

Number of files visible to User2:

| |
|---|
| 1 |
| 2 |
| 3 |



Reference:

<https://social.technet.microsoft.com/wiki/contents/articles/36527.implement-data-loss-prevention-dlp-in-sharepo>

NEW QUESTION: 14

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You recently discovered that the developers at your company emailed Azure Storage keys in plain text to third parties.

You need to ensure that when Azure Storage keys are emailed, the emails are encrypted.

Solution: You create a data loss prevention (DLP) policy that has only the Exchange email location selected.

Does this meet the goal?

- A. Yes
- B. No

Answer: B (LEAVE A REPLY)

Topic 1, Fabrikam, Case Study

Overview

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each there may be additional case studies and sections on this exam. You must manage you're your time to ensure that you are able to complete all included on this exam in the time provided.

To answer the questions included in a case study, you will need In reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide

more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Cloud Environment

Fabrikam has a Microsoft 365 tenant that contains the following resources:

- * An Azure Active Directory (Azure AD) tenant that syncs to an on-premises Active Directory domain named corp.fabrikam.com
- * Microsoft Cloud App Security connectors configured for all supported cloud applications used by the company. Some users have company Dropbox accounts.

Compliance Configuration

Fabrikam has the following in the Microsoft 365 compliance center:

- * A data loss prevention (DLP) policy is configured. The policy displays a tooltip to users. Users can provide a business justification to override a DLP policy violation.
- * The Azure Information Protection unified labeling scanner is installed and configured.
- * A sensitivity label named Fabrikam Confidential is configured.

An existing third-party records management system is managed by the compliance department.

Human Resources (HR) Management System

The HR department has an Azure SQL database that contains employee information. Each employee has a unique 12-character alphanumeric ID. The database contains confidential employee attributes including payroll information, date of birth, and personal contact details.

On-premises Environment

You have an on-premises file server that runs Windows Server 2019 and stores Microsoft Office documents in a shared folder named Data.

All end-user computers are joined to the corp.fabrikam.com domain and run a third-party anti-malware application.

Sales Contracts

Users in the sales department receive draft sales contracts from customers by email. The sales contracts are written by the customers and are not in a standard format.

Employment Applications

Employment applications and resumes are received by HR department managers and stored in either mailboxes, Microsoft SharePoint Online sites, OneDrive for Business folders, or Microsoft Teams channels.

The employment application form is downloaded from SharePoint Online and a serial number is assigned to each application.

the resumes are written by the applications and in any format.

HR Requirements

You need to create a DLP policy that will notify the HR department of a DLP policy violation if a document that contains confidential employee attributes is shared externally. The DLP policy must use an Exact Data Match (EDM) classification derived from a CSV export of the HR department database.

The HR department identifies the following requirements for handling employment applications:

- * Resumes must be identified automatically based on similarities to other resumes received in the past
- * Employment applications and resumes must be deleted automatically two years after the applications are received.
- * Documents and emails that contain an application serial number must be identified automatically and marked as an employment application.

Sales Requirements

A sensitivity label named Sales Contract must be applied automatically to all draft and finalized sales contracts.

Compliance Requirements

Fabrikam identifies the following compliance requirements:

- * All DLP policies must be applied to computers that run Windows 10, with the least possible changes to the computers.
- * Users in the compliance department must view the justification provided when a user receives a tooltip notification for a DLP violation.
- * If a document that has the Fabrikam Confidential sensitivity label applied is uploaded to Dropbox, the file must be deleted automatically. - The Fabrikam Confidential sensitivity label must be applied to existing Microsoft Word documents in the Data shared folder that have a document footer containing the following string: Company use only.
- * Users must be able to manually select that email messages are sent encrypted. The encryption will use Office

365 Message Encryption (OME) v2. Any email containing an attachment that has the Fabrikam Confidential sensitivity label applied must be encrypted automatically by using OME.

- * Existing policies configured in the third-party records management system must be replaced by using Records management in the Microsoft 365 compliance center. The compliance department plans to export the existing policies, and then produce a CSV file that contains matching labels and policies that are compatible with records management in Microsoft 365. The CSV file must be used to configure records management in Microsoft 365.

Executive Requirements

You must be able to restore all email received by Fabrikam executives for up to three years after an email is received, even if the email was deleted permanently.

NEW QUESTION: 15

You have a Microsoft 365 tenant that uses the following sensitivity labels:

- * Confidential
- * Internal
- * External

The labels are published by using a label policy named Policy1.

Users report that Microsoft Office for the web apps do not display the Sensitivity button. The Sensitivity button appears in Microsoft 365 Apps that are installed locally.

You need to ensure that the users can apply sensitivity labels to content when they use Office for the web apps.

Solution: You modify the publishing settings of Policy1.

Does the meet the goal?

- A. No
- B. Yes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

You create a data loss prevention (DLP) policy that meets the following requirements:

- * Prevents guest users from accessing a sensitive document shared during a Microsoft Teams chat
 - * Prevents guest users from accessing a sensitive document stored in a Microsoft Teams channel
- Which location should you select for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

| | |
|--|---|
| Prevents guest users from accessing a sensitive document shared during a Microsoft Teams chat: | <ul style="list-style-type: none">Exchange emailOneDrive accountsSharePoint sitesTeams chat and channel messages |
| Prevents guest users from accessing a sensitive document stored in a Microsoft Teams channel: | <ul style="list-style-type: none">Exchange emailOneDrive accountsSharePoint sitesTeams chat and channel messages |

Answer:

Prevents guest users from accessing a sensitive document shared during a Microsoft Teams chat:




Prevents guest users from accessing a sensitive document stored in a Microsoft Teams channel:




Explanation

Prevents guest users from accessing a sensitive document shared during a Microsoft Teams chat:



Prevents guest users from accessing a sensitive document stored in a Microsoft Teams channel:



Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/dlp-microsoft-teams?view=o365-worldwide>

<https://docs.microsoft.com/en-us/microsoftteams/sharepoint-onedrive-interact>

Valid SC-400 Dumps shared by PrepPdf.com for Helping Passing SC-400 Exam!
PrepPdf.com now offer the **newest SC-400 exam dumps**, the PrepPdf.com SC-400 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com SC-400 dumps with Test Engine here:

NEW QUESTION: 17

Your company has a Microsoft 365 tenant that uses a domain named contoso.com.

You are implementing data loss prevention (DLP).

The company's default browser is Microsoft Edge.

During a recent audit, you discover that some users use Firefox and Google Chrome browsers to upload files labeled as Confidential to a third-party Microsoft SharePoint Online site that has a URL of

<https://m365x076709.sharepoint.com>. Users are blocked from uploading the confidential files to the site from Microsoft Edge.

You need to ensure that the users cannot upload files labeled as Confidential from Firefox and Google Chrome to any cloud services.

Which two actions should you perform? Each correct answer presents part of the solution.

(Choose two.) NOTE: Each correct selection is worth one point.

- A.** From the Microsoft 365 Endpoint data loss prevention (Endpoint) DLP settings, add m365x076709.sharepoint.com as a blocked service domain.
- B.** Create a DLP policy that applies to the Devices location.
- C.** From the Microsoft 365 Endpoint data loss prevention (Endpoint DLP) settings, add Firefox and Google Chrome to the unallowed browsers list.
- D.** From the Microsoft 365 compliance center, onboard the devices.
- E.** From the Microsoft 365 Endpoint data loss prevention (Endpoint) DLP settings, add contoso.com as an allowed service domain.

Answer: C,D (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-learn-about?view=o365-worldwide>

NEW QUESTION: 18

You have a Microsoft 365 tenant that uses Microsoft Teams.

You create a data loss prevention (DLP) policy to prevent Microsoft Teams users from sharing sensitive information.

You need to identify which locations must be selected to meet the following requirements:

* Documents that contain sensitive information must not be shared inappropriately in Microsoft Teams.

* If a user attempts to share sensitive information during a Microsoft Teams chat session, the message must be deleted immediately.

Which three locations should you select? To answer, select the appropriate locations in the answer area.

(Choose three.)

NOTE: Each correct selection is worth one point.

Choose locations to apply the policy

We'll apply the policy to data that's stored in the locations you choose.

| Status | Location | Included |
|------------------------------|---------------------------------|----------|
| <input type="checkbox"/> Off | Exchange email | |
| <input type="checkbox"/> Off | SharePoint sites | |
| <input type="checkbox"/> Off | OneDrive accounts | |
| <input type="checkbox"/> Off | Teams chat and channel messages | |
| <input type="checkbox"/> Off | Microsoft Cloud App Security | |

Answer:

Choose locations to apply the policy

We'll apply the policy to data that's stored in the locations you choose.

| Status | Location | Included |
|------------------------------|---------------------------------|----------|
| <input type="checkbox"/> Off | Exchange email | |
| <input type="checkbox"/> Off | SharePoint sites | |
| <input type="checkbox"/> Off | OneDrive accounts | |
| <input type="checkbox"/> Off | Teams chat and channel messages | |
| <input type="checkbox"/> Off | Microsoft Cloud App Security | |

Explanation

Graphical user interface, application Description automatically generated

Choose locations to apply the policy

We'll apply the policy to data that's stored in the locations you choose.

| Status | Location | Included |
|------------------------------|---------------------------------|----------|
| <input type="checkbox"/> Off | Exchange email | |
| <input type="checkbox"/> Off | SharePoint sites | |
| <input type="checkbox"/> Off | OneDrive accounts | |
| <input type="checkbox"/> Off | Teams chat and channel messages | |
| <input type="checkbox"/> Off | Microsoft Cloud App Security | |

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/dlp-microsoft-teams?view=o365-worldwide>

NEW QUESTION: 19

You need to meet the technical requirements for the confidential documents.

What should you create first, and what should you use for the detection method? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Create first:

- A Compliance Manager assessment
- A content search
- A DLP policy
- A sensitive info type
- A sensitivity label

Use for detection method:

- Dictionary
- File type
- Keywords
- Regular expression

Answer:

Answer Area


Create first:

- A Compliance Manager assessment
- A content search
- A DLP policy
- A sensitive info type
- A sensitivity label

Use for detection method:

- Dictionary
- File type
- Keywords
- Regular expression

Explanation



Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/create-a-custom-sensitive-information-type?view=o>

NEW QUESTION: 20

You receive an email that contains a list of words that will be used for a sensitive information type. You need to create a file that can be used as the source of a keyword dictionary.

In which format should you save the list?

- A. a CSV file that contains words separated by commas
- B. an ACCDB database file that contains a table named Dictionary
- C. a JSON file that has an element for each word
- D. an XML file that contains a keyword tag for each word

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

You create a custom sensitive info type that uses Exact Data Match (EDM).

You plan to periodically update and upload the data used for EDM.

What is the maximum frequency with which the data can be uploaded?

- A. once every six hours
- B. twice per day
- C. twice per hour
- D. twice per week
- E. once every 48 hours

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 22

You need to ensure that documents in a Microsoft SharePoint Online site that contain a reference to Project Alpha are retained for two years, and then deleted.

Which two objects should you create? Each correct answer presents part of the solution. (Choose two.) NOTE: Each correct selection is worth one point.

- A. a retention policy
- B. an auto-apply label policy
- C. a sensitive info type
- D. a retention label
- E. a sensitivity label
- F. a publishing label policy

Answer: B,D (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/apply-retention-labels-automatically?view=o365Worldwide>

NEW QUESTION: 23

You have a Microsoft 365 E5 tenant and the Windows 10 devices shown in the following table.

| Name | Azure Active Directory (Azure AD)-joined | Configuration |
|---------|--|--|
| Device1 | Yes | Onboarded to the Microsoft 365 compliance center |
| Device2 | Yes | Onboarded to Microsoft Defender for Endpoint |
| Device3 | Yes | Enrolled in Microsoft Intune |
| Device4 | No | Enrolled in Microsoft Intune |

To which devices can you apply Microsoft 365 Endpoint data loss prevention (Endpoint DLP) settings?

- A. Device1, Device3, and Device4 only
- B. Device1, Device2, Device3, and Device4
- C. Device1 and Device2 only
- D. Device1 and Device3 only
- E. Device1 only

Answer: C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-getting-started?view=o365-worldwide>

NEW QUESTION: 24

You enable archive mailboxes for all the users at your company.

The Default MRM Policy is shown in the MRM exhibit.

Default MRM Policy

This policy contains the following retention tags

1 Month Delete

1 Week Delete

1 Year Delete

5 Year Delete

6 Month Delete

Default 2 year move to archive

Junk Email

Never Delete

Personal 1 year move to archive

Personal 5 year move to archive

Personal never move to archive

Recoverable items 14 days move to archive

A Microsoft 365 retention label policy is shown in the Label Policy exhibit.

Exchange Label Policy

Status
Enabled (Pending)

Policy name
Exchange Label Policy

Description
Label policy for Exchange

Applies to content in these locations
Exchange email

Settings
Publish labels for your users

- 10 Year – Do not Delete
- 2 Year Delete

Preservation lock
No

You need to identify the following:

How many years until an email is archived?

What should you modify to change the retention period for archiving?

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

By default, email is:

| |
|--|
| ▼ |
| Deleted after two years |
| Deleted after one month |
| Retained in the mailbox for 10 years |
| Moved to the archive mailbox after two years |

To change the retention period for archiving, modify:


| |
|---------------------------------------|
| ▼ |
| The Default MRM Policy |
| The Exchange Label Policy |
| The properties of the archive mailbox |

Answer:

by default, email is:

| |
|--|
| Deleted after two years |
| Deleted after one month |
| Retained in the mailbox for 10 years |
| Moved to the archive mailbox after two years |

To change the retention period for archiving, modify:



| |
|---------------------------------------|
| The Default MRM Policy |
| The Exchange Label Policy |
| The properties of the archive mailbox |

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide#the-principles-of-retention-or-what-takes-precedence>

NEW QUESTION: 25

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You implement Microsoft 365 Endpoint data loss prevention (Endpoint DLP).

You have computers that run Windows 10 and have Microsoft 365 Apps installed. The computers are joined to Azure Active Directory (Azure AD).

You need to ensure that Endpoint DLP policies can protect content on the computers.

Solution: You deploy the Endpoint DLP configuration package to the computers.

Does this meet the goal?

- A. No
- B. Yes

Answer: B (LEAVE A REPLY)

NEW QUESTION: 26

You are planning a data loss prevention (DLP) solution that will apply to computers that run Windows 10.

You need to ensure that when users attempt to copy a file that contains sensitive information to a USB storage device, the following requirements are met:

- * If the users are members of a group named Group1, the users must be allowed to copy the file, and an event must be recorded in the audit log.
- * All other users must be blocked from copying the file.

What should you create?

- A. one DLP policy that contains one DLP rule

- B. two DLP policies that each contains on DLP rule
- C. one DLP policy that contains two DLP rules

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 27

You need to implement a solution to encrypt email. The solution must meet the compliance requirements.

What should you create in the Exchange admin center and the Microsoft 365 compliance center?

To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Exchange admin center:

| | |
|-------------------------------------|--------------------------------------|
| <input type="checkbox"/> | A connector |
| <input type="checkbox"/> | A DLP policy |
| <input checked="" type="checkbox"/> | A mail flow rule |
| <input type="checkbox"/> | An organization sharing relationship |

Microsoft 365 compliance center:

| | |
|-------------------------------------|------------------------------|
| <input type="checkbox"/> | An auto-labeling policy |
| <input checked="" type="checkbox"/> | A DLP policy |
| <input checked="" type="checkbox"/> | A custom sensitive info type |
| <input type="checkbox"/> | A sensitivity label |

Answer:

Exchange admin center:

| | |
|-------------------------------------|--------------------------------------|
| <input type="checkbox"/> | A connector |
| <input type="checkbox"/> | A DLP policy |
| <input checked="" type="checkbox"/> | A mail flow rule |
| <input type="checkbox"/> | An organization sharing relationship |

Microsoft 365 compliance center:

| | |
|-------------------------------------|------------------------------|
| <input type="checkbox"/> | An auto-labeling policy |
| <input type="checkbox"/> | A DLP policy |
| <input checked="" type="checkbox"/> | A custom sensitive info type |
| <input type="checkbox"/> | A sensitivity label |

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/ome-sensitive-info-types?view=o365-worldwide>

NEW QUESTION: 28

You plan to implement Microsoft 365 Endpoint data loss prevention (Endpoint DLP). You need to identify which end user activities can be audited on the endpoints, and which activities can be restricted on the endpoints. What should you identify for each activity? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Print a protected document:

| | |
|-------------------------------|---|
| | ▼ |
| Can be audited only | |
| Can be restricted only | |
| Can be audited and restricted | |

Create a document in a monitored location:

| | |
|-------------------------------|---|
| | ▼ |
| Can be audited only | |
| Can be restricted only | |
| Can be audited and restricted | |

Copy a protected document to USB removable media:

| | |
|-------------------------------|---|
| | ▼ |
| Can be audited only | |
| Can be restricted only | |
| Can be audited and restricted | |

Answer:

Print a protected document:

Can be audited only
 Can be restricted only
 Can be audited and restricted

Create a document in a monitored location:

Microsoft

Can be audited only
 Can be restricted only
 Can be audited and restricted

Copy a protected document to USB removable media:

Can be audited only
 Can be restricted only
 Can be audited and restricted

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-learn-about?view=o365-worldwide>

NEW QUESTION: 29

You plan to implement a sensitive information type based on a trainable classifier. The sensitive information type will identify employment contracts.

You need to copy the required files to Microsoft SharePoint Online folders to train the classifier. What should you use to seed content and test the classifier? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Seed content:

- Only files that are poor examples of employment contracts
- Only files that are good examples of employment contracts
- Files that are a mix of good and poor examples of employment contracts
- A file that contains the metadata of the employment contracts in the CSV format
- A file that contains the metadata of the employment contracts in the JSON format

Testing the classifier:

- Only files that are poor examples of employment contracts
- Only files that are good examples of employment contracts
- Files that are a mix of good and poor examples of employment contracts
- A file that contains the metadata of the employment contracts in the CSV format
- A file that contains the metadata of the employment contracts in the JSON format

Answer:

Answer Area

Seed content:

- Only files that are poor examples of employment contracts
- Only files that are good examples of employment contracts
- Files that are a mix of good and poor examples of employment contracts
- A file that contains the metadata of the employment contracts in the CSV format
- A file that contains the metadata of the employment contracts in the JSON format

Testing the classifier:

- Only files that are poor examples of employment contracts
- Only files that are good examples of employment contracts
- Files that are a mix of good and poor examples of employment contracts
- A file that contains the metadata of the employment contracts in the CSV format
- A file that contains the metadata of the employment contracts in the JSON format

NEW QUESTION: 30

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth is worth one point.

Answer Area

| Statements | Yes | No |
|---|-----------------------|-----------------------|
| If a user creates a file in Site4 on January 1, 2021, users will be able to access the file on January 15, 2023. | <input type="radio"/> | <input type="radio"/> |
| If a user deletes a file from Site4 that was created on January 1, 2021, an administrative user will be able to recover the file on April 15, 2023. | <input type="radio"/> | <input type="radio"/> |
| If a user deletes a file from Site4 that was created on January 1, 2021, an administrative user will be able to recover the file on April 15, 2026. | <input type="radio"/> | <input type="radio"/> |

Answer:

| Statements | Yes | No |
|---|-----------------------|-----------------------|
| If a user creates a file in Site4 on January 1, 2021, users will be able to access the file on January 15, 2023. | <input type="radio"/> | <input type="radio"/> |
| If a user deletes a file from Site4 that was created on January 1, 2021, an administrative user will be able to recover the file on April 15, 2023. | <input type="radio"/> | <input type="radio"/> |
| If a user deletes a file from Site4 that was created on January 1, 2021, an administrative user will be able to recover the file on April 15, 2026. | <input type="radio"/> | <input type="radio"/> |

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide>

NEW QUESTION: 31

You have a Microsoft SharePoint Online site that contains the following files.

| Name | Modified by | Data loss prevention (DLP) status |
|------------|-------------|-----------------------------------|
| File1.docx | Manager1 | None |
| File2.docx | Manager1 | Matched by DLP |
| File3.docx | Manager1 | Blocked by DLP |

Users are assigned roles for the site as shown in the following table.

| Name | Role |
|-------|-------------|
| User1 | Site owner |
| User2 | Site member |

Which files can User1 and User2 view? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

User1: ▼

- File1.docx only
- File1.docx and File2.docx only
- File1.docx, File2.docx, and File3.docx

User2: ▼

- File1.docx only
- File1.docx and File2.docx only
- File1.docx, File2.docx, and File3.docx

Answer:


User1: ▼

- File1.docx only
- File1.docx and File2.docx only
- File1.docx, File2.docx, and File3.docx

User2: ▼

- File1.docx only
- File1.docx and File2.docx only
- File1.docx, File2.docx, and File3.docx

Explanation



Reference:

<https://social.technet.microsoft.com/wiki/contents/articles/36527.implement-data-loss-prevention-dlp-in-sharepo> Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

Valid SC-400 Dumps shared by PrepPdf.com for Helping Passing SC-400 Exam!
 PrepPdf.com now offer the **newest SC-400 exam dumps**, the PrepPdf.com SC-400 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com SC-400 dumps with Test Engine here:
<https://www.preppdf.com/Microsoft/SC-400-prepaway-exam-dumps.html> (335 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

You are reviewing policies for the SharePoint Online environment.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|---|-----------------------|-----------------------|
| If a user creates a file in Site4 on January 1, 2021, users will be able to access the file on January 15, 2023. | <input type="radio"/> | <input type="radio"/> |
| If a user deletes a file from Site4 that was created on January 1, 2021, an administrative user will be able to recover the file on April 15, 2023. | <input type="radio"/> | <input type="radio"/> |
| If a user deletes a file from Site4 that was created on January 1, 2021, an administrative user will be able to recover the file on April 15, 2026. | <input type="radio"/> | <input type="radio"/> |

Answer:

Actions

- Create a retention label.
- Create a sensitivity label.
- Create a sensitive info type.
- Create an auto-labeling policy.
- Wait 24 hours and then turn on the policy.

Answer Area

- Create a sensitive info type.
- Create a sensitivity label.
- Create an auto-labeling policy.

Explanation

A screenshot of a computer Description automatically generated with low confidence

Statements

If a user creates a file in Site4 on January 1, 2021, users will be able to access the file on January 15, 2023.

If a user deletes a file from Site4 that was created on January 1, 2021, an administrative user will be able to recover the file on April 15, 2023.

If a user deletes a file from Site4 that was created on January 1, 2021, an administrative user will be able to recover the file on April 15, 2026.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide>

NEW QUESTION: 33

You create a retention label policy named Contoso_policy that contains the following labels.

- * 10 years then delete
- * 5 years then delete
- * Do not retain

Contoso_Policy is applied to content In Microsoft Sharepoint Online sites.


After a couple of days, you discover the following messages on the Properties page of the label policy.

- * Statue Off (Error)
- * It's taking longer than expected to deploy the policy


You need to reinitiate the policy.

How should you complete the command? To answer, select the appropriate options in the; answer area.


NOTE: Each correct selection is worth one point.



Answer:



Explanation



Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-retentioncompliancepolicy?view=exchange-p>

NEW QUESTION: 34

You have a Microsoft 365 tenant named contoso.com that contains two users named User1 and User2. The tenant uses Microsoft Office 365 Message Encryption (OME).

User1 plans to send emails that contain attachments as shown in the following table.

| Subject | To | Attachment type | Message size |
|---------|-------------------|-----------------|--------------|
| Mail1 | User2@contoso.com | .docx | 40 MB |
| Mail2 | User4@outlook.com | .doc | 3 MB |
| Mail3 | User3@gmail.com | .xlsx | 7 MB |

User2 plans to send emails that contain attachments as shown in the following table.

| Subject | To | Attachment type | Message size |
|---------|-------------------|-----------------|--------------|
| Mail4 | User1@contoso.com | .pptx | 4 MB |
| Mail5 | User4@outlook.com | .jpg | 6 MB |
| Mail6 | User3@gmail.com | .docx | 3 MB |

For which emails will the attachments be protected? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

User1:

▼


Mail1 only

Mail3 only

Mail1 and Mail2 only

Mail2 and Mail3 only

Mail1, Mail2, and Mail3

 Microsoft

User2:

▼

Mail5 only

Mail6 only

Mail4 and Mail5 only

Mail4 and Mail6 only

Mail1, Mail2, and Mail3

Answer:

User1:  Microsoft ▼

| |
|-------------------------|
| Mail1 only |
| Mail3 only |
| Mail1 and Mail2 only |
| Mail2 and Mail3 only |
| Mail1, Mail2, and Mail3 |

User2: ▼

| |
|-------------------------|
| Mail5 only |
| Mail6 only |
| Mail4 and Mail5 only |
| Mail4 and Mail6 only |
| Mail1, Mail2, and Mail3 |

Explanation

User1:  Mail1 only
 Mail3 only
 Mail1 and Mail2 only
 Mail2 and Mail3 only
 Mail1, Mail2, and Mail3

User2: Mail5 only
 Mail6 only
 Mail4 and Mail5 only
 Mail4 and Mail6 only
 Mail1, Mail2, and Mail3

Reference:

<https://support.microsoft.com/en-gb/office/introduction-to-irm-for-email-messages-bb643d33-4a3f-4ac7-9770-fd>

<https://docs.microsoft.com/en-us/microsoft-365/compliance/ome?view=o365-worldwide>

<https://docs.microsoft.com/en-us/office365/servicedescriptions/exchange-online-service-description/exchange-on>

NEW QUESTION: 35

You need to automatically apply a sensitivity label to documents that contain information about your company's network including computer names, IP addresses, and configuration information. Which two objects should you use? Each correct answer presents part of the solution. (Choose two.) NOTE: Each correct selection is worth one point.

- A. an Information protection auto-labeling policy
- B. a custom trainable classifier
- C. a sensitive info type that uses a regular expression
- D. a data loss prevention (DLP) policy

E. a sensitive info type that uses keywords

F. a sensitivity label that has auto-labeling

Answer: A,B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/classifier-learn-about?view=o365-worldwide>

<https://docs.microsoft.com/en-us/microsoft-365/compliance/apply-sensitivity-label-automatically?view=o365-worldwide>

NEW QUESTION: 36

You have a Microsoft 365 E5 tenant.

You create sensitivity labels as shown in the Sensitivity Labels exhibit.



| Name | Order | Scope |
|--------------|-------------|-------------|
| Public | 0 – lowest | File, Email |
| General | 1 | File, Email |
| Confidential | 2 | File, Email |
| Internal | 3 | File, Email |
| External | 4 – highest | File, Email |

The Confidential/External sensitivity label is configured to encrypt files and emails when applied to content.

The sensitivity labels are published as shown in the Published exhibit.

Sensitivity Policy1

Edit policy

Delete policy

Name

Sensitivity Policy1

Description

Published labels

Public

General

External/External

Internal/Internal

Confidential

Published to

All

Policy settings

Users must provide justification to remove a label or lower its classification

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|---|-----------------------|-----------------------|
| The Internal sensitivity label inherits all the settings from the Confidential label. | <input type="radio"/> | <input type="radio"/> |
| Users must provide justification if they change the label of content from Confidential/Internal to Confidential/External. | <input type="radio"/> | <input type="radio"/> |
| Content that has the Confidential/External label applied will retain the encryption settings if the sensitivity label is removed from the label policy. | <input type="radio"/> | <input type="radio"/> |

Answer:



YES NO

The Internal sensitivity label inherits all the settings from the Confidential label.

Users must provide justification if they change the label of content from Confidential/Internal to Confidential/External.

Content that has the Confidential/External label applied will retain the encryption settings if the sensitivity label is removed from the label policy.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/sensitivity-labels?view=o365-worldwide>

NEW QUESTION: 37

You plan to create a custom sensitive information type that will use Exact Data Match (EDM).

You need to identify what to upload to Microsoft 365, and which tool to use for the upload.

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Answer:

Answer Area

NEW QUESTION: 38

While creating a retention label, you discover that the following options are missing:

Mark items as a record

Mark items as a regulatory record

You need to ensure that the options are available when you create retention labels in the Microsoft 365 compliance center.

How should you complete the PowerShell script? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
$UserCredential = Get-Credential
```

```
Import-Module
```

- AzureRM
- ExchangeOnlineManagement
- Microsoft.Online.SharePoint.PowerShell
- MicrosoftTeams

- Connect-AadrmService
- Connect-AzureAD
- Connect-AzureRMAccount
- Connect-IPPSSession

```
-Credential $UserCredential
```

- Enable-ComplianceTagStorage
- New-ComplianceTag
- Set-RegulatoryComplianceUI
- Set-RetentionCompliancePolicy

```
-Enabled $true
```

Answer:

```
$UserCredential = Get-Credential
```

```
Import-Module
```

- AzureRM
- ExchangeOnlineManagement
- Microsoft.Online.SharePoint.PowerShell
- MicrosoftTeams

- Connect-AadrmService
- Connect-AzureAD
- Connect-AzureRMAccount
- Connect-IPPSSession

```
-Credential $UserCredential
```

- Enable-ComplianceTagStorage
- New-ComplianceTag
- Set-RegulatoryComplianceUI
- Set-RetentionCompliancePolicy

```
-Enabled $true
```

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/declare-records?view=o365-worldwide>

<https://docs.microsoft.com/en-us/powershell/exchange/connect-to-scc-powershell?view=exchange-ps>

NEW QUESTION: 39


You have a Microsoft 365 E5 tenant.

Data loss prevention (DLP) policies are applied to Exchange email, SharePoint sites, and OneDrive accounts locations.

You need to use PowerShell to retrieve a summary of the DLP rule matches from the last seven days.

Which PowerShell module and cmdlet should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Module:  Microsoft ▼

- Azure Active Directory (Azure AD)
- Exchange Online
- SharePoint Online


Cmdlet: ▼

- Get-DlpDetailReport
- Get-DlpDetectionsReport
- Get-DlpPolicy
- Get-DlpSiDetectionsReport

Answer:

Module: ▼

- Azure Active Directory (Azure AD)
- Exchange Online
- SharePoint Online

Cmdlet:  ▼

- Get-DlpDetailReport
- Get-DlpDetectionsReport
- Get-DlpPolicy
- Get-DlpSiDetectionsReport

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-dlpdetectionsreport?view=exchange-ps>

NEW QUESTION: 40

You plan to create a custom trainable classifier based on an organizational form template.

You need to identify which role based access control (RBAC) role is required to create the trainable classifier and where to classifier. The solution must use the principle of least privilege.

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

RBAC role:

- Compliance administrator
- Global administrator
- Security administrator
- Security operator

Where to store the seed content:

- An Azure Blob storage container
- A folder in Microsoft OneDrive
- A Microsoft Exchange Online public folder
- A Microsoft SharePoint Online folder

Answer:

Answer Area

RBAC role:

- Compliance administrator
- Global administrator
- Security administrator
- Security operator

Where to store the seed content:

- An Azure Blob storage container
- A folder in Microsoft OneDrive
- A Microsoft Exchange Online public folder
- A Microsoft SharePoint Online folder

NEW QUESTION: 41

You plan to implement Microsoft 365 Endpoint data loss prevention (Endpoint DLP).

You need to identify which end user activities can be audited on the endpoints, and which activities can be restricted on the endpoints.

What should you identify for each activity? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Print a protected document:


- Can be audited only
- Can be restricted only
- Can be audited and restricted

Create a document in a monitored location:

- Can be audited only
- Can be restricted only
- Can be audited and restricted

Copy a protected document to USB removable media:

- Can be audited only
- Can be restricted only
- Can be audited and restricted




Answer:

Print a protected document:

- Can be audited only
- Can be restricted only
- Can be audited and restricted

Create a document in a monitored location:

- Can be audited only
- Can be restricted only
- Can be audited and restricted



Copy a protected document to USB removable media:

- Can be audited only
- Can be restricted only
- Can be audited and restricted

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-learn-about?view=o365-worldwide>

NEW QUESTION: 42

At the end of a project you upload project documents to a Microsoft SharePoint Online library that contains many files. Files that have the following naming format must be labeled as Project I

- * aei_AA989.docx
- * bd_WSOgadocx
- * cei_DLF112-docx
- * ebc_QQ4S4.docx
- * ecc_BB565.docx

You plan to create an auto-apply retention label policy.

What should you use to identify the files, and which regular expression should you use? To answer, select the appropriate options in the answer area.

Answer Area

To identify the files, use:

- A sensitive info type
- A retention label
- A trainable classifier

Regular expression:

-
-
-

Answer:

Answer Area

To identify the files, use:

- A sensitive info type
- A retention label
- A trainable classifier

Regular expression:

-
-
-

NEW QUESTION: 43

You have a Microsoft 365 tenant that uses a domain named canstoso.com.

A user named User1 leaves your company. The mailbox of User1 is placed on Litigation Hold, and then the account of User1 is deleted from Azure Active Directory (Azure AD).

You need to copy the content of the User1 mailbox to a folder in the existing mailbox of another user named User2.

How should you complete the PowerShell command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```
$InactiveMailbox - Get-Mailbox -InactiveMailboxOnly -Identity <distinguished name>
```

- New-Mailbox
- New-MailboxRestoreRequest
- Store-RecoverableItems


InactiveMailbox - LitigationHoldEnabled

InactiveMailbox - RetentionHoldEnabled

InactiveMailbox.DistinguishedName

TargetRootFolder: "User1 Mailbox"

Answer:



NEW QUESTION: 44

You create a retention label policy named Contoso_policy that contains the following labels.

10 years then delete

5 years then delete

Do not retain

Contoso_Policy is applied to content In Microsoft Sharepoint Online sites.

After a couple of days, you discover the following messages on the Properties page of the label policy.


* Statue Off (Error)

* It's taking longer than expected to deploy the policy


You need to reinitiate the policy.

How should you complete the command? To answer, select the appropriate options in the; answer area.

NOTE: Each correct selection is worth one point.



Answer:



NEW QUESTION: 45

You create three sensitivity labels named Sensitivity1, Sensitivity2, and Sensitivity3 and perform the following actions:

* Publish Sensitivity1.

* Create an auto-labeling policy for Sensitivity2.

You plan to create a file policy named Policy1 in Microsoft Cloud App Security.

Which sensitivity labels can you apply to Microsoft SharePoint Online in Policy1?

A. Sensitivity1 only

B. Sensitivity1, Sensitivity2, and Sensitivity3

C. Sensitivity2 only

D. Sensitivity1 and Sensitivity2 only

Answer: D (LEAVE A REPLY)

Explanation/Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/apply-sensitivity-label-automatically?view=o365-worldwide>

<https://docs.microsoft.com/en-us/cloud-app-security/azip-integration>

NEW QUESTION: 46

You need to recommend a solution that meets the compliance requirements for viewing DLP tooltip justifications.

What should you recommend?

- A. Instruct the compliance department users to review the False positive and override report.
- B. Configure a Microsoft Power Automate workflow to route DLP notification emails to the compliance department.
- C. Instruct the compliance department users to review the DLP incidents report.
- D. Configure an Azure logic app to route DLP notification emails to the compliance department.

Answer: A (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/view-the-dlp-reports?view=o365-worldwide>


Topic 2, Contoso Case Study

Overview

Contoso, Ltd. is a consulting company that has a main office in Montreal and three branch offices in Seattle, Boston, and Johannesburg.

Microsoft 365 Environment

Contoso has a Microsoft 365 FS tenant. The tenant contains the administrative user accounts shown in the following table.



| Name | Role |
|--------|-------------------------------|
| Admin1 | None |
| Admin2 | Compliance data administrator |
| Admin3 | Compliance administrator |
| Admin4 | Security operator |
| Admin5 | Security administrator |

Users store data in the following locations:

- * SharePoint sites
- * OneDrive accounts
- * Exchange email
- * Exchange public folders
- * Teams chats
- * Teams channel messages

When users in the research department create documents, they must add a 10-digit project code to each document. Project codes that start with the digits 999 are confidential.

SharePoint Online Environment

Contoso has four Microsoft SharePoint Online sites named Site1, Site2, Site3, and Site4. Site2 contains the files shown in the following table.

| Name | Number of SWIFT codes in the file |
|------------|-----------------------------------|
| File1.docx | 1 |
| File2.bmp | 4 |
| File3.txt | 3 |
| File4.xlsx | 7 |

Two users named User1 and User2 are assigned roles for Site2 as shown in the following table.

| User | Role |
|-------|--------------|
| User1 | Site owner |
| User2 | Site visitor |

Site3 stores documents related to the company's projects. The documents are organized in a folder hierarchy based on the project.

Site4 has the following two retention policies applied:

- * Name: SiteRetentionPolicy1
- * Locations to apply the policy: Site4
- * Delete items older than: 2 years
- * Delete content based on: When items were created
- * Name: Site4RetentionPolicy2
- * Locations to apply the policy: Site4
- * Retain items for a specific period: 4 years
- * Start the retention period based on: When items were created
- * At the end of the retention period: Do nothing

Problem Statements

Management at Contoso is concerned about data leaks. On several occasions, confidential research departments were leaked.

Planned Changes

Contoso plans to create the following data loss prevention (DLP) policy:

- * Name: DLPpolicy1
- * Locations to apply the policy; Site2
- * Conditions:
 - * Content contains any of these sensitive info types: SWIF F Code
 - * Instance count: 2 to any
- * Actions: Restrict access to the content

Technical Requirements

Contoso must meet the following technical requirements:

- * All administrative users must be able to review DLP reports.
- * Whenever possible, the principle of least privilege must be used.
- * For all users, all Microsoft 365 data must be retained for at least one year.
- * Confidential documents must be detected and protected by using Microsoft 365.
- * Site1 documents that include credit card numbers must be labeled automatically.
- * All administrative users must be able to create Microsoft 365 sensitivity labels.

* After a project is complete, the documents in Site3 that relate to the project must be retained for 10 years

Valid SC-400 Dumps shared by PrepPdf.com for Helping Passing SC-400 Exam!
PrepPdf.com now offer the **newest SC-400 exam dumps**, the PrepPdf.com SC-400 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com SC-400 dumps with Test Engine here:
<https://www.preppdf.com/Microsoft/SC-400-prepaway-exam-dumps.html> (335 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

You are reviewing policies for the SharePoint Online environment.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|---|-----------------------|-----------------------|
| If a user creates a file in Site4 on January 1, 2021, users will be able to access the file on January 15, 2023. | <input type="radio"/> | <input type="radio"/> |
| If a user deletes a file from Site4 that was created on January 1, 2021, an administrative user will be able to recover the file on April 15, 2023. | <input type="radio"/> | <input type="radio"/> |
| If a user deletes a file from Site4 that was created on January 1, 2021, an administrative user will be able to recover the file on April 15, 2026. | <input type="radio"/> | <input type="radio"/> |

Answer:

| Statements | Yes | No |
|---|-----------------------|----------------------------------|
| If a user creates a file in Site4 on January 1, 2021, users will be able to access the file on January 15, 2023. | <input type="radio"/> | <input type="radio"/> |
| If a user deletes a file from Site4 that was created on January 1, 2021, an administrative user will be able to recover the file on April 15, 2023. | <input type="radio"/> | <input type="radio"/> |
| If a user deletes a file from Site4 that was created on January 1, 2021, an administrative user will be able to recover the file on April 15, 2026. | <input type="radio"/> | <input checked="" type="radio"/> |

Explanation

A screenshot of a computer Description automatically generated with low confidence

Statements

If a user creates a file in Site4 on January 1, 2021, users will be able to access the file on January 15, 2023.

| Yes | No |
|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> |

If a user deletes a file from Site4 that was created on January 1, 2021, an administrative user will be able to recover the file on April 15, 2023.

| | |
|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> |
|-----------------------|-----------------------|

If a user deletes a file from Site4 that was created on January 1, 2021, an administrative user will be able to recover the file on April 15, 2026.
Reference:

| | |
|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> |
|-----------------------|-----------------------|

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide>

NEW QUESTION: 48

You have a Microsoft 365 E5 tenant.

Data loss prevention (DLP) policies are applied to Exchange email, SharePoint sites, and OneDrive accounts locations.


You need to use PowerShell to retrieve a summary of the DLP rule matches from the last seven days.

Which PowerShell module and cmdlet should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

| | |
|---------|--|
| Module: | <div style="border: 1px solid gray; padding: 2px;"><div style="display: flex; justify-content: space-between; align-items: center;">Microsoft▼</div><ul style="list-style-type: none">Azure Active Directory (Azure AD)Exchange OnlineSharePoint Online</div> |
| Cmdlet: | <div style="border: 1px solid gray; padding: 2px;"><div style="display: flex; justify-content: space-between; align-items: center;">▼</div><ul style="list-style-type: none">Get-DlpDetailReportGet-DlpDetectionsReportGet-DlpPolicyGet-DlpSiDetectionsReport</div> |

Answer:



Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-dlpdetectionsreport?view=exchange-ps>

NEW QUESTION: 49

You receive an email that contains a list of words that will be used few a sensitive information type.

You need to create a file that can be used as the source of a keyword dictionary.

In which format should you save the list?

- A. a text file that has one word on each line
- B. a JSON file that that an element for each word
- C. a ISV file that contains words separated by tabs
- D. an XLSX file that contains one word in each cell of the first row

Answer: D (LEAVE A REPLY)

NEW QUESTION: 50

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You recently discovered that the developers at your company emailed Azure Storage keys in plain text to third parties.

You need to ensure that when Azure Storage keys are emailed, the emails are encrypted.

Solution: You configure a mail flow rule that matches the text patterns.

Does this meet the goal?

- A. Yes
- B. No


Answer: B (LEAVE A REPLY)

Reference:


<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/mail-flow-rules/conditions-and-exceptions?vi>

NEW QUESTION: 51

You create a data loss prevention (DLP) policy. The Advanced DLP rules page is shown in the Rules exhibit.



The Review your settings page is shown in the review exhibit.



You need to review the potential impact of enabling the policy without applying the actions. What should you do?

- A. Edit the policy, remove the Restrict access to the content and Send incident report to Administrator actions, and then select Yes, turn it on right away.
- B. the policy. remove all the actions in DLP rule 1, and select Yes, turn it on right away.
- C. Edit the policy, remove all the actions in DIP rule 1, and select I'd like to test it out first
- D. Edit the policy, and then select I'd like to test it out first.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 52

In Microsoft Exchange Online, you have a retention policy named Policy1 that applies a retention tag named Tag1.

You plan to remove Tag1 from Policy1.

What will occur when you remove the tag from Policy1?

- A. The content will remain tagged and the Managed Folder Assistant will process Tag1.
- B. Tag1 will be removed if Policy1 applied the tag to the content.
- C. The content will remain tagged, but the Managed Folder Assistant will ignore Tag1.

Answer: A (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/messaging-records-management/retention-tags-and-policies#removing-or-deleting-a-retention-tag-from-a-retention-policy>

NEW QUESTION: 53

You have a Microsoft 365 tenant that uses data loss prevention (DLP) to protect sensitive information.

You create a new custom sensitive info type that has the matching element shown in the following exhibit.



The supporting elements are configured as shown in the following exhibit.

Supporting elements



The confidence level and character proximity are configured as shown in the following exhibit.

Confidence level ⓘ

Default (60%)

75



Character proximity ⓘ

Default (300 characters)

100

For each of the following statements, select Yes if statement is true. Otherwise, select No NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|--|-----------------------|-----------------------|
| A document that contains the following text will match the sensitive info type: James has an Employee ID of 555-343-111-065. | <input type="radio"/> | <input type="radio"/> |
| A document that contains the following text will match the sensitive info type: The Employee ID of the employee Ben Smith is 555343123444. | <input type="radio"/> | <input type="radio"/> |
| A document that contains the following text will match the sensitive info type: The id badge for 555-123 has expired. | <input type="radio"/> | <input type="radio"/> |

Answer:

| Statements | Yes | No |
|--|-----------------------|----------------------------------|
| A document that contains the following text will match the sensitive info type: James has an Employee ID of 555-343-111-065. | <input type="radio"/> | <input checked="" type="radio"/> |
| A document that contains the following text will match the sensitive info type: The Employee ID of the employee Ben Smith is 555343123444. | <input type="radio"/> | <input checked="" type="radio"/> |
| A document that contains the following text will match the sensitive info type: The id badge for 555-123 has expired. | <input type="radio"/> | <input checked="" type="radio"/> |

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/create-a-custom-sensitive-information-type?view=o365-worldwide>

NEW QUESTION: 54

You create a custom sensitive info type that uses Exact Data Match (EDM).

You plan to periodically update and upload the data used for EDM.

What is the maximum frequency with which the data can be uploaded?

- A. twice per hour
- B. once every 48 hours
- C. twice per day
- D. twice per week
- E. once every six hours

Answer: D (LEAVE A REPLY)


Topic 1, Contoso

Overview

Contoso, Ltd. is a consulting company that has a main office in Montreal and three branch offices in Seattle, Boston, and Johannesburg.

Microsoft 365 Environment

Contoso has a Microsoft 365 FS tenant. The tenant contains the administrative user accounts shown in the following table.



| Name | |
|--------|-------------------------------|
| Admin1 | None |
| Admin2 | Compliance data administrator |
| Admin3 | Compliance administrator |
| Admin4 | Security operator |
| Admin5 | Security administrator |


Users store data in the following locations:

- * SharePoint sites
- * OneDrive accounts
- * Exchange email
- * Exchange public folders
- * Teams chats
- * Teams channel messages

When users in the research department create documents, they must add a 10-digit project code to each document. Project codes that start with the digits 999 are confidential.


SharePoint Online Environment

Contoso has four Microsoft SharePoint Online sites named Site1, Site2, Site3, and Site4. Site2 contains the files shown in the following table.



| Name | Number of SWIFT codes in the file |
|------------|-----------------------------------|
| File1.docx | 1 |
| File2.bmp | 4 |
| File3.txt | 3 |
| File4.xlsx | 7 |

Two users named User1 and User2 are assigned roles for Site2 as shown in the following table.



| User | Role |
|-------|--------------|
| User1 | Site owner |
| User2 | Site visitor |

Site3 stores documents related to the company's projects. The documents are organized in a folder hierarchy based on the project.

Site4 has the following two retention policies applied:

- * Name: SiteRetentionPolicy1
- * Locations to apply the policy: Site4
- * Delete items older than: 2 years
- * Delete content based on: When items were created
- * Name: Site4RetentionPolicy2
- * Locations to apply the policy: Site4

- * Retain items for a specific period: 4 years
- * Start the retention period based on: When items were created
- * At the end of the retention period: Do nothing

Problem Statements

Management at Contoso is concerned about data leaks. On several occasions, confidential research departments were leaked.

Planned Changes

Contoso plans to create the following data loss prevention (DLP) policy:

- * Name: DLPpolicy1
- * Locations to apply the policy; Site2
- * Conditions:
 - * Content contains any of these sensitive info types: SWIF F Code
 - * Instance count: 2 to any
- * Actions: Restrict access to the content

Technical Requirements

Contoso must meet the following technical requirements:

- * All administrative users must be able to review DLP reports.
- * Whenever possible, the principle of least privilege must be used.
- * For all users, all Microsoft 365 data must be retained for at least one year.
- * Confidential documents must be detected and protected by using Microsoft 365.
- * Site1 documents that include credit card numbers must be labeled automatically.
- * All administrative users must be able to create Microsoft 365 sensitivity labels.
- * After a project is complete, the documents in Site3 that relate to the project must be retained for 10 years

NEW QUESTION: 55

You are configuring a retention label named Label1 as shown in the following exhibit.

Define retention settings

When this label is applied to items, the content is retained and/or deleted based on the settings you choose here.

Retain items for a specific period
 Labeled items will be retained for the period you choose. During the retention period, users will be able to edit items and change or remove the label. If they delete items, we'll keep copies in a secure location. [Learn more](#)

Retention period of years months days

Start the retention period based on
 When items were created

[+ Create new event type](#)

At the end of the retention period

Delete items automatically
 We'll delete items from where they're currently stored.

Trigger a disposition review

Do nothing
 Items will be left in place. You'll have to manually delete them if you want them gone.

Retain items forever
 Labeled items will be retained forever, even if users delete them. Users will be able to edit items and change or remove the label. If they delete items, we'll keep copies in a secure location. [Learn more](#)

Only delete items when they reach a certain age
 Labeled items won't be retained, but when they reach the age you choose, we'll delete them from where they're stored.

You need to ensure that documents that have Label1 applied are deleted three years after the end of your company's fiscal year.

What should you do?

- A. Create a new event type.
- B. Select Only delete items when they reach a certain age.
- C. Modify the Retention period setting.
- D. Set At the ends of the retention period to Trigger a disposition review.

Answer: A (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/microsoft-365/compliance/event-driven-retention?view=o365-worldwide>

NEW QUESTION: 56

You have a Microsoft SharePoint Online site that contains employee contracts in a document library named Contracts.

The contracts must be treated as records in accordance with your company's records management policy.

You need to implement a solution to automatically mark all the contracts as records when they are uploaded to Contracts.

Which two actions should you perform? Each correct answer presents part of the solution.

(Choose two.) NOTE: Each correct selection is worth one point.

- A. Create a sensitivity label.
- B. Create a retention label.
- C. Configure a default label on the Contracts document library.
- D. Create a retention policy.
- E. Create a SharePoint Records Center.
- F. Create a retention lock.

Answer: B,C (LEAVE A REPLY)

Explanation/Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/create-apply-retention-labels?view=o365-worldwide>

NEW QUESTION: 57

At the end of a project, you upload project documents to a Microsoft SharePoint Online library that contains many files. The following is a sample of the project document file names:

- * aei_AA989.docx
- * bci_WS098.docx
- * cei_DF112.docx
- * ebc_QQ454.docx
- * ecc_BB565.docx

All documents that use this naming format must be labeled as Project Documents:

You need to create an auto-apply retention label policy.

What should you use to identify the files?

- A. A sensitive info type
- B. A retention label
- C. A trainable classifier

Answer: C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/classifier-get-started-with?view=o365-worldwide>

NEW QUESTION: 58

You have a Microsoft 365 tenant that uses records management.

You use a retention label to mark legal files stored in a Microsoft SharePoint Online document library as regulatory records.

What can you do to the legal files?

- A. Remove the retention label of the files.
- B. Edit the properties of the files.

C. Move the files to a different folder within the document library.

D. Delete the content from the files.


Answer: C (LEAVE A REPLY)

Explanation/Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/records-management?view=o365-worldwide#records>

NEW QUESTION: 59


You have the retention label policy shown in the Policy exhibit. (Click the Policy tab.)



Users apply the retention label policy to files and set the asset ID as shown in the following table.

| File name | Creation date | Asset ID |
|-----------|--------------------|----------|
| Doc1.docx | September 1, 2020 | FY20 |
| Doc2.docx | September 20, 2020 | FY21 |
| Doc3.docx | October 15, 2020 | FY20 |


On December 1, 2020, you create the event shown in the Event exhibit. (Click the Event tab.):



For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.



Answer:



NEW QUESTION: 60

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 tenant and 500 computers that run Windows 10. The computers are onboarded to the Microsoft 365 compliance center.

You discover that a third-party application named Tailspin_scanner.exe accessed protected sensitive information on multiple computers. Tailspin_scanner.exe is installed locally on the computers.

You need to block Tailspin_scanner.exe from accessing sensitive documents without preventing the application from accessing other documents.

Solution: From the Microsoft 365 Endpoint data loss prevention (Endpoint DLP) settings, you add a folder path to the file path exclusions.

Does this meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

Explanation

Folder path to the file path exclusions excludes certain paths and files from DLP monitoring.

Use the unallowed apps list instead.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-using?view=o365-worldwide>

NEW QUESTION: 61

Your company has a Microsoft 365 tenant that uses a domain named Contoso.com.

You are implementing data loss prevention (DLP).

The company's default browser is Microsoft Edge.

During a recent audit, you discover that some users use Firefox and Google Chrome browsers to upload files labeled as Confidential to a third party Microsoft SharePoint Online site that has a URL of <https://m365x076709.sharepoint>. Users are blocked from uploading the confidential files to the site from Microsoft Edge.

You need to ensure that the users cannot upload files labeled as Confidential from Firefox and Google Chrome to any cloud services.

NOTE: Each correct selection is worth one point.

A. From the Microsoft 365 compliance center, onboard the dcvu.es.

B. From the Microsoft 365 Endpoint data loss prevention (Endpoint DLP) settings, add Firefox and Google Chrome to the unallowed browsers list.

C. From the Microsoft 365 Endpoint data loss prevention (Endpoint) DLP settings, add contoso.com as an allowed service domain.

D. From the Microsoft 365 Endpoint data loss prevention (Endpoint) DLP settings, add: m365x0767W-sharepoint.com as a blocked service domain.

E. Create a DLP policy that applies to the Devices location.

Answer: B,C (LEAVE A REPLY)

Valid SC-400 Dumps shared by PrepPdf.com for Helping Passing SC-400 Exam!
 PrepPdf.com now offer the **newest SC-400 exam dumps**, the PrepPdf.com SC-400 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com SC-400 dumps with Test Engine here:
<https://www.preppdf.com/Microsoft/SC-400-prepaway-exam-dumps.html> (335 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)


NEW QUESTION: 62

You have a Microsoft 365 tenant that uses data loss prevention (DLP).
 You have a custom employee information form named Template 1.docx.
 You need to create a classification rule package based on the document fingerprint of Templatel.docx.
 Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Answer:

Explanation

Graphical user interface, text Description automatically generated with medium confidence



NEW QUESTION: 63

You have a Microsoft 365 tenant that uses Microsoft Teams.

You create a data loss prevention (DLP) policy to prevent Microsoft Teams users from sharing sensitive information.

You need to identify which locations must be selected to meet the following requirements:

- * Documents that contain sensitive information must not be shared inappropriately in Microsoft Teams.
- * If a user attempts to share sensitive information during a Microsoft Teams chat session, the message must be deleted immediately.

Which three locations should you select? To answer, select the appropriate locations in the answer area.

(Choose three.)

NOTE: Each correct selection is worth one point.

Choose locations to apply the policy

We'll apply the policy to data that's stored in the locations you choose.

| Status | Location | Included |
|------------------------------|---------------------------------|--------------------------|
| <input type="checkbox"/> Off | Exchange email | <input type="checkbox"/> |
| <input type="checkbox"/> Off | SharePoint sites | <input type="checkbox"/> |
| <input type="checkbox"/> Off | OneDrive accounts | <input type="checkbox"/> |
| <input type="checkbox"/> Off | Teams chat and channel messages | <input type="checkbox"/> |
| <input type="checkbox"/> Off | Microsoft Cloud App Security | <input type="checkbox"/> |

Answer:

Choose locations to apply the policy

We'll apply the policy to data that's stored in the locations you choose.

| Status | Location | Included |
|------------------------------|---------------------------------|--------------------------|
| <input type="checkbox"/> Off | Exchange email | <input type="checkbox"/> |
| <input type="checkbox"/> Off | SharePoint sites | <input type="checkbox"/> |
| <input type="checkbox"/> Off | OneDrive accounts | <input type="checkbox"/> |
| <input type="checkbox"/> Off | Teams chat and channel messages | <input type="checkbox"/> |
| <input type="checkbox"/> Off | Microsoft Cloud App Security | <input type="checkbox"/> |

Explanation

Graphical user interface, application Description automatically generated

Choose locations to apply the policy

We'll apply the policy to data that's stored in the locations you choose.

| Status | Location | Included |
|------------------------------|---------------------------------|----------|
| <input type="checkbox"/> Off | Exchange email | |
| <input type="checkbox"/> Off | SharePoint sites | |
| <input type="checkbox"/> Off | OneDrive accounts | |
| <input type="checkbox"/> Off | Teams chat and channel messages | |
| <input type="checkbox"/> Off | Microsoft Cloud App Security | |

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/dlp-microsoft-teams?view=o365-worldwide>

NEW QUESTION: 64

You have a Microsoft 365 tenant that uses data loss prevention (DLP).

You have a custom employee information form named Template 1.docx.


You need to create a classification rule package based on the document fingerprint of Template1.docx.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

ANSWER AREA

- Create a variable that contains the result of the get-Content cmdlet.
- Run the New-DlpSensitiveInformationType cmdlet.
- Create a variable that contains the result of the New-DlpInformationType cmdlet.
- Run the Set-DlpSensitiveInformationType cmdlet.
- Create a variable that contains the result of the get-ContentFilterPhrase cmdlet.

Answer:



NEW QUESTION: 65

You have a Microsoft 365 tenant that uses 100 data loss prevention (DLP) policies.

A Microsoft Exchange administrator frequently investigates emails that were blocked due to DLP policy violations.

You need to recommend which DLP report the Exchange administrator can use to identify how many messages were blocked based on each DLP policy.

Which report should you recommend?

- A. Third-party DLP policy matches
- B. False positive and override
- C. DLP policy matches
- D. DLP incidents

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 66

You create a retention policy as shown in the following exhibit.

Retention Policy 1

Status

Enabled (Pending)

Policy name

Retention Policy 1

Description

Retention Policy for SharePoint Site1 and Exchange

Applies to content in these locations

Exchange email

SharePoint sites



Settings

Retention period

Keep content, and delete it if it's older than 10 years


Preservation lock

No data available


A user named User1 deletes a file named File1.docx from a Microsoft SharePoint Online site named Site1.

A user named User2 deletes an email and empties the Deleted Items folder in Microsoft Outlook. Where is the content retained one year after deletion? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide>

NEW QUESTION: 67

You have a Microsoft 365 tenant.

You discover that email does NOT use Microsoft Office 365 Message Encryption (OME).
You need to ensure that OME can be applied to email.

What should you do first?

- A. Enable Microsoft Defender for Office 365.
- B. Activate Azure Information Protection.
- C. Activate Azure Rights Management (Azure RMS).
- D. Create an Azure key vault.

Answer: C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/set-up-new-message-encryption-capabilities?view=o>

NEW QUESTION: 68

You have the files shown in the following table.

| Name | Location | Date modified | Date created |
|-------|---|-------------------|-------------------|
| File1 | Microsoft SharePoint Online site | June 01, 2018 | December 28, 2011 |
| File2 | Microsoft OneDrive account | February 02, 2017 | January 02, 2011 |
| File3 | Microsoft Exchange Online public folder | May 01, 2006 | May 01, 2006 |

You configure a retention policy as shown in the exhibit.

RetentionPolicy 1

Status

Enabled (Pending)

Policy name

RetentionPolicy1

Description

RetentionPolicy1


Applies to content in these locations

SharePoint sites

Settings

Retention period

Keep content, and delete it if it's older than 7 years

Preservation lock

No data available

The start of the retention period is based on when items are created. The current date is January 01, 2021.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|---|-----------------------|-----------------------|
| File1 will be deleted after you turn on the policy. | <input type="radio"/> | <input type="radio"/> |
| File2 will be deleted after you turn on the policy. | <input type="radio"/> | <input type="radio"/> |
| File3 will be deleted after you turn on the policy. | <input type="radio"/> | <input type="radio"/> |

Answer:

| Statements | Yes | No |
|---|----------------------------------|----------------------------------|
| File1 will be deleted after you turn on the policy. | <input checked="" type="radio"/> | <input type="radio"/> |
| File2 will be deleted after you turn on the policy. | <input type="radio"/> | <input checked="" type="radio"/> |
| File3 will be deleted after you turn on the policy. | <input type="radio"/> | <input checked="" type="radio"/> |

Explanation

Text Description automatically generated

| Statements | Yes | No |
|---|----------------------------------|----------------------------------|
| File1 will be deleted after you turn on the policy. | <input checked="" type="radio"/> | <input type="radio"/> |
| File2 will be deleted after you turn on the policy. | <input type="radio"/> | <input checked="" type="radio"/> |
| File3 will be deleted after you turn on the policy. | <input type="radio"/> | <input checked="" type="radio"/> |

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention-policies-sharepoint?view=o365-worldwide>

NEW QUESTION: 69

You need to meet the technical requirements for the confidential documents.

What should you create first, and what should you use for the detection method? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area


Create first:

- A Compliance Manager assessment
- A content search
- A DLP policy
- A sensitive info type
- A sensitivity label

Use for detection method:

- Dictionary
- File type
- Keywords
- Regular expression

Answer:



Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/create-a-custom-sensitive-information-type?view=o365-worldwide>

NEW QUESTION: 70

Your company has a Microsoft 365 tenant.

The company performs annual employee assessments. The assessment results are recorded in a document named Assessment1cmplatc.docx that is created by using Microsoft Word template. Copies of the employee assessments are sent to employees and their managers. The assessment copies are stored in mailboxes, Microsoft SharePoint Online sites, and OneDrive for Business folders. A copy of each assessment is also stored in a SharePoint Online folder named Assessments.

You need to create a data loss prevention (DLP) policy that prevents the employee assessments from being emailed to external users. You will use a document fingerprint to identify the assessment documents.

What should you include in the solution?

- A. Create a fingerprint of AssessmentTemplate.docx.
- B. Create a sensitive info type that uses Exact Data Match (EDM).
- C. Create a fingerprint of TOO sample documents in the Assessments folder.
- D. Import 100 sample documents from the Assessments folder to a seed folder.

Answer: (SHOW ANSWER)

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/document-fingerprinting?view=o365-worldwide>

NEW QUESTION: 71

You have a Microsoft 365 E5 tenant.

Data loss prevention (DLP) policies are applied to Exchange email, SharePoint sites, and OneDrive accounts locations.

You need to use PowerShell to retrieve a summary of the DLP rule matches from the last seven days.

Which PowerShell module and cmdlet should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Module: ▼

- Azure Active Directory (Azure AD)
- Exchange Online
- SharePoint Online

Cmdlet: ▼

- Get-DlpDetailReport
- Get-DlpDetectionsReport
- Get-DlpPolicy
- Get-DlpSiDetectionsReport

Answer:


Module: ▼

- Azure Active Directory (Azure AD)
- Exchange Online
- SharePoint Online

Cmdlet: ▼

- Get-DlpDetailReport
- Get-DlpDetectionsReport
- Get-DlpPolicy
- Get-DlpSiDetectionsReport

Explanation



Reference:


<https://docs.microsoft.com/en-us/powershell/module/exchange/get-dlpdetectionsreport?view=exchange-ps>

NEW QUESTION: 72

You have the files shown in the following table.


| Name | Location | Date modified | Date created |
|-------|---|---------------|--------------|
| File1 | Microsoft SharePoint Online site | 06/01/2018 | 28/12/2011 |
| File2 | Microsoft OneDrive account | 03/02/2017 | 02/01/2011 |
| File3 | Microsoft Exchange Online public folder | 01/05/2006 | 01/05/2006 |

You configure a retention policy as shown in the following exhibit.




The current date is January 1, 2021.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.



Answer:



NEW QUESTION: 73

You have a Microsoft 365 tenant that uses the following sensitivity labels:

- * Confidential
- * Internal
- * External

The labels are published by using a label policy named Policy1.

Users report that Microsoft Office for the web apps do not display the Sensitivity button. The Sensitivity button appears in Microsoft 365 Apps that are installed locally.

You need to ensure that the users can apply sensitivity labels to content when they use Office for the web apps.

Solution: You modify the scope of the Confidential label.

Does this meet the goal?


A. No

B. Yes


Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 74

You create a data loss prevention (DLP) policy. The Advanced DLP rules page is shown in the Rules exhibit.



The Review your settings page is shown in the review exhibit.



You need to review the potential impact of enabling the policy without applying the actions.

What should you do?

A. Edit the policy, remove all the actions in DLP rule 1, and select I'd like to test it out first.

B. Edit the policy, remove the Restrict access to the content and Send incident report to Administrator actions, and then select Yes, turn it on right away.

C. Edit the policy, remove all the actions in DLP rule 1, and select Yes, turn it on right away.

D. Edit the policy, and then select I'd like to test it out first.

Answer: ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/create-a-dlp-policy-from-a-template?view=o365-wo>

NEW QUESTION: 75

You plan to create a custom sensitive information type that will use Exact Data Match (EDM). You need to identify what to upload to Microsoft 365, and which tool to use for the upload. What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.



Answer:



NEW QUESTION: 76

You create a retention policy as shown in the following exhibit.

Retention Policy 1

Status

Enabled (Pending)

Policy name

Retention Policy 1

Description

Retention Policy for SharePoint Site1 and Exchange

Applies to content in these locations

Exchange email

SharePoint sites



Settings

Retention period

Keep content, and delete it if it's older than 10 years

Preservation lock

No data available

A user named User1 deletes a file named File1.docx from a Microsoft SharePoint Online site named Site1.

A user named User2 deletes an email and empties the Deleted Items folder in Microsoft Outlook. Where is the content retained one year after deletion? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

File.docx: Microsoft

| |
|-----------------------------|
| Preservation Hold |
| Recoverable Items |
| SubstrateHolds |
| The first-stage Recycle Bin |

Email:

| |
|-----------------------------|
| Preservation Hold |
| Recoverable Items |
| SubstrateHolds |
| The first-stage Recycle Bin |

Answer:

File.docx: Microsoft

| |
|-----------------------------|
| Preservation Hold |
| Recoverable Items |
| SubstrateHolds |
| The first-stage Recycle Bin |

Email:

| |
|-----------------------------|
| Preservation Hold |
| Recoverable Items |
| SubstrateHolds |
| The first-stage Recycle Bin |

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide>

Valid SC-400 Dumps shared by PrepPdf.com for Helping Passing SC-400 Exam!
 PrepPdf.com now offer the **newest SC-400 exam dumps**, the PrepPdf.com SC-400 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com SC-400 dumps with Test Engine here:
<https://www.preppdf.com/Microsoft/SC-400-prepaway-exam-dumps.html> (335 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 77

You have a Microsoft 365 tenant named contoso.com that contains two users named User1 and User2. The tenant uses Microsoft Office 365 Message Encryption (OME). User1 plans to send emails that contain attachments as shown in the following table.

| Subject | To | Attachment type | Message size |
|---------|-------------------|-----------------|--------------|
| Mail1 | User2@contoso.com | .docx | 40 MB |
| Mail2 | User4@outlook.com | .doc | 3 MB |
| Mail3 | User3@gmail.com | .xlsx | 7 MB |

User2 plans to send emails that contain attachments as shown in the following table.

| Subject | To | Attachment type | Message size |
|---------|-------------------|-----------------|--------------|
| Mail4 | User1@contoso.com | .pptx | 4 MB |
| Mail5 | User4@outlook.com | .jpg | 6 MB |
| Mail6 | User3@gmail.com | .docx | 3 MB |

For which emails will the attachments be protected? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

User1: ▼

- Mail1 only
- Mail3 only
- Mail1 and Mail2 only
- Mail2 and Mail3 only
- Mail1, Mail2, and Mail3

User2: ▼

- Mail5 only
- Mail6 only
- Mail4 and Mail5 only
- Mail4 and Mail6 only
- Mail1, Mail2, and Mail3

Answer:

User1:

- Mail1 only
- Mail3 only
- Mail1 and Mail2 only
- Mail2 and Mail3 only
- Mail1, Mail2, and Mail3

User2:

- Mail5 only
- Mail6 only
- Mail4 and Mail5 only
- Mail4 and Mail6 only
- Mail1, Mail2, and Mail3

Reference:

<https://support.microsoft.com/en-gb/office/introduction-to-irm-for-email-messages-bb643d33-4a3f-4ac7-9770-fd50d95f58dc?ui=en-us&rs=en-gb&ad=gb#FileTypesforIRM>
<https://docs.microsoft.com/en-us/microsoft-365/compliance/ome?view=o365-worldwide>
<https://docs.microsoft.com/en-us/office365/servicedescriptions/exchange-online-service-description/exchange-online-limits#message-limits-1>

NEW QUESTION: 78

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You implement Microsoft 365 Endpoint data loss prevention (Endpoint DLP).

You have computers that run Windows 10 and have Microsoft 365 Apps installed. The computers are joined to Azure Active Directory (Azure AD).

You need to ensure that Endpoint DLP policies can protect content on the computers.

Solution: You onboard the computers to Microsoft Defender for Endpoint.

Does this meet the goal?

- A. Yes
- B. No

Answer: A (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-getting-started?view=o365-worldwide>

NEW QUESTION: 79

You have a Microsoft 365 tenant named contoso.com that contains two users named User1 and User2. The tenant uses Microsoft Office 365 Message Encryption (OME).

User1 plans to send emails that contain attachments as shown in the following table.

| Subject | To | Attachment type | Message size |
|---------|-------------------|-----------------|--------------|
| Mail1 | User2@contoso.com | .docx | 40 MB |
| Mail2 | User4@outlook.com | .doc | 3 MB |
| Mail3 | User3@gmail.com | .xlsx | 7 MB |

User2 plans to send emails that contain attachments as shown in the following table.

| Subject | To | Attachment type | Message size |
|---------|-------------------|-----------------|--------------|
| Mail4 | User1@contoso.com | .pptx | 4 MB |
| Mail5 | User4@outlook.com | .jpg | 6 MB |
| Mail6 | User3@gmail.com | .docx | 3 MB |


For which emails will the attachments be protected? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

User1: Mail1 only
 Mail3 only
 Mail1 and Mail2 only
 Mail2 and Mail3 only
 Mail1, Mail2, and Mail3

User2: Mail5 only
 Mail6 only
 Mail4 and Mail5 only
 Mail4 and Mail6 only
 Mail1, Mail2, and Mail3

Answer:


User1:  Microsoft ▼

- Mail1 only
- Mail3 only
- Mail1 and Mail2 only
- Mail2 and Mail3 only
- Mail1, Mail2, and Mail3

User2: ▼

- Mail5 only
- Mail6 only
- Mail4 and Mail5 only
- Mail4 and Mail6 only
- Mail1, Mail2, and Mail3

Explanation



Reference:

<https://support.microsoft.com/en-gb/office/introduction-to-irm-for-email-messages-bb643d33-4a3f-4ac7-9770-fd>

<https://docs.microsoft.com/en-us/microsoft-365/compliance/ome?view=o365-worldwide>

<https://docs.microsoft.com/en-us/office365/servicedescriptions/exchange-online-service-description/exchange-on>

NEW QUESTION: 80

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You recently discovered that the developers at your company emailed Azure Storage keys in plain text to third parties.

You need to ensure that when Azure Storage keys are emailed, the emails are encrypted.

Solution: You configure a mail flow rule that matches a sensitive info type.

Does this meet the goal?

A. No

B. Yes

Answer: ([SHOW ANSWER](#))


NEW QUESTION: 81

You use project codes that have a format of three alphabetical characters that represent the project type, followed by three digits, for example Abc123.


You need to create a new sensitive info type for the project codes.

How should you configure the regular expression to detect the content? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.



Answer:



Explanation



Reference:

<https://joannecklein.com/2018/08/07/build-and-use-custom-sensitive-information-types-in-office-365/>

Topic 1, Fabrikam, Case Study

Overview

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all included on this exam in the time provided.

To answer the questions included in a case study, you will need In reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described In the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab. note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Cloud Environment

Fabrikam has a Microsoft 365 tenant that contains the following resources:

- * An Azure Active Directory (Azure AD) tenant that syncs to an on-premises Active Directory domain named corp.fabrikam.com
- * Microsoft Cloud App Security connectors configured for all supported cloud applications used by the company Some users have company Dropbox accounts.

Compliance Configuration

Fabrikam has the following in the Microsoft 365 compliance center:

- * A data loss prevention (DLP) policy is configured. The policy displays a tooltip to users. Users can provide a business justification to override a DLP policy violation.
- * The Azure information Protection unified labeling scanner is installed and configured.
- * A sensitivity label named Fabrikam Confidential is configured.

An existing third-party records management system is managed by the compliance department.

Human Resources (HR) Management System

The HR department has an Azure SQL. database that contains employee information. Each employee has a unique 12-character alphanumeric ID. The database contains confidential employed attributes including payroll information, date of birth, and personal contact details.

On-premises Environment

You have an on premises file server that runs Windows Server 2019 and stores Microsoft Office documents in a shared folder named Data.

All end-user computers are joined to the corp.fabrikam.com domain and run a third-party antimalware application.

Sales Contracts

Users in the sales department receive draft sales contracts from customers by email. The sales contracts are written by the customers and are not in a standard format.

Employment Applications

Employment applications and resumes are received by HR department managers and stored in either mailboxes, Microsoft SharePoint Online sites, OneDrive for Business folders, or Microsoft Teams channels.

The employment application form is downloaded from SharePoint Online and a serial number is assigned to each application.

the resumes are written by the applications and in any format.

HR Requirements

You need to create a DLP policy that will notify the HR department of a DLP policy violation if a document that contains confidential employee attributes is shared externally. The DLP policy must use an Exact Data Match (EDM) classification derived from a CSV export of the HR department database.

The HR department identifies the following requirements for handling employment applications:

- * Resumes must be identified automatically based on similarities to other resumes received in the past
- * Employment applications and resumes must be deleted automatically two years after the applications are received.
- * Documents and emails that contain an application serial number must be identified automatically and marked as an employment application.

Sales Requirements

A sensitivity label named Sales Contract must be applied automatically to all draft and finalized sales contracts.

Compliance Requirements

Fabrikam identifies the following compliance requirements:

- * All DLP policies must be applied to computers that run Windows 10, with the least possible changes to the computers.
- * Users in the compliance department must view the justification provided when a user receives a tooltip notification for a DLP violation.
- * If a document that has the Fabrikam Confidential sensitivity label applied is uploaded to Dropbox. the file must be deleted automatically. - The Fabrikam Confidential sensitivity label must be applied to existing Microsoft Word documents in the Data shared folder that have a document footer containing the following string: Company use only.
- * Users must be able to manually select that email messages are sent encrypted. The encryption will use Office

365 Message Encryption (OME) v2. Any email containing an attachment that has the Fabrikam Confidential sensitivity label applied must be encrypted automatically by using OME.

* Existing policies configured in the third-party records management system must be replaced by using Records management in the Microsoft 365 compliance center. The compliance department plans to export the existing policies, and then produce a CSV file that contains matching labels and policies that are compatible with records management in Microsoft 365. The CSV file must be used to configure records management in Microsoft 365.

Executive Requirements

You must be able to restore all email received by Fabrikam executives for up to three years after an email is received, even if the email was deleted permanently.

NEW QUESTION: 82

You need to meet the technical requirements for the Site3 documents.

What should you create?

- A. a retention policy that has Only delete items when they reach a certain age selected
- B. a sensitive info type that uses a dictionary and a sensitivity label
- C. a sensitive info type that uses a regular expression and a sensitivity label
- D. a retention label policy and a retention label that uses an event

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 83

You have a Microsoft 365 tenant that uses data loss prevention (DLP).

You have a custom employee information form named Template 1.docx.

You need to create a classification rule package based on the document fingerprint of Templatel.docx.


Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

The screenshot shows a drag-and-drop interface for configuring a classification rule package. On the left, under the heading "Actions", there are five items in a list box:

- Run the Set-DlpSensitiveInformationType cmdlet.
- Create a variable that contains the result of the New-DlpFingerprint cmdlet.
- Run the New-DlpSensitiveInformationType cmdlet.
- Create a variable that contains the result of the Get-Content cmdlet.
- Create a variable that contains the result of the Get-ContentFilterPhrase cmdlet.

On the right, there is an "Answer Area" which is currently empty. Above the answer area is a Microsoft logo. A watermark "freeexams.com" is overlaid diagonally across the interface. There are also navigation arrows (left and right) near the answer area.

Answer:

Answer Area  Microsoft

| |
|--|
| Create a variable that contains the result of the Get-Content cmdlet. |
| Create a variable that contains the result of the New-DlpFingerprint cmdlet. |
| Run the New-DlpSensitiveInformationType cmdlet. |

- 1 - Create a variable that contains the result of the Get-Content cmdlet.
- 2 - Create a variable that contains the result of the New-DlpFingerprint cmdlet.
- 3 - Run the New-DlpSensitiveInformationType cmdlet.

NEW QUESTION: 84

You need to implement a solution that meets the compliance requirements for the Windows 10 computers.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each coned selection is worth one point.

- A. Deploy a Microsoft 365 Endpoint data loss prevention (Endpoint DLP) configuration package to the computers.
- B. Configure hybrid Azure AD join for all the computers.
- C. Configure the Microsoft Intune device enrollment settings.
- D. Configure a compliance policy in Microsoft Intune.
- E. Enroll the computers in Microsoft Defender for Endpoint protection.

Answer: ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-getting-started?view=o365-worldwide>

NEW QUESTION: 85

You plan to create a custom trainable classifier based on an organizational form template. You need to identify which role based access control (RBAC) role is required to create the trainable classifier and where to classifier. The solution must use the principle of least privilege. What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Where to store the seed content:

RBAC role:

Microsoft

Compliance administrator
Global administrator
Security administrator
Security operator

An Azure Blob storage container
A folder in Microsoft OneDrive
A Microsoft Exchange Online public folder
A Microsoft SharePoint Online folder

Answer:

Answer Area

Where to store the seed content:

RBAC role:

Microsoft

Compliance administrator
Global administrator
Security administrator
Security operator

An Azure Blob storage container
A folder in Microsoft OneDrive
A Microsoft Exchange Online public folder
A Microsoft SharePoint Online folder

NEW QUESTION: 86

You have a Microsoft 365 tenant that contains the users shown in the following table.

| Name | Role |
|-------|--------------------------|
| User1 | Global administrator |
| User2 | Security administrator |
| User3 | Compliance administrator |
| User4 | Search administrator |

You configure a retention label to trigger a disposition review at the end of the retention period. Which users can access the Disposition tab in the Microsoft 365 compliance center to review the content?

- A. User1 only
- B. User2 only
- C. User3 only
- D. User1 and User3
- E. User3 and User4

Answer: ([SHOW ANSWER](#))

Reference:

D18912E1457D5D1DDCBD40AB3BF70D5D

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/permissions-in-the-security-andcompliance-center?view=o365-worldwide>

NEW QUESTION: 87

You need to recommend a solution that meets the executive requirements. What should you recommend?


- A. From the Microsoft 365 compliance center, create a retention label.
- B. From the Microsoft 365 compliance center, create a DLP policy.
- C. From the Microsoft 365 compliance center, create a retention policy.
- D. From the Exchange admin center, enable archive mailboxes.

Answer: B ([LEAVE A REPLY](#))


NEW QUESTION: 88

You plan to create a custom sensitive information type that will use Exact Data Match (EDM). You need to identify what to upload to Microsoft 365, and which tool to use for the upload. What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.




Answer:



NEW QUESTION: 89

You have a data loss prevention (DLP) policy configured for endpoints as shown in the following exhibit.



From a computer named Computer1, 3 user can sometimes upload files to cloud services and sometimes cannot. Other users experience the same issue. What are two possible causes of the issue? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. The unallowed browsers in the Microsoft 365 Endpoint data loss prevention (Endpoint DLP) settings are NOT configured.
- B. The computers are NOT onboarded to the Microsoft 365 compliance center.
- C. The Copy to clipboard action is set to Audit only.
- D. The Access by unallowed apps action is set to Audit only.
- E. There are file path exclusions in the Microsoft 365 Endpoint data loss prevention (Endpoint DIP) settings.


Answer: D,E (LEAVE A REPLY)

NEW QUESTION: 90

You plan to implement a sensitive information type based on a trainable classifier. The sensitive information type will identify employment contracts.

You need to copy the required files to Microsoft SharePoint Online folders to train the classifier. What should you use to seed content and test the classifier? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Answer:

Table Description automatically generated

| | |
|-------------------------|---|
| Seed content: | <ul style="list-style-type: none">Only files that are poor examples of employment contractsOnly files that are good examples of employment contractsFiles that are a mix of good and poor examples of employment contractsA file that contains the metadata of the employment contracts in the CSV formatA file that contains the metadata of the employment contracts in the JSON format |
| Testing the classifier: | <ul style="list-style-type: none">Only files that are poor examples of employment contractsOnly files that are good examples of employment contractsFiles that are a mix of good and poor examples of employment contractsA file that contains the metadata of the employment contracts in the CSV formatA file that contains the metadata of the employment contracts in the JSON format |

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/classifier-get-started-with?view=o365-worldwide>

NEW QUESTION: 91

You have a Microsoft 365 tenant.

All Microsoft OneDrive for Business content is retained for five years.

A user named User1 left your company a year ago, after which the account of User 1 was deleted from Azure Active Directory (Azure AD). You need to recover an important file that was stored in the OneDrive of User1.

What should you use?

- A. the OneDrive recycle bin
- B. the Restore-ADObject PowerShell cmdlet
- C. Deleted users in the Microsoft 365 admin center
- D. the Restore-SPODeletedSite PowerShell cmdlet

Answer: A ([LEAVE A REPLY](#))

Valid SC-400 Dumps shared by PrepPdf.com for Helping Passing SC-400 Exam!
PrepPdf.com now offer the **newest SC-400 exam dumps**, the PrepPdf.com SC-400 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com SC-400 dumps with Test Engine here:
<https://www.preppdf.com/Microsoft/SC-400-prepaway-exam-dumps.html> (335 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 92

You have a Microsoft 365 tenant that contains a Microsoft SharePoint Online site named Site1. You have the users shown in the following table.

| Name | Group/role |
|-------|-------------------------------|
| User1 | Site1 member group |
| User2 | Site1 member group |
| User3 | Site1 owner group |
| User4 | Sharepoint administrator role |

You create a data loss prevention (DLP) policy for Site1 that detects credit card number information. You configure the policy to use the following protection action:

When content matches the policy conditions, show policy tips to users and send them an email notification.

You use the default notification settings.

To Site1, User1 uploads a file that contains a credit card number.

Which users receive an email notification?

- A. User1 and User2 only
- B. User1 and User4 only
- C. User1, User2, User3, and User4
- D. User1 only
- E. User1 and User3 only

Answer: D ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/get-started-with-the-default-dlp-policy?view=o365-worldwide>

NEW QUESTION: 93

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 tenant and 500 computers that run Windows 10. The computers are onboarded to the Microsoft 365 compliance center.

You discover that a third-party application named Tailspin_scanner.exe accessed protected sensitive information on multiple computers. Tailspin_scanner.exe is installed locally on the computers.

You need to block Tailspin_scanner.exe from accessing sensitive documents without preventing the application from accessing other documents.

Solution: From the Microsoft 365 Endpoint data loss prevention (Endpoint DLP) settings, you add a folder path to the file path exclusions.

Does this meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

Folder path to the file path exclusions excludes certain paths and files from DLP monitoring. Use the unallowed apps list instead.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-using?view=o365-worldwide>

NEW QUESTION: 94

You have a Microsoft 365 tenant.

You create the following:

* A sensitivity label

* An auto-labeling policy

You need to ensure that the sensitivity label is applied to all the data discovered by the auto-labeling policy.

What should you do first?

A. Enable insider risk management.

B. Create a trainable classifier.

C. Run the Enable-TransportRule cmdlet.

D. Run the policy in simulation mode.

Answer: D (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/apply-sensitivity-label-automatically?view=o365-wo>

NEW QUESTION: 95

You need to protect documents that contain credit card numbers from being opened by users outside your company. The solution must ensure that users at your company can open the documents.

What should you use?

A. a sensitivity label policy

B. a sensitivity label

C. a retention policy

D. a data loss prevention (DLP) policy

Answer: (SHOW ANSWER)

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/dlp-learn-about-dlp?view=o365-worldwide>

NEW QUESTION: 96

You have a Microsoft 365 tenant.

You have a Microsoft SharePoint Online site that contains employment contracts in a folder named EmploymentContracts. All the files in EmploymentContracts are marked as records.

You need to recommend a process to ensure that when a record is updated, the previous version of the record is kept as a version of the updated record.

What should you recommend?

- A. Upload an updated file plan that contains the record definition.
- B. Unlock the record, modify the record, and then lock the record.
- C. Create a copy of the record and enter a version in the file metadata.
- D. Create a new label policy associated to an event that will apply to the record.

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/record-versioning?view=o365-worldwide>

NEW QUESTION: 97

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You implement Microsoft 365 Endpoint data loss prevention (Endpoint DLP).

You have computers that run Windows 10 and have Microsoft 365 Apps installed. The computers are joined to Azure Active Directory (Azure AD).

You need to ensure that Endpoint DLP policies can protect content on the computers.

Solution: You deploy the Endpoint DLP configuration package to the computers.

Does this meet the goal?

- A. Yes
- B. No

Answer: A (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-getting-started?view=o365-worldwide>

<https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/configure-endpoints?view=o365-worldwide>

NEW QUESTION: 98

You need to recommend a solution that meets the compliance requirements for protecting the documents in the Data shared folder.

What should you recommend?

- A. From the Microsoft 365 compliance center, configure an auto-labeling policy.

- B. From Azure Information Protection, configure a content scan job.
- C. From the Microsoft 365 compliance center, configure a Content Search query.
- D. From the Microsoft 365 compliance center, configure a DLP policy.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

<https://docs.microsoft.com/en-us/azure/information-protection/deploy-aip-scanner> Implement Data Loss Prevention Question Set 1

NEW QUESTION: 99

You have a Microsoft 365 tenant that contains the users shown in the following table.

| Name | Role |
|-------|--------------------------|
| User1 | Global administrator |
| User2 | Security administrator |
| User3 | Compliance administrator |
| User4 | Search administrator |

You configure a retention label to trigger a disposition review at the end of the retention period.

Which users can access the Disposition tab in the Microsoft 365 compliance center to review the content?

- A. User1 only
- B. User2 only
- C. User3 only
- D. User1 and User3
- E. User3 and User4

Answer: C ([LEAVE A REPLY](#))

Reference:

D18912E1457D5D1DDCBD40AB3BF70D5D

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/permissions-in-the-security-andcom>

NEW QUESTION: 100

You need to recommend a solution that meets the compliance requirements for protecting the documents in the Data shared folder. What should you recommend?

- A. From the Microsoft 365 compliance center, configure a DLP policy.
- B. From the Microsoft 365 compliance center, configure a Content Search query.
- C. From the Microsoft 365 compliance center, configure an auto-labeling policy.
- D. From Azure Information Protection, configure a content scan job.

Answer: D ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/azure/information-protection/deploy-aip-scanner>

NEW QUESTION: 101

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You implement Microsoft 365 Endpoint data loss prevention (Endpoint DLP).

You have computers that run Windows 10 and have Microsoft 365 Apps installed. The computers are joined to Azure Active Directory (Azure AD).

You need to ensure that Endpoint DLP policies can protect content on the computers.

Solution: You onboard the computers to Microsoft Defender for Endpoint.

Does this meet the goal?

A. Yes

B. No

Answer: A (LEAVE A REPLY)

Explanation/Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-getting-started?view=o365-worldwide>

NEW QUESTION: 102

You need to test Microsoft Office 365 Message Encryption (OME) capabilities for your company.

The test must verify the following information:

The acquired default template names

The encryption and decryption verification status

Which PowerShell cmdlet should you run?

A. Test-ClientAccessRule

B. Test-Mailflow

C. Test-OAuthConnectivity

D. Test-IRMConfiguration

Answer: D (LEAVE A REPLY)

Reference:

D18912E1457D5D1DDCBD40AB3BF70D5D

[https://docs.microsoft.com/en-us/microsoft-365/compliance/set-up-new-message-encryption-capabilities?](https://docs.microsoft.com/en-us/microsoft-365/compliance/set-up-new-message-encryption-capabilities?view=o365-worldwide)

[view=o365-worldwide](https://docs.microsoft.com/en-us/microsoft-365/compliance/set-up-new-message-encryption-capabilities?view=o365-worldwide)

NEW QUESTION: 103

You create a sensitivity label as shown in the Sensitivity Label exhibit.

Review your settings and finish

Name

Sensitivity1

Display name

Sensitivity1

Description for users

Sensitivity1

Scope

File, Email
Microsoft

Encryption

Content marking

Watermark: Watermark

Header: Header

Auto-labeling

Group settings

Site settings

Auto-labeling for database columns

None

You create an auto-labeling policy as shown in the Auto Labeling Policy exhibit.

Auto-labeling policy



Microsoft

Edit policy

Delete policy

Policy name

Auto-labeling policy

Description

Label in simulation

Sensitivity1

Info to label

IP Address

Apply to content in these locations

Exchange email All

Rules for auto-applying this label

Exchange email 1 rule

Mode

On

Comment

A user sends the following email:

From: user1@contoso.com

To: user2@fabrikam.com

Subject: Address List

Message Body:

Here are the lists that you requested.

Attachments:

<<File1.docx>>

<<File2.xml>>


Both attachments contain lists of IP addresses.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|---------------------------------------|-----------------------|-----------------------|
| Sensitivity1 is applied to the email. | <input type="radio"/> | <input type="radio"/> |
| A watermark is added to File1.docx. | <input type="radio"/> | <input type="radio"/> |
| A header is added to File2.xml. | <input type="radio"/> | <input type="radio"/> |

Answer:



Explanation

Text Description automatically generated

| Statements | Yes | No |
|---------------------------------------|-----------------------|-----------------------|
| Sensitivity1 is applied to the email. | <input type="radio"/> | <input type="radio"/> |
| A watermark is added to File1.docx. | <input type="radio"/> | <input type="radio"/> |
| A header is added to File2.xml. | <input type="radio"/> | <input type="radio"/> |

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/apply-sensitivity-label-automatically?view=o365-wo>

NEW QUESTION: 104

You need to provide a user with the ability to view data loss prevention (DLP) alerts in the Microsoft 365 compliance center. The solution must use the principle of least privilege.

Which role should you assign to the user?

- A. Compliance data administrator
- B. Security operator
- C. Security reader
- D. Compliance administrator

Answer: B (LEAVE A REPLY)

Topic 1, Fabrikam, Case Study

Overview

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each there may be additional case studies and sections on this exam. You must manage you're your time to ensure that you are able to complete all included on this exam in the time provided.

To answer the questions included in a case study, you will need In reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described In the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab. note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Cloud Environment

Fabrikam has a Microsoft 365 tenant that contains the following resources:

- * An Azure Active Directory (Azure AD) tenant that syncs to an on-premises Active Directory domain named corp.fabrikam.com
- * Microsoft Cloud App Security connectors configured for all supported cloud applications used by the company Some users have company Dropbox accounts.

Compliance Configuration

Fabrikam has the following in the Microsoft 365 compliance center:

- * A data loss prevention (DLP) policy is configured. The policy displays a tooltip to users. Users can provide a business justification to override a DLP policy violation.
- * The Azure information Protection unified labeling scanner is installed and configured.
- * A sensitivity label named Fabrikam Confidential is configured.

An existing third-party records management system is managed by the compliance department.

Human Resources (HR) Management System

The HR department has an Azure SQL. database that contains employee information. Each employee has a unique 12-character alphanumeric ID. The database contains confidential employed attributes including payroll information, date of birth, and personal contact details.

On-premises Environment

You have an on premises file server that runs Windows Server 2019 and stores Microsoft Office documents in a shared folder named Data.

All end-user computers are joined to the corp.fabrikam.com domain and run a third-party antimalware application.

Sales Contracts

Users in the sales department receive draft sales contracts from customers by email. The sales contracts are written by the customers and are not in a standard format.

Employment Applications

Employment applications and resumes are received by HR department managers and stored in either mailboxes, Microsoft SharePoint Online sites, OneDrive for Business folders, or Microsoft Teams channels.

The employment application form is downloaded from SharePoint Online and a serial number is assigned to each application.

the resumes are written by the applications and in any format.

HR Requirements

You need to create a DLP policy that will notify the HR department of a DLP policy violation if a document that contains confidential employee attributes is shared externally. The DLP policy must use an Exact Data Match (EDM) classification derived from a CSV export of the HR department database.

The HR department identifies the following requirements for handling employment applications:

- * Resumes must be identified automatically based on similarities to other resumes received in the past
- * Employment applications and resumes must be deleted automatically two years after the applications are received.
- * Documents and emails that contain an application serial number must be identified automatically and marked as an employment application.

Sales Requirements

A sensitivity label named Sales Contract must be applied automatically to all draft and finalized sales contracts.

Compliance Requirements

Fabrikam identifies the following compliance requirements:

- * All DLP policies must be applied to computers that run Windows 10, with the least possible changes to the computers.
- * Users in the compliance department must view the justification provided when a user receives a tooltip notification for a DLP violation.
- * If a document that has the Fabrikam Confidential sensitivity label applied is uploaded to Dropbox. the file must be deleted automatically. - The Fabrikam Confidential sensitivity label must

be applied to existing Microsoft Word documents in the Data shared folder that have a document footer containing the following string: Company use only.

* Users must be able to manually select that email messages are sent encrypted. The encryption will use Office

365 Message Encryption (OME) v2. Any email containing an attachment that has the Fabrikam Confidential sensitivity label applied must be encrypted automatically by using OME.

* Existing policies configured in the third-party records management system must be replaced by using Records management in the Microsoft 365 compliance center. The compliance department plans to export the existing policies, and then produce a CSV file that contains matching labels and policies that are compatible with records management in Microsoft 365. The CSV file must be used to configure records management in Microsoft 365.

Executive Requirements

You must be able to restore all email received by Fabrikam executives for up to three years after an email is received, even if the email was deleted permanently.

NEW QUESTION: 105

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are configuring a file policy in Microsoft Cloud App Security.

You need to configure the policy to apply to all files. Alerts must be sent to every file owner who is affected by the policy. The policy must scan for credit card numbers, and alerts must be sent to the Microsoft Teams site of the affected department.

Solution: You use the Build-in DLP inspection method and send alerts to Microsoft Power Automate.

Does this meet the goal?

A. Yes

B. No

Answer: (SHOW ANSWER)

Reference:

<https://docs.microsoft.com/en-us/cloud-app-security/dcs-inspection>

<https://docs.microsoft.com/en-us/cloud-app-security/data-protection-policies>

NEW QUESTION: 106

You create a data loss prevention (DLP) policy that meets the following requirements:

Prevents guest users from accessing a sensitive document shared during a Microsoft Teams chat

Prevents guest users from accessing a sensitive document stored in a Microsoft Teams channel

Which location should you select for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Prevents guest users from accessing a sensitive document shared during a Microsoft Teams chat:

Microsoft

- Exchange email
- OneDrive accounts
- SharePoint sites
- Teams chat and channel messages

Prevents guest users from accessing a sensitive document stored in a Microsoft Teams channel:

Microsoft

- Exchange email
- OneDrive accounts
- SharePoint sites
- Teams chat and channel messages

Answer:

Prevents guest users from accessing a sensitive document shared during a Microsoft Teams chat:

Microsoft

- Exchange email
- OneDrive accounts
- SharePoint sites
- Teams chat and channel messages

Prevents guest users from accessing a sensitive document stored in a Microsoft Teams channel:

Microsoft

- Exchange email
- OneDrive accounts
- SharePoint sites
- Teams chat and channel messages

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/dlp-microsoft-teams?view=o365-worldwide>

<https://docs.microsoft.com/en-us/microsoftteams/sharepoint-onedrive-interact>


Valid SC-400 Dumps shared by PrepPdf.com for Helping Passing SC-400 Exam!
PrepPdf.com now offer the **newest SC-400 exam dumps**, the PrepPdf.com SC-400 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com SC-400 dumps with Test Engine here:

<https://www.preppdf.com/Microsoft/SC-400-prepaway-exam-dumps.html> (335 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)


NEW QUESTION: 107

You need to recommend a solution that meets the sales requirements.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



Answer:



NEW QUESTION: 108

You are planning a data loss prevention (DLP) solution that will apply to computers that run Windows 10.

You need to ensure that when users attempt to copy a file that contains sensitive information to a USB storage device, the following requirements are met:

- * If the users are members of a group named Group1, the users must be allowed to copy the file, and an event must be recorded in the audit log.
- * All other users must be blocked from copying the file.

What should you create?

- A.** two DLP policies that each contains one DLP rule
- B.** one DLP policy that contains one DLP rule
- C.** one DLP policy that contains two DLP rules

Answer: A (LEAVE A REPLY)

NEW QUESTION: 109

You have a sensitive information type based on a trainable classifier.
You are unsatisfied with the result of the result of trainable classifier.
You need to retrain the classifier.

What should you use in the Microsoft 365 compliance center?

- A. Labels from Information protection
- B. Labels from Information governance
- C. Content explorer from Data classification
- D. Content search

Answer: C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/classifier-how-to-retrain-content-explorer?view=o36>

NEW QUESTION: 110

You need to meet the technical requirements for the creation of the sensitivity labels. Which administrative users are currently missing the Sensitivity label administrator role?

- A. Admm1, Admin2, Admin4, and Admin5 only
- B. Admin 1 and Admin5 only
- C. Admin 1 and Admin4 only
- D. Admin1 only
- E. Admin 1. Admin2, and Admin3 only


Answer: E (LEAVE A REPLY)

NEW QUESTION: 111

You have the files shown in the following table.

| Name | Location | Date modified | Date created |
|-------|---|---------------|--------------|
| File1 | Microsoft SharePoint Online site | 06/01/2018 | 28/12/2011 |
| File2 | Microsoft OneDrive account | 03/02/2017 | 02/01/2011 |
| File3 | Microsoft Exchange Online public folder | 01/05/2006 | 01/05/2006 |

You configure a retention policy as shown in the following exhibit.



The current date is January 1, 2021.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

| Statements | Yes | No |
|---|-----------------------|-----------------------|
| File1 will be deleted after you turn on the policy. | <input type="radio"/> | <input type="radio"/> |
| File2 will be deleted after you turn on the policy. | <input type="radio"/> | <input type="radio"/> |
| File3 will be deleted after you turn on the policy. | <input type="radio"/> | <input type="radio"/> |

Answer:

| Statements | Yes | No |
|---|----------------------------------|----------------------------------|
| File1 will be deleted after you turn on the policy. | <input checked="" type="radio"/> | <input type="radio"/> |
| File2 will be deleted after you turn on the policy. | <input checked="" type="radio"/> | <input type="radio"/> |
| File3 will be deleted after you turn on the policy. | <input type="radio"/> | <input checked="" type="radio"/> |

NEW QUESTION: 112

You have a Microsoft 365 tenant that uses a domain named canstoso.com.

A user named User1 leaves your company. The mailbox of User1 is placed on Litigation Hold, and then the account of User1 is deleted from Azure Active Directory (Azure AD).

You need to copy the content of the User1 mailbox to a folder in the existing mailbox of another user named User2.

How should you complete the PowerShell command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```

$InactiveMailbox - Get-Mailbox -InactiveMailboxOnly -Identity <Distinguished name>

```

| | | |
|---------------------------|------------------------|--------------------------------------|
| New-Mailbox | -\$InactiveMailbox | -\$InactiveMailbox.DistinguishedName |
| New-MailboxRestoreRequest | -LitigationHoldEnabled | -TargetRootFolder "User1 Mailbox" |
| Restore-RecoverableItems | -RetentionHoldEnabled | |
| Set-Mailbox | -SourceMailbox | |

Answer:



NEW QUESTION: 113

You create a retention label policy named Contoso_policy that contains the following labels.

10 years then delete

5 years then delete

Do not retain

Contoso_Policy is applied to content In Microsoft Sharepoint Online sites.

After a couple of days, you discover the following messages on the Properties page of the label policy.


* Statue Off (Error)

* It's taking longer than expected to deploy the policy


You need to reinitiate the policy.

How should you complete the command? To answer, select the appropriate options in the; answer area.

NOTE: Each correct selection is worth one point.



Answer:



Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-retentioncompliancepolicy?view=exchange-ps>

NEW QUESTION: 114

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are configuring a file policy in Microsoft Cloud App Security.

You need to configure the policy to apply to all files. Alerts must be sent to every file owner who is affected by the policy. The policy must scan for credit card numbers, and alerts must be sent to the Microsoft Teams site of the affected department.

Solution: You use the Data Classification service inspection method and send alerts to Microsoft Power Automate.

Does this meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

Explanation/Reference:

<https://docs.microsoft.com/en-us/cloud-app-security/dcs-inspection>

<https://docs.microsoft.com/en-us/cloud-app-security/data-protection-policies>

NEW QUESTION: 115

You have a Microsoft 365 E5 tenant.

You create sensitivity labels as shown in the Sensitivity Labels exhibit.

| Name | Order | Scope |
|----------------|-------------|-------------|
| Public | 0 – lowest | File, Email |
| General | 1 | File, Email |
| - Confidential | 2 | File, Email |
| Internal | 3 | File, Email |
| External | 4 – highest | File, Email |

The Confidential/External sensitivity label is configured to encrypt files and emails when applied to content.

The sensitivity labels are published as shown in the Published exhibit.

Sensitivity Policy1

Edit policy

Delete policy

Name

Sensitivity Policy1

Description

Published labels

Public

General

External/External

Internal/Internal

Confidential

Published to

All

Policy settings

Users must provide justification to remove a label or lower its classification

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|---|-----------------------|-----------------------|
| The Internal sensitivity label inherits all the settings from the Confidential label. | <input type="radio"/> | <input type="radio"/> |
| Users must provide justification if they change the label of content from Confidential/Internal to Confidential/External. | <input type="radio"/> | <input type="radio"/> |
| Content that has the Confidential/External label applied will retain the encryption settings if the sensitivity label is removed from the label policy. | <input type="radio"/> | <input type="radio"/> |

Answer:

| Statements | Yes | No |
|---|----------------------------------|----------------------------------|
| The Internal sensitivity label inherits all the settings from the Confidential label. | <input type="radio"/> | <input checked="" type="radio"/> |
| Users must provide justification if they change the label of content from Confidential/Internal to Confidential/External. | <input type="radio"/> | <input checked="" type="radio"/> |
| Content that has the Confidential/External label applied will retain the encryption settings if the sensitivity label is removed from the label policy. | <input checked="" type="radio"/> | <input type="radio"/> |

Explanation

| Statements | Yes | No |
|---|----------------------------------|----------------------------------|
| The Internal sensitivity label inherits all the settings from the Confidential label. | <input type="radio"/> | <input checked="" type="radio"/> |
| Users must provide justification if they change the label of content from Confidential/Internal to Confidential/External. | <input type="radio"/> | <input checked="" type="radio"/> |
| Content that has the Confidential/External label applied will retain the encryption settings if the sensitivity label is removed from the label policy. | <input checked="" type="radio"/> | <input type="radio"/> |

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/sensitivity-labels?view=o365-worldwide>

NEW QUESTION: 116

You have a Microsoft 365 tenant.

A new regulatory requirement states that all documents containing a patent ID be labeled, retained for 10 years, and then deleted. The policy used to apply the retention settings must never be disabled or deleted by anyone.

You need to implement the regulatory requirement.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose three.)

| Actions | Answer Area |
|----------------------------------|--|
| Create a retention policy. |  |
| Add a preservation lock. | |
| Add a management lock. | |
| Create a retention label. | |
| Create a retention label policy. | |

Answer:

| Actions | Answer Area |
|----------------------------------|----------------------------------|
| Create a retention policy. | Create a retention label. |
| Add a preservation lock. | Create a retention label policy. |
| Add a management lock. | Add a preservation lock. |
| Create a retention label. | |
| Create a retention label policy. | |

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide>

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention-preservation-lock?view=o365-worldwide>


NEW QUESTION: 117

You have a Microsoft SharePoint Online site named Site1 and a sensitivity label named Sensitivity1. Sensitivity1 adds a watermark and a header to content.


You create a policy to automatically apply Sensitivity1 to emails in Microsoft Exchange Online and Site1.

How will Sensitivity1 mark matching emails and Site1 documents? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/sensitivity-labels?view=o365-worldwide>

NEW QUESTION: 118

You need to meet the technical requirements for the Site1 documents.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.


Actions



Microsoft


Answer Area

- Create a retention label.
- Create a sensitivity label.
- Create a sensitive info type.
- Create an auto-labeling policy.
- Wait 24 hours and then turn on the policy.



Answer:

Graphical user interface, text, application Description automatically generated



Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/apply-sensitivity-label-automatically?view=o365-wo>

NEW QUESTION: 119

You need to ensure that documents in a Microsoft SharePoint Online site that contain a reference to Project Alpha are retained for two years, and then deleted.

Which two objects should you create? Each correct answer presents part of the solution. (Choose two.) NOTE: Each correct selection is worth one point.

- A. a retention policy
- B. an auto-apply label policy
- C. a sensitive info type
- D. a retention label
- E. a sensitivity label
- F. a publishing label policy

Answer: B,D (LEAVE A REPLY)

Explanation/Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/apply-retention-labels-automatically?view=o365-> worldwide Implement Information Governance Testlet 2 Case study This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview

Contoso, Ltd. is a consulting company that has a main office in Montreal and three branch offices in Seattle, Boston, and Johannesburg.

Existing Environment

Microsoft 365 Environment

Contoso has a Microsoft 365 E5 tenant. The tenant contains the administrative user accounts shown in the following table.

| Name | Role |
|--------|-------------------------------|
| Admin1 | None |
| Admin2 | Compliance data administrator |
| Admin3 | Compliance administrator |
| Admin4 | Security operator |
| Admin5 | Security administrator |

Users store data in the following locations:

- * SharePoint sites
- * OneDrive accounts
- * Exchange email

- * Exchange public folders
- * Teams chats
- * Teams channel messages

When users in the research department create documents, they must add a 10-digit project code to each document. Project codes that start with the digits 999 are confidential.

SharePoint Online Environment

Contoso has four Microsoft SharePoint Online sites named Site1, Site2, Site3, and Site4.

Site2 contains the files shown in the following table.

| Name | Number of SWIFT codes in the file |
|------------|-----------------------------------|
| File1.docx | 1 |
| File2.bmp | 4 |
| File3.txt | 3 |
| File4.xlsx | 7 |

Two users named User1 and User2 are assigned roles for Site2 as shown in the following table.

| User | Role |
|-------|--------------|
| User1 | Site owner |
| User2 | Site visitor |

Site3 stores documents related to the company's projects. The documents are organized in a folder hierarchy based on the project.

Site4 has the following two retention policies applied:

- * Name: Site4RetentionPolicy1
 - Locations to apply the policy: Site4
 - Delete items older than: 2 years
 - Delete content based on: When items were created
- * Name: Site4RetentionPolicy2
 - Locations to apply the policy: Site4
 - Retain items for a specific period: 4 years
 - Start the retention period based on: When items were created
 - At the end of the retention period: Do nothing

Problem Statements

Management at Contoso is concerned about data leaks. On several occasions, confidential research department documents were leaked.

Requirements

Planned Changes

Contoso plans to create the following data loss prevention (DLP) policy:

- * Name: DLPpolicy1
- * Locations to apply the policy: Site2
- * Conditions:
 - Content contains any of these sensitive info types: SWIFT Code
 - Instance count: 2 to any
- * Actions: Restrict access to the content

Technical Requirements

Contoso must meet the following technical requirements:

- * All administrative users must be able to review DLP reports.
- * Whenever possible, the principle of least privilege must be used.
- * For all users, all Microsoft 365 data must be retained for at least one year.
- * Confidential documents must be detected and protected by using Microsoft 365.
- * Site1 documents that include credit card numbers must be labeled automatically.
- * All administrative users must be able to create Microsoft 365 sensitivity labels.
- * After a project is complete, the documents in Site3 that relate to the project must be retained for 10 years.

NEW QUESTION: 120

You are implementing Microsoft Office 365 Message Encryption (OME) for a Microsoft 365 tenant named contoso.com.

You need to meet the following requirements:

- * All email to a domain named fabrikam.com must be encrypted automatically.
- * Encrypted emails must expire seven days after they are sent-

What should you configure for each requirement? To answer, select the appropriate options

NOTE: Each correct selection is worth one point.

Answer Area

All email to a domain named fabrikam.com must be encrypted automatically.

Encrypted emails must expire seven days after they are sent-

A data connector in the Microsoft 365 compliance center
A data loss prevention (DLP) policy in the Microsoft 365 compliance center
A mail flow connector in the Exchange admin center
A mail flow rule in the Exchange admin center

A custom branding template in Microsoft Exchange Online PowerShell
A label policy in the Microsoft 365 compliance center
A mail flow rule in the Exchange admin center
A sensitive info type in the Microsoft 365 compliance center

Answer:

Answer Area

All email to a domain named fabrikam.com must be encrypted automatically.

Encrypted emails must expire seven days after they are sent-

A data connector in the Microsoft 365 compliance center
A data loss prevention (DLP) policy in the Microsoft 365 compliance center
A mail flow connector in the Exchange admin center
A mail flow rule in the Exchange admin center

A custom branding template in Microsoft Exchange Online PowerShell
A label policy in the Microsoft 365 compliance center
A mail flow rule in the Exchange admin center
A sensitive info type in the Microsoft 365 compliance center

NEW QUESTION: 121

You have a Microsoft 365 tenant that uses records management.

You use a retention label to mark legal files stored in a Microsoft SharePoint Online document library as regulatory records.

What can you do to the legal files?

- A. Remove the retention label of the files.
- B. Edit the properties of the files.
- C. Move the files to a different folder within the document library.
- D. Delete the content from the files.

Answer: C ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/records-management?view=o365-worldwide#records>

Valid SC-400 Dumps shared by PrepPdf.com for Helping Passing SC-400 Exam!
PrepPdf.com now offer the **newest SC-400 exam dumps**, the PrepPdf.com SC-400 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com SC-400 dumps with Test Engine here:
<https://www.preppdf.com/Microsoft/SC-400-prepaway-exam-dumps.html> (335 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

Valid SC-400 Dumps shared by PrepPdf.com for Helping Passing SC-400 Exam!
PrepPdf.com now offer the **newest SC-400 exam dumps**, the PrepPdf.com SC-400 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com SC-400 dumps with Test Engine here:
<https://www.preppdf.com/Microsoft/SC-400-prepaway-exam-dumps.html> (335 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)