

Nutanix.NCP-5.15.v2022-09-11.q121

Exam Code:	NCP-5.15
Exam Name:	Nutanix Certified Professional - Multi cloud Infrastructure
Certification Provider:	Nutanix
Free Question Number:	121
Version:	v2022-09-11
# of views:	1948
# of Questions views:	1210
https://www.freeqas.com/qa/Nutanix/NCP-5.15/Nutanix.NCP-5.15.v2022-09-11.q121.html	

NEW QUESTION: 1

Which two features require the Nutanix Guest Tools package is installed (Choose Two)

- A. Network Visualization
- B. Self-Service Restore
- C. Image service
- D. Volume Snapshot Services
- E. Prism Central

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 2

A guest VM should be able to tolerate simultaneous failure of two nodes or drives.

What are the minimum requirements for the Nutanix cluster?

- A. 3 nodes with cluster RF 3 and container RF 3
- B. 3 nodes with cluster RF 3 and container RF 2
- C. 5 nodes with cluster RF 2 and container RF 3
- D. 5 nodes with cluster RF 3 and container RF 3

Answer: C (LEAVE A REPLY)

NEW QUESTION: 3

An administrator needs to modify the configuration of a recently deployed Acropolis File Service (AFS) instance.

Which two are valid configuration setting under the File Service update option? (Choose two)

- A. Number of File Server VMs
- B. File Server block size
- C. File Server OS type
- D. File Server VM configuration
- E. File server data replication

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 4

In which two scenarios is an automated live migration likely to occur? (Choose two)

- A. Hypervisor upgrade
- B. AOS upgrade
- C. Cluster resource hotspot
- D. Network upgrade

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

A VM in a 12-node Nutanix cluster is hosting an application that has specific Physical GPU requirements.

Only three nodes in the cluster meet this requirement.

The administrator wants to allow a general workload to be distributed across all nodes in the cluster and must make sure that the node hosting the VM meets its requirements.

How should the administrator perform this task?

- A. Create a sperate three-node cluster using the nodes that meet the requirement.
- B. Configure anti-affinity rules between the application VM and the other VMs running on the cluster.
- C. Over-Provision the application VM with additional virtual GPUs.
- D. Configure VM-Host affinity for the nodes that meet the application's GPU requirement.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 6

An administrator is configuring data protection and DR for a multi-tier application. All VMs must be protected at the same time.

What must the administrator do to meet this requirement?

- A. Create a consistency group for each VM with identical schedules
- B. Create a consistency group for the application and place all VMs in it
- C. Create a protection domain for the application and select auto-protect related entities
- D. Create a protection domain for each VM with identical schedules

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

what applies to prism central?

- A. created during foundation
- B. setup through prism as 1,2 or 3-VMs
- C. clusters and PC need to match hypervisor
- D. created bu user as 1 or 3-VM

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

An administrator increases the cluster RF to 3. The containers are not modified.

What will the new values in the data resiliency dashboard be for FAILURES TOLERABLE for the Zookeeper and Extent Groups components?

- A. Zookeeper = 1 and Extent Groups = 2
- B. Zookeeper = 2 and Extent Groups = 1
- C. Zookeeper = 2 and Extent Groups = 2
- D. Zookeeper = 1 and Extent Groups = 1

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

A Nutanix cluster is equipped with four nodes. Four VMs on this cluster have been configured with a VM-VM anti-affinity policy and are each being hosted by a different node.

What occurs to the cluster and these VMs during an AHV upgrade?

- A. The AHV pre-upgrade checks fail until the four VMs are powered off.
- B. One VM out of the four powers down when the node hosting it reboots.
- C. One node hosts two VMs while the node being upgraded is in maintenance mode.
- D. The AHV pre-upgrade checks fail until the administrator disables the anti-affinity policy.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 10

What provides the most efficient method to delete 20 specific AHV VMs?

- A. Create a script using PowerCLI to delete the VMs.
- B. Create a script using Postman and REST API.
- C. In Prism Element, select and delete each VM.
- D. In Prisma Central, select all VMs and click delete.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

What is the purpose of a Leap availability zone?

- A. To pair two VMs to enable fault tolerance with zero downtime.
- B. To support high availability across two AHV clusters.
- C. To support DR across two Prism Central instances.
- D. To pair two AHV Clusters for synchronous replication.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 12

An administrator is auditing the recent alerts on the cluster to report to the management.

Which dashboard in Prism Central can be used to generate this report?

- A. Alerts

- B. Apps
- C. Explore
- D. Analysis

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 13

AHV IPAM assigns an IP address from the address pool when creating a managed VM NIC. At which two instances does the address release back to the pool? (Choose two)

- A. The IP address lease expires
- B. The VM NIC is deleted.
- C. The IP address is changed to static.
- D. The VM is deleted.

Answer: B,D ([LEAVE A REPLY](#))

Explanation

https://portal.nutanix.com/page/documents/solutions/details/?targetId=BP-2029_AHV:BP-2029_AHV

Administrators can use Acropolis with IPAM to deliver a complete virtualization deployment, including network management, from the unified Prism interface. This capability radically simplifies the traditionally complex network management associated with provisioning VMs and assigning network addresses. To avoid address overlap, be sure to work with your network team to reserve a range of addresses for VMs before enabling the IPAM feature.

The Acropolis master assigns an IP address from the address pool when creating a managed VM NIC; the address releases back to the pool when the VM NIC or VM is deleted.

NEW QUESTION: 14

The Stargate service becomes unavailable on a single CVM on an AHV node. What is used to maintain I/O operations in the cluster?

- A. iSCSI redirector
- B. Hypervisor HA
- C. Route injection
- D. ha.py

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 15

An administrator wants to connect a VM to Volumes

Which network should the VM be connected to for iSCSI access?

- A. Backup Network
- B. Controller VM Network
- C. Production Network
- D. Storage Network

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 16

What is the default level of Verbosity used when enabling Nutanix Pulse?

- A. Basis
- B. Verbose
- C. Basis Coredump
- D. Nothing

Answer: C ([LEAVE A REPLY](#))

Valid NCP-5.15 Dumps shared by PrepPdf.com for Helping Passing NCP-5.15 Exam!
PrepPdf.com now offer the **newest NCP-5.15 exam dumps**, the PrepPdf.com NCP-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com NCP-5.15 dumps with Test Engine here:
<https://www.preppdf.com/Nutanix/NCP-5.15-prepaway-exam-dumps.html> (279 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

In respective to 1 GbE and 10 GbE interfaces (physical host), which statements are true?

- A. Do not include the 1 GbE interlaces in the same bond as the 10 GbE interlaces. Also, to avoid loops, do not add the 1 GbE interlaces to bridge br0, either individually or in a second bond. Use them on other bridges.
- B. If you want to use the 10 GbE interfaces for guest VM traffic, make sure that the guest VMs do not use the VLAN over which the Controller VM and hypervisor communicate.
- C. If you want to use the 1 GbE interfaces for guest VM connectivity, follow the hypervisor manufacturer's switch '- port and networking configuration guidelines.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 18

CPU utilization climbs above 90% on several VMs. This causes performance degradation for a business-critical application.

How can alerts be configured to notify the administrator before VM CPU utilization hits 90%?

- A. On a CVM, use ncli to set the VM CPU Check threshold for the critical VMs to a value below 90%.
- B. On the Health dashboard, locate the VM CPU Check and lower the alert threshold below 90%.
- C. On the Alerts dashboard, ensure that the VM CPU usage alert is not set to auto-resolve.
- D. On a CVM, configure a cron job to run the VM CPU Check more frequently and email the result.

Answer: (SHOW ANSWER)

NEW QUESTION: 19

In a Nutanix Cluster, I/Os are served by the host where the VM is running Which Nutanix feature does this describe?

- A. Data Resiliency
- B. Distributed Storage Fabric
- C. Data Locality
- D. Distributed File System

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 20

A two-node ROBO cluster is configured with a witness VM.

What happens when Node A goes down?

- A. The- cluster becomes unavailable and goes into read-only mode.
- B. The cluster is unaffected and no administrator intervention is required.
- C. Node B sends a leadership request to the Witness VM and goes into single-node mode.
- D. All operations and services on the Node B are shut down and go into a waiting state.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 21

Which SSL Files required for Importing Key and certificate (Choose 2)

- A. CA Certificate
- B. Private Certificate
- C. Public Certificate
- D. Private Key

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 22

What is the default network bond setting for an AHV host configuration?

- A. active-backup
- B. active-active
- C. balance-slb
- D. balance-tcp

Answer: A ([LEAVE A REPLY](#))

<https://next.nutanix.com/blog-40/network-load-balancing-with-acropolis-hypervisor-6463>

NEW QUESTION: 23

Which Mechanism that works by data striping and parity calculation?

- A. Deduplication
- B. Erasure Coding
- C. Compression

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 24

How should an administrator make sure that the LCM Framework is always up to date and upgraded to the latest version?

- A. From the Life Cycle Management page in Prism Element, click Perform Inventory, then edit settings and set LCM Auto Inventory to Daily
- B. From the Life Cycle Management page in Prism Central, click Perform Inventory, then edit settings and click the Enable LCM Auto Inventory checkbox
- C. From the Life Cycle Management page in Prism Element, click Perform Inventory, then edit settings and click the Enable LCM Auto Inventory checkbox
- D. From the Life Cycle Management page in Prism Central, click Perform Inventory every morning

Answer: [\(SHOW ANSWER\)](#)

Reference: <https://next.nutanix.com/how-it-works-22/nutanix-upgrade-order-37917>

NEW QUESTION: 25

An administrator is configuring NTP for Nutanix cluster.

How many NTP sources must they configure to identify a false ticker and provide redundancy?

- A. 2
- B. 4
- C. 3
- D. 5

Answer: B [\(LEAVE A REPLY\)](#)

NEW QUESTION: 26

Where should an administrator unregister Prism Element from Prism Central?

- A. From a Host SSH session
- B. From the Prism Element web console
- C. From a CVM SSH session
- D. From the Prism Central web console

Answer: C [\(LEAVE A REPLY\)](#)

NEW QUESTION: 27

An administrator wants to use Volumes to connect to physical servers that are not able to be virtualized.

Which three things must be configured for Volumes to support iSCSI clients? (Choose three)

- A. Enable external client access
- B. Client OS iSCSI initiator
- C. iSCSI Multipathing I/O
- D. Cluster Virtual IP address
- E. Data Services IP address

Answer: B,D,E ([LEAVE A REPLY](#))

Explanation

<https://portal.nutanix.com/page/documents/details/?targetId=Web-Console-Guide-Prism-v51:wc-block-services->

NEW QUESTION: 28

How should an administrator make sure that the LCM Framework is always up to date and upgraded to the latest version?

- A. From the Life Cycle Management page in Prism Central, click Perform Inventory, then edit settings and click the Enable LCM Auto Inventory checkbox
- B. From the Life Cycle Management Perform Inventory every morning
- C. From the Life Cycle Management page in Prism Element, click Perform Inventory, then edit settings and set LCM Auto Inventory to Daily
- D. From the Life Cycle Management page in Prism Element, click Perform Inventory, then edit settings and click the Enable LCM Auto Inventory checkbox

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 29

An administrator wants to create a trunked interface on a VM on AOS 5.15x.

Which two steps should the administrator take first to achieve this? (Choose two)

- A. Use acli
- B. Log in over PE web UI.
- C. SSH to CVM.
- D. Update VM dialog.

Answer: A,C ([LEAVE A REPLY](#))

Explanation/Reference: <https://vmwaremine.com/2019/05/09/enable-vlan-trunking-on-nutanix-ahv-vm/>

#sthash.3ulAHeXZ.dpbs

NEW QUESTION: 30

Which algorithm do snapshots and clones leverage to maximize efficiency and effectiveness?

- A. Copy-on-Write
- B. Split-mirror
- C. Continuous Data Protection
- D. Redirect-On-Write

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 31

An administrator has been alerted to a VM that has high I/O latency and wants to determine if there are any other factors, such as insufficient network or memory resources that correlate, as part of a troubleshooting process.

Which type of chart should the administrator create to allow all relevant data to be easily exported to CSV for later analysis?

- A. A VM entity chart with each of the relevant metrics.
- B. A VM metric chart for each of the relevant metrics
- C. A cluster metric chart for each of the relevant metrics
- D. A cluster entity chart with each of the relevant metrics

Answer: D ([LEAVE A REPLY](#))

Valid NCP-5.15 Dumps shared by PrepPdf.com for Helping Passing NCP-5.15 Exam!
PrepPdf.com now offer the **newest NCP-5.15 exam dumps**, the PrepPdf.com NCP-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com NCP-5.15 dumps with Test Engine here:
<https://www.preppdf.com/Nutanix/NCP-5.15-prepaway-exam-dumps.html> (279 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

Which bond mode is the default mode on an AHV Nutanix cluster?

- A. Balance TCP
- B. Balanced SLB
- C. Active - Backup
- D. Link Aggregation

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 33

When license needs to be reclaimed from Host: (Choose 2)

- A. If you move nodes from one cluster to another , First reclaim the licenses, move the nodes, Then Re-Apply licences
- B. While Destroying the Cluster
- C. Return licences to your Inventory when you remove one or more nodes from cluster

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

Which best practice should be followed when creating a bond in a Nutanix cluster?

- A. Configure the bond to use LACP
- B. Use the default bond configuration after installation
- C. Place NICs of different speeds within the same bond
- D. Only utilize NICs of the same speed within the same bond

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 35

Refer to the exhibit.

The Linux Admin role has been created to manage only Linux VMs in the environment. However, the Admin1 user does not have access to all Linux VMs.

What step should be taken to grant the proper access?

- A. Grant the admin1 user the viewer role (or the cluster).
- B. Add the hosts to the entities KM for the role.
- C. Add the proper category to each Linux VM.
- D. Add the role to the Linux images.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 36

What is the function of the virbr0 bridge on AHV?

- A. To carry all traffic between the user VMs and the upstream network.
- B. To carry management and storage communication between user VMs and the CVM.
- C. To carry management and storage communication between user VMs and AHV host.
- D. To carry storage communication between the guest VMs and the CVM

Answer: C ([LEAVE A REPLY](#))

[http://www.vstellar.com/2019/01/10/ahv-networking-part-1-basics/#:~:text=AHV%20Network%20Architecture&text=virbr0%20is%20an%20internal%20switch,virbr0\)%20have%20IP%20address%20192.168.](http://www.vstellar.com/2019/01/10/ahv-networking-part-1-basics/#:~:text=AHV%20Network%20Architecture&text=virbr0%20is%20an%20internal%20switch,virbr0)%20have%20IP%20address%20192.168.)

NEW QUESTION: 37

An administrator needs to deploy a Nutanix Cluster that hosts the following workloads

- 1) 1000 persistent virtual Desktop VMs
- 2) 100 Generic server VMs
- 3) 5 Microsoft exchange server VMs
- 4) 10 SQL server VMs

Which container configuration should be deployed to maximize data efficiency?

- A. 2 containers with deduplications and erasure coding enabled
- B. 1 container with compression enabled and 1 container with deduplication
- C. 1 containers with compression enabled and 1 container with Erasure Coding enabled
- D. 2 containers with no data efficiency mechanisms enabled

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 38

An administrator wants to be able to manage their application from prism central.

Which feature must the administrator enable to allow for application management?

- A. Image management
- B. entity explorer
- C. self-service portal

D. Capacity runaway

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 39

What requires iSCSI initiator configuration in the guest OS to use Volumes?

- A. Exchange DAG
- B. Oracle RAC
- C. Microsoft Windows Failover Cluster
- D. SQL Server Always On Availability Group

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 40

Clusters are configured with an http proxy server an administrator wants to deploy prism central Which scenario require to the administrator to configure the http proxy whitelist method?

- A. ssl port 9440 not open in proxy
- B. http port 8000 not open in proxy
- C. ssl port 443 not pen in proxy
- D. http port 80 not open in proxy

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 41

What are the two effects of using Data-at-Rest Encryption on a Nutanix cluster? (Choose two.)

- A. Encryption is only supported on an empty cluster.
- B. An External KMS server must exist outside of the encrypted cluster.
- C. Software-based Data-at-Rest Encryption cannot be disabled.
- D. Native KMS requires minimum of a four-node cluster.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 42

When creating Windows 2016 Server VM on AHV, what must be available during the OS installation process?

- A. virtIO drivers
- B. Nutanix Guest Tools
- C. Nutanix Move
- D. Bootable USB

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 43

Which three statements are true about Agent VMs? (Choose three.)

- A. Agent VMs are powered off if an HA event occurs
- B. An Agent VM is automatically migrated to another host

- C. Agent VMs are never migrated to another host
- D. Agent VMs are powered on before other VMs
- E. A running Agent VM can be moved to another host

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 44

Which change can be made on a cluster with software-based Data-at-Rest Encryption enabled?

- A. Disable encryption on the cluster
- B. Deploy an additional Native KMS Server
- C. Enable encryption for a VM
- D. Change Native KMS to External KMS

Answer: ([SHOW ANSWER](#))

Reference:

<https://next.nutanix.com/blog-40/security-with-simplicity-encryption-for-your-data-with-1-click-28225>

NEW QUESTION: 45

An administrator is commissioning a Nutanix Enterprise Cloud. Once the user VMs have been deployed and are running, the administrator finds that VMs on the same host are able to communicate, but are unable to communicate between hosts.

What must be changed to enable full inter-VM communications?

- A. Update the switch to specifically allow VLAN 15
- B. The VMs need to have static IP addresses.
- C. Change the spanning-tree port type on the switch.
- D. Change the network the VMs are connected to

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 46

An administrator needs to move a Nutanix host from one cluster to another.

Which step should the administrator take after evacuating VMs from the host to be moved?

- A. In Prism, highlight the host in the Hardware pane and select Remove Host
- B. From the Task menu in Prism, select Cluster details, then un-check the host from the list
- C. From the Task menu in Prism, select Licensing then delete the host license.
- D. In Prism, highlight the host in the Hardware pane and select Remove from Metadata Ring

Answer: A ([LEAVE A REPLY](#))

Valid NCP-5.15 Dumps shared by PrepPdf.com for Helping Passing NCP-5.15 Exam!
PrepPdf.com now offer the **newest NCP-5.15 exam dumps**, the PrepPdf.com NCP-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest**

PrepPdf.com NCP-5.15 dumps with Test Engine here:

<https://www.preppdf.com/Nutanix/NCP-5.15-prepaway-exam-dumps.html> (279 Q&As Dumps,

40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 47

Users report that data mining workloads on a single node in a Nutanix cluster are slow. Which method should the administrator use to determine what may be causing this issue?

- A. Create an entity chart for the affected host and analyze CPU usage.
- B. Create an entity chart for the host and analyze its 10 bandwidth.
- C. Monitor the cluster CPU and memory usage on the Prism home screen.
- D. Monitor a metric chart for VM memory usage and track each affected VM.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

An administrator is migrating workloads to a nutanix cluster. While the Nutanix cluster is ingesting data from the migration, the utilization of the SSDs increases, periodically drops to approximately 75% utilization, then continues to increase.

Which Distributed Storage Fabric (DSF) concept is causing the behavior?

- A. Data Path Resiliency
- B. Redundancy Factor 2 (RF2)
- C. Information Lifecycle Management (ILM)
- D. Virtual Machine Snapshotting and cloning

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

The customer is seeing high memory utilization on a mission critical VM. Users report that the application is unavailable. The guest OS does not support hot add components.

How should the administrator fix this issue?

- A. Go to Control Panel in the VM:
 - *Select the Computer Properties
 - *Increase the amount of RAM assigned
- B. Access the CVM on the host that is running the VM:
 - *Open acli
 - *Run a command to increase the amount of RAM assigned to the VM
- C. From the Prism web console:
 - *Go to the VM dashboard
 - *Select the VM from the VMs list
 - *Choose Update
 - *Adjust the amount of memory assigned to the VM
- D. During the next maintenance window:
 - *Select the VM from the VMs list

*Perform a graceful shutdown

Answer: B (LEAVE A REPLY)

NEW QUESTION: 50

When VM HA Reservation is enabled, what is the expected behavior for all failed VMs in the event of a host failure?

- A. Perform a live migration to other hosts in the AHV cluster
- B. Perform a live migration on a best-effort basis if resources are available
- C. Restart on other hosts in the AHV cluster
- D. Restart on a best-effort basis if resources are available

Answer: D (LEAVE A REPLY)

NEW QUESTION: 51

How many IP addresses are required for a new Files cluster deployment?

- A. Two for each FSVM plus two for the cluster
- B. One for each FSVM plus two for the cluster
- C. One for each FSVM plus one for the cluster
- D. Two for each FSVM plus one for the cluster

Answer: D (LEAVE A REPLY)

NEW QUESTION: 52

An administrator installs Nutanix-specific PowerShell cmdlets. The cmdlets fail to run. Which two requirements should the administrator verify first? (Choose two)

- A. PowerShell 2.0 or later is installed
- B. The cmdlets have the proper permissions
- C. .Net Framework 4.0 is installed
- D. Python 2.7 or greater is installed
- E. Windows 2016 r2 or later is installed

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 53

An administrator needs to determine current CPU usage across multiple clusters. Which method should the administrator use to generate this type of report?

- A. Prism Central, Home, Manage Dashboards
- B. Prism Central, Home, Add Widgets
- C. Prism Central, Explore, Clusters
- D. Prism Central, Explore, Hosts

Answer: B (LEAVE A REPLY)

NEW QUESTION: 54

Which three licenses can be applied from Prism Central? (Choose three.)

- A. Capacity based
- B. Itimate
- C. Calm
- D. Flow
- E. Prism Pro

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

Which node type does not deploy a Nutanix Controller VM?

- A. All Flash
- B. Hyper Converged
- C. Compute Only
- D. Storage Only

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 56

What is the maximum number of tested and supported vDisks (including snapshots) that is a Nutanix cluster can maintain?

- A. 250,000
- B. 800,000
- C. 500,000
- D. 600,000

Answer: D ([LEAVE A REPLY](#))

<https://portal.nutanix.com/page/documents/details/?targetId=Web-Console-Guide-Prism-v58:app-system-maximums-r.html>

NEW QUESTION: 57

Refer to Exhibit.

An administrator increases the cluster RF to 3. The containers are not modified.

What will the new values in the data resiliency dashboard be for FAILURES TOLERABLE for the Zookeeper and Extent Groups components?

- A. Zookeeper = 2 and Extent Groups = 2
- B. Zookeeper = 1 and Extent Groups = 2
- C. Zookeeper = 2 and Extent Groups = 1
- D. Zookeeper = 1 and Extent Groups = 1

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 58

A two-node ROBO cluster is configured with a witness VM.

What happens when Node A goes down?

- A. All operations and services on the Node B are shut down and go into a waiting state.

- B. The- cluster becomes unavailable and goes into read-only mode.
- C. The cluster is unaffected and no administrator intervention is required.
- D. Node B sends a leadership request to the Witness VM and goes into single-node mode.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 59

An administrator has set up a local web server accessible to the Nutanix clusters.

Which two steps are required to set up LCM for an environment without Internet access? (Choose two.)

- A. Download the lcai_disconnected_version. tar.gz LCM bundle from the support portal.
- B. Edit LCM Advanced Settings in Prism Central and enter the address of the web server.
- C. Edit LCM Advanced Settings in Prism Element and enter the address of the web server.
- D. Download the lcm_dark_site_version. tar . gz LCM bundle from the support portal.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 60

Where are Leap Availability Zones configured?

- A. Cloud Connect
- B. Controller VM
- C. Prism Element
- D. Prism Central

Answer: ([SHOW ANSWER](#))

Explanation

Terminology

* Availability Zone - it is represented by all resources (Nutanix Clusters) connected to Prism Central or Xi Leap Availability zone. Depends on the architecture, Availability zone can represent geographic territory, datacenter or server room in the datacenter. Protection policies - in protection policies you set

* up (RPO, Retention), rules to auto-apply policies to virtual machines

<https://vmwaremine.com/2019/02/08/nutanix-leap-runbooks-part-1/#sthash.VwrzSzhQ.dpbs>

NEW QUESTION: 61

Which feature, if enabled, can simplify licensing operations?

- A. License Automation
- B. Portal Connection
- C. License Bundle
- D. my.nutanix.com

Answer: A ([LEAVE A REPLY](#))

Valid NCP-5.15 Dumps shared by PrepPdf.com for Helping Passing NCP-5.15 Exam!
PrepPdf.com now offer the **newest NCP-5.15 exam dumps**, the PrepPdf.com NCP-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com NCP-5.15 dumps with Test Engine here:
<https://www.preppdf.com/Nutanix/NCP-5.15-prepaway-exam-dumps.html> (279 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

Refer to the exhibit.

System Non-Root Partition Usage shows a warning or critical alert The administrator needs to change the frequency of checks and alerts to respond more quickly.

Where in Prism Element should the administrator change the frequency of checks and alerts?

- A. Health Dashboard > Manage Checks > Schedule
- B. Alerts Dashboard > Manage Checks > Frequency
- C. Health Dashboard > Manage Crocks > Frequency
- D. Alerts Dashboard > Manage Checks > Schedule

Answer: B (LEAVE A REPLY)

NEW QUESTION: 63

An organization has a 3-node cluster, with utilization rates as follows:

- * 35% CPU
- * 40% RAM
- * 20% SSD
- * 35% HDD

A node in this cluster fails.

Which type of degradation will the client experience due to this node failure?

- A. The entire cluster will be down until the node is repaired.
- B. The cluster will be online but will experience performance issues due to utilization.
- C. VMs from the failed node will be offline until they restart on the remaining nodes.
- D. All VMs from that node will be offline until the node is repaired.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 64

A node has two SSDs in Slot0 and Slot 1. The SSD in Slot 1 fails.

What is the result?

- A. The CVM reboots. Other running VMs do not reboot, and the SSD capacity is reduced.
- B. The CVM and other running VMs do not reboot, and the SSD capacity is reduced.
- C. The CVM is down. AHV takes over serving storage to the node, and the SSD capacity is reduced.

D. The CVM is down. Another CVM takes over serving storage to the node, and the SSD capacity is reduced.

Answer: ([SHOW ANSWER](#))

Explanation

With 2 SSD's, if slot 0 fails the Cvm reboots and will recover using slot1, vm rights/reads flow to other nodes while Cvm is restarting. If slot 1 fails, no Cvm reboot occurs but SSD capacity is reduced, missing blocks are retrieved from other nodes as needed and re protected. If both SSD's fail, the Cvm is down and all read/writes are done to other nodes.

<https://next.nutanix.com/server-virtualization-27/impact-of-ssd-failure-19417>

NEW QUESTION: 65

An administrator wants to use Volumes to connect to physical servers that are not able to be virtualized.

Which three things must be configured for Volumes to support iSCSI clients? (Choose three)

- A.** Enable external client access
- B.** Client OS iSCSI initiator
- C.** iSCSI Multipathing I/O
- D.** Cluster Virtual IP address
- E.** Data Services IP address

Answer: **B,C,E** ([LEAVE A REPLY](#))

Explanation

<https://portal.nutanix.com/page/documents/details/?targetId=Web-Console-Guide-Prism-v51:wc-block-services->

NEW QUESTION: 66

Prism Central will be installed manually on an AHV cluster.

Which three disk images must be downloaded from the portal for the Prism Central VM? (Choose three.)

- A.** var
- B.** tmp
- C.** boot
- D.** home
- E.** data

Answer: **C,D,E** ([LEAVE A REPLY](#))

https://portal.nutanix.com/page/documents/details?targetId=Prism-Central-Guide-Prism-v5_10:mul-pc-install-scratch-c.html

NEW QUESTION: 67

Async DR is configured between two sites. A network outage occurs at the primary site.

Which steps must the administrator perform to bring the VMs back into service at the backup site?

Item instructions: For each procedure, indicate the order in which that procedure must take place to meet the item requirements. Not all procedures are valid. Identify any invalid procedures using the drop-down option.

Answer:

Explanation

NEW QUESTION: 68

An administrator sets the default session timeout for admin users in Prism UI Settings. What is the maximum timeout in minutes?

- A. 120
- B. 30
- C. 60
- D. 15

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 69

An administrator wants to use Volumes to connect to physical servers that are not able to be virtualized.

Which three things must be configured for Volumes to support iSCSI clients? (Choose three)

- A. Enable external client access
- B. Client OS iSCSI initiator
- C. iSCSI Multipathing I/O
- D. Cluster Virtual IP address
- E. Data Services IP address

Answer: B,D,E ([LEAVE A REPLY](#))

<https://portal.nutanix.com/page/documents/details/?targetId=Web-Console-Guide-Prism-v51:wc-block-services-c.html>

NEW QUESTION: 70

How should an administrator configure a custom alert for a specific VM in Prism?

- A. Modify an existing alert to only alert on the specific VM.
- B. Modify VM settings to add the custom alert.
- C. Modify the alerts to add a new custom alert policy.
- D. Modify node settings to add the custom alert.

Answer: C ([LEAVE A REPLY](#))

Explanation

<https://portal.nutanix.com/page/documents/details/?targetId=Prism-Central-Guide-Prism-v510:mul-alert-policies>

NEW QUESTION: 71

An administrator finds that guest VMs are offline and storage is unavailable. The administrator needs to know if any process within the CVMs on the nutanix cluster are experiencing crashes. Which log file should the administrator locate to determine if any processes have crashed?

- A. WARN logs
- B. ERROR logs
- C. FATAL logs
- D. INFO logs

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 72

A guest VM should be able to tolerate simultaneous failure of two nodes or drives. What are the minimum requirements for the Nutanix cluster?

- A. 3 nodes with cluster RF 3 and container RF 3
- B. 3 nodes with cluster RF 3 and container RF 2
- C. 5 nodes with cluster RF 2 and container RF 3
- D. 5 nodes with cluster RF 3 and container RF 3

Answer: ([SHOW ANSWER](#))

Reference:

https://portal.nutanix.com/page/documents/details?targetId=Web-Console-Guide-Prism-v5_16:arcredundancy-fa

NEW QUESTION: 73

An administrator has configured an Active-Active policy on the brO uplink of an AHV host. The host is experiencing connectivity issues. What step should be taken?

- A. Upgrade to AOS 5.11
- B. Set the host to Compute-Only
- C. Remove any 1GB NICs from br0
- D. Configure the top-of-rack switches for LAG and LACP

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 74

In an AHV cluster, an administrator needs to enable an application to share a disk b group but needs to enable the VMs to see the volume group.

How should the administrator accomplish this task?

- A. Create a shared folder for the VMs using Nutanix Files.
- B. Add a disk to one VM and enable read/write on it from the other VM.
- C. Add the volume group to the VM using the update link from the VM dashboard.
- D. Configure a virtual disk on each VM with identical attributes in the storage dashboard.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 75

Which two methods are valid for migrating a VM from a Nutanix vSphere cluster to AHV?
(Choose two.)

- A. Storage vMotion
- B. Live Migration
- C. Nutanix Move
- D. Cross-Hypervisor DR

Answer: (SHOW ANSWER)

Reference: <https://hyperhci.com/2019/08/29/cross-hypervisor-migration-to-from-nutanix-ahv/>
<https://next.nutanix.com/blog-40/migrate-your-vm-to-ahv-with-minimum-downtime-31786>

NEW QUESTION: 76

Which three settings are required for network switch discovery in Prism? (Choose Three)

- A. AHV Host IP address
- B. SMTP Server IP address
- C. Switch Management IP Address
- D. Cluster CVM IP address
- E. SNMP Community Name

Answer: A,C,E (LEAVE A REPLY)

Valid NCP-5.15 Dumps shared by PrepPdf.com for Helping Passing NCP-5.15 Exam!
PrepPdf.com now offer the **newest NCP-5.15 exam dumps**, the PrepPdf.com NCP-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com NCP-5.15 dumps with Test Engine here:
<https://www.preppdf.com/Nutanix/NCP-5.15-prepaway-exam-dumps.html> (279 Q&As Dumps,
40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 77

An administrator has a 3-node Nutanix cluster. The administrator stores critical data on a VM that runs on the cluster Data must still be available through two host failures.

Which three configuration steps must the administrator take to meet this requirement?

- A. Convert the cluster from RF2 to RF3
- B. Add 3 nodes to the cluster
- C. Convert the containers from RF2 to RF3
- D. Enable Compression for more space
- E. Increase CVM memory to 24GB

Answer: (SHOW ANSWER)

NEW QUESTION: 78

Async DR is configured between two sites. A network outage occurs at the primary site.

Which steps must the administrator perform to bring the VMs back into service at the backup site?

Item instructions: For each procedure, indicate the order in which that procedure must take place to meet the item requirements. Not all procedures are valid. Identify any invalid procedures using the drop-down option.

Answer:

Explanation

NEW QUESTION: 79

How should an administrator configure a custom alert for a specific VM in Prism?

- A. Modify an existing alert to only alert on the specific VM.
- B. Modify VM settings to add the custom alert.
- C. Modify the alerts to add a new custom alert policy.
- D. Modify node settings to add the custom alert.

Answer: D (LEAVE A REPLY)

Explanation

<https://portal.nutanix.com/page/documents/details/?targetId=Prism-Central-Guide-Prism-v510:mul-alert-policies>

NEW QUESTION: 80

When host affinity policies are enabled, how does this affect the AHV cluster?

- A. Micro segmentation rules will not be applied to VMs with affinity policies set on them.
- B. Metro Availability will no longer work as designed and will result in Split Brain.
- C. Host affinity rules do not affect any other aspects of the AHV cluster.
- D. The VM-host affinity cannot be applied on a cluster that has HA reservations configured.

Answer: C (LEAVE A REPLY)

https://portal.nutanix.com/page/documents/details/?targetId=Prism-Central-Guide-Prism-v5_17:mul-ahv-affinity-policies-pc-c.html

NEW QUESTION: 81

An administrator has just executed a maintenance window for some applications running on their nutanix cluster. After completing the maintenance, they want to assess the health of the cluster and make sure that there is no impact during the maintenance.

Which three dashboards in prism will assist the administrator in making this determination?

(Choose Three)

- A. Cluster Health
- B. Tasks
- C. Alerts
- D. Data Protection
- E. Analysis

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 82

Which two steps are the minimum required to perform an upgrade of AOS and AHV using a manual software upload? (Choose two.)

- A. Select Upload AOS Base Software Binary from the Upgrade Software page in Settings enter downloaded tar. gz and metadata JSON.
- B. Download the AOS tar.gz and metadata JSON files from the support portal.
- C. Select Upload AOS Base Software Binary from the Life Cycle Manager page in Settings enter downloaded tar.gz and metadata JSON.
- D. Download the Foundation car.gz and metadata JSONfiles from the support portal.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 83

An administrator wants to configure key based SSH access for an AOS 5.5 Implementation. Which three components can be secured using this method? (Choose three)

- A. Guest virtual machine
- B. The cluster **
- C. The hypervisor host***
- D. the CVM**
- E. prism element

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 84

An administrator needs to relocate an AHV cluster to a new datacenter during a maintenance window. The cluster will use the same IPs in the new datacenter.

Which two steps should be taken to prepare for this task? (Choose two.)

- A. Stop all Nutanix Files clusters
- B. Relocate the linked LDAP server
- C. Shut down all user VMs in the cluster
- D. Reconfigure IPMI for the new datacenter

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 85

An administrator has configured a VM with affinity to a single host. Which AOS feature will this impact?

- A. AOS Upgrades B.
- B. Erasure Coding
- C. VM High AvailabilitC.
- D. Snapshots and Clones

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 86

In which two scenarios is an automated live migration likely to occur? (Choose two)

- A. AOS upgrade
- B. Hypervisor upgrade
- C. Cluster resource hotspot
- D. Network upgrade

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 87

A customer has a 24-node cluster with all containers configured with RF3. Two different nodes have incurred a simultaneous HDD failure.

What is the result?

- A. Sixty minutes after the failures a rebuild of the lost data can remaining HDDs begins to restore to three replicas.
- B. The cluster runs in a degraded state until the failed drives are replaced and the data has been restored to three replicas.
- C. The Nutanix cluster recognizes the failures and immediately begins to rebuild lost data to three replicas.
- D. The VMs with data on those drives crash, and an HA event occurs, restarting them on a remaining healthy node.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 88

Where are Leap Availability Zones configured?

- A. Cloud Connect
- B. Controller VM
- C. Prism Element
- D. Prism Central

Answer: D ([LEAVE A REPLY](#))

Explanation

Terminology

* Availability Zone - it is represented by all resources (Nutanix Clusters) connected to Prism Central or Xi Leap Availability zone. Depends on the architecture, Availability zone can represent geographic territory, datacenter or server room in the datacenter. Protection policies - in protection policies you set up (RPO, Retention), rules to auto-apply policies to virtual machines <https://vmwaremine.com/2019/02/08/nutanix-leap-runbooks-part-1/#sthash.VwrzSzhQ.dpbs>

NEW QUESTION: 89

An administrator needs to shut down an AHV cluster to relocate hardware. The administrator upgrades NCC and runs health checks.

Which steps should the administrator perform next?

Item instructions: For each procedure, indicate the order in which that procedure must take place to meet the item requirements.

Answer:

Reference:

<https://next.nutanix.com/how-it-works-22/scheduled-power-outage-relocating-cluster-hardware-if-you-need-to-shut-down-all-the-nodes-in-your-ahv-cluster-here-s-how-37326>

NEW QUESTION: 90

What is Prism Central primarily used for?

- A. Multi-cluster network configuration
- B. Data reduction configuration
- C. Container creation
- D. Multi-cluster Single Sign On

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 91

The administrator wants a container to be displayed and limited to 1TB in the hypervisor.

What advanced container setting must the administrator set?

- A. Reserved Quota
- B. Advertised Quota
- C. Reserved Capacity
- D. Advertised Capacity

Answer: C ([LEAVE A REPLY](#))

Valid NCP-5.15 Dumps shared by PrepPdf.com for Helping Passing NCP-5.15 Exam!
PrepPdf.com now offer the **newest NCP-5.15 exam dumps**, the PrepPdf.com NCP-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com NCP-5.15 dumps with Test Engine here:
<https://www.preppdf.com/Nutanix/NCP-5.15-prepaway-exam-dumps.html> (279 Q&As Dumps,
40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 92

Refer to the exhibit.

The Linux Admin role has been created to manage only Linux VMs in the environment. However, the Admin1 user does not have access to all Linux VMs.

What step should be taken to grant the proper access?

- A. Add the role to the Linux images.
- B. Add the proper category to each Linux VM.
- C. Grant the admin1 user the viewer role (or the cluster.

D. Add the hosts to the entities KM for the role.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 93

Where are Leap Availability Zones configured?

- A. Cloud Connect
- B. Controller VM
- C. Prism Element
- D. Prism Central

Answer: D ([LEAVE A REPLY](#))

Explanation

* Availability Zone - it is represented by all resources (Nutanix Clusters) connected to Prism Central or Xi Leap Availability zone. Depends on the architecture, Availability zone can represent geographic territory, datacenter or server room in the datacenter. Protection policies - in protection policies you set up (RPO, Retention), rules to auto-apply policies to virtual machines

Terminology

<https://vmwaremine.com/2019/02/08/nutanix-leap-runbooks-part-1/#sthash.VwrzSzhQ.dpbs>

NEW QUESTION: 94

Which configuration should an administrator make in Prism to receive a summary of the alerts every 24 hours?

- A. Syslog
- B. Individual Alerts
- C. Email Digest
- D. SNMP

Answer: C ([LEAVE A REPLY](#))

Explanation

[https://portal.nutanix.com/page/documents/details/?targetId=Prism_Central_Guide-](https://portal.nutanix.com/page/documents/details/?targetId=Prism_Central_Guide-Acr_v4_6:mul_alerts_manag)

[Acr_v4_6:mul_alerts_manag](https://portal.nutanix.com/page/documents/details/?targetId=Prism_Central_Guide-Acr_v4_6:mul_alerts_manag) Prism Central allows you to configure the alert messages sent by .

To configure alert settings, reporting rules, and message templates, do the following:

Note: Alert emails sent by Prism Central are in addition to any alert emails you might have configured on individual clusters through the Prism web console. You will receive email from both entities in this case.

Prism Central alert emailing is not enabled by default; you must explicitly enable it and specify the recipients (Nutanix customer support and/or supplied email addresses).

* Do one of the following:

* In the gear icon pull-down list of the main menu, select Alert Email Configuration.

* In the Alerts dashboard, click the

The Alert Email Configuration window appears.

* Click the Settings tab and do the following:

* Enable Prism Central

- * Check the Email Every Alert box to send an email whenever the event occurs.
- * Check the Email Daily Digest box to send a cumulative (24 hour) list of alerts once a day. You can check one or both boxes. If neither box is checked, no alert emails are sent by Prism Central.
- * Check the Nutanix Support box to send alert notification to Nutanix customer support.
- * To send alert notifications to others, enter their email addresses in a comma separate list in the field below the Nutanix Support box.
- * Click the Apply button to apply the changes and continue the configuration (or click the Save button to apply the changes and close the window).

The Connection Status section displays mail transport status information. In this example, an SMTP server is configured for mail service. Clicking the Details link opens the SMTP server settings window

NEW QUESTION: 95

What should be validated as part of the customer's troubleshooting process?

- A. The VLAN is unique to the Nutanix cluster, and not in use elsewhere in the network.
- B. The VLAN has the proper gateway configured in the network settings in Prism.
- C. The VLAN is configured on the trunk of the upstream switch.
- D. The VLAN has been configured to use the proper bridge.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 96

SSH access can be completely locked down by disabling remote login and completing which other step?

- A. Deleting all keys
- B. Deleting all self-signed keys
- C. Replacing all keys
- D. Replacing all CA keys

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 97

Which best practice should be followed when creating a bond in a Nutanix cluster?

- A. Place NICs of different speeds within the same bond
- B. Configure the bond to use LACP
- C. Use the default bond configuration after installation
- D. Only utilize NICs of the same speed within the same bond

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 98

An administrator has a 4-node Nutanix cluster running on Hyper-V. The administrator create a new storage container and makes that available to all hosts.

Which storage protocol should be administrator use for the hosts to gain access to the storage container?

- A. SMB/CIFS
- B. NFS
- C. Fiber Channel
- D. iSCSI

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 99

Write I/O that is deemed sequential will enter which component of the Distributed Storage Fabric first?

- A. Extent store
- B. Metadata Ring
- C. Oplog
- D. Cache

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 100

what is the result of a cvm becoming unavailable?

- A. a route is added to the host's routing table
- B. a route is added to the CVM's routing table
- C. the guest VMs on the same node are stunted
- D. VMs running on the node's host are migrated

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 101

Which three configuration scenarios are valid for the deployment of Prism Central? (Choose three.)

- A. Environments use the 192.168.5.0/24 CVM management network.
- B. Prism Elements and Prism Central are in different subnets.
- C. Environments do not have Internet access.
- D. Environments use Network Address Translation.
- E. Prism Elements and Prism Central have proxy configured.

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 102

Which configuration should an administrator make in Prism to receive a summary of the alerts every 24 hours?

- A. Syslog
- B. Individual Alerts
- C. Email Digest

D. SNMP

Answer: C (LEAVE A REPLY)

https://portal.nutanix.com/page/documents/details/?targetId=Prism_Central_Guide-Acr_v4_6:mul_alerts_management_pc_c.html Prism Central allows you to configure the alert messages sent by Prism Central. To configure alert settings, reporting rules, and message templates, do the following:

Note: Alert emails sent by Prism Central are in addition to any alert emails you might have configured on individual clusters through the Prism web console. You will receive email from both entities in this case. Prism Central alert emailing is not enabled by default; you must explicitly enable it and specify the recipients (Nutanix customer support and/or supplied email addresses).

Do one of the following:

In the gear icon pull-down list of the main menu, select Alert Email Configuration.

In the Alerts dashboard, click the Email Configuration button.

The Alert Email Configuration window appears.

Click the Settings tab and do the following:

Enable Prism Central to send alert emails.

Check the Email Every Alert box to send an email whenever the event occurs.

Check the Email Daily Digest box to send a cumulative (24 hour) list of alerts once a day.

You can check one or both boxes. If neither box is checked, no alert emails are sent by Prism Central.

Check the Nutanix Support box to send alert notification to Nutanix customer support.

To send alert notifications to others, enter their email addresses in a comma separate list in the field below the Nutanix Support box.

Click the Apply button to apply the changes and continue the configuration (or click the Save button to apply the changes and close the window).

The Connection Status section displays mail transport status information. In this example, an SMTP server is configured for mail service. Clicking the Details link opens the SMTP server settings window

NEW QUESTION: 103

An administrator wants to create a trunked interface on a VM on AOS 5.15x.

Which two steps should the administrator take first to achieve this? (Choose two)

A. Use acli

B. Log in over PE web UI.

C. SSH to CVM.

D. Update VM dialog.

Answer: A,C (LEAVE A REPLY)

Explanation/Reference:

Reference:

#sthash.3ulAHeXZ.dpbs

NEW QUESTION: 104

A Nutanix administrator needs to replace a self-signed SSL certificate with a CA generated certificate in Prism.

Which three files are required to install the CA generated certificate in Prism? (Choose three)

- A. CA Certificate or Chain (ca_chain_certs.cer)
- B. Public Certificate (PublicCert.ker)
- C. Certificate Signing Request (server.csr)
- D. Private Server Key (private_server.key)
- E. Public Server Key (public_server.key)

Answer: A,C,D ([LEAVE A REPLY](#))

Explanation

<https://portal.nutanix.com/page/documents/details/?targetId=Prism-Central-Guide-Prism-v51:mul-security-ssl-ce>

NEW QUESTION: 105

When VM HA Reservation is enabled, what is the expected behavior for all failed VMs in the event of a host failure?

- A. Restart on a best-effort basis if resources are available
- B. Perform a live migration to other hosts in the AHV cluster
- C. Restart on other hosts in the AHV cluster
- D. Perform a live migration on a best-effort basis if resources are available

Answer: ([SHOW ANSWER](#))

Reference: <http://www.nutanixpedia.com/p/configuring-ha>

NEW QUESTION: 106

An administrator deploys two VMs running a mail server application on a Nutanix cluster. The memory and CPU usage of these VMs must be tracked over time.

How should the administrator monitor these metrics?

- A. Create a metric chart for CPU usage and memory usage, including both VMs.
- B. Create an entity chart containing both VMs, including hypervisor CPU ready %and memory usage.
- C. Create an entity chart for each VM, including CPU usage and memory usage.
- D. Monitor the VM statistics page for each VM, exporting the required metrics to a CSV file.

Answer: ([SHOW ANSWER](#))

Valid NCP-5.15 Dumps shared by PrepPdf.com for Helping Passing NCP-5.15 Exam!
PrepPdf.com now offer the **newest NCP-5.15 exam dumps**, the PrepPdf.com NCP-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com NCP-5.15 dumps with Test Engine here:

NEW QUESTION: 107

A cluster has RF2. The cluster loses two drives on different nodes in the same storage tier. What is the effect on the replicas of the VMs?

- A. Some VMs may reboot and gain access to data
- B. No VMs lose data because of RF2
- C. No VMs lose data if the node has two or more SSDs
- D. Some VM data may be lost

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 108

Which two targets are valid options when selecting a remote site to Prism? (Choose Two)

- A. Cloud
- B. XI Cloud Services
- C. Tape Library
- D. Network attached storage
- E. Physical Cluster

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 109

An administrator notices that most of the VMs in the cluster are on one host. Users report that an application seems to respond slowly. The application server VM has significantly more memory assigned to it than other VMs.

How should the administrator fix this issue?

- A. Add more memory to the VM.
- B. Increase the memory on the CVM.
- C. Migrate the VM to a different host.
- D. Reduce the amount of memory assigned to the VM.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 110

What is the default network bond name for a Nutanix node?

- A. bro-up
- B. bond0
- C. bro
- D. bri

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 111

How many Prism Central instances are required to deploy Leap:'

- A. One per AHV cluster
- B. One per customer environment
- C. One per availability zone
- D. One per physical site

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 112

An administrator has been tasked with storing Nutanix snapshots at an off-premises location. The administrator does not have a second Nutanix cluster to use.

Which two servers could be utilized as remote sites for snapshots? (Choose two)

- A. XI Cloud Services
- B. Amazon Web Services
- C. Google Cloud Platform
- D. Microsoft Azure
- E. The IBM Cloud

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 113

A two-node ROBO cluster is configured with a witness VM.

What happens when Node A goes down?

- A. The cluster is unaffected and no administrator intervention is required.
- B. Node B sends a leadership request to the Witness VM and goes into single-node mode.
- C. All operations and services on the Node B are shut down and go into a waiting state.
- D. The- cluster becomes unavailable and goes into read-only mode.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 114

An administrator is implementing a VDI solution. The workload will be a series of persistent desktops in a dedicated storage container within a four-node cluster. Storage optimizations should be set on the dedicated storage container to give optimal performance including during a node failure event. Which storage optimizations should the administrator set to meet the requirements?

- A. Deduplication and Erasure Coding
- B. Compression and Deduplication
- C. Compression, Deduplication and Erasure Coding
- D. Compression only

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 115

What is the proper sequence to perform a one-click upgrade to a Nutanix cluster?

Item instructions: For each procedure, indicate the order in which that procedure must take place to meet the item requirements. Not all procedures are valid. Identify any invalid procedures using the drop-down option.

Answer:

NEW QUESTION: 116

An administrator logs in to Prism Element goes to the Network view, and sees the output shown in the exhibit.

Which three steps must the administrator take to increase throughput to the host? (Choose three.)

- A. Change the VLAN ID to a higher priority ID.
- B. Add a new switch to the network and connect 1Gb interfaces to it.
- C. Connect the 10Gb interfaces to the physical switch.
- D. Change the bond mode to balance-slb or balance-tcp.
- E. Remove any 1Gb interfaces still connected from the default bond.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 117

An administrator migrates a VM onto a new Nutanix cluster- After the migration, the administrator observes the following conditions:

- * Cluster memory utilization: 64%
- * Cluster CPU utilization: 19%
- * Cluster storage utilization. 32%
- * Average VM CPU utilization: 25%
- * Average VM CPU ready%: 24%
- * Average VM memory utilization: 60%

Which two changes should the administrator make to improve VM performance? (Choose two.)

- A. Reduce the number of vCPUs assigned to VMs.
- B. Replace high core count CPUs with high clock rate CPUs.
- C. Reduce the number of VMs on the hosts.
- D. Add more memory to the VMs.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 118

what command initiated from a cvm, is used to view the pNICs on all AHV nodes?

- A. allssh ssh root@192.168.5.2 ovs-appctl bond/show
- B. allssh ovs-appctl bond/show
- C. hostssh ssh host@192.168.5.1 ovs-appctl bond/show
- D. hostssh ovs-appctl bond/show

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 119

An Engineer logs into a CVM to troubleshoot connectivity loss between two CVMs and find the following interfaces subnets and WLANs configured.

-eth0 - VLAN10-10.1.10.0/24

eth01-No VLAN-192.168.5.0/24

eth2 - LAN20-10.1.20.0/24

Which two Nutanix networking features are being utilized? (Choose two)

- A. Internal vSwitch
- B. Network Load balancing
- C. IP address management (IPAM)
- D. Backplane LAN

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 120

How will an HDD failure affect VMs with data on the failed device?

- A. The VMs will remain operational on that host and continue to function normally with no noticeable impact
- B. A live migration will be initiated, moving the affected VMs to a host that contains the replica data.
- C. An HA event will occur, causing the affected VMs to restart on a node that contains the replica data.
- D. The VMs will crash, and will be restarted once the failed HDD has been replaced and the data has been restored.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 121

A cluster has RF2. The cluster loses two drives on different nodes in the same storage tier.

What is the effect on the replicas of the VMs?

- A. No VMs lose data if the node has two or more SSDs
- B. No VMs lose data because of RF2
- C. Some VM data may be lost
- D. Some VMs may reboot and gain access to data

Answer: ([SHOW ANSWER](#))

Valid NCP-5.15 Dumps shared by PrepPdf.com for Helping Passing NCP-5.15 Exam!
PrepPdf.com now offer the **newest NCP-5.15 exam dumps**, the PrepPdf.com NCP-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com NCP-5.15 dumps with Test Engine here:

<https://www.preppdf.com/Nutanix/NCP-5.15-prepaway-exam-dumps.html> (279 Q&As Dumps,
40%OFF Special Discount: Exam-Tests)

Valid NCP-5.15 Dumps shared by PrepPdf.com for Helping Passing NCP-5.15 Exam!
PrepPdf.com now offer the **newest NCP-5.15 exam dumps**, the PrepPdf.com NCP-5.15 exam
questions have been updated and **answers have been corrected** get the **newest**
PrepPdf.com NCP-5.15 dumps with Test Engine here:
<https://www.preppdf.com/Nutanix/NCP-5.15-prepaway-exam-dumps.html> (279 Q&As Dumps,
40%OFF Special Discount: Exam-Tests)