

Nutanix.NCP-MCA.v2023-11-22.q29

Exam Code:	NCP-MCA
Exam Name:	Nutanix Certified Professional - Multicloud Automation (NCP-MCA 6.10)
Certification Provider:	Nutanix
Free Question Number:	29
Version:	v2023-11-22
# of views:	604
# of Questions views:	290
https://www.freeqas.com/qa/Nutanix/NCP-MCA/Nutanix.NCP-MCA.v2023-11-22.q29.html	

NEW QUESTION: 1

Refer to the exhibit.



```
Directory: C:\

Mode                LastWriteTime         Length Name
----                -
d----- 7/31/2019  8:40 AM             MSSQLSVR_Essentials

A specified logon session does not exist. It may already have been terminated
At C:\Users\Administrator\AppData\Local\Temp\karan.2745f3c9-330a-4583-a26d-4fa8079d4012\2745f3c9-330a-4583-a26d-4fa8079d4012-503653a3-6879-4bfa-b209-286d052c362d.ps1:15 char:1
+ New-PSDrive -Name "T" -PSProvider "FileSystem" -Root "\\anitafileserv ...
+ ~~~~~
+ CategoryInfo          : InvalidOperation: (T:PSDriveInfo) [New-PSDrive], Win32Exception
+ FullyQualifiedErrorId : CouldNotMapNetworkDrive,Microsoft.PowerShell.Commands.NewPSDriveCommand
```

Calm encountered the error shown in the exhibit when importing a script that maps a network drive.

Upon further investigation, the Calm administrator was unable to run the script manually on a VM and discovered that elevated permissions were needed.

Which command should the administrator add to the script?

- A. Enable-WSManCredSSP -Role Server -Force
- B. Enable-WSManCredSSP -Role Client
- C. Enable-WSManCredSSP -Role Server
- D. Disable-WSManCredSSP -Role Server -Force

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

An administrator has an existing set of VMs that were deployed before the company started using Calm. The administrator would like to now use Calm to manage those existing VMs.

What should the administrator do to manage the existing VMs?

- A.** Create a Greenfield Application, select the snapshots of the VMs to manage and redeploy the VMs from the latest snapshot.
- B.** Create a Brownfield Application, select the VMs that are needed for each deployment from the drop down list.
- C.** Create a Greenfield Application, select the VMs that are needed for each deployment from the drop down list.
- D.** Create a Brownfield Application, select the snapshots of the VMs to manage and redeploy the VMs from the latest snapshot.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

Refer to the exhibit.



An administrator created the Playbook shown in the exhibit to allow for manual reduction of vCPU count on any selected VM within their environment. During a test run of the play on one of the

VMs running in development, the administrator ran into an error that the Playbook cannot be completed against the selected VM.

Here are the details of the affected VM:

VM Name: VM2

vCPU: 4

RAM: 8 GB

OS: Windows 2016

Hypervisor: AHV

What caused this Playbook to fail?

- A. The play will cause the VM to go below the minimum vCPU.
- B. This play cannot be executed against a VM on AHV.
- C. The VM needs to be powered off before vCPU can be reduced.
- D. Reduction of vCPU cannot be done on a VM with a running snapshot.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

A developer updated a blueprint to ensure that the IP address of the VM is reserved in IPAM as part of the deployment process. The developer noticed that when new VMs are created, they still get a DHCP IP address and not a reserved IP address.

What is the most likely reason for this behavior?

- A. Developer forgot to save the updated blueprint
- B. Developer created a pre-create task for reserving the IP address
- C. Developer created a post-create task for reserving the IP address
- D. Developer forgot to publish the updated blueprint

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 5

Refer to the exhibit.



```
Directory: C:\

Mode                LastWriteTime         Length Name
----                -
d-----          8/31/2019   8:40 AM             MSSQLSVR_Essentials
A specified logon session does not exist. It may already have been terminated
At C:\Users\Administrator\AppData\Local\Temp\karan\2745f3c9-330a-4583-a26d-4fa8079d4012\2745f3c9-330a-4583-a26d-4fa8079d4012-503653a3-6879-4bfa-b209-286d052c362d.ps1:15 char:1
+ New PSDrive -Name "T" -PSProvider "FileSystem" -Root "\\anitafileserv ...
+ ~~~~~
+ CategoryInfo          : InvalidOperation: (T:PSDriveInfo) [New-PSDrive], Win32Exception
+ FullyQualifiedErrorId : CouldNotMapNetworkDrive,Microsoft.PowerShell.Commands.NewPSDriveCommand
```

Calm encountered the error shown in the exhibit when importing a script that maps a network drive.

Upon further investigation, the Calm administrator was unable to run the script manually on a VM and discovered that elevated permissions were needed.

Which command should the administrator add to the script?

- A. Enable-WSManCredSSP -Role Server -Force
- B. Enable-WSManCredSSP -Role Server
- C. Enable-WSManCredSSP -Role Client
- D. Disable-WSManCredSSP -Role Server -Force

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 6

A customer is trying to deploy an application with Calm and receives this error for a Linux VM:

```
script execution has failed with error dial tcp: lookup
dummy on <dns_ip_in_pc>:53: server misbehaving
```

What is the cause of this error within the blueprint?

- A. Connection section has a network adapter selected for the Address box in Connection section.
- B. Connection Type has no protocol selected.
- C. Connection section has no network adapters selected for the Address box in Connection section.
- D. Connection Type has a protocol selected.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 7

When creating a blueprint, which Pre-create and Post-delete tasks are valid?

- A. Execute, Set variable, API, Delay
- B. Create, Start, Stop, Soft Delete
- C. Create, Start, Stop, Delete
- D. Execute, Set variable, HTTP, Delay

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 8

A blueprint service needs to use scaling. The requirements are:

Windows 2019 VM (12 vCPU, 24 GB memory, 500 GB volume)

Minimum VMs needed at any time and at time of deployment is 2 VMs

VMs should not exceed the project quota of 100 vCPUs or 300 GB of memory There are no other services in use within the project Which scaling VM replica settings meet all requirements?

- A. MIN: 2, MAX: 7, Default: 2
- B. MIN: 2, MAX: 11, Default: 2
- C. MIN: 2, MAX: 8, Default: 1
- D. MIN: 2, MAX: 10, Default: 1

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 9

An administrator has a vendor-provided script that must be run at 9 am every Saturday on a Linux application VM.

The administrator currently has a playbook that has a Time trigger and a VM SSH action to execute the script. However, the administrator has received a request to have the output of the script emailed to the application team when it is executed.

What is the easiest way to satisfy this request?

- A.** Direct the output of the script to a file and use the Send Email with Payload action at the end of your existing playbook.
- B.** Add an Email action to the end of the existing playbook and use the `{{action[index] .stdout}}` parameter in the Message field.
- C.** Add an Email action to the end of the existing playbook and use the `{{action [index].response_body}}` parameter in the Message field.
- D.** Modify the script to include a function to format the output of the script and email the output to the desired address.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Refer to the exhibit.

Calm showback is not able to reach beam service		
Calm showback is not able to reach beam service		Possible Cause
Alert Title		No internet connectivity to Prism Central VM No DNS configured Beam service is down
Source Entity	Prism Central	Recommendation
Severity	● Critical	Check internet connectivity from Prism Central VM
Created Time	18.07.19, 08:52:55	
Last Occurred	22.07.19, 14 52:56	
Impact Type	Availability	
Policy	Calm showback is not able to reach beam service	
Status	-	
Acknowledged By	-	

A customer has decided to enable Calm Showback feature but started to receive an alert in Prism Central stating that Calm showback is not able to reach beam service.

Which two configuration items should the administrator check to ensure Calm can communicate with Beam? (Choose two.)

- A. DNS configuration in Prism Central
- B. Prism Element is configured with Proxy settings
- C. Flow is enabled in the same Prism Central
- D. Ensure Pulse is enabled

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 11

An administrator is notified of changes made to VMs on an AHV cluster and wants to verify the changes inside of a Calm application.


Where should the administrator check for synchronized changes between Prism Central and Calm?

- A. On the Audit tab of the Calm application
- B. On the Overview tab of the Calm application
- C. On the Prism Central Tasks page
- D. On the Environments tab of the Calm project

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

Refer to the exhibit.



A subset of Linux VMs are required to be gracefully shutdown each evening. A Playbook is created to shutdown the targeted VMs, however the error message shown in the exhibit is displayed when the Playbook is executed.

What is causing the error message?

- A. The VM is missing Nutanix Guest Tools.
- B. The VM is already powered off.
- C. The SSH Service is not running on the VMs.
- D. User executing the Playbook does not have Admin privileges.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

An administrator has been tasked with creating a multicloud, three-tier application using Calm.

The application needs to consist of:

A MongoDB backend database

A NodeJS Javascript runtime environment

An NGINX webserver

The administrator has access to an AWS account, as well as a locally hosted Nutanix cluster. The three parts of the application should be fully redundant, and be able to tolerate either a cloud provider outage, or a local Nutanix cluster outage.

What is the most appropriate solution the administrator should choose in order to meet the requirements?

A. Create a Calm blueprint with MongoDB, Node/S, and NGINX VMs running on Nutanix, as well as an NGINX server running in AWS on US-WEST-1 and US-EAST-1.

B. Create a Calm blueprint with MongoDB, Node/S and NGINX VMs running on Nutanix, and a separate blueprint for MongoDB, NodeJS, and NGINX running in AWS on US-WEST-1 and US-EAST-1.

C. Create a Calm blueprint with MongoDB, NodeJS, and NGINX VMs running on Nutanix, as well as MongoDB, NodeJS, and NGINX servers running in AWS on US-WEST-1 and US-EAST-1.

D. Create a Calm blueprint with MongoDB, NodeJS, and NGINX VMs running on Nutanix, then manually create three EC2 instances for MongoDB, NodeJS and NGINX in AWS running on US-WEST-1 and

Answer: ([SHOW ANSWER](#))

US-EAST-1.

NEW QUESTION: 14

Refer to the exhibit.



The VM appSAP01dev is a SAP development environment application and it is common to have memory constrained alerts on this VM, but the administrator wants to avoid adding memory to development VMs like this one, since this is normally done for only production VMs.

Which two actions should the administrator take to avoid adding memory to the development VMs? (Choose two.)

- A. Assign the category Environment:Development to development VMs
- B. Modify the Alert by adding the correct category
- C. Assign the category Environment:Production to the production VMs
- D. Disable the Alert in Prism Central

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

An application team wants faster releases and starts an initiative to automate the entire database and application deployments.

The current manual process involves:

Creating virtual machines to host the databases and applications

Allocate right amount of storage for the database and applications

Deploy database software and create database

Schedule backup and recovery process for the database

Deploy applications

How can application releases be repeatedly deployed in the least amount of time?

- A. Create a Calm blueprint calling Calm APIs for both database and applications deployments
- B. Deploy databases manually and create a Calm blueprint to automate application deployment
- C. Deploy databases through Era and create a Calm blueprint to automate application deployment
- D. Create a Calm blueprint deploying applications and calling Era APIs to automate database deployments

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

How should an administrator enable Calm?

- A. Prism Central -> Services -> Calm -> Enable
- B. Prism Central -> Settings -> Calm -> Enable
- C. Prism Element -> LCM -> Calm -> Enable
- D. Prism Central -> Settings -> Upgrade Prism Central -> Calm -> Enable

Answer: A ([LEAVE A REPLY](#))

Valid NCP-MCA Dumps shared by PrepPdf.com for Helping Passing NCP-MCA Exam! PrepPdf.com now offer the **newest NCP-MCA exam dumps**, the PrepPdf.com NCP-MCA exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com NCP-MCA dumps with Test Engine here: <https://www.preppdf.com/Nutanix/NCP-MCA-prepaway-exam-dumps.html> (102 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

An administrator has been asked to review and clean up all existing categories within the Nutanix environment.

What information should the administrator filter on to organize the findings and eliminate unused categories?

- A. Name, Value, Entities, and Policies
- B. Blueprint, Triggers, Categories, and Policies
- C. Blueprint, Policies, Value, and Entities
- D. Policies, Triggers, Categories, and Entities

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

Which method will result in unique names per VM when scaling out a Service in a Calm Blueprint?

- A. Service VM Name field contains the macro variable `@@{calm_array_index}@@`.
- B. Guest OS customization using sysprep contains `<ComputerName>@@{name}@@</ComputerName>`.
- C. Set the VM Name field to allow user edits at launch so the user can enter a custom value at launch.
- D. Call an external Python eScript that uses an IPAM API to register the VM name in DNS.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 19

Refer to the exhibit.



The Playbook is designed to execute a script, in order to fix a known problem in the application. However, it keeps failing.

Why is this Playbook continuing to fail?

- A. Slack configuration should be reviewed.
- B. The Playbook actions are in the wrong order.

- C. The script is incorrect.
- D. Not enough storage space in order to take a snapshot.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 20

Where should an administrator check why a Playbook failed to grow the memory of a VM?

- A. Plays dashboard in Prism Central
- B. VM Details in Prism Central
- C. Plays dashboard in Prism Element
- D. VM Details in Prism Element

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 21

An administrator is providing users with access to the company's LOB applications through a VDI solution. The administrator received information that the company are going to hire 200 new employees who will be using these applications.

The environment is monitored by a third-party tool that notifies the administrator when the VDI solution is about to run out of capacity. This gives the administrator time to create additional resources and add them to the VDI solution.


What should the administrator use when creating a playbook to automate this?

- A. A trigger based on a REST API
- B. A trigger based on an email
- C. A trigger based on an alert
- D. A trigger based on an event

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 22

Refer to the exhibit.



Saving the Calm Blueprint gives the validation error for VMware Blueprints shown in the exhibit. What could be the cause of the error?

- A. Number of Template VMXNET3 components should be equal to the number of Virtual e1000 adapters configured.
- B. Number of Template devices components should be equal to the number of Devices configured.
- C. Number of Template vCPU components should be equal to the number of pCPU configured.
- D. Number of Template NICs components should be equal to the number of Network Settings configured.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 23

When a developer launches the created Blueprint within the Blueprint Editor, the application gets deployed correctly. However, when the Blueprint is launched via Marketplace, it gets a check login error.

What is causing this issue?

- A. The credential in the Project Environment is invalid.
- B. The SSH key within the user's laptop is not valid.
- C. Prism Central can't communicate with Active Directory.
- D. User is not authorized to launch Blueprints.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 24

An administrator needs to add AWS as a usable destination for application deployments. Where would the administrator perform the task?

- A. Projects
- B. Marketplace
- C. Blueprints
- D. Providers

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 25

An administrator is configuring Playbooks and is concerned about adding or reducing CPU and memory resources to VMs.

Which two prerequisites should an administrator take into consideration when configuring the Playbooks? (Choose two.)

- A. CPU can be added to a powered on VM if the guest OS supports it
- B. Memory can be removed from a powered on VM if the guest OS supports it
- C. VM must be powered off to add CPU
- D. VM must be powered off to reduce memory

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 26

Which two groups of operations can a Prism Admin or Super Admin role perform? (Choose two.)

- A. Create, read, automate, delete, enable, and run playbooks
- B. Create, read, update, delete, enable, and run playbooks
- C. Create, read, automate, or delete an action template in the action gallery
- D. Create, read, update, or delete an action template in the action gallery

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 27

An administrator needs to create a Playbook to be notified when VMs are deleted.

Which X-Play Trigger would satisfy this task?

- A. Event
- B. Audit
- C. Alert
- D. Time

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 28

An administrator needs to enable Showback in Calm to allow departments to see costs associated with their Projects.

Where in Calm would the administrator enable Showback?

- A. Setting

- B. Marketplace
- C. LCM
- D. Projects

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 29

A company has started a new project team and has asked an administrator to build the first blueprint for a new public cloud environment that was defined last week. This will be the first deployment to AWS.

The administrator has been given the following information:

VM Name: web01-@@{unique}@@

IP Address: Provider-assigned

OS version: Windows Server 2016

Deployment location: AWS

Region: us-west-1

Project: Default

What should the administrator do first when building the first blueprint?

- A. Create a new provider
- B. Create a new blueprint
- C. Create a new service
- D. Create a new project

Answer: ([SHOW ANSWER](#))

Valid NCP-MCA Dumps shared by PrepPdf.com for Helping Passing NCP-MCA Exam!

PrepPdf.com now offer the **newest NCP-MCA exam dumps**, the PrepPdf.com NCP-MCA exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com NCP-MCA dumps with Test Engine here: <https://www.preppdf.com/Nutanix/NCP-MCA-prepaway-exam-dumps.html> (102 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)