

Oracle.1Z0-1041-21.v2022-04-30.q27

Exam Code:	1Z0-1041-21
Exam Name:	Oracle Cloud Platform Enterprise Analytics 2021 Specialist
Certification Provider:	Oracle
Free Question Number:	27
Version:	v2022-04-30
# of views:	827
# of Questions views:	270
https://www.freeqas.com/qa/Oracle/1Z0-1041-21/Oracle.1Z0-1041-21.v2022-04-30.q27.html	

NEW QUESTION: 1

What statement is false regarding how Data Flow Sequences can be configured?

- A. To change the order of an item in the Sequence, the item can be selected by clicking it and dragging it up or down. It will be placed immediately below the highlighted item.
- B. To remove an item from a Sequence, click the Action menu icon at the far right of the line upon which the item is found and then select Remove from the drop-down menu,
- C. Data Set prepare execution can be encapsulated by embedding Sequences inside of other Sequences.
- D. Sequences can be configured to fork multiple Data Flows to be run in parallel so as to complete data preparation more quickly than running flows serially.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 2

Which of the following cannot be done with Data Visualization to shape stories?

- A. Visual canvases can be resized and the Auto Fit setting can be disabled.
- B. Create filters to focus upon pertinent data points.
- C. Enhance narrative transition by rearranging and/or hiding Insight canvases.
- D. Multiple projects can be combined into one project by clicking on the Share icon in the Narrate menu bar.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 3

Which statement is false about log files generated by Oracle BI Analyses?

- A. An Analysis that references two fact tables will generate two database-specific SQL queries in the log file.
- B. The log file can be accessed via the Fusion Middleware Control.
- C. Catalog Manager provides rapid access to the log file.

D. The log file is not accessible via the repository Administration client.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

How should you determine the accuracy of a machine learning model created in Oracle AnalyticsCloud?

- A. Open the Inspect dialog for a given machine learning model and review the F1 score.
- B. Create a data flow that Includes a histogram.
- C. Run the machine learning model with various filter values applied.
- D. Use the debug option in the data flow where the model was created.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 5

Which two statements are true regarding configuring filters to control visual content?

- A. Expression filters cannot be applied in the filter steps of Oracle Analytics Cloud Data Visualization data flows.
- B. When the Oracle Business Intelligence Enterprise Edition repository is used as a data source, filters defined in the initialization blocks with the client administration tool are automatically inherited in Data Visualization.
- C. Application role filters for fact and dimension tables are defined in the Oracle Analytics Cloud Data Modeler.
- D. Variables may be employed in all Data Visualization filter types (that is, Range, List, Date, Expression).

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Which are the steps to create a connection between ADWH and OAC?

- A. - In home page, go to hamburger icon and console tab
 - Select connections
 - Create connection and Write connection name
 - Upload the wallet.sso file.
 - add the appropriate credentials and select the correct service name.
- B. - In OAC home menu, Create connection
 - Select Oracle Autonomous Data Warehouse Cloud
 - Write connection name
 - Upload the wallet.zip file.
 - add the appropriate credentials and select the correct service name.
- C. - In home page, go to hamburger icon and console tab
 - Select connections
 - Create connection and Write connection name
 - Upload the wallet.zip file.

- add the appropriate credentials and select the correct service name.

D. - In OAC home menu, Create connection

- Select Oracle Autonomous Data Warehouse Cloud

- Write connection name

- Upload the wallet.sso file.

- add the appropriate credentials and select the correct service name.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 7

What should you use to make sure that the model you created is correct?

A. Data Checker icon

B. DB Sync Icon

C. Correct icon

D. Validate Icon

Answer: D (LEAVE A REPLY)

NEW QUESTION: 8

Which are the steps to upload the wallet to set up a connection with OAC?

A. -Go to the url/dv/ui

- Click over the hamburger menu icon.

- Select Console.

- Click connections

- Click over the top-right hamburger icon.

- Proceed without Virus scan.

- Choose wallet.zip

- Upload it.

B. - Go to the oracle website and sign in

- Click over the hamburger menu icon.

- Select Console.

- Click connections

- Click over the top-right hamburger icon.

- Proceed without Virus scan.

- Choose wallet.sso

- Upload it.

C. -Go to the oracle website and sign in

- Download the wallet.zip

- Proceed without Virus scan.

- Use this zip file to upload it in DV console.

- Upload it.

D. - Go to the url/dv/ui

- Click over the hamburger menu icon.

- Select connections
- Click over the top-right hamburger icon.
- Proceed without Virus scan.
- Choose wallet.zip
- Upload it.
- E.** - Go to the url/dv/ui
- Click over the hamburger menu icon.
- Select Console.
- Click connections
- Click over the top-right hamburger icon.
- Proceed without Virus scan.
- Choose wallet.sso
- Upload it.

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 9

What does the band inside a box plot visualization represent?

- A.** The standard deviation of the data
- B.** The average of the data
- C.** The maximum of the data
- D.** The median of the data

Answer: ([SHOW ANSWER](#))

Explanation

<https://docs.oracle.com/en/cloud/paas/analytics-cloud/acubi/visualizing-data-and-building-reports-oracle-analytic>

NEW QUESTION: 10

You've been given a spreadsheet of employee attrition data and have been asked to determine which are the most important factors that contribute to whether an employee is likely to leave their position. What is the quickest way to start this analysis after uploading the data to Oracle Analytics Cloud?

- A.** Use Outlier identification.
- B.** Perform a cluster analysis of employees.
- C.** Calculate a forecast of the probability of attrition.
- D.** Use the Explain option on the attrition attribute.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

Your customer has a hybrid aggregate Essbase cube. They want to be able to model what-if scenarios with hypothetical data and are considering using the Sandbox dimension. Which two statements represent correct functionality of the Sandbox dimension?

- A. Using the sandbox dimension has storage overhead that would be required to replicate data from the base environment.
- B. The sandbox dimension has one base member and multiple sandbox members.
- C. Initially, the state of each sandboxmember is #missing.
- D. When you submit changes to a base member, changes are seen and stored in each sandbox member.
- E. After working in the sandbox environment, you can commit changes to the base environment or even to another sandbox target.

Answer: B,E (LEAVE A REPLY)

Explanation

Reference: <https://docs.oracle.com/en/cloud/paas/analytics-cloud/adess/testing-changes-sandbox-dimension.html>

NEW QUESTION: 12

Which 2 Dynamic time series are feasible to set up in Essbase cube:

- A. D-T-Y
- B. Y-T-D
- C. Q-T-D
- D. LM-TD
- E. PY-TD

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 13

What is a typical relationship between levels in a dimension hierarchy going from top to bottom?

- A. Multiple Relationship
- B. Zero Cardinality
- C. Many to ManyRelationship
- D. One to Many Relationship

Answer: D (LEAVE A REPLY)

NEW QUESTION: 14

Which are the correct steps to download theAutonomous DW wallet?

- A. - Go to Oracle Cloud Infrastructure overview
 - Selectthe compartment where you have the ADW
 - Click to DB Connection.
 - Click Download
 - Confirm Download
- B. - Go to Oracle Cloud Infrastructure overview
 - Select the compartment whereyou have the ATP
 - Click to DB Connection.

- Click Download
- Enter appropriate Password.
- Confirm Download
- C.** - Go to Oracle Cloud Storage overview
 - Select the bucket where you have the ADW
 - Click to DB Connection.
 - Click Download
 - Enter appropriate Password.
 - Confirm Download
- D.** - Go to Oracle Cloud Infrastructure overview
 - Select the compartment where you have the ADW
 - Click to DB Connection.
 - Click Download
 - Enter appropriate Password.
 - Confirm Download
- E.** - Go to Oracle Cloud Baremetal overview
 - Select the compartment where you have the ADW
 - Click to DB wallet download
 - Confirm Download

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 15

Which two statements are true regarding the source of Oracle BI Enterprise Edition Analyses?

- A.** Analyses cannot be created from multiple subject areas even though they contain common, conformed dimensions.
- B.** Analyses can be created from multiple subject areas as long as at least one metric is included from each, and the Dimensionality Flag is enabled.
- C.** Analyses can be created with measures from multiple physical tables defined as sources in a single logical fact table.
- D.** Analyses can be created from multiple business models as long as they contain common, conformed dimensions.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

Your company is using an Essbase cube, which is enabled for Scenario Management. Planners model data in individual scenarios and submit them for approval.

While modeling data in the "SB1" sandbox, you changed a few values based on some assumption. Later, you realized that your assumptions were incorrect. You want to start again with the original values, the same as base.

Which step should you perform?

- A. Type #Missing in the changed scenario cells and Submit Data.
- B. Type #Revert in the changed scenario cells and Submit Data.
- C. Type #Discard in the changed scenario cells and Submit Data.
- D. Type #Original in the changed scenario cells and Submit Data.
- E. Type #Base in the changed scenario cells and Submit Data.

Answer: B (LEAVE A REPLY)

Valid 1Z0-1041-21 Dumps shared by PrepPdf.com for Helping Passing 1Z0-1041-21 Exam! PrepPdf.com now offer the **newest 1Z0-1041-21 exam dumps**, the PrepPdf.com 1Z0-1041-21 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Z0-1041-21 dumps with Test Engine here:
<https://www.preppdf.com/Oracle/1Z0-1041-21-prepaway-exam-dumps.html> (83 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

Select two correct editions of Oracle Analytics Cloud.

- A. Big Data Edition
- B. SaaS Edition
- C. Data Lake Edition
- D. BI Cloud Service Edition
- E. Standard Edition

Answer: (SHOW ANSWER)

Explanation

<https://docs.oracle.com/en/cloud/paas/analytics-cloud/acsgs/what-is-oracle-analytics-cloud.html#GUID-E68C8A>

NEW QUESTION: 18

Which statement is false with respect to Dashboard Prompts?

- A. Prompt values can be limited based on requirements.
- B. Images can be used in the prompts.
- C. Repository variables and session variables can be used in prompt default values.
- D. Prompts can be developed using multiple columns from different subject areas.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 19

Your customer is looking to get a better understanding of their data, in particular how Oracle Analytics Cloud can help them gain a competitive advantage.

Which two tasks can help them achieve their goals?

- A. Perform analysis on the data by using trend lines, clustering, and outlier detection to offer new perspectives.
- B. Create a data story by using the narrate functionality to present to their management.
- C. Import the data into Oracle Analytics Cloud and use the Data Tile functionality in the Prepare section of the product. Use the resulting combination of visualization types to determine relationships and avenues for further exploration.
- D. Create a data flow to highlight the interesting data.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 20

Which is the maximum row count for unformatted files?

- A. 1.2 million
- B. 2.2 million
- C. 500k
- D. 800k
- E. 3.2 million

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 21

Your customer has a requirement to generate a Year-to-Date and Quarter-to-Date report from a Block Storage Essbase cube. The cube has a dimension that represents Time and includes calendar months as leaf-level members.

What two steps should you perform to enable To-Date reporting?

- A. Enable Dynamic Time Series in the Time dimension and configure Y-T-D and Q-T-D.
- B. Ensure the Time Balance functionality is turned on for the cube.
- C. Ensure the dimension representing Time is tagged as the "Time" dimension.
- D. Exclude Quarters from the Time hierarchy.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

You are trying to get a quick view of the number of orders placed without having to create a project. In the

"What are you interested in" field of the home page, you enter the search string Number of Orders and BI Ask search returns a visual of order numbers.

Select two options that describe what occurred,

- A. There is no metric defined with the name Number of Orders. Resubmit the search using a wildcard.
- B. The indexes that BI Ask uses to search are corrupt and cache needs to be cleared.
- C. There is no metric defined with the name Number of Orders. Resubmit with another variation of the name (for example, # of Orders) and see if results are returned.

D. BI Ask used fuzzy logic to determine that you really wanted a list of the order numbers and complied.

Answer: (SHOW ANSWER)

NEW QUESTION: 23

Which two statements are true about a segment as defined in the Oracle Analytics Cloud machine learning functionality?

- A. It is a component of a data flow sequence.
- B. It is the resulting data set after applying a filter in a data flow.
- C. It is a component of the output from the Explain functionality.
- D. It is a statistically determined group of data points that may contribute to predicting the value of an attribute of interest.

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 24

When you create a service, a diagnostics ZIP file is uploaded to your cloud storage location. Where can you find this file if your issue requires further diagnosis?

- A. Go to your cloud storage and locate the service_provisioning_failure logs folder.
- B. Go to your cloud storage and locate the service_failure logs folder.
- C. Go to your cloud storage and locate the service_provisionfng logs folder.
- D. Go to your cloud storage and locate the provisioning_failure logs folder.

Answer: C (LEAVE A REPLY)

Explanation

<https://docs.oracle.com/en/cloud/paas/analytics-cloud/acsam/troubleshooting.html#GUID-943811F1-8253-4B55>

NEW QUESTION: 25

Which option is false with respect to the Presentation Catalog?

- A. Multiple objects can be archived into a single file.
- B. To prevent corruption of the catalog, storage of objects of different types must be segregated into their own folders.
- C. Catalog Manager is a client administration tool that can be used to view and manage the Presentation Catalog.
- D. Object permissions for Analyses and Prompts can be archived along with the object in the catalog.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 26

Which action cannot be employed to split one Data Set column containing data with hyphenated strings (in the format of xxx-xxx) into two columns?

- A.** Edit the Data Set and select the Edit option from the hyphenated column's action menu to invoke the Expression Editor. Use the String functions to parse and extract the string preceding the hyphen. Repeat for the text following the hyphen.
- B.** Edit the Data Set and select the Group option from the hyphenated column's action menu to create two new groups for each element.
- C.** Edit the Data Set and select the Split option from the hyphenated column's action menu.
- D.** Edit the Data Set and select the Create option from the hyphenated column's action menu to invoke the Expression Editor. Use the String functions to parse and extract the string preceding the hyphen. Repeat for the text following the hyphen.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 27

What is not a pre-requisite for deploying the Oracle Business Intelligence Cloud Service RemoteData Connector?

- A.** Configure the load balancer or HTTP server for Secured Socket Layer communication.
- B.** Download the Oracle Business Intelligence Cloud Service Remote Data Connector WAR file from the Oracle Technology Network website.
- C.** Download and Install Weblogic Server and Node Manager from the Oracle Technology Network website or, alternatively, download and install Apache Tomcat.
- D.** Obtain the OAuth 2.0 token from the IETF OAuth Working Group website and save it to the Oracle Analytics Cloud bi_home directory.

Answer: D (LEAVE A REPLY)

Explanation

Reference

<https://www.oracle.com/technetwork/middleware/bicloud/downloads/oac-rdc-e67875-06-4921158.pdf>

Valid 1Z0-1041-21 Dumps shared by PrepPdf.com for Helping Passing 1Z0-1041-21 Exam! PrepPdf.com now offer the **newest 1Z0-1041-21 exam dumps**, the PrepPdf.com 1Z0-1041-21 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Z0-1041-21 dumps with Test Engine here:

<https://www.preppdf.com/Oracle/1Z0-1041-21-prepaway-exam-dumps.html> (83 Q&As

Dumps, **40%OFF Special Discount: Exam-Tests**)