

Oracle.1Z0-1041-21.v2022-11-03.q30

Exam Code:	1Z0-1041-21
Exam Name:	Oracle Cloud Platform Enterprise Analytics 2021 Specialist
Certification Provider:	Oracle
Free Question Number:	30
Version:	v2022-11-03
# of views:	819
# of Questions views:	300
https://www.freeqas.com/qa/Oracle/1Z0-1041-21/Oracle.1Z0-1041-21.v2022-11-03.q30.html	

NEW QUESTION: 1

What are two incorrect steps when creating pixel perfect reports with BI Publisher?

- A.** Test connections between BI Publisher and configured sources using Oracle Fusion Middleware Control.
- B.** Create connections to sources, some of which include Oracle I0g/Ilg, Oracle BI Server, JDBC, and MS SQL Server 2005/2008.
- C.** Define a data model to set the business view of the data, join data sets, and create custom measures.
- D.** Generate and save to a folder in the Presentation Catalog a sample set of data that can be used for configuring and testing the report.

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 2

A customer built an Essbase cube (Block Storage) with six dimensions. At a later stage, a few cube settings were updated and new members were added manually. Based on new requirements from users, the customer wants to add a new dimension to the existing cube. The administrator will be using the Cube Designer extension in SmartVlew to make the updates. How can the customer update the cube incrementally while retaining any previous changes that were applied manually?

A. In Cube Designer:

1. Export the cube to the application workbook.
2. Select "From Sheet" to populate the wizard with contents of the application workbook.
3. Add a new dimension.
4. Select "To Sheet" to propagate the changes to the application workbook.
5. Add members in the dimension worksheet.
6. Finally, select Update Cube from the build options.

B. A new dimension cannot be added to an existing cube using Cube Designer.

C. In Cube Designer:

1. Export the cube to the application workbook.

D. Select "From Sheet" to populate the wizard with contents of the application workbook.

3. Add a new dimension.

4. Select "To Sheet" to propagate the changes to the application workbook.

5. Add members in the dimension worksheet.

Finally, select the Load Data option.

E. Previous changes applied manually in cloud service cannot be retained while using Cube Designer.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 3

Which are the correct steps to download the Autonomous DW wallet?

A. - Go to Oracle Cloud Infrastructure overview

- Select the compartment where you have the ADW

Click to DB Connection.

- Click Download

- Confirm Download

B. - Go to Oracle Cloud Infrastructure overview

- Select the compartment where you have the ADW

- Click to DB Connection.

- Click Download

- Enter appropriate Password.

- Confirm Download

C. - Go to Oracle Cloud Infrastructure overview

- Select the compartment where you have the ATP

- Click to DB Connection.

- Click Download

- Enter appropriate Password.

- Confirm Download

D. - Go to Oracle Cloud Storage overview

- Select the bucket where you have the ADW

- Click to DB Connection.

- Click Download

- Enter appropriate Password.

- Confirm Download

E. - Go to Oracle Cloud Baremetal overview

- Select the compartment where you have the ADW

- Click to DB wallet download

- Confirm Download

Answer: B (LEAVE A REPLY)

NEW QUESTION: 4

What is true about setting up Usage tracking?

- A. It is only available in Enterprise Edition.
- B. It is available in both Essbase and Enterprise Edition.
- C. You need to set up a connection pool in Data Modeler.
- D. You need to restart after modifying the connection pool.
- E. You need to set up a connection pool in Oracle Analytics Developer Client Tool.

Answer: A,D,E (LEAVE A REPLY)

NEW QUESTION: 5

Which statement is false with respect to Dashboard Prompts?

- A. Prompt values can be limited based on requirements.
- B. Images can be used in the prompts.
- C. Repository variables and session variables can be used in prompt default values.
- D. Prompts can be developed using multiple columns from different subject areas.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 6

You create a visualization of revenue data by date (at day level) for the past three years. You then add a forecast.

How can you check the accuracy of the forecast?

- A. Select the option to highlight the prediction interval for a given percentage.
- B. Add reference lines for the maximum and minimum.
- C. Combine a polynomial trend line with a suitable reference line.
- D. Change the model employed by the algorithm.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 7

A customer wants to build a Block Storage (BSO) cube which has 8 standard dimensions and 2 attribute dimensions.

How many dimension worksheets will the application workbook have?

- A. 8 dimension worksheets
- B. 12 dimension worksheets
- C. 1 dimension worksheet
- D. 9 dimension worksheets
- E. 10 dimension worksheets

Answer: E (LEAVE A REPLY)

NEW QUESTION: 8

Which statement is false regarding arrangement of visuals on a canvas?

- A. Visuals can be arranged horizontally, one visual above another.
- B. Visuals can be arranged vertically, one visual beside another.
- C. Visuals can be stacked one on top of another.
- D. Visuals cannot be arranged automatically.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

Which feature does the Data Lake Edition uniquely offer?

- A. Use the Day by Day mobile app
- B. Execute data flows on Apache Spark
- C. Migrate content from your existing on-premises environment
- D. Live optimized connectivity to your on-premises database

Answer: B ([LEAVE A REPLY](#))

Explanation

Reference <https://www.us-analytics.com/hyperionblog/oracle-unveils-data-lake-edition-for-oac>

NEW QUESTION: 10

What does the band inside a box plot visualization represent?

- A. The standard deviation of the data
- B. The average of the data
- C. The maximum of the data
- D. The median of the data

Answer: ([SHOW ANSWER](#))

Explanation

<https://docs.oracle.com/en/cloud/paas/analytics-cloud/acubi/visualizing-data-and-building-reports-oracle-analytic>

NEW QUESTION: 11

Your customer has a hybrid aggregate Essbase cube. They want to be able to model what-if scenarios with hypothetical data and are considering using the Sandbox dimension.

Which two statements represent correct functionality of the Sandbox dimension?

- A. Using the sandbox dimension has storage overhead that would be required to replicate data from the base environment.
- B. The sandbox dimension has one base member and multiple sandbox members.
- C. Initially, the state of each sandbox member is #missing.
- D. When you submit changes to a base member, changes are seen and stored in each sandbox member.
- E. After working in the sandbox environment, you can commit changes to the base environment or even to another sandbox target.

Answer: B,E ([LEAVE A REPLY](#))

Explanation

Reference: <https://docs.oracle.com/en/cloud/paas/analytics-cloud/adess/testing-changes-sandbox-dimension.html>

NEW QUESTION: 12

Which two statements are true about the Data Sync functionality?

- A. To manage extractions and loads from cloud-based sources, DataSync can invoke the REST APIs of the Oracle Database Cloud Service as well as the Oracle Business Intelligence Cloud Service.
- B. Data Sync can create and manage surrogate keys in target tables.
- C. Data Sync is the only mechanism available in Oracle Analytics Cloud Standard Edition for loading data into DBaaS tables.
- D. Data Sync cannot load incremental source insertions and updates; only full refresh loads are supported.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 13

What is the Oracle resource recommendation for applying a patch?

- A. Oracle recommends 300 GB, that is, 150 GB latency, and 150 GB data.
- B. Oracle recommends 200 GB, that is, 100 GB latency, and 100 GB data.
- C. Oracle recommends 230 GB, that is, 130 GB latency, and 100 GB data.
- D. Oracle recommends 330 GB, that is, 180 GB latency, and 150 GB data.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

Which two statements pertaining to Action Links are false?

- A. Navigation from one Analysis to another Analysis is not possible if they reside in different folders.
- B. Presentation variables can be used while navigating from one Analysis to another Analysis.
- C. The Navigation option on a column can be enabled conditionally.
- D. Navigation from one Analysis to another Analysis only works when both analyses are created from single subject area.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 15

Which statement is false with respect to the ability to adjust visualization properties when placing multiple visuals on a canvas?

- A. Change the visual's location on a canvas by selecting and dragging it to the desired location.
- B. Resize the canvas by changing the Canvas Layout option from Auto Fit to Freeform.
- C. Duplicate a visual that is on the canvas, changing the visual type in the duplicated visual.

D. Hide a visual by right-clicking the canvas and selecting Hide from the drop-down menu.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

Which action cannot be employed to split one Data Set column containing data with hyphenated strings (in the format of xxx-xxx) into two columns?

A. Edit the Data Set and select the Create option from the hyphenated column's action menu to invoke the Expression Editor. Use the String functions to parse and extract the string preceding the hyphen. Repeat for the text following the hyphen.

B. Edit the Data Set and select the Split option from the hyphenated column's action menu.

C. Edit the Data Set and select the Group option from the hyphenated column's action menu to create two new groups for each element.

D. Edit the Data Set and select the Edit option from the hyphenated column's action menu to invoke the Expression Editor. Use the String functions to parse and extract the string preceding the hyphen. Repeat for the text following the hyphen.

Answer: C ([LEAVE A REPLY](#))

Valid 1Z0-1041-21 Dumps shared by PrepPdf.com for Helping Passing 1Z0-1041-21 Exam! PrepPdf.com now offer the **newest 1Z0-1041-21 exam dumps**, the PrepPdf.com 1Z0-1041-21 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Z0-1041-21 dumps with Test Engine here:

<https://www.preppdf.com/Oracle/1Z0-1041-21-prepaway-exam-dumps.html> (83 Q&As

Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

What should you use to make sure that the model you created is correct?

A. DB Sync Icon

B. Validate Icon

C. Correct icon

D. Data Checker icon

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 18

What statement is false regarding how Data Flow Sequences can be configured?

A. Data Set prepare execution can be encapsulated by embedding Sequences inside of other Sequences.

B. To change the order of an item in the Sequence, the item can be selected by clicking it and dragging it up or down. It will be placed immediately below the highlighted item.

- C.** To remove an item from a Sequence, click the Action menu icon at the far right of the line upon which the item is found and then select Remove from the drop-down menu,
- D.** Sequences can be configured to fork multiple Data Flows to be run in parallel so as to complete data preparation more quickly than running flows serially.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 19

Which statement is false with respect to Dashboards?

- A.** Multiple Analyses can be arranged into different columns and sections with different sizes on a dashboard.
- B.** All the Analyses placed on a dashboard must be sourced from the same subject area.
- C.** Options for the Export and Refresh report links can be enabled globally at the dashboard level.
- D.** Prompts on the dashboards can be shared between different pages of a dashboard.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

You want to create a filter that restricts access to the Fact table so that Revenue is only visible to users assigned to a particular role. In which tab should you set this up?

- A.** Permissions
- B.** Row Level Data
- C.** Table filter
- D.** Data Filters

Answer: ([SHOW ANSWER](#))

Explanation

You can define data filters for fact tables, dimension tables, and columns that provide row-level security for data model objects. For example, you can create a filter that restricts access to the Products table so that only certain brands are visible to users assigned to a particular role.

<https://docs.oracle.com/en/cloud/paas/bi-cloud/bilpd/securing-access-data.html>

NEW QUESTION: 21

You have created a visualization of revenue data by date (at day level) for the last three years. What functionality should you use to create a prediction of ongoing revenue throughout the next three months?

- A.** Add a forecast with a forward period of approximately 90.
- B.** Create a custom calculation based on the revenue metric.
- C.** Add a trend line with exponential option.
- D.** Add a forecast with a forward period of 3.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

You are migrating 11.1.2.4.nnn On-Premises Essbase cubes to the cloud service. Which four steps should you perform?

- A. Convert all applications and associated artifacts to non-Unicode mode before export.
- B. Correct any partition settings in the Life Cycle Management exported .zip file.
- C. Install and execute the Life Cycle Management utility to export the required Essbase source application.
- D. Import a .zip file using the Command Line Interface tool.
- E. Convert all application-level substitution variables to server-level variables before export.
- F. Convert all application-level files and artifacts to database-level files and artifacts before export.

Answer: ([SHOW ANSWER](#))

Explanation

Reference: <https://blogs.perficient.com/2018/04/11/migrating-essbase-cubes-oracle-analytics-cloud/>

NEW QUESTION: 23

If we select the Oracle Analytics Cloud Enterprise Edition, which are the options available to select while creating the service?

A. Business Intelligence - Enterprise Reports

Pixel Perfect Reports

Essbase

B. Essbase

Pixel Perfect Reports

Data Visualization

C. Business Intelligence - Enterprise Reports

Data Visualization

Essbase

D. Business Intelligence - Enterprise Reports

Pixel Perfect Reports

Data Visualization

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 24

How should you use a machine learning model within a canvas of an Oracle Analytics Cloud project?

A. Create a custom calculation.

B. Create a scenario using the required model.

C. Use the machine learning model visualization.

D. Create a data sequence.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

How can Oracle Analytics Cloud be used to visualize group relationships between data points on a particular canvas?

- A. Use a variety of colors for each data point.
- B. Create a cluster with a suitable number of groups for the specific analysis.
- C. Use a combination of a tree diagram and a trellis visualization.
- D. Visualize the data by using a network chart.

Answer: B (LEAVE A REPLY)

Explanation

Reference

<https://docs.oracle.com/en/cloud/paas/analytics-cloud/acubi/visualizing-data-and-building-reports-oracle-analytic>

NEW QUESTION: 26

Which two statements are true regarding configuring filters to control visual content?

- A. Expression filters cannot be applied in the filter steps of Oracle Analytics Cloud Data Visualization data flows.
- B. Application role filters for fact and dimension tables are defined in the Oracle Analytics Cloud Data Modeler.
- C. Variables may be employed in all Data Visualization filter types (that is, Range, List, Date, Expression).
- D. When the Oracle Business Intelligence Enterprise Edition repository is used as a data source, filters defined in the initialization blocks with the client administration tool are automatically inherited in Data Visualization.

Answer: (SHOW ANSWER)

NEW QUESTION: 27

Select two correct editions of Oracle Analytics Cloud.

- A. Big Data Edition
- B. SaaS Edition
- C. Data Lake Edition
- D. BI Cloud Service Edition
- E. Standard Edition

Answer: C,E (LEAVE A REPLY)

Explanation

<https://docs.oracle.com/en/cloud/paas/analytics-cloud/acsgs/what-is-oracle-analytics-cloud.html#GUID-E68C8A>

NEW QUESTION: 28

Your company is using an Essbase cube, which is enabled for Scenario Management. Planners model data in individual scenarios and submit them for approval. While modeling data in the "SB1" sandbox, you changed a few values based on some assumption. Later, you realized that your assumptions were incorrect. You want to start again with the original values, the same as base.

Which step should you perform?

- A. Type #Discard in the changed scenario cells and Submit Data.
- B. Type #Revert in the changed scenario cells and Submit Data.
- C. Type #Base in the changed scenario cells and Submit Data.
- D. Type #Original in the changed scenario cells and Submit Data.
- E. Type #Missing in the changed scenario cells and Submit Data.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 29

In which two ways can you use Oracle Analytics Cloud to determine which values of a given data set may provide the greatest opportunity due to their stand out qualities?

- A. Modify the color palette to highlight unique values.
- B. Add an outlier visualization to your canvas. This will highlight data points that stand out and may Justify further investigation.
- C. Use a combination of Max / Min value reference lines.
- D. Create a box plot visualization of your data set.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

If your service uses the embedded LDAP server, you can add users and roles one-by-one through the Console.

What is the correct process to add a role?

- A. Click Roles; Click Add; Enter a name for the role; Import Users from a .csv file; Assign one or more users to this role by selecting Manage Members; Select Users from the Type list and then click Search to list all the users you imported from your .csv file.
- B. Click Roles; Click Add; Enter a name for the role; Enter a more detailed displayname and description (required); Assign one or more users to this role by selecting Manage Members, select Users from the Type list and then click Search to list all the users; Move all the users you want for this role to the Selected Users pane; click OK.
- C. Click Roles; Click Add; Enter a name for the role; Enter a more detailed display name and description (optional); Assign one or more users to this role by selecting Manage Members; Import Users from a .csv file; Move all the users you want for this role to the Selected Users pane; click OK.
- D. Click Roles; Click Add; Enter a name for the role; Enter a more detailed display name and description (optional); Assign one or more users to this role by selecting Manage Members,

select Users from the Type list and then click Search to list all the users; Move all the users you want for this role to the Selected Users pane; click OK.

Answer: D (LEAVE A REPLY)

Explanation

Reference

<https://docs.oracle.com/en/cloud/paas/analytics-cloud/acabi/users-and-roles.html#GUID-20877829-4DFC-477A->

Valid 1Z0-1041-21 Dumps shared by PrepPdf.com for Helping Passing 1Z0-1041-21 Exam! PrepPdf.com now offer the **newest 1Z0-1041-21 exam dumps**, the PrepPdf.com 1Z0-1041-21 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Z0-1041-21 dumps with Test Engine here:

<https://www.preppdf.com/Oracle/1Z0-1041-21-prepaway-exam-dumps.html> (83 Q&As

Dumps, **40%OFF Special Discount: Exam-Tests**)