

Oracle.1Z0-1071-21.v2022-10-14.q26

Exam Code:	1Z0-1071-21
Exam Name:	Oracle Cloud Platform Digital Assistant 2021 Specialist
Certification Provider:	Oracle
Free Question Number:	26
Version:	v2022-10-14
# of views:	757
# of Questions views:	260
https://www.freeqas.com/qa/Oracle/1Z0-1071-21/Oracle.1Z0-1071-21.v2022-10-14.q26.html	

NEW QUESTION: 1

You want your skill to output the size of the pizza that was ordered..

Which FreeMarker operation must you use

- A. "You ordered a \${size[0]} pizza." 3)
- B. "You ordered a \${size} pizza." :)
- C. "You ordered a \${size.value} pizza.
- D. "You ordered a \${size.string} pizza."

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

Which statement is true regarding the default implementation of out-of-order messages?

- A. Navigation remains in the current state.
- B. In the default implementation, when an out-of-order message is detected the navigation continues with the state name associated with the out-of-order message action.
- C. All variables referenced by the out-of-order-message action are cleared.
- D. There is no default implementation for out-of-order messages.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

When you configure an application in Oracle Identity Cloud Service to be consumed by Oracle Digital Assistant for the system.OAuth2AccountLink component, why do you need to have the RefreshToken grant selected?

- A. The RefreshToken grant ensures that a fresh access token is retrieved even if a user's password in Oracle Identity Cloud Service has changed, thus ensuring the user uninterrupted access.
- B. B. You need a refresh token to force a successful logout of the logged in user.

C. The RefreshTokenGrant ensures that the System.OAuth2AccountLinkComponent can refresh an expired access token automatically because the access token has a much shorter lifespan than the refresh token.

D. The RefreshTokenGrant ensures that users will never have to sign in to the skill again after their initial login.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 4

Which two statements are true the purpose of the compose bag entity item Out of Order Extraction property?

A. Only when set to true can entity values be specific in any order in the initial user input.

B. When set to True, an entity item value can be updated when prompting for a different entity item value.

C. When set to True, an entity item cannot be resolved until a dependent entity item is first resolved.

D. Only set to True, an entity item value can be updated when prompting for a different entity item value.

E. It should not be used for String entity items.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 5

A user is in the middle of a conversation flow with a digital assistant but then triggers the Exit system intent by saying "get me out of here". Which statement is true?

A. The conversation can only be exited if the current context score is lower than the Exit Skill Confirmation digital assistant routing parameter.

B. Depending on digital assistant routing parameters, the user will be prompted to confirm exiting from the current conversation.

C. The conversation will resume at a state in the skill defined by a digital assistant parameter.

D. The conversation can only be exited if the current context score is greater than the Exit Skill Confirmation digital assistant routing parameter.

E. Because the user didn't explicitly specify the invocation name of the skill when exiting, the user will always be prompted to confirm exiting the current conversation.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 6

Which two statements about skills are true?

A. Skills can access back-end services.

B. Skills always use natural languages processing (NLP).

C. Skills have dialog flows that you may configure to create conversation.

D. Customers can only chat with skill when those skills managed by a digital assistant.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 7

You have a skill for ordering pizzas. In your experience, you have found that 95% of your customers want a regular crust and just 5% prefer gluten-free crust. Because so few people are likely to want a gluten-free crust, you don't want to prompt for that option, but you do want to make it available.

Assuming you already have a composite bag entity that contains a PizzaCrust entity that has the values

"regular" and "gluten free", what would be the simplest way to have your skill enable a user to order a pizza with a gluten-free crust without the skill prompting the user for that option?

A. For the PizzaCrust entity item, set the Extract With property to reference an entity with the single value

"gluten free".

B. In the composite bag, set the PizzaCrust entity item's Prompt for Value property to False.

Then, once the the composite bag is resolved, check if the PizzaCrust entity has a value. If it doesn't, set its value to

"regular".

C. Don't set a prompt for the PizzaCrustentity item.

D. Don't set a prompt for the PizzaCrust entity item and set the Out of Order Extraction property to True.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

In your conversation flow, you want to make sure that users always see a message, even when there is no data to display. To implement this, you decide to use a system.setVariable component that verifies that the variable myData contains a value and, if it does, sets the value of the displayVar variable to the value of myData. If no value is specified for myData, then displayVar is set to the string 'NoData1'.

Which two BotML with Apache FreeMarker examples implement this requirement?

```

A) checkHasContent:
   component: "System.SetVariable"
   properties:
     variable: "displayVar"
     value: "${mydata.value!'No Data'}"

B) checkHasContent:
   component: "System.SetVariable"
   properties:
     variable: "displayVar"
     value: "${mydata.value?not_null?then(mydata.value,'No Data')}"}"

C) checkHasContent:
   component: "System.SetVariable"
   properties:
     variable: "displayVar"
     value: "${!mydata.value 'No Data'}"

D) checkHasContent:
   component: "System.SetVariable"
   properties:
     variable: "displayVar"
     value: "<#if mydata.value != null>${mydata.value}<#else>'No Data'</#if>"

E) checkHasContent:
   component: "System.SetVariable"
   properties:
     variable: "displayVar"
     value: "${mydata.value?has_content?then(mydata.value,'No Data')}"}"

```

- A. Option D
- B. Option C
- C. Option B
- D. Option A
- E. Option E

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 9

Which variable type is automatically set with values from the chat client, such as locale and timezoneoffset?

- A. Profile variables
- B. System variables
- C. Variables that are defined in the context section in the dialog flow
- D. User variables
- E. System.config variables

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 10

Assuming conversation is the customcomponent SDK handle, which two code statements are valid to access the order and userAccount input parameters of the custom component?

- A)

```
const { orderId } = conversation.variable();
const { accountName } = conversation.variable();
```

B)

C)

D)

E)

A. Option C

B. Option A

C. Option D

D. Option E

E. Option B

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 11

Assuming that conversation is a reference to the BotsNode SDK, which two sets of code statements to access the custom component's orderid and userAccount input parameters are valid?

A. `const order = conversation.variable('orderid');`

`const account = conversation.variable('accountName1');`

B. `const order = conversation.request().variables['orderid'];`

`const account = conversation.request().variables['accountName1'];`

C. `const {orderid} = conversation.variable();`

`const { accountName } = conversation.variable();`

D. `const order = conversation.properties().orderid;`

`const account = conversation.properties().userAccount;`

E. `const {orderid} = conversation.properties();`

`const {accountName} = conversation.properties();`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

Which three options are true for the system, entityToResolve variable?

A. ``${system.entityToResolve.value.userinput}`` returns the text entered by the user.

B. ``${system.entityToResolve.value.resolvingField}`` returns the text entered by the user.

C. The system.entityToResolve variable tracks an entity value, that is, as you resolve entities in the composite bag, it references the current entity resolved.

D. The system.entityToResolve variable can be referenced from within the system.

ResolveEntities and system.commonResponse components to display, for example, information about the entity that has been resolved.

E. System.entityToResolve can reference the resolve value of all entity values defined within the skill.

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 13

What is the purpose of the training models within Oracle Digital Assistant?

- A. automatically crowdsource sample data to which user input is matched
- B. build a complete semantic language model allowing a skill to understand 98% of user input in the trained language
- C. automatically create n number of classifications where n is a parameter defined for each skill
- D. allow a skill to classify user input to defined intents

Answer: D (LEAVE A REPLY)

NEW QUESTION: 14

Which statement is true regarding the digital assistant's Help system intent?

- A. You can define utterances that the digital assistant will recognize when the user is asking for help.
- B. The utterances for the help intent are predefined and cannot be changed.
- C. If the digital assistant recognizes the user is asking for help, it will automatically route the conversation to a skill called "Help".
- D. The help intent cannot route the conversation to a specific state within a skill.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 15

View the Exhibit.

You have been asked to review a skill for its readiness for go live. Which four issues would you raise as a priority?

- A. You should never have single-word utterances.
- B. All utterances should start with an uppercase letter and end with a period.
- C. The utterances have too much commonality.
- D. The unresolvedIntent has not been trained.
- E. The word "please" may inadvertently skew the results.
- F. The number of utterances looks to be too low and artificial for a go-live.

Answer: C,D,E,F (LEAVE A REPLY)

NEW QUESTION: 16

Which statement is FALSE regarding the core function of a digital assistant and how it could respond to user input?

- A. It is able to route the conversation to the start state of a skill that's managed by the digital assistant.
- B. It is able to automatically route the conversation to another digital assistant if the request can't be handled by the current digital assistant.
- C. It is able to respond to a help request and return a help message, one that can be specific to one of its skills, or to the digital assistant itself

D. It is able to respond to a user request to exit the current conversation.

Answer: A (LEAVE A REPLY)

Valid 1Z0-1071-21 Dumps shared by PrepPdf.com for Helping Passing 1Z0-1071-21 Exam! PrepPdf.com now offer the **newest 1Z0-1071-21 exam dumps**, the PrepPdf.com 1Z0-1071-21 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Z0-1071-21 dumps with Test Engine here:

<https://www.preppdf.com/Oracle/1Z0-1071-21-prepaway-exam-dumps.html> (78 Q&As Dumps,

40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 17

Which two statements are true regarding local web application invocation using the system.webview component?

- A. Local webviews require a Node.js environment and must have a package, json file in their root folder.
- B. An SPA application can issue an Ajax post command to the callback URL that has been passed with the web application launch
- C. system.webview components can only be used with web channels.
- D. Local webviews require SPA applications to have an index.html file in their root folder.

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 18

Examine the code snippet below:

Which two statement are true regarding the functionality of a composite bag referenced by the variable pizza?

- A. Each entity item in the composite bag will be prompted for a valid value three times. After thelast invalid input, the flow will navigate to a state called maxError.
- B. Each entity item in the composite bag will be prompted for a valid value three times. After the last invalid input, the flow will navigate to a state called setPizzaDough.
- C. The first time an incorrect value for an entity item is resolved, it will result in an error and transition to the state called maxError because cancelPolicy is set to immediate and this overrides the setting for maxPrompts.
- D. Any individual entity item can define its own maxPrompts to override the value in the dialogflow.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 19

intent has been configured with a composite bag entity.

Which statement is FALSE?

- A. The conversation is entirely sequential, where users can only input values in the order determined by the dialog flow definition.
- B. The composite bag entity slots values as they are provided from the user input. It then prompts for other entityitem values.
- C. The skill may allow users to update their previous input.
- D. The composite bag entity is typically resolved using a system.ResolveEntities component or a system.commonResponse component.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 20

Which statement about digital assistants is FALSE?

- A. A digital assistant ensures that a user completes a conversation in one skill before allowing that user to trigger the intent of a different skill
- B. A connection to a back-end service is through a custom component that is used by a skill, rather than one that is used by a digital assistant.
- C. A digital assistant can communicate with customers through different messaging platforms.
- D. A digital assistant can be used to manage a set of skills, including skills that you create yourself and skills that you have added from the Skill

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 21

Oracle Digital Assistant supports several messenger-specific channel types, such as iOS, Android, Web, and Facebook. If your messenger client is not supported, what is the simplest way to connect your skill or digital assistant to the client?

- A. You can't connect to a unsupported messenger client. You canonly connect channels to the supported clients.
- B. Implement the channel using a Webhook.
- C. Ensure that your skill only outputs text and not Images or visual components such as cards. Then use the standard Web channel, which you can use for text-only conversations.
- D. Use a custom component to extend a supported channel type.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

Which is NOT used to tune routing behavior?

- A. the built-in systemintent confidence threshold
- B. the classifier's F1-score
- C. the confidence win margin
- D. candidate skills' confidence thresholds

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

Which three statements are true about composite bag entities?

- A. The composite bag will always enforce that every entity has a valid value before allowing the conversation to move on to the next state in the dialog flow.
- B. When you add entities to the composite bag, you can control how they get extracted in related to other entities and when they are prompted for.
- C. They define a business domain object as a collection of related system entities and custom entities.
- D. You need to create a separate composite bag to handle nonentity types such as strings. Locations, and attachments.
- E. The composite bag can resolve all entity values using only a single state in the dialog flow.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

As per Oracle's recommendation, which is the best practice regarding conversational design?

- A. Ask users open-ended questions such as "how can I help you?"
- B. Use quick reply buttons (as opposed to natural language inputs) as much as possible.
- C. Ensure that capabilities of the bot ("the things that it can and can't do") are clear and discoverable.
- D. To account for possible mistakes, make it clear to users that the bot is still learning.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

You are advised to implement an 80/20 split with training and test utterances. This means that 80% of new utterances harvested from the conversation logs should be used as intent training utterances and 20% for testing.

Why is this a good practice?

- A. By performing an 80/20 split, you are randomizing which data is added to the utterances.
- B. Batch testing works more efficiently when there is a ratio of one test utterance for every five training utterances.
- C. Adding 100% of user phrases to the intent would overload the model.
- D. By keeping 20% for testing, you are able to test the model with data on which it has not been specifically trained.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 26

Imagine that you have a financial planning skill. Which two functionalities would typically be implemented as a custom component?

- A. routing to another skill within the suite of skills assembled within a digital assistant
- B. displaying any type of input component
- C. returning the current value of a requested stock price in a skill message
- D. routing the dialog flow based on values returned from a backend service

E. running the skill within a webpage

Answer: ([SHOW ANSWER](#))

Valid 1Z0-1071-21 Dumps shared by PrepPdf.com for Helping Passing 1Z0-1071-21 Exam! PrepPdf.com now offer the **newest 1Z0-1071-21 exam dumps**, the PrepPdf.com 1Z0-1071-21 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Z0-1071-21 dumps with Test Engine here:
<https://www.preppdf.com/Oracle/1Z0-1071-21-prepaway-exam-dumps.html> (78 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)