Oracle.1Z0-900.v2022-02-25.q101

Exam Code:	1Z0-900
Exam Name:	Java EE 7 Application Developer
Certification Provider:	Oracle
Free Question Number:	101
Version:	v2022-02-25
# of views:	2466
# of Questions views:	1010
https://www.freeqas.com/qa/Oracle/1Z0-900/Oracle.1Z0-900.v2022-02-25.q101.html	

NEW QUESTION: 1
Your customer has a complex financial reporting structure.
Which three elements should you define first in order to form a basis for this reporting?
A. Tax, Legal, and Industry
B. Legal, Autonomy, and Operational
C. Managerial, Operational, and Industry
D. Legal, Managerial, and Functional
Answer: (SHOW ANSWER)

NEW QUESTION: 2
Which execution document is created by supply chain orchestration when a make request is received?
A. Transfer Order
B. Work Order
C. Movement Request
D. Routing Create
E. Purchase Order
Answer: B (LEAVE A REPLY)

NEW QUESTION: 3
Which three statements are true for an expense destination transfers that does NOT require a receipt at destination inventory organization?
A. The transfer order is considered received and delivered at the time of shipment.
B. There is no cost associated to the transaction.
C. There is no put away transaction in Inventory since the item is expensed.
D. A receipt is required on interorganization expense destination transfer orders between the from and to organizations.
E. The destination inventory is not incremented.

Answer: B,C,E (LEAVE A REPLY)

NEW QUESTION: 4
Give the code fragment:
And the code fragment:
The sendConfirmation() and reserve() methods should be executed in the same transactional context.
Which transaction attributes do you ensure this?
A. Add annotations:@TransactionAttribute (TransactionAttributeType.REQUIRED) at line 2,@Transactional at line 9 and@TransactionAttribute ((TransactionAttributeType.REQUIRES_NEW) at line 12
B. No additional annotations are required.
C. Add annotations:@TransactionAttribute (TransactionAttributeType.REQUIRES_NEW) at line 2,@Transactional at line 9 and@TransactionAttribute ((TransactionAttributeType.MANDATORY) at line 12
D. Add annotations:@TransactionAttribute (TransactionAttributeType.MANDATORY) at line 2,@Transactional at line 9 and@TransactionAttribute ((TransactionAttributeType.REQUIRES_NEW) at line 12
Answer: (SHOW ANSWER)

NEW QUESTION: 5
Which annotation allows a request to be executed with another Principal's identity?
A. It is not possible to execute a request with another Principal's identity.
B. @UseIdentity
C. @RolesAllowed
D. @Runs
Answer: (SHOW ANSWER)
Explanation/Reference: https://docs.oracle.com/cd/E19798-01/821-1841/6nmq2cpig/index.html

NEW QUESTION: 6
Your customer has defined three business units: two of the them require the same set of receivables payment terms whereas the third needs a separate set of receivables payment terms.
How will you receive this requirement?
A. Define one data set with common payment terms and exclude the payment terms feature from the third business unit.
B. Define three reference data sets and assign each data set to each business unit.
C. Define one reference data set and modify the business unit security.
D. Define two reference data sets, assign the first set to the two business units which will share the same payment terms and second set to the business unit which need separate payment terms.
Answer: (SHOW ANSWER)

NEW QUESTION: 7

On your JSF page, you have a form in which you have a command button:
A user submits the form by clicking the button, and no errors occur while processing the request. Which statement is true?
A. The listenCarefully()method is executed followed by the actNow()method.
B. The actNowmethod is executed followed by the listenCarefully()method.
C. The actNow()method controls the condition upon which the listenCarefully()method is allowed to be executed.
D. The actNow()and ListenCarefully()methods are executed in parallel.
Answer: A (LEAVE A REPLY)

NEW QUESTION: 8
Your customer wants you to restrict the values of Receivables Transaction Type for their three business units.
You created three reference data sets for each business unit. However, the user is still able to see the values in the Transaction Type list of values which are not defined in the business unit data set.
What is the reason for this behavior?
A. Reference Data Sets cannot be used uniquely across business units. They can only be used at the Legal Entity level.
B. Receivables Transaction Types are common across business units.
C. The user has multiple Business Unit Roles and, therefore, is able to see additional values.
D. The user is seeing the values defined in the common set. The values should be removed from the common set.
Answer: D (LEAVE A REPLY)

NEW QUESTION: 9
Given the code fragment:
When
the context root is requested http://host:port/context, how does the container resolve this mapping?
A. secondServlet handles the request.
B. The container throws an error at startup.
C. firstServlet handles the request.
D. thirdServlet handles the request.
Answer: B (LEAVE A REPLY)

NEW QUESTION: 10
Given the code fragment:
Which method should be used on line 3to enable default validation mechanism?
A. u.setProperty(String, Object)
B. u.setProperty(Schema)
C. u.setEventHandler(ValidationEventHandler)
D. u.setAdapter(XmlAdapter)

Answer: D (LEAVE A REPLY)
Explanation
Explanation/Reference: https://docs.oracle.com/javaee/6/api/javax/xml/bind/Unmarshaller.html

NEW QUESTION: 11
Given the code fragment:
What output will be returned when this servlet is called a GETrequest?
A. Service() method called.Get() method called.
B. GET() method called.
C. An HTTP error
D. Service() method called.
Answer: D (LEAVE A REPLY)

NEW QUESTION: 12
Your company is an automobile spares manufacturing organization, which follows a discrete process. It has its own manufacturing and distribution centers located globally.
It has these business units:
US - USA business unit
CAN - Canadian business unit
UK - UK business unit
MX - Mexican business unit
IND - India business unit
SPA - Spain business unit
FRA - France business unit
NL - Netherlands business unit
GER - Germany business unit
These are the inventory organizations that exist in each business unit:
Which two statements are true?
A. Operational Attributes can be controlled only at the Master Level.
B. Items defined in the GM organization can be assigned to US1, US2, NL1, and MX1 inventory organizations.
C. Items cannot be assigned to inventory organizations across business units.
D. You can define an item in the IN1 inventory organization and assign it to the DE1 inventory organization.
E. Item organizations are also supported to serve as inventory organizations.
F. All inventory organizations do not need to be in the same business unit to assign items.
Answer: B,F (LEAVE A REPLY)

NEW QUESTION: 13
Given the JPQL code fragment:
Select pub.title, pub.author, pub.pages FROM Publisher pub

Which two clauses do you add to this JPQL query to retrieve only those books with between 500 and 750 total pages? (Choose two.)

A. WHERE MIN(pages) >= 500 AND MAX(pages) <= 750

B. WHERE pub.pages <= 500 OR pub.pages >= 750

C. WHERE pub.pages BETWEEN 500 AND 750

D. WHERE pub.pages <= 500 AND pub.pages >=750

Answer: A,B (LEAVE A REPLY)

Explanation

NEW QUESTION: 14

Which interface should you implement if you want to be alerted to the lifecycle events surrounding your task being executed by a ManagedExecutorService?

A. the Runnable Interface

B. the ManagedExecutorTask interface

C. the TaskEventListener interface

D. the ManagedTaskListener interface

Answer: D (LEAVE A REPLY)

Explanation

Reference

https://github.com/javaee/concurrency-ee-spec/blob/master/api/src/main/java/javax/enterprise/concurrent/Manag

NEW QUESTION: 15

Given the code fragment:

How are transactions managed?

A. through a single shared transaction in the JMS Context

B. through a separate transaction per JMS Consumer

C. through a single transaction for the entire JMS Topic

D. through a single shared transaction across the connection factory

Answer: A (LEAVE A REPLY)

NEW QUESTION: 16

Given a JSL document describing a batch job:

How do you initiate a batch job?

A. Get the JobExecutionobject from BatchRuntimeand call its start()method.

B. Get the JobOperatorobject from BatchRuntimeand call its start()method.

C. Call BatchRunTime.initialize("ProductLoadJob");

D. Get the JobExecutionobject from BatchRuntimeand set its status to JobStatus.INITIATED.

Answer: (SHOW ANSWER)

Valid 1Z0-900 Dumps shared by PrepPdf.com for Helping Passing 1Z0-900 Exam! PrepPdf.com now offer the **newest 1Z0-900 exam dumps**, the PrepPdf.com 1Z0-900 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Z0-900 dumps with Test Engine here: https://www.preppdf.com/Oracle/1Z0-900-prepaway-exam-dumps.html (**142** Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17
On your JSF page, you have a form in which you have a command button:
A user submits the form by clicking the button, and no errors occur while processing the request. Which statement is true?
A. The actNow method is executed followed by the listenCarefully() method.
B. The actNow() method controls the condition upon which the listenCarefully() method is allowed to be executed.
C. The actNow() and ListenCarefully() methods are executed in parallel.
D. The listenCarefully() method is executed followed by the actNow() method.
Answer: D (LEAVE A REPLY)

NEW QUESTION: 18
Which type allows you to share servlet attributes across your entire web application?
A. ServletRequest
B. ServletContext
C. HttpSession
D. ServletConfig
Answer: B (LEAVE A REPLY)

NEW QUESTION: 19
On your JSF page, you have a form in which you have a command button:
A user submits the form by clicking the button, and no errors occur while processing the request. Which statement is true?
A. The actNow()and ListenCarefully()methods are executed in parallel.
B. The listenCarefully()method is executed followed by the actNow()method.
C. The actNow()method controls the condition upon which the listenCarefully()method is allowed to be executed.
D. The actNowmethod is executed followed by the listenCarefully()method.
Answer: B (LEAVE A REPLY)

NEW QUESTION: 20
Which statement is true about JAX-RS resource implementation?
A. The REST resource implementation class must extend the javax.ws.rs.core.Applicationclass
B. The REST resource class can be implemented as a stateful Enterprise JavaBean (EJB).

C. The REST resource class can be implemented as a Plain Old Java Object (POJO).
D. The REST resource implementation class must not be final.
Answer: (SHOW ANSWER)
Explanation/Reference:
Reference: https://docs.oracle.com/javaee/7/tutorial/jaxrs002.htm

NEW QUESTION: 21
Given the code fragment:
Which URL triggers the invocation of the getEmployee () method?
A. <base url>/Employees/J6349
B. <base url>/Employees/id/J6349
C. <base url>/Employees/id:a7280
D. <base url>/Employees/89724
Answer: A (LEAVE A REPLY)

NEW QUESTION: 22
Given:
What will be the response to a HEAD request?
A. No method will be invoked and no error will be returned.
B. No method will be invoked and a 404 error will be returned.
C. The findAll() method will be called and no employees will be returned.
D. The findAll() method will be called and the employee list will be returned.
Answer: A (LEAVE A REPLY)

NEW QUESTION: 23
You are in the process of analyzing the demand and supply schedules for the item based on high level reservations.
A. Requisition
B. Movement Request
C. Transfer Order
D. On Hand
E. Work Order
F. Account Alias
Answer: C (LEAVE A REPLY)

NEW QUESTION: 24
Your web application requires logic to remember items that a user placed into a shopping cart.
Which two mechanisms should you use to associate that information with the user? (Choose two.)
A. HttpServletResponse objects
B. HttpSession objects
C. a database

D. ServletContext objects
Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 25
Given the following class definition with numbered lines:
How do you specify to use this mock CDI bean implementation instead of the regular implementation class?
A. Start up the server with the optional -alternative command-line option, specifying any alternative class names in a comma-separated list.
B. Use the alternatives element in the beans.xml file and specify the class name in the class element within it.
C. Reorder the implementation names in the beans.xml file such that the desired alternative is listed earlier.
D. Delete the regular implementation class from the WAR.
Answer: A (LEAVE A REPLY)

NEW QUESTION: 26
When handling a JSF request, your application code decided to redirect the call to another URL by using HTTP redirect. Which action should you take to correctly complete the handling of the JSF life cycle?
A. Invoke the dispatch()method on the ExternalContextobject.
B. Invoke the responseComplete()method on the FacesContextobject.
C. Invoke the setCurrentPhaseId(RENDER_RESPONSE)method on the FacesContextobject.
D. Set the immediate="true" attribute on the command button that was used to perform this call.
Answer: C (LEAVE A REPLY)

NEW QUESTION: 27
Which statement is true about the relationship between HTTP and WebSockets?
A. A WebSocket connection uses HTTP protocol to exchange data with the browser.
B. A WebSocket connection is initialized with an HTTP handshake.
C. A WebSocket connection is a bi-directional HTTP session with message-handling support.
D. A WebSocket connection can be initialized by either client or server.
Answer: A (LEAVE A REPLY)

NEW QUESTION: 28
What is true about Message-Driven Beans (MDBs)?
A. MDBs can participate in transactions.
B. MDBs are invoked synchronously.
C. Each MDBs can process messages only from a single client.
D. MDBs retain data caches between client calls.
Answer: A (LEAVE A REPLY)
Explanation/Reference: https://docs.oracle.com/javaee/7/tutorial/ejb-intro003.htm

NEW QUESTION: 29
Given the code fragment:
Which URL triggers the invocation of the getEmployee () method?
A. <base url>/Employees/89724
B. <base url>/Employees/id:a7280
C. <base url>/Employees/id/J6349
D. <base url>/Employees/J6349
Answer: A (LEAVE A REPLY)

NEW QUESTION: 30
Which statement is true about the WS-Security standard?
A. It is a Java EE standard for protecting SOAP services.
B. It relies on HTTP security mechanism to protect SOAP messages in transmit.
C. It provides message-level security.
D. It defines protocol-specific ways of protecting SOAP messages.
Answer: C (LEAVE A REPLY)
Explanation/Reference:
Reference: https://docs.oracle.com/cd/E19226-01/820-7627/gjiou/index.html

NEW QUESTION: 31
Which code snippet prints the exception error message as part of the page output?
A. <%= exception.message %>
B. <c:out value="${requestScope['javax.servlet.error.exception']}"/>
C. <% exception.getMessage(); %>
D. <% System.out.println(e.getMessage()) %>
Answer: D (LEAVE A REPLY)
Explanation
Reference https://www.geeksforgeeks.org/3-different-ways-print-exception-messages-java/

Valid 1Z0-900 Dumps shared by PrepPdf.com for Helping Passing 1Z0-900 Exam! PrepPdf.com now offer the **newest 1Z0-900 exam dumps**, the PrepPdf.com 1Z0-900 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Z0-900 dumps with Test Engine here: https://www.preppdf.com/Oracle/1Z0-900-prepaway-exam-dumps.html (**142** Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32
Given:

You are creating an Alarm management system. When you create a new alarm, you want it to create an alert that is triggered once at the specified time.
Which method should you call on Line 9 to create the timer?
A. timerService.createCalendarTimer(alarmDate, config);
B. timerService.createSingleActionTimer(alarmDate, config);
C. timerService.createIntervalTimer(alarmDate, -l, config);
D. timerService.createTimer(alarmDate, -l, config);
Answer: D (LEAVE A REPLY)
Explanation
Reference https://docs.oracle.com/javaee/6/api/javax/ejb/TimerService.html

NEW QUESTION: 33
Given the code fragment:
Which method should be used on line 3to enable default validation mechanism?
A. u.setProperty(String, Object)
B. u.setProperty(Schema)
C. u.setEventHandler(ValidationEventHandler)
D. u.setAdapter(XmlAdapter)
Answer: (SHOW ANSWER)
Explanation/Reference:
Reference: https://docs.oracle.com/javaee/6/api/javax/xml/bind/Unmarshaller.html

NEW QUESTION: 34
Which is a valid description of REST?
A. REST is a Web Services standard supported by JEE and JAX-RS.
B. REST is the conventional way of interacting with information resources.
C. REST provides the same architectural properties as SOAP.
D. REST is a library that is part of JEE called JAX-RS.
Answer: A (LEAVE A REPLY)

NEW QUESTION: 35
Your organization performs a restock via a transfer order between inventory organizations, using the following parameters for processing:
Transfer Type: In-transit transfer type
Receipt Routing: Standard
Transfer Order Required: Yes
During the process, the receiving organization wants to make a change to the transfer order line.
After which fulfillment stage will they no longer be able to change the transfer order?
A. Closed
B. Ship Confirm
C. Awaiting Receiving

D. Awaiting Billing
E. Awaiting Fulfillment
Answer: A (LEAVE A REPLY)

NEW QUESTION: 36
Given the code fragment:
Which method should be used on line 3to enable default validation mechanism?
A. u.setProperty(String, Object)
B. u.setProperty(Schema)
C. u.setEventHandler(ValidationEventHandler)
D. u.setAdapter(XmlAdapter)
Answer: D (LEAVE A REPLY)
Explanation/Reference: https://docs.oracle.com/javaee/6/api/javax/xml/bind/Unmarshaller.html

NEW QUESTION: 37
Your client is about to define their primary ledger.
Which set of three primary attributes do they need to know in order to complete this?
A. Chart of Accounts, Description, and Accounting Method
B. Chart of Accounts, Accounting Calendar, and Currency
C. Currency, Description, and Accounting Method
D. Chart of Accounts, Ledger Balance, and Accounting Method
Answer: B (LEAVE A REPLY)

NEW QUESTION: 38
Which three replenishment count types are used for Periodic Automated Replenishment (PAR)?
A. On-hand Quantity: Generates a replenishment requisition for the difference between the on-hand quantity and the RAR-level.
B. Order Quantity: Generates a replenishment request for the order quantity entered for the replenishment count.
C. Order Economic Quantity (EQQ): Generates a replenishment request for the calculated quantities based on inventory policies to maintain the PAR quantity.
D. Reorder Point: Generates a replenishment request for the order quantity based on days of cover for the item lead time.
E. Order RAR: Generates a replenishment requisition for the RAR-level quantity.
Answer: A,B,E (LEAVE A REPLY)

NEW QUESTION: 39
: 27
Given:
Which client-side Java method will send the employee object to the WebSocket Server Endpoint?
A. remote.sendObject(employee);

B. session.post(employee);
C. container.send(employee);. session.send(employee);
Answer: (SHOW ANSWER)

NEW QUESTION: 40
Given the set of navigation rules:
Which two define a valid flow of view IDs through the application? (Choose two.)
A. home > list-widgets > add-widget > goodbye
B. home > goodbye > list-widgets
C. list-widgets > add-widget > home > dashboard > home
D. dashboard > home > add-widget > list-widgets
Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 41
A customer has one Business Unit, two Legal Entities, and each have eight warehouses (defined as Inventory Orgs). While trying to set up Cost Organizations for each of these Legal Entities you were unable to perform the mandatory step of assigning the Profit Center Business Unit for one set of eight Inventory Organizations; however, you could do it for the other set.
What is the reason for this?
A. The Legal Entity Setup is incomplete.
B. The Business Unit is not enabled for Costing.
C. There is no Business Unit associated with the Legal Entity.
D. The General Ledger is not associated with Business Unit.
E. There is no Inventory Validation Organization defined.
Answer: C (LEAVE A REPLY)

NEW QUESTION: 42
Given the code fragment:
How can you apply DateConverter to the birthday field?
A. by adding @Converter(autoApply=true) at line 1
B. by adding @Convert(to=Date.class) at line 3
C. by invoking the setConverter(DateConverter.class) method on the EntityManager object
D. by adding @Convert((DateConverter.class)) at line 2
Answer: (SHOW ANSWER)

NEW QUESTION: 43
Given the code fragment:
And
Which two steps, when performed independently, enable the index.xhtml page to print the following text: The Id is 12345? (Choose two.)
A. Replace line 1 with: private @Inject Account acc;

B. Replace line 3 with: public @Inject Account getAcc()
C. Replace line 1 with: @Inject private Account acc;
D. Replace line 2 with: @Inject public void setAcc(Account acc)
E. Replace line 2 with: public void setAcc(@Inject Account acc)
F. Replace line 3 with: @Inject public Account getAcc()
Answer: B,E (LEAVE A REPLY)

NEW QUESTION: 44
Your class requires multiple resources defined, as shown in the following:
Which annotation do you use to group multiple @Resourcedeclarations together for class-based injection, replacing <XXXX>in the code above?
A. @Resources
B. @Resource
C. @ResourceGroup
D. @ResourceCollection
Answer: B (LEAVE A REPLY)
Explanation/Reference:

NEW QUESTION: 45
Which two elements CANNOT be injected by using an @Inject annotation? (Choose two.)
A. static fields
B. instance fields declared final
C. concrete methods
D. abstract methods
Answer: B,D (LEAVE A REPLY)
Explanation/Reference: https://docs.oracle.com/javaee/6/api/javax/inject/Inject.html

NEW QUESTION: 46
Given the JPQL code fragment:
Select pub.title, pub.author, pub.pages FROM Publisher pub
Which two clauses do you add to this JPQL query to retrieve only those books with between 500 and 750 total pages? (Choose two.)
A. WHERE pub.pages <= 500 OR pub.pages >= 750
B. WHERE pub.pages BETWEEN 500 AND 750
C. WHERE MIN(pages) >= 500 AND MAX(pages) <= 750
D. WHERE pub.pages <= 500 AND pub.pages >=750
Answer: A,C (LEAVE A REPLY)

Valid 1Z0-900 Dumps shared by PrepPdf.com for Helping Passing 1Z0-900 Exam! PrepPdf.com now offer the **newest 1Z0-900 exam dumps**, the PrepPdf.com 1Z0-900 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Z0-900 dumps with Test Engine here: https://www.preppdf.com/Oracle/1Z0-900-prepaway-exam-dumps.html (**142** Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47
Which two elements CANNOT be injected by using an @Inject annotation? (Choose two.)
A. abstract methods
B. instance fields declared final
C. static fields
D. concrete methods
Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 48
The physical inventory process is carried out for a particular inventory organization with the following parameters:
* Negative quantity Tolerance Percentage is set to 10%
* Approval Type = 'Always'
The system says that there are 100 on band, but you only counted 95. What will happen?
A. The setup is invalid; it will give an error message.
B. An approval will be required before posting.
C. Because the 95 is within the 10% tolerance, it will post without approval.
D. The system will ask a user to recount before posting.
Answer: C (LEAVE A REPLY)

NEW QUESTION: 49
Which two statements are true about the relationship between JavaServer Pages (JSP) and servlets? (Choose two.)
A. A JSP page must extend the HTTPServletclass to behave like a servlet.
B. A JSP page is interpreted by JSPServlet.
C. A JSP page must be written as either an XML file or a JSP file before it is turned into a servlet.
D. A JSP page has access to the same information, objects, and a context as a servlet.
Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 50
Given the code fragments:
What code should you add to the body of the updateEmployee method in order to save pending changes to the database?
A. Context. Ctx = new InitialContext();UserTransaction utx

(UserTransaction)ctx.lookup("java:comp/UserTransaction");utx.begin();entityManager.merge(emp);utx.co
entityManager.lock(emp);EntityManager.merge(emp);
B.
entityManager.getTransaction().begin();entityManager.merge(emp);entityManager.getTransaction().comm
C. entityManager.merge(emp);
Answer: A (LEAVE A REPLY)

NEW QUESTION: 51
Given the code fragments:
What code should you add to the body of the updateEmployeemethod in order to save pending changes to the database?
A. entityManager.getTransaction().begin();
entityManager.merge(emp);
entityManager.getTransaction().commit();
B. Context. Ctx = new InitialContext();
UserTransaction utx = (UserTransaction)ctx.lookup("java:comp/
UserTransaction");
utx.begin();
entityManager.merge(emp);
utx.commit();
C. entityManager.merge(emp);
D. entityManager.lock(emp);
EntityManager.merge(emp);
Answer: (SHOW ANSWER)

NEW QUESTION: 52
Given the code fragments:
Which action completes this composite primary key implementation?
A. Add @Embeddableannotation at line 1and @EmbeddedId(ContactId.class)at line 2.
B. Add @Embeddableannotation at line 1 and replace both @Idannotations with @EmbeddedId annotations.
C. Add @IdClass(ContactId.class)annotation at line 2.
D. Add @IdClassannotation at line 1.
Answer: A (LEAVE A REPLY)

NEW QUESTION: 53
On the Supply Lines Overview page, the deviations in supply type chart show a supply line status of exception.
What action must you take?
A. This indicates that supply line quantities are not available, so inventory must be procured.

B. This indicates that supply line quantities are available but the quality is not up to the mark, so the quality issue must be resolved.
C. This indicates that supply line quantities are less than required, so additional quantities must be procured to meet the requirement.
D. The indicates that supply line has an exception in manufacturing goods, so the supply line must be changed.
Answer: C (LEAVE A REPLY)

NEW QUESTION: 54
Which is a valid description of REST?
A. REST provides the same architectural properties as SOAP.
B. REST is a library that is part of JEE called JAX-RS.
C. REST is the conventional way of interacting with information resources.
D. REST is a Web Services standard supported by JEE and JAX-RS.
Answer: D (LEAVE A REPLY)
Explanation
Reference https://docs.oracle.com/javaee/6/tutorial/doc/giepu.html

NEW QUESTION: 55
Given:
Which client-side Java method will send the employee object to the WebSocket Server Endpoint?
A. container.send(employee);
B. remote.sendObject(employee);
C. session.send(employee);
D. session.post(employee);
Answer: D (LEAVE A REPLY)

NEW QUESTION: 56
Given:
What code needs to be added to line 1 for MyMapper bean instances to be correctly passivated?
A. @Stateless @PassivationCapable
B. @Stateless
C. @Stateful @PassivationCapable
D. @Stateful
Answer: D (LEAVE A REPLY)
Explanation/Reference:
Reference: https://docs.oracle.com/javaee/6/tutorial/doc/giplj.html#gipln

NEW QUESTION: 57
Your client has just up their chart of accounts. They are now designing the organization hierarchy in the system.

Which three structures should the customer use the to do this?
A. Cost type, Default Cost Structure, and Item Organization
B. Cost Centers, Organizations, and Locations
C. Divisions, Business Units, and Departments
D. Warehouse, Subinventory, and Locators
Answer: (SHOW ANSWER)

NEW QUESTION: 58
Given the code sample:
And:
And:
And the next fragment from beans.xml:
And this injection point:
@Inject GenericMessenger messageHandler;
Which type would be injected at run time and referenced by the messageHandlervariable?
SmsHandler
A. GenericMessenger
B. MsgHandler
C.
D. None of the above. An exception would be thrown due to ambiguous bean references.
Answer: A (LEAVE A REPLY)

NEW QUESTION: 59
Which code snippet indicates that the page you are designing is capable of handling errors?
A. <%= requestScope['javax.servlet.error'] !=null %>
B. <%@page errorPage="errorHandler.jsp"%>
C. <c:set var="errorHandler" value="true"/>
D. <%@page isErrorPage="true"%>
Answer: D (LEAVE A REPLY)

NEW QUESTION: 60
Which two statements are true in regard to using the Enterprise Structures Configuration? (Choose two.)
A. The guided interview-based process helps you set up the enterprise with best practices.
B. It recommends job and position structures.
C. You cannot modify the recommendation from the tool. You must do it after you perform the initial configuration.
D. It allows you to create your Enterprise, Business Units, and Warehouses in a single step.
E. It creates the chart of accounts.
Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 61

Given the code fragment:

Assuming this bean is used only in the code fragment above, how long will the injected Bean instance be available?

A. for the lifetime of the request

B. for the lifetime of the Service object

C. for the lifetime of the enterprise application

D. for the lifetime of the session

Answer: B (LEAVE A REPLY)

Valid 1Z0-900 Dumps shared by PrepPdf.com for Helping Passing 1Z0-900 Exam! PrepPdf.com now offer the **newest 1Z0-900 exam dumps**, the PrepPdf.com 1Z0-900 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Z0-900 dumps with Test Engine here: https://www.preppdf.com/Oracle/1Z0-900-prepaway-exam-dumps.html (**142** Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

Which two features are provided by the JSTL Core library for a JSP? (Choose two.)

A. iteration over a collection

B. buffering of large result sets

C. testing conditions

D. message localization

Answer: A,D (LEAVE A REPLY)

Explanation

Reference https://www.journaldev.com/2090/jstl-tutorial-jstl-tags-example

NEW QUESTION: 63

Which is a valid description of REST?

A. REST provides the same architectural properties as SOAP.

B. REST is a library that is part of JEE called JAX-RS.

C. REST is the conventional way of interacting with information resources.

D. REST is a Web Services standard supported by JEE and JAX-RS.

Answer: D (LEAVE A REPLY)

Explanation/Reference: https://docs.oracle.com/javaee/6/tutorial/doc/giepu.html

NEW QUESTION: 64

Identify two statements that are true about the cost-organization relationship.

A. Costing Item Validation Organization can only be Item Master Organization of the underlying inventory organizations.

B. The inventory organizations that are assigned to a cost organization must all belong to the same legal entity.
C. Costing Item Validation Organization is used to default the Unit of Measure for costing calculations.
D. Only Inventory organizations belonging to different Item Master Organizations can be part of a cost organization.
Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 65
Your supplier sent you stock against a consigned agreement. You transferred at the stock to owned and generated a consumption advice. An invoice was raised by the supplier and the payment made. A few days after using some of the quantities of the stock, you realized that some of the stock sent by the supplier is not of suitable quality and you need to send the stock back.
What is the process of returning the material?
A. You cannot return consigned items that are invoiced and paid. Treat the material as scrap.
B. You have to cancel the invoice and send the material back without changing the ownership.
C. Return the material and create a debit memo for the supplier.
D. You have to transfer the ownership of item and perform the return transaction.
Answer: C (LEAVE A REPLY)

NEW QUESTION: 66
Given the following class definition with numbered lines:
How do you specify to use this mock CDI bean implementation instead of the regular implementation class?
A. Start up the server with the optional -alternativecommand-line option, specifying any alternative class names in a comma-separated list.
B. Use the alternativeselement in the beans.xmlfile and specify the class name in the classelement within it.
C. Delete the regular implementation class from the WAR.
D. Reorder the implementation names in the beans.xmlfile such that the desired alternative is listed earlier.
Answer: (SHOW ANSWER)

NEW QUESTION: 67
Your client wants the purchasers to be able to run the min-max for items under their control and then manage the POs created out of these.
Which parameters can they use to be able to do this?
A. Sort by
B. From Planner to Planner
C. From Item to Item
D. From Buyer to Buyer
E. Planning Level

Answer: C (LEAVE A REPLY)

NEW QUESTION: 68
You are working with JMS publish-subscribe operations.
What happens when a producer publishes a message to a topic for which a durable subscription exists but there are no subscribers available?
A. The publisher waits for a subscriber, who then consumes it. However, the publisher will time out if no consumer arrives within the given timeout period.
B. The publisher sends the message. However, it is never consumed because there wasn't anything listening when it arrived, regardless of the message timeout length.
C. The publisher successfully sends a message, which will be consumed later, once there is a subscriber, assuming the message hasn't timed out.
D. The message publisher is immediately notified about the lack of subscribers and can decide for itself if, and when, to resend.
Answer: (SHOW ANSWER)
Explanation/Reference:
Reference: https://www.ibm.com/support/knowledgecenter/en/SSAW57_8.5.5/com.ibm.websphere.nd.multiplatform.doc/ae/tjn0012_.html

NEW QUESTION: 69
You have been asked to implement internationalization in your JSF web application.
Where do you configure the supported locales?
A. in the srcfolder
B. in the <f:view>tag of the Facelet page
C. in the web.xmlfile
D. in the faces-config.xml file
Answer: B (LEAVE A REPLY)

NEW QUESTION: 70
Given the set of navigation rules:
Which two define a valid flow of view IDs through the application? (Choose two.)
A. list-widgets > add-widget > home > dashboard > home
B. home > goodbye > list-widgets
C. home > list-widgets > add-widget > goodbye
D. dashboard > home > add-widget > list-widgets
Answer: (SHOW ANSWER)

NEW QUESTION: 71
What are two outcomes when a lot expires on an item with lot control enabled?
A. It is issued out of stores.
B. It cannot be transacted.

C. It cannot be reserved for a date beyond the expiration date.
D. It remains an inventory, but is not considered on-hand when the user is performing min-max or reorder point planning calculations.
E. It is not included in cycle counts.
Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 72
Identify two valid WebSocket message types for which you can register handlers. (Choose two.)
A. Error Message
B. Binary Message
C. Pong Message
D. Ping Message
Answer: B,C (LEAVE A REPLY)
Explanation/Reference: https://docs.oracle.com/javaee/7/api/javax/websocket/Session.html

NEW QUESTION: 73
Given:
If an exception is thrown inside the ifblock, what effect will it have on the transaction?
A. The transaction will be committed.
B. The transaction will be rolled back.
C. The transaction will be suspended.
Answer: B (LEAVE A REPLY)

NEW QUESTION: 74
Your company is an automobile spares manufacturing organization, which follows a discrete process. It has its own manufacturing and distribution centers located globally.
It has these business units:
US - USA business unit
CAN - Canadian business unit
UK - UK business unit
MX - Mexican business unit
IND - India business unit
SPA - Spain business unit
FRA - France business unit
NL - Netherlands business unit
GER - Germany business unit
These are the inventory organizations that exist in each business unit:
Which two statements are true?
A. All inventory organizations do not need to be in the same business unit to assign items.
B. Item organizations are also supported to serve as inventory organizations.
C. Items cannot be assigned to inventory organizations across business units.

D. Items defined in the GM organization can be assigned to US1, US2, NL1, and MX1 inventory organizations.
E. Operational Attributes can be controlled only at the Master Level.
F. You can define an item in the IN1 inventory organization and assign it to the DE1 inventory organization.
Answer: A,D (LEAVE A REPLY)
Explanation/Reference:

NEW QUESTION: 75
How do you specify a default error page in your web.xmlfile?
A. <on-error>
< location>/general-error.html<location>
< /on-error>
B. <error-page>
<error-code>*</error-code>
<location>/general-error.html</location>
</error-page>
C. <on-error>
<error-code>*</error-code>
<location>/general-error.html</location>
</on-error>
D. <error-page>
< location>/general-error.html</location>
< /error-page>
Answer: (SHOW ANSWER)
Explanation/Reference:
Reference: http://www.codejava.net/java-ee/servlet/how-to-handle-error-in-web-xml-for-java-web-applications

NEW QUESTION: 76
Your organization performs a restock via a transfer order between inventory organizations, using the following parameters for processing:
Transfer Type: In-transit transfer type
Receipt Routing: Standard
Transfer Order Required: Yes
During the process, the receiving organization wants to make a change to the transfer order line.
After which fulfillment stage will they no longer be able to change the transfer order?
A. Awaiting Receiving
B. Awaiting Billing
C. Closed
D. Ship Confirm

E. Awaiting Fulfillment
Answer: C (LEAVE A REPLY)
Explanation

Valid 1Z0-900 Dumps shared by PrepPdf.com for Helping Passing 1Z0-900 Exam! PrepPdf.com now offer the **newest 1Z0-900 exam dumps**, the PrepPdf.com 1Z0-900 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Z0-900 dumps with Test Engine here: https://www.preppdf.com/Oracle/1Z0-900-prepaway-exam-dumps.html (**142** Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 77
Given:
Which client-side Java method will send the employee object to the WebSocket Server Endpoint?
A. container.send(employee);
B. session.send(employee);
C. remote.sendObject(employee);
D. session.post(employee);
Answer: D (LEAVE A REPLY)

NEW QUESTION: 78
Given the code fragment:
How can you apply DateConverter to the birthday field?
A. by adding @Convert(to=Date.class) at line 3
B. by adding @Convert((DateConverter.class)) at line 2
C. by invoking the setConverter(DateConverter.class) method on the EntityManager object
D. by adding @Converter(autoApply=true) at line 1
Answer: (SHOW ANSWER)

NEW QUESTION: 79
Which URL represents an invalid approach to pass a parameter to a REST resource?
A. <base-url>/Employees/1
B. <base-url>/Employees&value=1
C. <base-url>/Employees?value=1
D. <base-url>/Employees;value=1
Answer: D (LEAVE A REPLY)

NEW QUESTION: 80
Given the code fragments:
Which action completes this composite primary key implementation?

A. Add @IdClass(ContactId.class) annotation at line 2.
B. Add @Embeddable annotation at line 1 and @EmbeddedId(ContactId.class) at line 2.
C. Add @Embeddable annotation at line 1 and replace both @Id annotations with @EmbeddedId annotations.
D. Add @IdClass annotation at line 1.
Answer: B (LEAVE A REPLY)

NEW QUESTION: 81
Given:
If an exception is thrown inside the if block, what effect will it have on the transaction?
A. The transaction will be suspended.
B. The transaction will be committed.
C. The transaction will be rolled back.
Answer: C (LEAVE A REPLY)

NEW QUESTION: 82
Which two features are provided by the JSTL Core library for a JSP? (Choose two.)
A. iteration over a collection
B. buffering of large result sets
C. testing conditions
D. message localization
Answer: A,D (LEAVE A REPLY)
Explanation/Reference:
Reference: https://www.journaldev.com/2090/jstl-tutorial-jstl-tags-example

NEW QUESTION: 83
Your organization has lot controlled and nonlot controlled material and stores all defective material in a subinventory called "Defect". The organization does not want defective material to be available for reservations or for subsequent shipping to customers.
Which option satisfies this requirement?
A. Tag the lot as defective product.
B. Assign the lot a material status that disallows reservations and allows subinventory transfers and issues to scrap.
C. Put a hold on the lot.
D. Disallow all inventory transactions for the subinventory "Defect".
E. Assign the subinventory a material status that disallows reservations and allows subinventory transfers and issues to scrap.
Answer: E (LEAVE A REPLY)

NEW QUESTION: 84

You need to develop a chat application, which allows the display of emoticons and images together with text messages.
How should you configure a WebSocket endpoints to receive both text and binary messages?
A. Create two @onMessage methods in the same endpoint with appropriate parameter types.
B. You can achieve this only by creating separate WebSocket endpoints for each message type.
C. Define the @onMessage methods in your endpoint with Object as parameter and check the actual type in your code.
D. Create two @onMessage methods, each with appropriate decoder attribute in the same endpoint.
Answer: (SHOW ANSWER)

NEW QUESTION: 85
Given the code fragments:
Which action completes this composite primary key implementation?
A. Add @Embeddableannotation at line 1 and replace both @Idannotations with @EmbeddedIdannotations.
B. Add @Embeddableannotation at line 1and @EmbeddedId(ContactId.class)at line 2.
C. Add @IdClassannotation at line 1.
D. Add @IdClass(ContactId.class)annotation at line 2.
Answer: B (LEAVE A REPLY)

NEW QUESTION: 86
Given the code fragment:
Which method should be used on line 3 to enable default validation mechanism?
A. u.setProperty(String, Object)
B. u.setEventHandler(ValidationEventHandler)
C. u.setAdapter(XmlAdapter)
D. u.setProperty(Schema)
Answer: C (LEAVE A REPLY)

NEW QUESTION: 87
Which three applications originate a buy request that is received by supply chain orchestration?
A. Purchasing
B. Inventory
C. Order Management
D. Planning
E. Self Service Procurement
F. Accounts Payable
Answer: B,C,D (LEAVE A REPLY)
Explanation

NEW QUESTION: 88

Given the code fragment:
How can you get all property names of a JMS message in the JMS consumer onMessage operation?
A. List<String> props = msg.getProperties();
B. Enumeration props = msg.getPropertyNames();. Iterator props = msg.getPropertyNames();
C. String [] props = msg.getPropertyNames();
Answer: C (LEAVE A REPLY)

NEW QUESTION: 89
Given the code fragment:
When the context root is requested http://host:port/context, how does the container resolve this mapping?
A. firstServlethandles the request.
B. The container throws an error at startup.
C. secondServlet handles the request.
D. thirdServlethandles the request.
Answer: B (LEAVE A REPLY)

NEW QUESTION: 90
Which two capabilities are provided by the Java Authentication and Authorization Services (JAAS) API? (Choose two.)
A. verifying that a user is allowed to perform an action
B. verifying identity claims from users
C. protecting data from unauthorized viewing by using encryption
D. ensuring that data is not modified in transit
Answer: (SHOW ANSWER)

NEW QUESTION: 91
Your class requires multiple resources defined, as shown in the following:
Which annotation do you use to group multiple @Resourcedeclarations together for class-based injection, replacing <XXXX>in the code above?
@Resources
A. @ResourceGroup
B. @Resource
C. @ResourceCollection
Answer: A (LEAVE A REPLY)

Valid 1Z0-900 Dumps shared by PrepPdf.com for Helping Passing 1Z0-900 Exam! PrepPdf.com now offer the **newest 1Z0-900 exam dumps**, the PrepPdf.com 1Z0-900 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Z0-900 dumps with Test

Engine here: https://www.preppdf.com/Oracle/1Z0-900-prepaway-exam-dumps.html (**142** Q&As Dumps, **40%OFF** **Special Discount: Exam-Tests**)

NEW QUESTION: 92
Given the following code:
What should you do at line 1to enable this servlet receive request data without blocking?
A. Use a Runnableinstance with the start ()method of AsyncContext.
B. Define a ReadListener and assign it to the request input stream.
C. Create a Callable class and delegate this operation to a ManagedExecutorServiceby using the dispatch method of AsyncContext.
D. Define an AsyncListenerand assign it to the AsyncContext object.
Answer: D (LEAVE A REPLY)
Explanation

NEW QUESTION: 93
Given the code fragment from a Facelet page:
On Line 1, you ae asked to insert a search box that displays the text "Search Here" via a placeholder. Assume searchMBis a valid Managed Bean.
Which two options enable you to create a search box with a placeholderattribute on Line 1? (Choose two.)
<h:inputText value="#(searchMB.query)">
A. (searchMB.query)"></input>
<h:inputText pt:placeholder="Search Here" value="#(searchMB.query)"/>
B. <input jsf:id="search" placeholder="Search here" jsf:value="#
C. input>
D. <input id="search" jsf:placeholder="Search Here" value="$(searchMB.query)"></
E. <f:param name="placeholder" value="Search Here"/>
</h:inputText>
<h:inputText value="#(searchMB.query)" placeholder="Search here"/>
Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 94
You set up an item organization and an inventory organization as part of your customer's requirement. Your customer has, by mistake, performed a receipt transaction in the item organization instead of the inventory organization. How will you rectify this error?
A. Perform a return of item and receive the item again in the correct organization.
B. Perform a new receipt in the correct organization and retain the stock in item organization because it does not affect any other operation.
C. Perform a correct receipt transaction and receive the item in the correct organization.
D. It is not possible to receive item in the item organization.
Answer: D (LEAVE A REPLY)

NEW QUESTION: 95
Given:
What will be the response to a HEADrequest?
A. The findAll()method will be called and the employee list will be returned.
B. No method will be invoked and a 404 error will be returned.
C. No method will be invoked and no error will be returned.
D. The findAll()method will be called and no employees will be returned.
Answer: C (LEAVE A REPLY)

NEW QUESTION: 96
A Java EE application that uses an EJB container must communicate with a legacy system developed using non-Java technologies.
Which two Java EE technologies can be used in the integration tier of the application? (Choose two.)
A. JMS
B. JPA
C. JSF
D. JCA
Answer: (SHOW ANSWER)

NEW QUESTION: 97
Given the code sample:
And:
And:
And the next fragment from beans.xml:
And this injection point:
@Inject GenericMessenger messageHandler;
Which type would be injected at run time and referenced by the messageHandler variable?
A. GenericMessenger
B. MsgHandler
C. None of the above. An exception would be thrown due to ambiguous bean references.
D. SmsHandler
Answer: (SHOW ANSWER)

NEW QUESTION: 98
You need to develop a chat application, which allows the display of emoticons and images together with text messages.
How should you configure a WebSocket endpoints to receive both text and binary messages?
A. Create two @onMessagemethods in the same endpoint with appropriate parameter types.
B. Define the @onMessagemethods in your endpoint with Objectas parameter and check the actual type in your code.

C. You can achieve this only by creating separate WebSocket endpoints for each message type.
D. Create two @onMessagemethods, each with appropriate decoder attribute in the same endpoint.
Answer: D (LEAVE A REPLY)
Explanation/Reference:
Reference: https://abhirockzz.gitbooks.io/java-websocket-api-handbook/content/Receiving%20Messages.html

NEW QUESTION: 99
Given a JSL document describing a batch job:
How do you initiate a batch job?
A. Get the JobExecutionobject from BatchRuntimeand call its start()method.
B. Get the JobOperatorobject from BatchRuntimeand call its start()method.
C. Call BatchRunTime.initialize("ProductLoadJob");
D. Get the JobExecutionobject from BatchRuntimeand set its status to JobStatus.INITIATED.
Answer: A (LEAVE A REPLY)

NEW QUESTION: 100
Given the code fragments:
What code should you add to the body of the updateEmployeemethod in order to save pending changes to the database?
entityManager.merge(emp);
A. EntityManager.merge(emp);
entityManager.getTransaction().begin();
B. entityManager.merge(emp);
entityManager.getTransaction().commit();
C. UserTransaction utx = (UserTransaction)ctx.lookup("java:comp/UserTransaction");
utx.begin();
entityManager.merge(emp);
utx.commit();
entityManager.lock(emp);
D. Context. Ctx = new InitialContext();
Answer: (SHOW ANSWER)

NEW QUESTION: 101
Given:
Which annotation do you use on line 1to ensure that clients immediately time out when attempting to concurrently invoke callMethod ()while another client is already accessing the bean?
A. @AccessTimeout (value = 1, unit = TimeUnit.SECONDS)
B. @AccessTimeout (null)
C. @AccessTimeout (-1)

D. @AccessTimeout (0)
Answer: (SHOW ANSWER)
Explanation/Reference:
Reference: http://tomee.apache.org/examples-trunk/access-timeout/

Valid 1Z0-900 Dumps shared by PrepPdf.com for Helping Passing 1Z0-900 Exam! PrepPdf.com now offer the **newest 1Z0-900 exam dumps**, the PrepPdf.com 1Z0-900 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Z0-900 dumps with Test Engine here: https://www.preppdf.com/Oracle/1Z0-900-prepaway-exam-dumps.html (**142** Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)