

Oracle.1Z0-931-21.v2022-11-03.q56

Exam Code:	1Z0-931-21
Exam Name:	Oracle Autonomous Database Cloud 2021 Specialist
Certification Provider:	Oracle
Free Question Number:	56
Version:	v2022-11-03
# of views:	1182
# of Questions views:	560
https://www.freeqas.com/qa/Oracle/1Z0-931-21/Oracle.1Z0-931-21.v2022-11-03.q56.html	

NEW QUESTION: 1

Which two actions are available to perform when an Autonomous Database is stopped?

- A. Update License Type
- B. Change administrator password
- C. Update Network Access
- D. Start

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 2

You are the admin of an Autonomous Database (ADB) instance, and a new developer has requested a new workspace in APEX.

What statement describes the step to provide the developer a new workspace in APEX?

- A. Create an IDCS user with the APEX role.
- B. Create a database user with the APEX role.
- C. Create a new developer account.
- D. Access the APEX Administration Services and create the workspace for the developer.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 3

Which statement is true about connecting a marketplace Oracle Cloud Infrastructure (OCI) image to an Autonomous Database on Shared Infrastructure?

- A. The marketplace OCI image does not support connecting to an Autonomous Database on Shared Infrastructure.
- B. The marketplace OCI image can be used with an Always Free Autonomous Database account.
- C. A Private Endpoint is required to connect to the Autonomous Database on shared Exadata infrastructure.

- D. The Autonomous Database must belong to a Network Security Group (NSG).
- E. The Autonomous Database can only be in the same virtual cloud network (VCN) and subnet as the marketplace OCI image.

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 4

Which statement is true when the Autonomous Database has auto scaling enabled?

- A. Increases the number of sessions available to the database.
- B. Database concurrency is scaled up when needed by the workload.
- C. Enables the database to use up to 3x CPU/IO resources immediately when needed by the workload.
- D. Scales the PGA and SGA size when needed for the workload.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 5

A new Python developer has joined your team and needs to access the Autonomous Database (ADB) data.

How does the developer connect to and interact with ADB from Python?

- A. The Oracle Client and the cx_Oracle interface for Python
- B. JAVA JDK
- C. SQL Developer
- D. You can't use Python with ADB.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

You are the admin of an Autonomous Database (ADB) instance, and a new developer has requested a new workspace in APEX.

What statement describes the step to provide the developer a new workspace in APEX?

- A. Create an IDCS user with the APEX role.
- B. Access the APEX Administration Services and create the workspace for the developer.
- C. Create a new developer account.
- D. Create a database user with the APEX role.

Answer: B ([LEAVE A REPLY](#))

<https://docs.oracle.com/en/database/oracle/application-express/19.1/htmig/creating-workspace-and-adding-Oracle-AE-users.html#GUID-1040F145-452A-49D4-BCF6-A80851AFFA74> Create a New Instance Administrator Login to the INTERNAL workspace as the ADMIN user, or another existing admin user.

Click the "Create User" link on the right-hand menu.

For a new admin user enter mandatory items and the following.

Workspace : INTERNAL

Default Schema : APEX_180200 {or whatever the highest version is}

User is an administrator: Yes

Account Availability : Unlocked

Password and Confirmation Password.

Require Change of Password on First Use : Yes

Click the "Create User" button.

<https://oracle-base.com/articles/misc/apex-tips-basic-apex-management>

NEW QUESTION: 7

Which two are correct actions to take in order to Download the Autonomous Database Credentials?

- A.** Click on the Autonomous Data Warehouse in the menu, click a database name, then Choose DB Connection button, then Download the Wallet.
- B.** Click on the Autonomous Data Warehouse section, pick a database, then Choose Actions, then Download the Wallet.
- C.** Click the Compute section of the menu, then choose Instance Configurations, then Download Wallet.
- D.** Click on the Object Storage and find your Autonomous Bucket and Download the Wallet Credentials.
- E.** Find the Service Console for your Autonomous Database, then pick Administration, then Download the Client Credentials (Wallet).

Answer: A,E (LEAVE A REPLY)

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbsa/connect-download-wallet.html#GUID-B06202D2-0597-41AA-9481-3B174F75D4B1>

NEW QUESTION: 8

An Autonomous Database (ADB) user with an instance wallet has left the company and they shared a database user id with other users when accessing ADB.

Other than changing the shared user password, what can the admin do to protect the instance?

- A.** Delete the user.
- B.** Shutdown and restart the instance.
- C.** Rotate the instance wallet and share the new wallet with the remaining users.
- D.** Trust the user who left to not access the database.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 9

Which data file format is NOT supported when using the package DBMS_CLOUD on Shared Exadata Infrastructure?

- A.** Data Pump Export File
- B.** Avro
- C.** Parquet

- D. Text
- E. JSON
- F. Microsoft SQL Server (.mdf)

Answer: F (LEAVE A REPLY)

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbsa/format-options.html#GUID-08C44CDA-7C81-481A-BA0A-F7346473B703>
.mdf format is for MS SQL server database file

NEW QUESTION: 10

What command should you issue to enable application continuity on Autonomous Database Shared Infrastructure?

- A. alter database set application_continuity=true
- B. alter session set application_continuity=true
- C. exec dbms_cloud_admin.enable_app_cont (' <service_name> ');
- D. alter system set application_continuity=true

Answer: C (LEAVE A REPLY)

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbsa/dbms-cloud-admin.html#GUID-42B9DDB0-12A7-4EE3-9860-30EFA41061E9> If it was asking for Autonomous Database Dedicated Infrastructure, then answer would be execute
DBMS_APP_CONT_ADMIN.ENABLE_AC('databaseid_tpurgent.adb.oraclecloud.com', 'LEVEL1', 600);

NEW QUESTION: 11

Which workload type does the Autonomous Database on dedicated infrastructure service currently support?

- A. Autonomous Transaction Processing only
- B. ATP and ADW
- C. Autonomous Data Warehouse only
- D. Hybrid Columnar compression

Answer: B (LEAVE A REPLY)

NEW QUESTION: 12

Which statement is correct about the Service console in an Autonomous Database?

- A. You can use Service console to enable or disable auto scaling of Autonomous DB
- B. You can use Service console to manage runaway SQL statements on Autonomous DB
- C. You can use Service console to move Autonomous DB between compartments
- D. You can use Service console to create manual backups of Autonomous database

Answer: B (LEAVE A REPLY)

NEW QUESTION: 13

Autonomous Database's auto scaling feature allows your database to use up to three times the current base number of CPU cores at any time. As demand increases, auto scaling automatically increases the number of cores in use. Likewise, as demand drops, auto scaling automatically decreases the number of cores in use.

Which statement is FALSE regarding the auto scaling feature?

- A.** For databases on dedicated Exadata infrastructure, the maximum number of cores is limited by the number of free cores that aren't being used by other auto scaling databases to meet high-load demands.
- B.** For databases on dedicated Exadata infrastructure, the maximum number of cores available to a database depends on the total number of cores available in the Exadata infrastructure instance.
- C.** Auto scaling is enabled by default and can be enabled or disabled at any time.
- D.** The base number of OCPU cores allocated to a database is not guaranteed.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

In the Autonomous Database (ADB) Dedicated service, what does the fleet administrator use to control OCPU utilization?

- A.** Oracle Machine Learning notebook
- B.** SQL Developer Web Console
- C.** Compartment quotas
- D.** Resource Manager settings

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

What command should you issue to enable application continuity on Autonomous Database Shared Infrastructure?

- A.** alter database set application_continuity=true
- B.** alter session set application_continuity=true
- C.** exec dbms_cloudl_admin.enable_app_cont (' <service_name> ');
- D.** alter system set application_continuity=true

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

For Fleet admins to access dedicated Exadata infrastructure, which policy should be assigned?

- A.** Allow group ADB-Admins to manage autonomous-database in tenancy where target.workloadType = 'DW'
- B.** Allow group ADB-Admins to manage autonomous-database-family in tenancy.
- C.** Allow group ADB-Admins to manage autonomous-database in tenancy.

D. Allow group ADB-Admins to manage autonomous-database in tenancy where target.workloadType = 'OLTP'

Answer: D ([LEAVE A REPLY](#))

Valid 1Z0-931-21 Dumps shared by PrepPdf.com for Helping Passing 1Z0-931-21 Exam! PrepPdf.com now offer the **newest 1Z0-931-21 exam dumps**, the PrepPdf.com 1Z0-931-21 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Z0-931-21 dumps with Test Engine here:

<https://www.preppdf.com/Oracle/1Z0-931-21-prepaway-exam-dumps.html> (114 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

Which is a difference between Autonomous Data Warehouse (ADW) and Autonomous Transaction Processing (ATP) databases?

- A. Only ADW uses columnar compression by default.
- B. Only ATP manages optimizer statistics.
- C. Only ADW supports autoscaling.
- D. Only ATP supports automatic backups.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 18

Which statement is FALSE about Oracle Autonomous JSON Database?

- A. JSON data is stored natively in the database
- B. You can promote Autonomous JSON Database to Autonomous Transaction /Processing
- C. It supports NoSQL-style, document-centric application
- D. There is a 20 GB limit on JSON collection

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 19

What REST verb is used to create an Autonomous Database service using REST APIs?

- A. An "INSERT" REST call
- B. A "GET" REST call
- C. A "POST" REST call
- D. A "PUT" REST call

Answer: ([SHOW ANSWER](#)**)**

<https://docs.oracle.com/en/cloud/paas/integration-cloud/rest-api/SendRequests.html>

NEW QUESTION: 20

When in the SQL Monitoring tab of the Performance Hub you see a clock icon in the status column. What does this mean?

- A. The SQL statement completed its execution.
- B. The SQL statement is executing.
- C. The SQL statement is queued.
- D. The SQL statement did not complete either due to an error.

Answer: C ([LEAVE A REPLY](#))

<https://docs.oracle.com/en-us/iaas/Content/Database/Tasks/perfhub.htm>

NEW QUESTION: 21

Which method will NOT permit you to change the database Admin Password of a Autonomous Database on Shared Infrastructure?

- A. SQLDeveloper
- B. Admin page of the Cloud Service Console
- C. OCI CLI
- D. OS command line from the database server.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 22

For someone that is not a service administrator to use SQL Developer Web, what package would you need to use to give them access?

- A. ORDS_ADMIN.ENABLE_SCHEMA
- B. ORDS_ADMIN.GRANT_SCHEMA
- C. SQLDEV_ADMIN.GRANT_SCHEMA
- D. ORDS_PRIV.ENABLE_SCHEMA

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 23

To who, and in which order, are dedicated Exadata Infrastructure resources provisioned?

- A. Fleet Administrator, Autonomous Exadata Infrastructure -> Database Administrator -> Autonomous Container DB -> Autonomous DB
- B. Database Administrator, Autonomous Container DB -> Autonomous DB -> Fleet Administrator -> Autonomous Exadata Infrastructure
- C. Fleet Administrator, Autonomous Exadata Infrastructure -> Autonomous Container DB -> Database Administrator -> Autonomous DB
- D. Database Administrator, Autonomous Exadata Infrastructure -> Fleet Administrator -> Autonomous Container DB -> Autonomous DB

Answer: (SHOW ANSWER)

<https://docs.oracle.com/en-us/iaas/Content/Database/Concepts/adbddoverview.htm>

NEW QUESTION: 24

Oracle Autonomous Database on Dedicated Infrastructure is composed of which Oracle Cloud resources?

- A. Autonomous Exadata infrastructure, Autonomous Backup, Autonomous Container Database, and Autonomous Database
- B. Oracle Machine Learning Zeppelin Notebook, Autonomous Exadata infrastructure, Fleet Administrator, and Database Administrator
- C. Fleet Administrator, Database Administrator, Database User, and Autonomous Exadata infrastructure
- D. Virtual Cloud Network, Compartments, Policies, and Autonomous Exadata infrastructure

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

You need to create a new database via the Oracle Cloud Infrastructure (OCI) CLI with the following requirements:

- * Autonomous Transaction Processing
- * License Included
- * Shared Infrastructure

Which parameter would you NOT use?

- A. db-workload
- B. is-dedicated
- C. db-type
- D. license-model

Answer: B ([LEAVE A REPLY](#))

https://docs.oracle.com/en-us/iaas/tools/oci-cli/2.9.9/oci_cli_docs/cmdref/db/autonomousdatabase/create.html

NEW QUESTION: 26

While creating an Autonomous Container Database on dedicated infrastructure through the Oracle Cloud Infrastructure (OCI) console, which patch type is offered to be applied during maintenance?

- A. Release Update (RU)
- B. Prior Release Update Revision (PRUR)
- C. Prior Release Update (PRU)
- D. Quarterly Bundle Patch (QBP)

Answer: A ([LEAVE A REPLY](#))

On the Edit Automatic Maintenance card, select Release Update (RU) or Release Update Revision (RUR) from the Maintenance type list.

Note:

Currently, the Release Update Revision (RUR) maintenance type is not a selectable option. When release update revisions become available for Autonomous Database, this option will become selectable.

NEW QUESTION: 27

Which two methods can you use to create database users and grant roles in Autonomous Database services? O the Oracle Cloud Infrastructure

- A. service console
- B. SQL *Plus
- C. the DBMS_CLOUD_ADMIN package
- D. SQL Developer

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 28

For Fleet admins to access dedicated Exadata infrastructure, which policy should be assigned?

- A. Allow group ADB-Admins to manage autonomous-database in tenancy where target.workloadType = 'DW'
- B. Allow group ADB-Admins to manage autonomous-database in tenancy.
- C. Allow group ADB-Admins to manage autonomous-database-family in tenancy.
- D. Allow group ADB-Admins to manage autonomous-database in tenancy where target.workloadType = 'OLTP'

Answer: C (LEAVE A REPLY)

<https://docs.oracle.com/en-us/iaas/Content/Identity/Reference/adbpolicyreference.htm>

NEW QUESTION: 29

Which statement is correct with respect to required action to move Autonomous Database resources to a different compartment?

- A. Autonomous Exadata Infrastructure instances and Autonomous Container Databases have no dependent resources that move with them. Associated (non-dependent) resources remain in their current compartments.
- B. Moving an Autonomous Database instance does not include its automatic backups.
- C. You do not need to have sufficient access permissions on the compartment that the resource is being moved to.
- D. Moving the compartment of the Autonomous Database will also move the Autonomous Container Database and Autonomous Exadata Infrastructure.

Answer: A (LEAVE A REPLY)

<https://docs.oracle.com/en-us/iaas/Content/Database/Concepts/databaseoverview.htm#moveRes>

NEW QUESTION: 30

Which three Oracle Cloud Infrastructure (OCI) resources do you need to configure before provisioning your Autonomous Database with Private Endpoint?

- A. Network Security Group

- B. Security List
- C. VCN
- D. Route Table
- E. Subnet

Answer: A,C,E (LEAVE A REPLY)

To provision an Autonomous Database with a private endpoint, you must have the following resources already created:

A VCN within the region that will contain your Autonomous Database with shared Exadata infrastructure. Cannot be changed after provisioning.

A private subnet within your VCN configured with default DHCP options. Cannot be changed after provisioning.

At least 1 network security group (NSG) within your VCN for the Autonomous Database. Can be changed or edited after provisioning.

<https://docs.oracle.com/en-us/iaas/Content/Database/Concepts/adbsprivateaccess.htm>

NEW QUESTION: 31

When enabling auto-scaling, which three options do not change?

- A. Amount of storage
- B. I/O resources
- C. parallelism settings
- D. Level of concurrency
- E. Number of OCPUs displayed in the console.

Answer: C,D (LEAVE A REPLY)

Valid 1Z0-931-21 Dumps shared by PrepPdf.com for Helping Passing 1Z0-931-21 Exam! PrepPdf.com now offer the **newest 1Z0-931-21 exam dumps**, the PrepPdf.com 1Z0-931-21 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Z0-931-21 dumps with Test Engine here:
<https://www.preppdf.com/Oracle/1Z0-931-21-prepaway-exam-dumps.html> (114 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 32

Which three are Oracle-recommended best practices for Autonomous Database alarms?

- A. Select the correct alarm interval for your metric.
- B. Create multiple alarm metrics.
- C. Use a single interval for all alarms.
- D. Routinely tune your alarms.
- E. Suppress alarms during investigations.
- F. Create a single alarm for each metric.

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 33

How can an Autonomous Database resource be provisioned without logging into the Oracle Cloud Infrastructure console?

- A.** It cannot be done.
- B.** Using Database Configuration Assistant (DBCA) on the database server.
- C.** Using the Oracle Cloud Infrastructure Command Line interface tool or REST API calls.
- D.** Connecting to the Cloud Infrastructure Command console via SSH wallet.

Answer: C ([LEAVE A REPLY](#))

The CLI is a small footprint tool that you can use on its own or with the Console to complete Oracle Cloud Infrastructure tasks. The CLI provides the same core functionality as the Console, plus additional commands.

<https://blogs.oracle.com/datawarehousing/managing-autonomous-data-warehouse-using-oci-curl> Examples of using Autonomous Database managing by REST API

<https://oracle.github.io/learning-library/workshops/autonomous-transaction-processing/LabGuide900ConfigureOCI-CLI.md>

NEW QUESTION: 34

Which three are use cases for Graph Studio? (Choose three.)

- A.** 3-D modelling
- B.** Churn analysis
- C.** Pattern matching
- D.** Facial recognition
- E.** Clustering

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 35

According to Oracle documentation, it is a best practice when planning and instituting Access Controls for your Autonomous Dedicated environment regarding Subnets, Compartments and User Groups.

Which statement is true?

- A.** Create a separate VCN that contains only public subnets
- B.** Only 1 of each is allowed to be allocated per environment.
- C.** Only 1 Subnet and 1 Compartment are allowed, multiple Groups highly advised.
- D.** Create at least 2 of each resource

Answer: D ([LEAVE A REPLY](#))

Refer to Best Practices When Planning and Instituting Access Controls section in the

<https://docs.oracle.com/en/cloud/paas/autonomous-database/atpfg/plan-and-create-access-constraints1.html#GUID-ED48C3D3-FC0F-41D5-882A-FC2D916FD6AA>

<https://docs.oracle.com/en/cloud/paas/autonomous-database/atpfg/plan-and-create-accessconstraints1.html>

NEW QUESTION: 36

What is the default port number for accessing a newly created Autonomous Database?

- A. 1524
- B. 1522
- C. 1521
- D. 1523
- E. 1526

Answer: (SHOW ANSWER)

<https://www.oracle.com/a/ocom/docs/cloud/autonomous-database-100.pdf>

NEW QUESTION: 37

Which three methods can be used to migrate your existing Oracle database to Autonomous Database? (Choose three.)

- A. Use SFTP to copy CSV files into Autonomous Database
- B. Use Oracle Zero Downtime Migration (ZDM)
- C. Use Recovery Manager (RMAN)
- D. Use GoldenGate
- E. Use Data Pump

Answer: B,D,E (LEAVE A REPLY)

<https://www.oracle.com/sa/database/technologies/cloud-migration.html>

NEW QUESTION: 38

Which two of the following statements are correct?

- A. The Data Transforms Card provides access to Oracle Data Integrator (ODI) Web Edition.
- B. ODI Web Edition can be installed from Oracle Cloud Infrastructure (OCI) Marketplace.
- C. ODI Web Edition is available only on Oracle Linux.
- D. All of the capabilities of ODI Classic are available with ODI Web Edition,

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 39

You need to create a new database via the Oracle Cloud Infrastructure (OCI) CLI with the following requirements:

- * Autonomous Transaction Processing
- * License Included
- * Shared Infrastructure

Which parameter would you NOT use?

- A. is-dedicated

- B. db-type
- C. license-model
- D. db-workload

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 40

Which two cloud services are supported to import Data Pump files to Autonomous Database on Dedicated Infrastructure?

- A. Azure Blob Storage
- B. Amazon S3
- C. Oracle Cloud Infrastructure Object Storage
- D. Google Cloud Storage
- E. Oracle Cloud Infrastructure Object Storage Classic

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 41

Which stage of the indexing pipeline divides text into tokens?

- A. Otokenizer
- B. SECTIONER
- C. LEXER
- D. FILTER

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 42

Which two options are available to restore an Autonomous Data Warehouse? (Choose two.)

- A. Backup and recovery must be done using Recovery Manager(RMAN).
- B. Select the snapshot of the backup.
- C. Select the archived redo logs.
- D. Select the backup from which restore needs to be done.
- E. Specify the point in time (timestamp) to restore.

Answer: ([SHOW ANSWER](#)**)**

In the Restore prompt, select Specify Timestamp or Select Backup to restore to a point in time or to restore from a specified backup.

<https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/backup-recover.html#GUID-78C28C41-AA87-4AD7-BEB6-693235C73F3C>

NEW QUESTION: 43

Which TWO statements are TRUE about using an Autonomous Database with Private Endpoints

- A.** A Network Security Group is required within your Virtual Cloud Network before you can provision a Shared Autonomous Database to use Private Endpoints
- B.** An Autonomous Database with private endpoints can be accessed from the public internet by adding your ip address to an Access Control List.
- C.** Private Endpoints can be configured when you clone a Shared Autonomous Database that was initially created with public endpoints.
- D.** You can configure Private Endpoints for an Always Free Autonomous Database

Answer: ([SHOW ANSWER](#))

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbsa/network-private-endpoint-change.html#GUID-9F76DD5E-85A3-4F5E-A88D-3D4D131FC2CA> Enabling a private endpoint for an Autonomous Database ensures that the only access path to the database is via a VCN inside your Oracle Cloud Infrastructure tenancy. This network configuration completely blocks access to the database from public endpoints

NEW QUESTION: 44

How do you change the tablespace quota for a user on Autonomous Database on Shared Infrastructure?

- A.** Execute alter database for user MTHEO tablespace DATA quota = 10G;
- B.** Execute alter user MTHEO quota unlimited on tablespace DATA;
- C.** Execute DBMS_CLOUD_ADMIN.GRANT_TABLESPACE_QUOTA (username => 'MTHEO' , tablespace__quota => "UNLIMITED*");
- D.** Execute alter tablespace DATA set quota = 10G;

Answer: **C** ([LEAVE A REPLY](#))

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbsa/dbms-cloud-admin.html#GUID-4DC6A536-DC78-43FE-B173-CED1F9FB45A0>

NEW QUESTION: 45

Which set of options can be specified when defining the preferred maintenance schedule of the Exadata infrastructure for Autonomous Database Dedicated?

- A.** Week of the Quarter, Day of the Week, Start Hour
- B.** Month of the Year, Week of the Month, Day of the Week, Start Hour
- C.** Quarter of the Year, Month of the Quarter, Date of the Month, Start Hour
- D.** Month of the Quarter, Week of the Month, Day of the Week, Start Hour

Answer: **D** ([LEAVE A REPLY](#))

NEW QUESTION: 46

When working with an Autonomous Exadata Infrastructure supporting Autonomous Databases, where do you go to view the maintenance history of the Exadata?

- A.** Under Core Infrastructure then Autonomous Exadata
- B.** Under Solutions and Platform then Platform Services then Autonomous Exadata
- C.** Under Database then Autonomous Transaction Processing then Autonomous Exadata

D. Under Core Infrastructure then Compute then Autonomous Exadata

Answer: D ([LEAVE A REPLY](#))

Valid 1Z0-931-21 Dumps shared by PrepPdf.com for Helping Passing 1Z0-931-21 Exam! PrepPdf.com now offer the **newest 1Z0-931-21 exam dumps**, the PrepPdf.com 1Z0-931-21 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Z0-931-21 dumps with Test Engine here:

<https://www.preppdf.com/Oracle/1Z0-931-21-prepaway-exam-dumps.html> (114 Q&As

Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 47

You are requested to analyze a year's stock purchase data which is stored in Autonomous Data Warehouse instance.

Which tool would you use to automate data exploration and create pivot tables?

- A. Business Models
- B. Data Load
- C. SQL Developer Web
- D. APEX

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 48

Data Guard is enabled for your Autonomous Database and the Lifecycle State field for the primary database indicates that it is stopped.

Which statement is true?

- A. Failover is automatically initiated.
- B. Switchover is automatically initiated.
- C. The standby database is also stopped.
- D. The standby database is terminated.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 49

Which four file formats are supported when loading data from Cloud Storage?

- A. DOC
- B. Parquet
- C. JSON
- D. AVRO
- E. DDL
- F. Dcsv

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

Which Autonomous Database Service is NOT used to connect to an Autonomous Transaction Processing instance?

- A. TPPERFORMANT
- B. MEDIUM
- C. HIGH
- D. LOW
- E. TPURGENT

Answer: (SHOW ANSWER)

Predefined Database Service Names for Autonomous Transaction Processing The tnsnames.ora file provided with the credentials zip file contains five database service names identifiable as tpurgent, tp, high, medium, and low. The predefined service names provide different levels of performance and concurrency for Autonomous Transaction Processing.

* tpurgent: The highest priority application connection service for time critical transaction processing operations. This connection service supports manual parallelism.

* tp: A typical application connection service for transaction processing operations. This connection service does not run with parallelism.

* high: A high priority application connection service for reporting and batch operations. All operations run in parallel and are subject to queuing.

* medium: A typical application connection service for reporting and batch operations. All operations run in parallel and are subject to queuing. Using this service the degree of parallelism is limited to four (4).

* low: A lowest priority application connection service for reporting or batch processing operations. This connection service does not run with parallelism.

<https://docs.oracle.com/en/cloud/paas/atp-cloud/atpug/manage-priorities.html#GUID-80E464A7-8ED4-45BB-A7D6-E201DD4107B7>

NEW QUESTION: 51

When using Data Pump to migrate your Oracle database to Autonomous Database, which two objects are imported?

- A. Reports
- B. Data
- C. Schemas
- D. Tablespaces

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 52

When running lots of high concurrent queries in Autonomous Database, you should use which predefined service connection? (Choose the best answer.)

- A. DBNAME_MEDIUM
- B. DBNAME_HIGH
- C. DBNAME_CONCURRENT
- D. DBNAME_LOW

Answer: (SHOW ANSWER)

<https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/manage-priorities.html#GUID-80E464A7-8ED4-45BB-A7D6-E201DD4107B7>

<https://docs.oracle.com/en/cloud/paas/atp-cloud/atpug/manage-priorities.html#GUID-80E464A7-8ED4-45BB-A7D6-E201DD4107B7>

NEW QUESTION: 53

What happened with the standby database when disabling Autonomous Data Guard?

- A. The standby database is started readwrite
- B. The standby database is transformed in a refreshable clone
- C. The standby database is terminated
- D. The standby database is started read only

Answer: C (LEAVE A REPLY)

NEW QUESTION: 54

Which cloud service is NOT supported to import data pump files from using Dedicated Exadata Infrastructure?

- A. Oracle Cloud Infrastructure Object Storage
- B. Google Cloud Storage
- C. Amazon S3
- D. Oracle Cloud Infrastructure Object Storage Classic

Answer: B (LEAVE A REPLY)

NEW QUESTION: 55

Which statement is FALSE about setting up compartment quotas?

- A. You cannot manage quotas in a compartment, unless you belong to a group that has the correct permissions.
- B. Quotas set on a parent compartment override quotas set on child compartments.
- C. Compartment quotas cannot be set on the root compartment.
- D. Compartment quotas use policies that allow allocation of resources with a high level of flexibility.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 56

What command should you issue to enable application continuity on Autonomous Database Shared Infrastructure?

- A. alter database set application_continuity=true

B. alter session set application_continuity=true

C. exec dbms_cloudcl_admin.enable_app_cont (' <service_name> ');

D. alter system set application_continuity=true

Answer: C (LEAVE A REPLY)

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbsa/dbms-cloud-admin.html#GUID-42B9DDB0-12A7-4EE3-9860-30EFA41061E9> If it was asking for Autonomous Database Dedicated Infrastructure, then answer would be execute DBMS_APP_CONT_ADMIN.ENABLE_AC('databaseid_tpurgent.adb.oraclecloud.com', 'LEVEL1', 600);

Valid 1Z0-931-21 Dumps shared by PrepPdf.com for Helping Passing 1Z0-931-21 Exam! PrepPdf.com now offer the **newest 1Z0-931-21 exam dumps**, the PrepPdf.com 1Z0-931-21 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 1Z0-931-21 dumps with Test Engine here:
<https://www.preppdf.com/Oracle/1Z0-931-21-prepaway-exam-dumps.html> (114 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)