

PaloAltoNetworks.PCCSE.v2022-06-11.q81

Exam Code:	PCCSE
Exam Name:	Prisma Certified Cloud Security Engineer
Certification Provider:	Palo Alto Networks
Free Question Number:	81
Version:	v2022-06-11
# of views:	2323
# of Questions views:	810
https://www.freeqas.com/qa/Palo-Alto-Networks/PCCSE/PaloAltoNetworks.PCCSE.v2022-06-11.q81.html	

NEW QUESTION: 1

A customer has Defenders connected to Prisma Cloud Enterprise. The Defenders are deployed as a DaemonSet in OpenShift. How should the administrator get a report of vulnerabilities on hosts'?

- A. Navigate to Monitor > Vulnerabilities > CVE Viewer
- B. Navigate to Defend > Vulnerabilities > VM Images
- C. Navigate to Monitor > Vulnerabilities > Hosts
- D. Navigate to Defend > Vulnerabilities > Hosts

Answer: D (LEAVE A REPLY)

NEW QUESTION: 2

Match the correct scanning mode for each given operation.

(Select your answer from the pull-down list. Answers may be used more than once or not at all.)

Answer:

NEW QUESTION: 3

A customer has a requirement to automatically protect all Lambda functions with runtime protection. What is the process to automatically protect all the Lambda functions?

- A. Configure a function scan policy from the Defend/Vulnerabilities/Functions page.
- B. Configure a manually embedded Lambda Defender.
- C. Configure a serverless auto-protect rule for the functions.
- D. Configure serverless radar from the Defend/Compliance/Cloud Platforms page.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 4

Which three types of classifications are available in the Data Security module? (Choose three.)

- A. Personally identifiable information
- B. Malicious IP

- C. Compliance standard
- D. Financial information
- E. Malware

Answer: A,D,E (LEAVE A REPLY)

Explanation

<https://docs.paloaltonetworks.com/prisma/prisma-cloud/prisma-cloud-admin/prisma-cloud-data-security.html>

NEW QUESTION: 5

Which options show the steps required after upgrade of Console?

A. Update the Console image in the Twistlock hosted registry

Update the Defender image in the Twistlock hosted registry

Uninstall Defenders

B. Uninstall Defenders

Upgrade Jenkins Plugin

Upgrade twistcli where applicable

Allow the Console to redeploy the Defender

C. Upgrade Defenders

Upgrade Jenkins Plugin

Upgrade twistcli where applicable

D. Update the Console image in the Twistlock hosted registry

Update the Defender image in the Twistlock hosted registry

Redeploy Console

Answer: (SHOW ANSWER)

NEW QUESTION: 6

Which three types of classifications are available in the Data Security module? (Choose three.)

A. Financial information

B. Malware

C. Malicious IP

D. Personally identifiable information

E. Compliance standard

Answer: A,B,E (LEAVE A REPLY)

NEW QUESTION: 7

A customer has a requirement to scan serverless functions for vulnerabilities. Which three settings are required to configure serverless scanning? (Choose three)

A. Defender Name

B. Provider

C. Credential

D. Console Address

E. Region

Answer: (SHOW ANSWER)

NEW QUESTION: 8

Which three fields are mandatory when authenticating the Prisma Cloud plugin in the IntelliJ application?

(Choose three.)

- A. Secret Key
- B. Access Key
- C. Tags
- D. Prisma Cloud API URL
- E. Asset Name

Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 9

A business unit has acquired a company that has a very large AWS account footprint. The plan is to immediately start onboarding the new company's AWS accounts into Prisma Cloud Enterprise tenant immediately. The current company is currently not using AWS Organizations and will require each account to be onboarded individually. The business unit has decided to cover the scope of this action and determined that a script should be written to onboard each of these accounts with general settings to gain immediate posture visibility across the accounts.

Which API endpoint will specifically add these accounts into the Prisma Cloud Enterprise tenant?

- A. `https://api.pnsmacloud.io/cloud/`
- B. `https://api.pnsmacloud.io/cloud/aws`
- C. `https://api.prismacloud.io/account/aws`
- D. `https://api.prismacloud.io/accountgroup/aws`

Answer: B (LEAVE A REPLY)

NEW QUESTION: 10

You are an existing customer of Prisma Cloud Enterprise. You want to onboard a public cloud account and immediately see all of the alerts associated with this account based off ALL of your tenant's existing enabled policies. There is no requirement to send alerts from this account to a downstream application at this time.

Which options show the steps required during the alert rule creation process to achieve this objective?

- A. Ensure the public cloud account is assigned to an account group

Assign the confirmed account group to alert rule

Select "select all policies" checkbox as part of the alert rule

Add alert notifications

Confirm the alert rule

- B. Ensure the public cloud account is assigned to an account group

Assign the confirmed account group to alert rule

Select "select all policies" checkbox as part of the alert rule

Confirm the alert rule

- C. Ensure the public cloud account is assigned to an account group

Assign the confirmed account group to alert rule

Select one or more policies as part of the alert rule

Add alert notifications

Confirm the alert rule

D. Ensure the public cloud account is assigned to an account group

Assign the confirmed account group to alert rule

Select one or more policies checkbox as part of the alert rule

Confirm the alert rule

Answer: C (LEAVE A REPLY)

NEW QUESTION: 11

A customer has a requirement to scan serverless functions for vulnerabilities.

Which three settings are required to configure serverless scanning? (Choose three.)

A. Region

B. Credential

C. Provider

D. Console Address

E. Defender Name

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 12

Which two IDE plugins are supported by Prisma Cloud as part of its DevOps Security? (Choose two.)

A. BitBucket

B. IntelliJ

C. Visual Studio Code

D. CircleCI

Answer: (SHOW ANSWER)

NEW QUESTION: 13

A customer wants to harden its environment from misconfiguration.

Prisma Cloud Compute Compliance enforcement for hosts covers which three options? (Choose three.)

A. Docker daemon configuration files

B. Host configuration

C. Host cloud provider tags

D. Docker daemon configuration

E. Hosts without Defender agents

Answer: (SHOW ANSWER)

NEW QUESTION: 14

The security auditors need to ensure that given compliance checks are being run on the host. Which option is a valid host compliance policy?

- A. Ensure compliant Docker daemon configuration
- B. Ensure functions are not overly permissive.
- C. Ensure images are created with a non-root user
- D. Ensure host devices are not directly exposed to containers.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 15

Which options show the steps are required to upgrade Console when using projects?

- A. Upgrade Central Console
Upgrade Central Console Defenders
- B. Upgrade all Supervisors Consoles
Upgrade Central Console
- C. Upgrade Defender
Upgrade Central Console
Upgrade Supervisor Consoles
- D. Upgrade Central Console
Upgrade all Supervisor Consoles

Answer: D (LEAVE A REPLY)

NEW QUESTION: 16

A customer has a development environment with 50 connected Defenders. A maintenance window is set for Monday to upgrade 30 stand-alone Defenders in the development environment, but there is no maintenance window available until Sunday to upgrade the remaining 20 stand-alone Defenders.

Which recommended action manages this situation?

- A. Open a support case with Palo Alto Networks to arrange an automatic upgrade.
- B. Go to Manage > Defender > Manage, then click Defenders, and use the Scheduler to choose which Defenders will be automatically upgraded during the maintenance window.
- C. Find a maintenance window that is suitable to upgrade all stand-alone Defenders in the development environment.
- D. Upgrade a subset of the Defenders by clicking the individual Actions > Upgrade button in the row that corresponds to the Defender that should be upgraded during the maintenance window.

Answer: B (LEAVE A REPLY)

Valid PCCSE Dumps shared by PrepPdf.com for Helping Passing PCCSE Exam! PrepPdf.com now offer the **newest PCCSE exam dumps**, the PrepPdf.com PCCSE exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com PCCSE dumps with Test Engine here:

<https://www.preppdf.com/Palo-Alto-Networks/PCCSE-prepaway-exam-dumps.html> (260 Q&As Dumps,

40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 17

Order the steps involved in onboarding an AWS Account for use with Data Security feature.

Answer:

Explanation

Table Description automatically generated with medium confidence

NEW QUESTION: 18

Which two statements are true about the differences between build and run config policies? (Choose two.)

- A. Run and Network policies belong to the configuration policy set.
- B. Run policies monitor resources, and check for potential issues after these cloud resources are deployed.
- C. Build and Audit Events policies belong to the configuration policy set.
- D. Build policies enable you to check for security misconfigurations in the IaC templates and ensure that these issues do not get into production.
- E. Run policies monitor network activities in your environment, and check for potential issues during runtime.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

An administrator has deployed Console into a Kubernetes cluster running in AWS. The administrator also has configured a load balancer in TCP passthrough mode to listen on the same ports as the default Prisma Compute Console configuration.

In the build pipeline, the administrator wants twistcli to talk to Console over HTTPS. Which port will twistcli need to use to access the Prisma Compute APIs?

- A. 8084
- B. 443
- C. 8083
- D. 8081

Answer: ([SHOW ANSWER](#))

Explanation

https://docs.prismacloudcompute.com/docs/compute_edition_21_04/tools/twistcli.html#connectivity-to-console

NEW QUESTION: 20

Which two processes ensure that builds can function after a Console upgrade? (Choose two)

- A. updating any build environments that have twistcli included to use the latest version
- B. creating a new policy that allows older versions of twistcli to connect the Console
- C. configuring build pipelines to download twistcli at the start of each build
- D. allowing Jenkins to automatically update the plugin

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 21

Which port should a security team use to pull data from Console's API?

- A. 25

B. 8084

C. 53

D. 8083

Answer: D (LEAVE A REPLY)

NEW QUESTION: 22

The Prisma Cloud administrator has configured a new policy.

Which steps should be used to assign this policy to a compliance standard?

A. Create the Compliance Standard from Compliance tab, and then select Add to Policy.

B. Custom policies cannot be added to existing standards.

C. Edit the policy, go to step 3 (Compliance Standards), click + at the bottom, select the compliance standard, fill in the other boxes, and then click Confirm.

D. Open the Compliance Standards section of the policy, and then save.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 23

A customer wants to monitor the company's AWS accounts via Prisma Cloud, but only needs the resource configuration to be monitored for now.

Which two pieces of information do you need to onboard this account? (Choose two.)

A. Role ARN

B. Subscription ID

C. Cloudtrail

D. Active Directory ID

E. External ID

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 24

A customer has a requirement to terminate any Container from image topSecret:latest when a process named ransomWare is executed How should the administrator configure Prisma Cloud Compute to satisfy this requirement?

A. add a new runtime policy targeted at a specific Container name, add ransomWare process into the denied process list and set the action to "prevent".

B. set the Container model to manual relearn and set the default runtime rule to block for process protection.

C. choose "copy into rule" for the Container add a ransomWare process into the denied process list and set the action to "block"

D. set the Container model to relearn and set the default runtime rule to prevent for process protection.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 25

Given this information:

The Console is located at `https://prisma-console.mydomain.local` The username is: cluster The password is: password123 The image to scan is: myimage:latest Which twistcli command should be used to scan a Container for vulnerabilities and display the details about each vulnerability?

- A. `twistcli images scan --console-address prisma-console.mydomain.local -u cluster -p password123 --vulnerability-details myimage:latest`
- B. `twistcli images scan --address https://prisma-console.mydomain.local -u cluster -p password123 --details myimage:latest`
- C. `twistcli images scan --address prisma-console.mydomain.local -u cluster -p password123 --vulnerability-details myimage:latest`
- D. `twistcli images scan --console-address https://prisma-console.mydomain.local -u cluster -p password123 --details myimage:latest`

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 26

Which "kind" of Kubernetes object is configured to ensure that Defender is acting as the admission controller?

- A. MutatingWebhookConfiguration
- B. PodSecurityPolicies
- C. ValidatingWebhookConfiguration
- D. DestinationRules

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 27

Given this information:

- * The Console is located at `https://prisma-console mydomain local`
- * The username is ciuser
- * The password is password123
- * The Image to scan is myimage latest

Which twistcli command should be used to scan a Container for vulnerabilities and display the details about each vulnerability?

- A. `twistcli images scan -address https //prisma-console mydomain local -u ciuser -p password123 -details myimage latest`
- B. `twistcli images scan -address prisma-console mydomain local -u ciuser -p password123 -vulnerability-details myimage latest`
- C. `twistcli images scan -console-address https //prisma-console mydomain local -u ciuser -p password123 -details myimage latest`
- D. `twistcli images scan -console-address prisma-console mydomain local -u ciuser -p password!23 -vulnerability-details myimage.latest`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

An administrator has deployed Console into a Kubernetes cluster running in AWS. The administrator also has configured a load balancer in TCP passthrough mode to listen on the same ports as the default Prisma Compute Console configuration.

In the build pipeline, the administrator wants twistcli to talk to Console over HTTPS. Which port will twistcli need to use to access the Prisma Compute APIs?

- A. 8083
- B. 443
- C. 8081
- D. 8084

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 29

Which two CI/CD plugins are supported by Prisma Cloud as part of its DevOps Security? (Choose two.)

- A. IntelliJ
- B. BitBucket
- C. CircleCI
- D. Visual Studio Code

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 30

A Prisma Cloud administrator is onboarding a single GCP project to Prisma Cloud. Which two steps can be performed by the Terraform script? (Choose two.)

- A. create the Prisma Cloud role
- B. publish the flow log to a storage bucket
- C. enable flow logs for Prisma Cloud.
- D. enable the required APIs for Prisma Cloud

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 31

Which three Options are selectable in a CI policy for image scanning with Jenkins or twistcli? (Choose three.)

- A. Apply rule only when vendor fixes are available
- B. Credential
- C. Scope - Scans run on a particular host
- D. Failure threshold
- E. Grace Period

Answer: ([SHOW ANSWER](#))

answers have been corrected get the **newest** PrepPdf.com PCCSE dumps with Test Engine here:
<https://www.preppdf.com/Palo-Alto-Networks/PCCSE-prepaway-exam-dumps.html> (260 Q&As Dumps,
40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 32

A security team is deploying Cloud Native Application Firewall (CNAF) on a containerized web application. The application is running an NGINX container. The container is listening on port 8080 and is mapped to host port 80.

Which port should the team specify in the CNAF rule to protect the application?

- A. 80
- B. 8888
- C. 8080
- D. 443

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

A customer wants to be notified about port scanning network activities in their environment Which policy type detects this behavior?

- A. Config
- B. Anomaly
- C. Network
- D. Port Scan

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 34

The security team wants to protect a web application container from an SQLi attack? Which type of policy should the administrator create to protect the container?

- A. CNAF
- B. Compliance
- C. Runtime
- D. CNNF

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 35

Which statement is true regarding CloudFormation templates?

- A. A single template or a zip archive of template files cannot be scanned with a single API request.
- B. Scan support does not currently exist for nested references, macros, or intrinsic functions.
- C. Request-Header-Field 'cloudformation-version' is required to request a scan.
- D. Scan support is provided for JSON, HTML and YAML formats.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

An administrator needs to detect and alert on any activities performed by a root account.

Which policy type should be used?

- A. config-build
- B. audit event
- C. network
- D. config-run

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 37

A security team has been asked to create a custom policy.

Which two methods can the team use to accomplish this goal? (Choose two)

- A. edit the query in the out-of-the-box policy
- B. clone an existing policy
- C. disable an out-of-the-box policy
- D. add a new policy

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

The development team wants to block Cross Site Scripting attacks from pods its environment How should the team construct the CNAF policy to protect against this attack?

- A. create a Container CNAF policy, targeted at a specific resource, check the box for XSS attack protection and set the action to alert
- B. create a Host CNAF policy targeted at a specific resource, check the box for XSS attack protection and set the action to "prevent"
- C. create a Container CNAF policy, targeted at a specific resource, and they should set "Explicitly allowed inbound IP sources" to the IP address of the pod.
- D. create a Container CNAF policy, targeted at a specific resource, check the box for XSS attack protection and set the action to prevent

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 39

Which two of the following are required to be entered on the IdP side when setting up SSO in Prisma Cloud?

(Choose two.)

- A. SSO Certificate
- B. Username
- C. Assertion Consumer Service (ACS) URL
- D. SP (Service Provider) Entity ID

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

Which method should be used to authenticate to Prisma Cloud Enterprise programmatically?

- A. SAML
- B. access key
- C. basic authentication
- D. single sign-on

Answer: B (LEAVE A REPLY)

Explanation

Prisma Cloud requires an API access key to enable programmatic access to the REST API. By default, only the System Admin has API access and can enable API access for other administrators. To generate an access key, see Create and Manage Access Keys. After you obtain an access key, you can submit it in a REST API request to generate a JSON Web Token (JWT). The JWT is then used to authenticate all subsequent REST API requests on Prisma Cloud.

<https://docs.paloaltonetworks.com/prisma/prisma-cloud/prisma-cloud-admin/get-started-with-prisma-cloud/acce>

NEW QUESTION: 41

Which order of steps map a policy to a custom compliance standard?

(Drag the steps into the correct order of occurrence, from the first step to the last.)

Answer:

Explanation

1. click on compliance standard.
2. add custom compliance standard.
3. edit policies.
4. add compliance standard from drop-down menu

https://docs.prismacloudcompute.com/docs/enterprise_edition/compliance/custom_compliance_checks.html#cre

NEW QUESTION: 42

A Prisma Cloud administrator is tasked with pulling a report via API. The Prisma Cloud tenant is located on app2.prismacloud.io.

What is the correct API endpoint?

- A. <https://api.prismacloud.io>
- B. <https://api2.eu.prismacloud.io>
- C. <https://api2.prismacloud.io>
- D. <https://api.prismacloud.cn>

Answer: A (LEAVE A REPLY)

NEW QUESTION: 43

Which port should a security team use to pull data from Console's API?

- A. 25
- B. 8084
- C. 53
- D. 8083

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

Given an existing ECS Cluster, which option shows the steps required to install the Console in Amazon ECS?

- A.** Download and extract release tarball Download task from AWS Create the Console task definition Deploy the task definition
- B.** Download and extract the release tarball Create an EFS file system and mount to each node in the cluster Create the Console task definition Deploy the task definition
- C.** Download and extract the release tarball Ensure that each node has its own storage for Console data Create the Console task definition Deploy the task definition
- D.** The console cannot natively run in an ECS cluster. A onebox deployment should be used.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 45

The Unusual protocol activity (Internal) network anomaly is generating too many alerts. An administrator has been asked to tune it to the option that will generate the least number of events without disabling it entirely. Which strategy should the administrator use to achieve this goal?

- A.** Disable the policy
- B.** Set the Alert Disposition to Conservative
- C.** Change the Training Threshold to Low
- D.** Set Alert Disposition to Aggressive

Answer: ([SHOW ANSWER](#))

Section: (none)

Explanation

NEW QUESTION: 46

Which "kind" of Kubernetes object that is configured to ensure that Defender is acting as the admission controller?

- A.** DestinationRules
- B.** PodSecurityPolicies
- C.** ValidatingWebhookConfiguration
- D.** MutatingWebhookConfiguration

Answer: ([SHOW ANSWER](#))

Valid PCCSE Dumps shared by PrepPdf.com for Helping Passing PCCSE Exam! PrepPdf.com now offer the **newest PCCSE exam dumps**, the PrepPdf.com PCCSE exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com PCCSE dumps with Test Engine here:

NEW QUESTION: 47

A customer has a large environment that needs to upgrade Console without upgrading all Defenders at one time. What are two prerequisites prior to performing a rolling upgrade of Defenders? (Choose two.)

- A. an existing Console at version n-1
- B. all Defenders set in read-only mode before execution of the rolling upgrade
- C. manually installation of the latest twistdi tool prior to the rolling upgrade
- D. a second location where you can install the Console
- E. Additional workload licenses are required to perform the rolling upgrade.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 48

Which authentication mechanism is supported by Prisma Cloud?

- A. SAML-based authentication for the API
- B. Certificate-based authentication only for the Console UI
- C. Certificate-based authentication for the Console UI and the API
- D. Certificate-based authentication only for the API

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

A customer wants to scan a serverless function as part of a build process. Which twistcli command can be used to scan serverless functions?

- A. twistcli serverless AWS <SERVERLESS_FUNCTION.ZIP>
- B. twistcli function scan <SERVERLESS_FUNCTION.ZIP>
- C. twiscli serverless scan <SERVERLESS_FUNCTION.ZIP>
- D. twistcli scan serverless <SERVERLESS_FUNCTION.ZIP>

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 50

Which two attributes of policies can be fetched using API? (Choose two.)

- A. policy mode
- B. policy violation
- C. policy signature
- D. policy label

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 51

The development team wants to block Cross Site Scripting attacks from pods in its environment. How should the team construct the CNAF policy to protect against this attack?

- A.** create a Container CNAF policy, targeted at a specific resource, and they should set "Explicitly allowed inbound IP sources" to the IP address of the pod.
- B.** create a Container CNAF policy, targeted at a specific resource, check the box for XSS attack protection, and set the action to alert.
- C.** create a Container CNAF policy, targeted at a specific resource, check the box for XSS protection, and set the action to prevent.
- D.** create a Host CNAF policy, targeted at a specific resource, check the box for XSS attack protection, and set the action to "prevent".

Answer: D (LEAVE A REPLY)

NEW QUESTION: 52

Given an existing ECS Cluster, which option shows the steps required to install the Console in Amazon ECS?

- A.** Download and extract the release tarball

Ensure that each node has its own storage for Console data

Create the Console task definition

Deploy the task definition

- B.** Download and extract release tarball

Download task from AWS

Create the Console task definition

Deploy the task definition

- C.** The console cannot natively run in an ECS cluster.

A onebox deployment should be used.

- D.** Download and extract the release tarball

Create an EFS file system and mount to each node in the cluster

Create the Console task definition

Deploy the task definition

Answer: B (LEAVE A REPLY)

NEW QUESTION: 53

Given a default deployment of Console, a customer needs to identify the alerted compliance checks that are set by default. Where should the customer navigate in Console?

- A.** Manage > Compliance

- B.** Defend > Compliance

- C.** Custom > Compliance

- D.** Monitor > Compliance

Answer: (SHOW ANSWER)

NEW QUESTION: 54

You have onboarded a public cloud account into Prisma Cloud Enterprise. Configuration Resource ingestion is visible in the Asset Inventory for the onboarded account, but no alerts are being generated for the configuration assets in the account.

Config policies are enabled in the Prisma Cloud Enterprise tenant, with those policies associated to existing alert rules. ROL statements on the investigate matching those policies return config resource results successfully.

Why are no alerts being generated?

- A. The public cloud account is not associated with an alert rule.
- B. The public cloud account is not associated with an alert notification.
- C. The public cloud account does not access to configuration resources.
- D. The public cloud account does not have audit trail ingestion enabled.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 55

Which policy type in Prisma Cloud can protect against malware?

- A. Event
- B. Data
- C. Config
- D. Network

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 56

One of the resources on the network has triggered an alert for a Default Config policy.

Given the following resource JSON snippet:

Which RQL detected the vulnerability?

- A)
- B)
- C)
- D)
- A. Option D
- B. Option C
- C. Option B
- D. Option A

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

Which container image scan is constructed correctly?

- A. `twistcli images scan --docker-address https://us-west1.cloud.twistlock.com/us-3-123456789 myimage/ latest`
- B. `twistcli images scan --address https://us-west1.cloud.twistlock.com/us-3-123456789 myimage/latest`
- C. `twistcli images scan --address https://us-west1.cloud.twistlock.com/us-3-123456789 --container myimage/ latest --details`
- D. `twistcli images scan --address https://us-west1.cloud.twistlock.com/us-3-123456789 --container myimage/ latest`

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 58

What is an example of an outbound notification within Prisma Cloud?

- A. Tenable
- B. Qualys
- C. PagerDuty
- D. AWS Inspector

Answer: C (LEAVE A REPLY)

NEW QUESTION: 59

Which step is included when configuring Kubernetes to use Prisma Cloud Compute as an admission controller?

- A. copy the Console address and set the config map for the default namespace.
- B. create a new namespace in Kubernetes called admission-controller.
- C. enable Kubernetes auditing from the Defend > Access > Kubernetes page in the Console.
- D. copy the admission controller configuration from the Console and apply it to Kubernetes.

Answer: D (LEAVE A REPLY)

Explanation

https://docs.paloaltonetworks.com/prisma/prisma-cloud/20-04/prisma-cloud-compute-edition-admin/access_cont_step_2

NEW QUESTION: 60

The development team wants to fail CI jobs where a specific CVE is contained within the image. How should the development team configure the pipeline or policy to produce this outcome?

- A. Set the specific CVE exception as an option in Jenkins or twistcli.
- B. Set the specific CVE exception as an option in Defender running the scan.
- C. Set the specific CVE exception as an option using the magic string in the Console.
- D. Set the specific CVE exception in Console's CI policy.

Answer: (SHOW ANSWER)

NEW QUESTION: 61

A customer has a requirement to terminate any Container from image topSecret:latest when a process named ransomWare is executed.

How should the administrator configure Prisma Cloud Compute to satisfy this requirement?

- A. add a new runtime policy targeted at a specific Container name, add ransomWare process into the denied process list, and set the action to "prevent".
- B. set the Container model to manual relearn and set the default runtime rule to block for process protection.
- C. set the Container model to relearn and set the default runtime rule to prevent for process protection.
- D. choose "copy into rule" for the Container, add a ransomWare process into the denied process list, and set the action to "block".

Answer: A (LEAVE A REPLY)

Valid PCCSE Dumps shared by PrepPdf.com for Helping Passing PCCSE Exam! PrepPdf.com now offer the **newest PCCSE exam dumps**, the PrepPdf.com PCCSE exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com PCCSE dumps with Test Engine here: <https://www.preppdf.com/Palo-Alto-Networks/PCCSE-prepaway-exam-dumps.html> (260 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

A customer has a development environment with 50 connected Defenders A maintenance window is set for Monday to upgrade 30 stand-alone Defenders in the development environment, but there is no maintenance window available until Sunday to upgrade the remaining 20 standalone Defenders .

Which recommended action manages this situation?

- A. Open a support case with Palo Alto Networks to arrange an automatic upgrade
- B. Upgrade a subset of the Defenders by clicking the individual Actions > Upgrade button in the row that corresponds to the Defender that should be upgraded during the maintenance window
- C. Go to Manage > Defender > Manage, then click Defenders, and use the Scheduler to choose which Defenders will be automatically upgraded during the maintenance window
- D. Find a maintenance window that is suitable to upgrade all stand alone Defenders in the development environment

Answer: D (LEAVE A REPLY)

NEW QUESTION: 63

You have onboarded a public cloud account into Prisma Cloud Enterprise Configuration Resource ingestion is visible in the Asset Inventory for the onboarded account, but no alerts are being generated for the configuration assets in the account Config policies are enabled in the Prisma Cloud Enterprise tenant, with those policies associated to existing alert rules RQL statements on the Investigate matching those policies return config resource results successfully Why are no alerts being generated"

- A. The public cloud account is not associated with an alert notification.
- B. The public cloud account is not associated with an alert rule
- C. The public cloud account does not have audit trail ingestion enabled.
- D. The public cloud account does not have access to configuration resources.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 64

A customer is reviewing Container audits, and an audit has identified a cryptominer attack. Which three options could have generated this audit? (Choose three.)

- A. The mined currency is associated with a user token.
- B. High CPU usage over time for the container is detected.
- C. Common cryptominer process name was found

- D. The value of the mined currency exceeds \$100.
- E. Common cryptominer port usage was found.

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 65

A customer has Prisma Cloud Enterprise and host Defenders deployed

What are two options that allow an administrator to upgrade Defenders'? (Choose two)

- A. auto deploy the Lambda Defender
- B. generate a new DaemonSet file
- C. with auto-upgrade, the host Defender will auto-upgrade.
- D. click the update button in the web-interface

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 66

Which step is included when configuring Kubernetes to use Prisma Cloud Compute as an admission controller?

- A. copy the admission controller configuration from the Console and apply it to Kubernetes
- B. enable Kubernetes auditing from the Defend > Access > Kubernetes page in the Console
- C. create a new namespace in Kubernetes called admission-controller.
- D. copy the Console address and set the config map for the default namespace

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 67

A customer does not want alerts to be generated from network traffic that originates from trusted internal networks.

Which setting should you use to meet this customer's request?

- A. Trusted Login IP Addresses
- B. Anomaly Trusted List
- C. Trusted Alert IP Addresses
- D. Enterprise Alert Disposition

Answer: C ([LEAVE A REPLY](#))

Section: (none)

Explanation

NEW QUESTION: 68

Which statement about build and run policies is true?

- A. Run policies monitor network activities in the environment and check for potential issues during runtime.
- B. Every type of policy has auto-remediation enabled by default.
- C. The four main types of policies are: Audit Events, Build, Network, and Run.
- D. Build policies enable you to check for security misconfigurations in the IaC templates.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 69

A customer wants to harden its environment from misconfiguration

Prisma Cloud Compute Compliance enforcement for hosts covers which three options? (Choose three.)

- A. Host configuration
- B. Docker daemon configuration
- C. Host cloud provider tags
- D. Docker daemon configuration files
- E. Hosts without Defender agents

Answer: A,D,E (LEAVE A REPLY)

NEW QUESTION: 70

An administrator sees that a runtime audit has been generated for a container.

The audit message is:

"/bin/lis launched and is explicitly blocked in the runtime rule. Full command: ls -latr" Which protection in the runtime rule would cause this audit?

- A. File systems
- B. Networking
- C. Container
- D. Processes

Answer: C (LEAVE A REPLY)

NEW QUESTION: 71

An S3 bucket within AWS has generated an alert by violating the Prisma Cloud Default policy "AWS S3 buckets are accessible to public". The policy definition follows:

config where cloud.type = 'aws' AND api.name='aws-s3api-get-bucket-acl' AND json.rule="((((acl.grants[? (@.grantee=='AllUsers')] size > 0) or policyStatus.isPublic is true) and publicAccessBlockConfiguration does not exist) or ((acl.grants[?(@.grantee=='AllUsers')] size > 0) and publicAccessBlockConfiguration.ignorePublicAcis is false) or (policyStatus.isPublic is true and publicAccessBlockConfiguration.restrictPublicBuckets is false)) and websiteConfiguration does not exist" Why did this alert get generated?

- A. network traffic to the S3 bucket
- B. configuration of the S3 bucket
- C. anomalous behaviors
- D. an event within the cloud account

Answer: (SHOW ANSWER)

NEW QUESTION: 72

Which statement is true about obtaining Console images for Prisma Cloud Compute Edition?

- A. To retrieve Prisma Cloud Console images using basic auth:

1.Access registry.twistlock.com, and authenticate using 'docker login'.

2.Retrieve the Prisma Cloud Console images using 'docker pull'.

B. To retrieve Prisma Cloud Console images using basic auth:

1.Access registry.paloaltonetworks.com, and authenticate using 'docker login'.

2.Retrieve the Prisma Cloud Console images using 'docker pull'.

C. To retrieve Prisma Cloud Console images using URL auth:

1.Access registry-url-auth.twistlock.com, and authenticate using the user certificate.

2.Retrieve the Prisma Cloud Console images using 'docker pull'.

D. To retrieve Prisma Cloud Console images using URL auth:

1.Access registry-auth.twistlock.com, and authenticate using the user certificate.

2.Retrieve the Prisma Cloud Console images using 'docker pull'.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 73

Which method should be used to authenticate to Prisma Cloud Enterprise programmatically?

A. access key

B. basic authentication

C. SAML

D. single sign-on

Answer: A (LEAVE A REPLY)

NEW QUESTION: 74

Which two required request headers interface with Prisma Cloud API? (Choose two.)

A. Content-type:application/xml

B. Content-type:application/json

C. x-redlock-auth

D. >x-redlock-request-id

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 75

The Prisma Cloud administrator has configured a new policy.

Which steps should be used to assign this policy to a compliance standard?

A. Custom policies cannot be added to existing standards.

B. Edit the policy, go to step 3 (Compliance Standards), click + at the bottom select the compliance standard, fill in the other boxes, and then click Confirm

C. Create the Compliance Standard from Compliance tab. and then select Add to Policy.

D. Open the Compliance Standards section of the policy, and then save.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 76

Which statement is true regarding CloudFormation templates?

A. Scan support does not currently exist for nested references, macros, or intrinsic functions.

- B. A single template or a zip archive of template files cannot be scanned with a single API request.
- C. Scan support is provided for JSON, HTML and YAML formats.
- D. Request-Header-Field 'cloudformation-version' is required to request a scan.

Answer: ([SHOW ANSWER](#))

Valid PCCSE Dumps shared by PrepPdf.com for Helping Passing PCCSE Exam! PrepPdf.com now offer the **newest PCCSE exam dumps**, the PrepPdf.com PCCSE exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com PCCSE dumps with Test Engine here: <https://www.preppdf.com/Palo-Alto-Networks/PCCSE-prepaway-exam-dumps.html> (260 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 77

Which three options are selectable in a CI policy for image scanning with Jenkins or twistcli? (Choose three.)

- A. Failure threshold
- B. Apply rule only when vendor fixes are available
- C. Credential
- D. Scope - Scans run on a particular host
- E. Grace Period

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 78

You are tasked with configuring a Prisma Cloud build policy for Terraform. What type of query is necessary to complete this policy?

- A. CloudFormation
- B. JSON
- C. Terraform
- D. YAML

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 79

Which type of compliance check is available for rules under Defend > Compliance > Containers and Images > CI?

- A. Image
- B. Container
- C. Functions
- D. Host

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 80

The compliance team needs to associate Prisma Cloud policies with compliance frameworks. Which option should the team select to perform this task?

- A. Custom Compliance
- B. Policies
- C. Compliance
- D. Alert Rules

Answer: (SHOW ANSWER)

Reference:

[compliance/compliance-dashboard.html](#)

NEW QUESTION: 81

An administrator sees that a runtime audit has been generated for a host.

The audit message is:

'Service postfix attempted to obtain capability SHELL by executing /bin/sh /usr/libexec/postfix/postfix-script stop. Low severity audit event is automatically added to the runtime mode" Which runtime host policy rule is the root cause for this runtime audit?

- A. Default rule that alerts on capabilities
- B. Custom rule with specific configuration for networking
- C. Default rule that alerts on suspicious runtime behavior
- D. Custom rule with specific configuration for file integrity

Answer: C (LEAVE A REPLY)

Valid PCCSE Dumps shared by PrepPdf.com for Helping Passing PCCSE Exam! PrepPdf.com now offer the **newest PCCSE exam dumps**, the PrepPdf.com PCCSE exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com PCCSE dumps with Test Engine here: <https://www.preppdf.com/Palo-Alto-Networks/PCCSE-prepaway-exam-dumps.html> (260 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)