

SAP.C-BOWI-43.v2022-04-13.q94

Exam Code:	C-BOWI-43
Exam Name:	SAP Certified Application Associate - SAP BusinessObjects Web Intelligence 4.3
Certification Provider:	SAP
Free Question Number:	94
Version:	v2022-04-13
# of views:	2159
# of Questions views:	940
https://www.freeqas.com/qa/SAP/C-BOWI-43/SAP.C-BOWI-43.v2022-04-13.q94.html	

NEW QUESTION: 1

From the following identify which of the option is not a method to copy a chart from Web Intelligence to a target application?

Please choose the correct answer.

Response:

- A. In the target document, right-click the area where you want the table to appear and, from the contextual menu, select Paste
- B. In the target document, right-click the section cell and, from the contextual menu, click Copy
- C. Right-click the chart, and, from the contextual menu, select Copy.
- D. Drag and drop the table from Web Intelligence to the target application

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 2

Which two options can you change when using Quick Display Mode?

There are 2 correct answers to this question.

Response:

- A. Horizontal Records Per Page
- B. Limit Query Results
- C. Sample Query Results
- D. Vertical Records Per Page

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 3

In the query panel, you modify the script and no errors occur. You remove an object and add a different object to the Results Object pane. What happens to the script?

- A. The script includes both the manual change and the new result object.
- B. The script is regenerated because the result object list is changed.
- C. The script fails to parse.
- D. The script remains unchanged because the script was changed manually.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 4

Which of the following is not a preferred method for duplicating a table?

Please choose the correct answer.

Response:

- A. Toolbar buttons
- B. Keyboard shortcuts
- C. Context sensitive menu
- D. Table of contents

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 5

How many blocks can you create in a Web Intelligence document (WID)?

Please choose the correct answer.

Response:

- A. 1
- B. 2
- C. 8
- D. 4
- E. Unlimited

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 6

What is the default behavior when creating a report from two queries from the same universe?

Please choose the correct answer.

Response:

- A. Dimension objects are automatically merged.
- B. Results are shown on two different report tabs.
- C. Dimension objects are not automatically merged.
- D. Result produces two table blocks.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

Which three data sources can you synchronize in a Web Intelligence 4.0 document (WID)?

There are 3 correct answers to this question.

Response:

- A. Queries from different universes
- B. Personal data files
- C. Queries from the same universe
- D. Stored procedure data source

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 8

What object type is represented by the icon shown below?

- A. Attribute
- B. Measure
- C. Dimension
- D. Filter

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

Why would you need to change the data source for your query?

Please choose the correct answer.

Response:

- A. To use the production universe instead of the test universe
- B. To use different objects from the universe
- C. To change the order of execution for existing queries
- D. To change the universe connection of your universe

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 10

In which of the following can you use If () function in Web Intelligence?

- A. Variables
- B. Drill filters
- C. Prompts
- D. Input control

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 11

What are the benefits of using SAP Business Objects Web Intelligence? (2 correct answers)

- A. you can drill, slice-and-dice, and format information based on your business needs
- B. you can centrally manage, control, and configure your BI deployment
- C. you can dynamically refresh and update information directly in your MS Office documents
- D. you can use simple drag-and-drop features to create interactive reports

E. you can centrally manage, control, and configure your BI deployment

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 12

What does the Change Source Wizard use to remap existing objects to a new data source?
(2 answers)

- A. Data type
- B. Cluster Unique Identifier (CUID)
- C. Description
- D. Object name

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 13

Which two search criteria are valid when using Delegated List of Values?

There are 2 correct answers to this question.

Response:

- A. %a
- B. a%
- C. *a
- D. a*

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 14

Which tab should you use to change the page orientation of a report?

Please choose the correct answer.

Response:

- A. Select the report tab; in Report Manager, select the "Properties" tab and select the "Page Orientation"
- B. Select the report page; in Report Manager, select the "Properties" tab and select the "Page Orientation"
- C. Click File > Page Setup and select "Page Orientation"
- D. In InfoView Preferences, change the default page orientation

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 15

Build a query using the eFashion universe, and select the following options to create a section?

There are 3 correct answers to this question

Response:

- A. Half-Year
- B. Year

- C. Sales revenue
- D. Quarter
- E. Monthly Sales revenue

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

What happens when you create a section in a report? Note: There are 2 correct Answers to this question.

- A. Blocks in the report are repeated for each section value.
- B. Header and footer cells are created for each section value.
- C. Free-standing cells are created to label each section value.
- D. Page breaks are created to divide each section value.

Answer: A,B ([LEAVE A REPLY](#))

Valid C-BOWI-43 Dumps shared by PrepPdf.com for Helping Passing C-BOWI-43 Exam! PrepPdf.com now offer the **newest C-BOWI-43 exam dumps**, the PrepPdf.com C-BOWI-43 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C-BOWI-43 dumps with Test Engine here:
<https://www.preppdf.com/SAP/C-BOWI-43-prepaway-exam-dumps.html> (220 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

Why should you always log off the BI lunch pad rather than just closing your browser session?

- A. To clear the browser cache
- B. To protect corporate data
- C. To improve system performance
- D. To allow data refreshes

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 18

Which of the following option is not a component of Web Intelligence Application Structure? Please choose the correct answer.

Response:

- A. The Status Bar
- B. The Left Panel
- C. Toolboxes
- D. The Expand panel

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

What is the purpose of Demonstration: To Create a Simple Web Intelligence Document?

Please choose the correct answer.

Response:

- A. Explain that learners can choose single data source, but that you are using a class for this demonstration
- B. To give the learner an opportunity to practice these texts
- C. To give the learner a quick overview of the process
- D. Launch the Web Intelligence work application, and briefly, explain the different codes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

What all changes you can define and make with the LAYOUT option, to format a Table?

There are 2 correct answers to this question

Response:

- A. To define rows and columns and background image
- B. To define horizontal and vertical start on new page
- C. Avoid page break and repeat on every page options
- D. To define relative pattern of the table on the page

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 21

Design mode provides access to the following toolboxes and their associated functions. What are they?

There are 3 correct answers to this question

Response:

- A. Data Access
- B. Matches data task
- C. Improve function
- D. Analysis task
- E. Report Element

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 22

How can you change the data source of a document with multiple queries?

- A. Use the Change Source Wizard to change the queries one at a time.
- B. Use the query panel to duplicate the queries and map them to a new data source.
- C. Use the query panel to remap the objects to a new data source.
- D. Use the Change Source Wizard to change the queries all at once.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 23

Which property do you enable to keep rows in a break together on the same page?

Please choose the correct answer.

Response:

- A. The "Start on New Page" property in the Format Section.
- B. The "Start on New Page" property.
- C. The "Avoid page breaks in block" property.
- D. The "Avoid page break" property in the Format Section.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 24

Which message appears when you select "Use query drill" while Scope of Analysis is set in a BusinessObjects Web Intelligence 4.0 report?

Please choose the correct answer.

Response:

- A. The query drill mode option is not enabled.
- B. The Scope of Analysis is empty.
- C. The query drill mode option is enabled.
- D. The Scope of Analysis is not empty.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 25

What chart elements can use a formula? Note: There are 2 correct Answers to this question.

- A. Data labels
- B. Legend labels
- C. Axis titles
- D. Chart title

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

Where is a variable saved?

- A. In the document
- B. In the universe
- C. In a query
- D. In a category

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 27

Which two statements about the If() function are correct?

There are 2 correct answers to this question.

Response:

- A. Can contain a SQL statement
- B. Can contain nested If() statements
- C. Can contain a Case expression
- D. Contains a Boolean expression

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 28

You add a new object to a query and run the query. How do you display the new object in the document?

- A. Select the "Insert a table in the current report" option.
- B. Select the "Insert a table in a new report" option.
- C. Choose "Refresh All" in the report.
- D. Drag the new object from the Available Objects pane onto the report.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

Which two are benefits of creating queries from existing queries?

There are 2 correct answers to this question.

Response:

- A. Improved performance of query execution
- B. Improved query security
- C. Accurate duplication of query parameters
- D. Reduced creation time for complex reports

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

Where do you set the "Optional prompt" option in Web Intelligence Rich Client?

Please choose the correct answer.

Response:

- A. Document Properties
- B. Query Panel
- C. Prompts Panel
- D. Slice and Dice Panel

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 31

Where should you configure the regional settings of a Web Intelligence document (WID) within InfoView?

Please choose the correct answer.

Response:

- A. User Machine Settings
- B. InfoView Preferences
- C. Local Settings
- D. Browser Preferences

Answer: B ([LEAVE A REPLY](#))

Valid C-BOWI-43 Dumps shared by PrepPdf.com for Helping Passing C-BOWI-43 Exam! PrepPdf.com now offer the **newest C-BOWI-43 exam dumps**, the PrepPdf.com C-BOWI-43 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C-BOWI-43 dumps with Test Engine here:
<https://www.preppdf.com/SAP/C-BOWI-43-prepaway-exam-dumps.html> (220 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 32

You have applied report filters to your document. How do you ensure that end users are aware of this when viewing the document in Reading mode?

- A. Display predefined filters in free-standing cells.
- B. Display the Report Filters in free-standing cells.
- C. Display the Query Summary in a free-standing cell.
- D. Display prompt values in free-standing cells.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 33


What is required to use the Comments feature? Note: There are 2 correct Answers to this question.

- A. The data source of the document must be an SAP HANA view.
- B. Rights must be granted by an Administrator to manage comments.
- C. The WebI document must be assigned to the Mobile category.
- D. The WebI document must be saved to the BI platform.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 34

How can you make the pie chart (shown in the attached graphic) display correctly?



- A. Change to the Reading application mode.
- B. Drag a dimension or attribute on to the chart.
- C. Drag a measure on to the chart.
- D. Change to the Design - With Data application mode.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 35

Which methods can you use to apply report filters to a BusinessObjects Web Intelligence XI 4.x document (WID)?

There are 2 correct answers to this question.

Response:

- A. Block
- B. Global
- C. Dynamic
- D. Custom

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 36

What can you do with a scope of analysis? Note: There are 2 correct Answers to this question.

- A. Provide further detail on data.
- B. Restrict the data retrieved from the database only to the objects on the report.
- C. Request the data from the database for drilling.
- D. Perform a calculation.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 37

Which statement describes the performance impact that data tracking has on report refresh times, assuming that the data changes but the number of rows retrieved and the data volume stays the same?

Please choose the correct answer.

Response:

- A. It will refresh faster each time the report is refreshed.
- B. It will refresh slower each time the report is refreshed.
- C. It will refresh up to three times faster.
- D. It will refresh up to three times slower.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

Which statement is true of an output context operator?

Please choose the correct answer.

Response:

- A. It is placed outside of the brackets of the dimension list.
- B. It is placed within the brackets of the dimension list.
- C. It is placed within the brackets of the aggregation function.
- D. It is placed outside of the brackets of the aggregation function.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 39

How does rearranging the objects in the Result pane after the query has run affect the block display?

Please choose the correct answer.

Response:

- A. The objects are rearranged in the block based on the order in the Results Objects pane.
- B. The block remains unchanged.
- C. The block is sorted in ascending order based on the first object in the Results Objects pane.
- D. The reordered objects are removed from the block.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 40

Which three options are default page number cells?

There are 3 correct answers to this question.

Response:

- A. Total Number of Pages in Section
- B. Page Number
- C. Total Number of Pages
- D. Page Number / Total Pages

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 41

You want to subtotal the data by year in a table but you do not have a location for the subtotal in the table. What must you do to create the location for the subtotal in the table?

- A. Section the report.
- B. Apply a break.
- C. Format the table.
- D. Insert a blank cell.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 42

Which operators can be used in an Input calculation context?

There are 2 correct answers to this question.

Response:

- A. ForAll
- B. Input
- C. ForEach
- D. In

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 43

You have created a BusinessObjects Web Intelligence 4.0 document (WID) within InfoView that has a single table block on a single report page. Where will a new object be displayed when you add it to the query?

Please choose the correct answer.

Response:

- A. In Query Panel
- B. In a new report
- C. In a new report page
- D. In a block
- E. In Report Manager

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 44

Which operator should you use to control the output context of a calculation that is relevant to the different environment levels within your document?

Please choose the correct answer.

Response:

- A. ForEach
- B. ForAll

- C. In
- D. Out

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 45

Which method should you use to group query filters together to form one AND statement?
Please choose the correct answer.

Response:

- A. Drag the query filters to the Group panel
- B. Select the filters, right-click and select Group
- C. Select the filters, then click the Group Filters button on the toolbar
- D. Drag the queries together

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 46

Explain the different types of data changes that Web Intelligence can highlight with the data tracking feature?

There are 2 correct answers to this question

Response:

- A. Modified data
- B. Removed data
- C. Duplicate data
- D. Multiple data

Answer: A,B ([LEAVE A REPLY](#))

Valid C-BOWI-43 Dumps shared by PrepPdf.com for Helping Passing C-BOWI-43 Exam!
PrepPdf.com now offer the **newest C-BOWI-43 exam dumps**, the PrepPdf.com C-BOWI-43 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C-BOWI-43 dumps with Test Engine here:
<https://www.preppdf.com/SAP/C-BOWI-43-prepaway-exam-dumps.html> (220 Q&As
Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 47

You want to subtotal the data by year in a table but you do not have a location for the subtotal in the table.

What must you do to create the location for the subtotal in the table?

- A. Insert a blank cell
- B. Apply a break
- C. Section the report

D. Format the table

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

What can you use breaks for?

Please choose the correct answer.

Response:

- A. To create a section
- B. To create multiple table blocks
- C. To manipulate the navigation path
- D. To remove repeated values in one table block

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

What are the terms you need to be familiar with to understand how semantic layer functions for relational databases?

There are 3 correct answers to this question

Response:

- A. Class
- B. Universe
- C. Code
- D. Units
- E. Object

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 50

Which three options are Web Intelligence drill mode options?

There are 3 correct answers to this question.

Response:

- A. Drill By
- B. Drill Up
- C. Drill Through
- D. Drill Down

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 51

You are creating a report to summarize the number of cars sold by region. Which object should you use to aggregate the number of cars sold?

Please choose the correct answer.

Response:

- A. Measure

- B. Sum
- C. Detail
- D. Dimension

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

Which three options appear in the Scope of Analysis pane in the Query panel?

There are 3 correct answers to this question.

Response:

- A. One Level
- B. None
- C. Custom
- D. Default

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 53

Which two statements are true about the AND operator?

There are 2 correct answers to this question.

Response:

- A. Used when any condition is met by two filters
- B. Used when all conditions are met by more than two filters
- C. Used when all conditions are met by two filters
- D. Used when only one condition is met by any of the filters

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

Identify from the given options the correct sequence of 'Web Intelligence Core Functions'?

Please choose the correct answer.

Response:

- A. 1. Querying 2. Reporting 3. Sharing 4. Analyzing
- B. 1. Querying 2. Sharing 3. Analyzing 4. Reporting
- C. 1. Querying 2. Analyzing 3. Reporting 4. sharing
- D. 1. Querying 2. Reporting 3. Analyzing 4. sharing

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

Which of the following can you use to filter results dynamically? Note: There are 2 correct Answers to this question.

- A. Results Object pane
- B. Input control
- C. Element linking

D. Report map

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 56

You have a document that includes a shared element. How do you ensure that the document includes the most current version of the shared element?

A. Enable the "Check for Shared Element update on open".

B. Schedule the document.

C. Update the shared element in the document.

D. Set the document to "Refresh on open".

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

You are working with a set of store revenues. All stores have positive revenue values. Which formula should you use to display the variance value of the Revenue measure in your document when data tracking is active?

Please choose the correct answer.

Response:

A. =[Revenue]/RefValue([Revenue])

B. =[Revenue]/BaseValue([Revenue])

C. =[Revenue]/HistValue([Revenue])

D. =[Revenue]/PreValue([Revenue])

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 58

Which of the following is not a rule to apply on the report elements?

Please choose the correct answer.

Response:

A. Cells in forms and cross tables

B. Columns in vertical tables

C. Cells in conditional tables

D. Rows in horizontal tables

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 59

Mention the five types of column charts for presenting DATA?

There are 3 correct answers to this question

Response:

A. Column charts with fixed contents

B. Combined column and line chart

C. Stacked column chart

- D. 4D column chart
- E. Column chart with dual values

Answer: B,C,E (LEAVE A REPLY)

NEW QUESTION: 60

You have measures with different names coming from two queries. How do you determine which query each measure comes from?

- A. Select the Visual Difference option in the Central Management Console (CMC).
- B. Select the Arrange by Query option in the Available Objects pane.
- C. Select the Arrange by Alphabetical Order option in the Available Objects pane.
- D. Select the View Lineage option in the BI launch pad.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 61

You have applied report filters to your document. How do you ensure that end users are aware of this when viewing a document in Reading mode?

- A. Display predefined filters in free-standing cells.
- B. Display the Report filters in free-standing cells.
- C. Display the Query Summary in a free-standing cell.
- D. Display prompt values in free-standing cells.

Answer: (SHOW ANSWER)

Valid C-BOWI-43 Dumps shared by PrepPdf.com for Helping Passing C-BOWI-43 Exam! PrepPdf.com now offer the **newest C-BOWI-43 exam dumps**, the PrepPdf.com C-BOWI-43 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C-BOWI-43 dumps with Test Engine here:
<https://www.preppdf.com/SAP/C-BOWI-43-prepaway-exam-dumps.html> (220 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 62

Conditional formatting rules enable you to highlight results that meet or fail specific business targets. Name the elements associated with the Formatting rules?

There are 3 correct answers to this question

Response:

- A. The conditional formatting
- B. An operator
- C. An object or cell contents
- D. A modified data formatting
- E. A cell section

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 63

Which of the following make up a semantic layer for a rational data source? (3 answers)

- A. Block
- B. Section
- C. Dimension
- D. Universe
- E. Measure

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 64

Which Report Manager tab should you use to add a free-standing cell to a BusinessObjects Web Intelligence

4.0 document (WID)?

Please choose the correct answer.

Response:

- A. Properties
- B. Map
- C. Data
- D. Template

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 65

You have two columns: order date and ship date. How do you calculate the processing time from the order date to the ship date?

- A. Use the "daysbetween" function with order date and ship date.
- B. Use the "isdate" function on both dates and subtract the dates.
- C. Use the "currentdate" function and subtract the ship date.
- D. Use the "daynumberofyear" function after subtracting both dates.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 66

Discuss all the advantages link to organizing a report in the section

There are 2 correct answers to this question

Response:

- A. You can insert tables, different in each section, which are created by the simple process of drag and drop
- B. You can insert subtotal cells, repeated in each section, which are created by the simple process of drag and drop

C. You can have single block projected from the same microcube within a single report, all grouped to the sectioned level

D. You can have multiple blocks projected from the same microcube within a single report, all sub-grouped to the sectioned level

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 67

Which four Report Elements can you select from the Templates tab of Web Intelligence?

There are 4 correct answers to this question.

Response:

A. Data

B. Free-standing cells

C. Report

D. Tables

E. Charts

Answer: B,C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 68

What are the two relational operators that can be used with wildcard Characters, in a query filter?

There are 2 correct answers to this question

Response:

A. Defined pattern: to find values that match the defined pattern you specify

B. Different from pattern: to find values different than the pattern you specify

C. Design pattern: to find values that match the design you specify

D. Matches pattern: to find values that match the pattern you specify

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 69

Which method can you use to hide data using an alerter?

Please choose the correct answer.

Response:

A. Build an alerter that applies a formula that changes the block value.

B. Click anywhere in the document. On the toolbar, click the "Data" button and select "Hide Data".

C. Build an alerter with a formula that changes the font color to the background color.

D. Build an alerter that removes the column.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 70

Discuss the instructions appropriate for how you want the data in a table and manipulate the data within the table There are 2 correct answers to this question Response:

- A. Right-click the table and, from the contextual menu, select Copy
- B. Drag and drop the table from Web Intelligence to the target application
- C. In the target application, right-click the area where you want the table to appear and, from the contextual menu, select Paste
- D. In the target document, right-click the section cell and, from the contextual menu, click Copy and paste

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 71


When using the ranking feature on a table, which expression allows you to display the total of all values (both ranked and unranked) in the footer of the block?

- A. Sum([measure]) In Block
- B. RefValue(Sum([measure]))
- C. Sum([measure] ForEach [dimension])
- D. NoFilter(Sum([measure]))

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 72

How can you make the pie chart (shown in the attached graphic) display correctly?



- A. Change to the Design - With Data application mode.
- B. Drag a dimension or attribute on to the chart
- C. Drag a measure on to the chart
- D. Change to the Reading application mode.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 73

Which two personal folders are available by default to Web Intelligence users?

There are 2 correct answers to this question.

Response:

- A. My Favorites
- B. My Documents
- C. Personal Documents
- D. Inbox

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 74

Which three elements are parts of a query filter?

There are 3 correct answers to this question.

Response:

- A. Object
- B. Operator
- C. Operand
- D. Class

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 75

You insert the function CurrentDate() into a cell. To clarify the date you add a string so that the formula is now:

= "Sales Report from " + CurrentDate()

Which formatting capability is disabled for the cell?

Please choose the correct answer.

Response:

- A. Format number
- B. Hide cell
- C. Format cell
- D. Align text

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 76

How do you duplicate an existing query? Note: There are 2 correct Answers to this question.

- A. In the data mode, right click the query and copy and paste the query.
- B. In the query panel, right click the query tab and select Duplicate.
- C. In the report, right click the report tab and select Duplicate Report.
- D. In the design mode, right click the block and select Publish as Web Service.

Answer: ([SHOW ANSWER](#))

Valid C-BOWI-43 Dumps shared by PrepPdf.com for Helping Passing C-BOWI-43 Exam! PrepPdf.com now offer the **newest C-BOWI-43 exam dumps**, the PrepPdf.com C-BOWI-43 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C-BOWI-43 dumps with Test Engine here:
<https://www.preppdf.com/SAP/C-BOWI-43-prepaway-exam-dumps.html> (220 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 77

How will you define and make the required changes with the appropriate tab for the format options?

There are 3 correct answers to this question

Response:

- A. Appearance: to define the report color, pattern, and hyperlink color
- B. Function tab: to demonstrate the report, outline
- C. General: to define the report name, page layout, scaling, margins and content
- D. Configuration: to define the alignment of the report

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 78

A table contains a dimension [CITY] and a measure [SALES]. You insert a column to display the formula AVERAGE([SALES]). Which operator do you add to the formula so that it displays the average for the table in every row? Note: There are 2 correct Answers to this question.

- A. ForAll ([CITY])
- B. In Body
- C. ForEach ([CITY])
- D. In Block

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 79

What are the ways of adding breaks In the Web Intelligence Desktop application?

There are 2 correct answers to this question

Response:

- A. In the text, on the Design tab, by clicking Break
- B. In the Analysis toolbox, on the Display tab, by clicking Break
- C. Click on the origin where you want to insert a break
- D. The row or column where you want to add the break and selecting Break>Add Break

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 80

Your data source has the following values: SMITH, SMYTH, SMALL, SMOOTH, SMART, SMILEY. What syntax do you use to show only the names SMITH and SMYTH?

- A. SM*TH
- B. SM_TH
- C. SM%TH
- D. SM&

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 81

Which three statements are true of calculation contexts?

There are 3 correct answers to this question.

Response:

- A. You can use NoFilter() as an extended syntax keyword when using contexts.
- B. If no context is defined the default context is assumed.
- C. The ForEach context operator automatically takes the dimensions in the block into account.
- D. You must place parentheses around the values listed after the Where keyword when using the Where operator.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 82

Which two properties can you set in the hyperlink dialog box when you create a hyperlink to a document?

There are 2 correct answers to this question.

Response:

- A. Color and font style for the link
- B. Link to a specific area in the document
- C. Refresh on open
- D. Drill level for the target document

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 83

Which three calculations can you use in a measure object in Web Intelligence?

There are 3 correct answers to this question.

Response:

- A. Min
- B. Count
- C. Max
- D. Count All

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 84

Which two are running aggregate functions in Web Intelligence?

There are 2 correct answers to this question.

Response:

- A. RunningMean()
- B. RunningMax()
- C. RunningSum()
- D. RunningTotal()

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 85

To where can you copy a formula used in a document?

Please choose the correct answer.

Response:

- A. To the Available Objects panel
- B. To the universe
- C. To another block on a report
- D. To a conditional formatting rule

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 86

Elucidate the advantages of saving formulas as variables?

Please choose the correct answer.

Response:

- A. You can reuse the formula without having to enter it each time
- B. Create the formulas and feed it with all its dimensions
- C. Use as options available in the Format and Report Element toolboxes
- D. Use variables in any report within the document

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 87

Which three can you use to start the Web Intelligence Rich Client from?

There are 3 correct answers to this question.

Response:

- A. Command Line
- B. Central Management Console
- C. InfoView
- D. Start > All Programs

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 88

How do you share a Web Intelligence document with another user in the BI launch pad?

Note: There are

2 correct Answers to this question.

- A. Save it to the user's 'My Favorites' folder.
- B. Save it to your 'My Favorites' folder.
- C. Send it to the user's inbox.
- D. Schedule it to a public folder.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 89

You set the drill option "Prompt when drill requires additional data". Now you drill outside the scope of analysis on your report.

How does Web Intelligence respond?

Please choose the correct answer.

Response:

- A. It prompts you to choose a hierarchy level and waits for your response before retrieving the data.
- B. It inserts a prompted report filter on the report and refreshes the report view.
- C. It notifies you that it needs to retrieve additional data to complete the drill and retrieves the data.
- D. It inserts a prompted query filter in the query and reruns the query.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 90

Which wildcards can you use in a query filter?

There are 2 correct answers to this question.

Response:

- A. -
- B. ?
- C. *
- D. %

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 91

Which of the following is not a step of demonstration, to display an aggregate within a sectioned report.

Please choose the correct answer.

Response:

- A. Click a detail row in the Sales revenue column
- B. Click the Table, Chart or Others tab
- C. Click the Functions Tab
- D. Click the Analysis Toolbox

Answer: ([SHOW ANSWER](#))

Valid C-BOWI-43 Dumps shared by PrepPdf.com for Helping Passing C-BOWI-43 Exam!

PrepPdf.com now offer the **newest C-BOWI-43 exam dumps**, the PrepPdf.com C-BOWI-43 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C-BOWI-43 dumps with Test Engine here:

<https://www.preppdf.com/SAP/C-BOWI-43-prepaway-exam-dumps.html> (220 Q&As

Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 92

When using the ranking feature on a table, which expression allows you to display the total of all values (both ranked and unranked) in the footer of the block?

- A. RefValue(Sum([measure]))
- B. Sum([measure] For Each [dimension])
- C. NoFilter(Sum([measure]))
- D. Sum([measure]) In Block

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 93

Which two operators can you use with output context in the Web Intelligence Rich Client?

There are 2 correct answers to this question.

Response:

- A. ForAll
- B. In
- C. Out
- D. Output

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 94

What is the input context of a calculation?

- A. The aggregate function of the calculation

- B. The dimensions used to define the calculation
- C. The measure being calculated
- D. The prompt values used in the query

Answer: B ([LEAVE A REPLY](#))

Valid C-BOWI-43 Dumps shared by PrepPdf.com for Helping Passing C-BOWI-43 Exam! PrepPdf.com now offer the **newest C-BOWI-43 exam dumps**, the PrepPdf.com C-BOWI-43 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C-BOWI-43 dumps with Test Engine here:
<https://www.preppdf.com/SAP/C-BOWI-43-prepaway-exam-dumps.html> (220 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)