

## SAP.C-BOWI-43.v2022-08-24.q103

<b>Exam Code:</b>	C-BOWI-43
<b>Exam Name:</b>	SAP Certified Application Associate - SAP BusinessObjects Web Intelligence 4.3
<b>Certification Provider:</b>	SAP
<b>Free Question Number:</b>	103
<b>Version:</b>	v2022-08-24
<b># of views:</b>	2038
<b># of Questions views:</b>	1030
<a href="https://www.freeqas.com/qa/SAP/C-BOWI-43/SAP.C-BOWI-43.v2022-08-24.q103.html">https://www.freeqas.com/qa/SAP/C-BOWI-43/SAP.C-BOWI-43.v2022-08-24.q103.html</a>	

### NEW QUESTION: 1

How does SAP recommend you print a Web Intelligence document to ensure that the document layout is preserved?

- A. Export the document to a PDF file and print the PDF file.
- B. Export data to a CSV file and print the CSV file.
- C. Use the print option in the browser.
- D. Use the Print Screen button on your keyboard.

**Answer: A (LEAVE A REPLY)**

### NEW QUESTION: 2

In which of the following can you use If ( ) function in Web Intelligence?

- A. Variables
- B. Input control
- C. Drill filters
- D. Prompts

**Answer: A (LEAVE A REPLY)**

### NEW QUESTION: 3

Which BusinessObjects Enterprise tool supports Offline Mode logins?

Please choose the correct answer.

Response:

- A. Interactive Panel
- B. Web Intelligence Rich Client
- C. Java Panel

D. InfoView

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 4**

What is the correct formula for the RunningSum column (shown in the attached graphic)?

The image shows three screenshots of SAP InfoView tables. Each table has four columns: Year, Quarter, Sales revenue, and Running Sum. The data is as follows:

Year	Quarter	Sales revenue	Running Sum
2011	Q1	\$2,660,899.50	\$2,660,899.50
	Q2	\$2,278,693.40	\$4,939,592.90
	Q3	\$1,367,840.70	\$6,307,433.60
	Q4	\$1,788,580.40	\$8,095,814.00
2011			

Year	Quarter	Sales revenue	Running Sum
2012	Q1	\$3,326,172.20	\$3,326,172.20
	Q2	\$2,840,650.80	\$6,166,823.00
	Q3	\$2,879,303.00	\$9,046,126.00
	Q4	\$4,166,120.00	\$13,212,246.00
2012			

Year	Quarter	Sales revenue	Running Sum
2013	Q1	\$3,742,988.90	\$3,742,988.90
	Q2	\$4,006,717.50	\$7,749,706.40
	Q3	\$3,953,395.30	\$11,703,101.70
	Q4	\$3,356,041.10	\$15,059,142.80

- A. RunningSum([Sales revenues] in [Quarter])
- B. RunningSum([Sales revenues];[Year];[Quarter])
- C. RunningSum([Sales revenues];([Year]))
- D. RunningSum([Sales revenues];([Year];[Quarter]))

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 5**

What is the input context of a calculation?

- A. The measure being calculated

- B. The dimensions used to define the calculation
- C. The prompt values used in the query
- D. The aggregate function of the calculation

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 6**

Which operator allows you to select exactly one value as the operand for a query filter?

- A. Equal to
- B. Different from pattern
- C. Between
- D. Is null

**Answer: A ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 7**

How does WHERE operator affect a formula?

- A. It adds the dimension to the default context.
- B. It determines the order of the results.
- C. It restricts the dimension used to calculate a measure.
- D. It removes the dimension from the default context.

**Answer: C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 8**

In the Query Panel, you can view and modify the default query properties. The query properties allow you to perform following actions, identify the correct answers from the following options?

There are 2 correct answers to this question

Response:

- A. Restrict the retrieval of duplicate data rows
- B. Improve- numerical data in the report.
- C. Control potential ambiguous query results
- D. Set Multiple security options in the query panel

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 9**

Which keyword is defined as flexible for input contexts?

Please choose the correct answer.

Response:

- A. All
- B. ForEach
- C. ForAll
- D. In

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 10**

How do you remove a custom sort that has been applied to an object?

- A. Right click the object, select Sort, and then select None.
- B. Choose the Remove button in the Manage Sorts dialog.
- C. Delete the column containing the object.
- D. Choose the Reset button in the Manage Sorts dialog.

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 11**

Which two are limitations of a detail object?

There are 2 correct answers to this question.

Response:

- A. It cannot be used in the report filter.
- B. It cannot be drilled on.
- C. It cannot be used in the WHERE statement of the query.
- D. It cannot be merged in a document.

**Answer: B,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 12**

In which of the following can you use the If( ) function in Web Intelligence?

- A. Drill filters
- B. Prompts
- C. Input control
- D. Variables

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 13**

Why is the subtotal missing from the bottom of each break in the attached diagram?



Year	Quarter	Sales revenue
2011	Q1	\$519,220
	Q2	\$441,494
	Q3	\$394,309
	Q4	\$340,188
2012	Q1	\$638,745
	Q2	\$620,258
	Q3	\$760,442
	Q4	\$842,287
2013	Q1	\$729,745
	Q2	\$789,398
	Q3	\$775,788
	Q4	\$897,770
		\$7,479,569

- A. The break footers display option is NOT selected.
- B. The calculation was applied to the table before the break.
- C. The default aggregation on the measure is delegated.
- D. The report is NOT sectioned by year.

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 14**

How does the ForEach operator affect the default calculation context?

- A. Replaces dimension(s).
- B. Adds dimension(s).
- C. Filters dimension(s).
- D. Removes dimension(s).

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 15**

Which of the following options are use to create a default vertical table?

There are 2 correct answers to this question

Response:

- A. Run query panel
- B. Create a validate query
- C. Create a new query

D. Run a new query

**Answer: C,D (LEAVE A REPLY)**

### NEW QUESTION: 16

You are reviewing a report with the following statement in a variable:

=If([Sales revenue] > 750000) Then "Top Performer" Else If([Sales revenue] Between (200000;650000)) Then "Average Performer" Else If ([Sales revenue] < 200000) Then "Low Performer" Which statement is true of the results produced by the statement for sales representatives with sales between 650,000 and 750,000?

Please choose the correct answer.

Response:

A. They will not have a performance value assigned.

B. They will be Average Performers.

C. They will not be included in the report.

D. They will be Top Performers.

**Answer: A (LEAVE A REPLY)**

**Valid C-BOWI-43 Dumps** shared by PrepPdf.com for Helping Passing C-BOWI-43 Exam!

PrepPdf.com now offer the **newest C-BOWI-43 exam dumps**, the PrepPdf.com C-BOWI-43 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C-BOWI-43 dumps with Test Engine here:

<https://www.preppdf.com/SAP/C-BOWI-43-prepaway-exam-dumps.html> (220 Q&As

Dumps, **40%OFF Special Discount: Exam-Tests**)

### NEW QUESTION: 17

Which two functions can you use to concatenate the strings "England" and "New" to create the string "New England"?

There are 2 correct answers to this question.

Response:

A. Left()

B. LeftTrim()

C. Concatenate()

D. LeftPad()

**Answer: C,D (LEAVE A REPLY)**

### NEW QUESTION: 18

Design mode provides access to the following toolboxes and their associated functions. What are they?

There are 3 correct answers to this question

Response:

- A. Data Access
- B. Analysis task
- C. Report Element
- D. Improve function
- E. Matches data task

**Answer: A,B,C (LEAVE A REPLY)**

### NEW QUESTION: 19

How do you change the dimension on which a section is based?

- A. 1. Right click in a blank area of the section.  
2. Select Format Selection.  
3. Modify dimension after "Section on".
- B. 1. Right click the section cell.  
2. Select Sort.  
3. Select Advanced.  
4. Remove existing dimension.  
5. Add the new dimension.
- C. 1. Right click the section cell.  
2. Select Edit Formula.  
3. Choose the new dimension.
- D. 1. Right click in a blank area of the section.  
2. Select Edit Selection.  
3. Choose the new dimension.

**Answer: D (LEAVE A REPLY)**

### NEW QUESTION: 20

List the different ways you can use to display professional reports by using Web Intelligence document features?

There are 3 correct answers to this question

Response:

- A. As a double-block report containing large amounts of data
- B. As a folder containing large amounts of data
- C. As a multiple-block report containing large amounts of data
- D. As a table (horizontal, vertical, form or cross table)
- E. As a chart (bar, box, column, line, map, pie, point, radar or tag cloud)

**Answer: C,D,E (LEAVE A REPLY)**

### NEW QUESTION: 21

How much impact does data tracking have on the data size of a Web Intelligence document (WID) Compared to the same document without data tracking?

Please choose the correct answer.

Response:

- A. It will increase by 50% on each refresh.
- B. It will increase three times.
- C. It will stay the same size.
- D. It will increase two times.

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 22**

To what can you apply a conditional formatting rule? Note: There are 2 correct answers to this question.

- A. Data in a section cell
- B. Data in a query filter
- C. Data in a chart
- D. Data in a table

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 23**

To what can you apply a conditional formatting rule? Note: There are 2 correct Answers to this question.

- A. Data in a table
- B. Data in a query filter
- C. Data in a chart
- D. Data in a section header cell

**Answer: A,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 24**

Which Pos() function syntax should you use to find the location of the space in the Category string "Evening wear"?

Please choose the correct answer.

Response:

- A. Pos([Category] ; " " )
- B. Pos((Category) , "" )
- C. Pos([Category] , "" )
- D. Pos({Category} ; " " )

**Answer: A ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 25**

Which of the following is not a rule to apply on the report elements?

Please choose the correct answer.

Response:

- A. Cells in forms and cross tables
- B. Columns in vertical tables
- C. Cells in conditional tables
- D. Rows in horizontal tables

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 26**

Where do you set the "Optional prompt" option in Web Intelligence Rich Client?  
Please choose the correct answer.

Response:

- A. Prompts Panel
- B. Slice and Dice Panel
- C. Document Properties
- D. Query Panel

**Answer: D** ([LEAVE A REPLY](#))

**NEW QUESTION: 27**

Which two break properties can you use when setting Break Priority?  
There are 2 correct answers to this question.

Response:

- A. Horizontal Breaks
- B. Order Breaks
- C. Vertical Breaks
- D. Crosstab Breaks

**Answer: A,C** ([LEAVE A REPLY](#))

**NEW QUESTION: 28**

Which three elements are parts of a query filter?  
There are 3 correct answers to this question.

Response:

- A. Operand
- B. Object
- C. Class
- D. Operator

**Answer: A,B,D** ([LEAVE A REPLY](#))

**NEW QUESTION: 29**

Why would you need to change the data source for your query?  
Please choose the correct answer.

Response:

- A. To use different objects from the universe

- B. To use the production universe instead of the test universe
- C. To change the universe connection of your universe
- D. To change the order of execution for existing queries

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 30**

Which Report Manager tab should you use to add a free-standing cell to a BusinessObjects Web Intelligence 4.0 document (WID)?

Please choose the correct answer.


Response:

- A. Template
- B. Properties
- C. Map
- D. Data

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 31**

How can you make the pie chart (shown in the attached graphic) display correctly?



- A. Drag a dimension or attribute on to the chart
- B. Change to the Design - With Data application mode.
- C. Change to the Reading application mode.

D. Drag a measure on to the chart

Answer: D ([LEAVE A REPLY](#))

**Valid C-BOWI-43 Dumps** shared by PrepPdf.com for Helping Passing C-BOWI-43 Exam! PrepPdf.com now offer the **newest C-BOWI-43 exam dumps**, the PrepPdf.com C-BOWI-43 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C-BOWI-43 dumps with Test Engine here:

<https://www.preppdf.com/SAP/C-BOWI-43-prepaway-exam-dumps.html> (220 Q&As

Dumps, **40%OFF Special Discount: Exam-Tests**)

### NEW QUESTION: 32

What do you use to search for content in multiple documents?

- A. Report map
- B. Central Configuration Manager (CCM)
- C. Central Management Console (CMC)
- D. BI launch pad

Answer: D ([LEAVE A REPLY](#))

### NEW QUESTION: 33

Which two statements are true of contexts?

There are 2 correct answers to this question.

Response:

- A. You cannot combine objects in different contexts.
- B. You can combine objects in different contexts.
- C. You can combine any object within the same context to create a query.
- D. You can combine only measures within the same context to create a query.

Answer: B,C ([LEAVE A REPLY](#))

### NEW QUESTION: 34

Which DaysBetween() function syntax should you use to calculate the number of years since your birth, assuming the date object is Birth\_date?

Please choose the correct answer.

Response:

- A. =DaysBetween([Birth\_date] ; CurrentDate() ) / 365.25
- B. =DaysBetween(CurrentDate() ; [Birth\_date] ) / 365.25
- C. =DaysBetween([Birth\_date] , CurrentDate() ) / 365.25
- D. =DaysBetween([Birth\_date] ; CurrentDate ) / 365.25

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 35**

Which methods can you use to apply report filters to a BusinessObjects Web Intelligence XI 4.x document (WID)?

There are 2 correct answers to this question.

Response:

- A. Custom
- B. Global
- C. Block
- D. Dynamic

**Answer: B,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 36**

Which three layout options can you use when creating sections in a report?

There are 3 correct answers to this question.

Response:

- A. Keep Blocks Together
- B. Avoid Page Break in Section
- C. Relative Position
- D. Start on New Page

**Answer: B,C,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 37**

Which two statements are true of grouping sets when using smart measures?

Please choose the correct answer.

Response:

- A. It is a set of measures that generates a result for a dimension.
- B. The generated SQL includes grouping sets for all the aggregations of that measure that are included in the report.
- C. The generated SQL includes grouping sets for all the aggregations of that dimension that are included in the report.
- D. It is a set of dimensions that generates a result for a measure.

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 38**

How can you share Web Intelligence documents in your organization?

There are 2 correct answers to this question

Response:

- A. From within the BI launch pad, send a document to another user or group of users
- B. Publish documents to the CMS as a public or personal document
- C. From within the BI launch pad, and sent automatically by using the sharing option to group of users

D. From within the BI launch pad, save a document as a personal document in the BIP

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 39**

Which of the following make up a semantic layer for a rational data source? (3 answers)

- A. Dimension
- B. Section
- C. Block
- D. Universe
- E. Measure

**Answer:** A,D,E ([LEAVE A REPLY](#))

**NEW QUESTION: 40**

Discuss all the advantages link to organizing a report in the section

There are 2 correct answers to this question

Response:

- A. You can have multiple blocks projected from the same microcube within a single report, all sub-grouped to the sectioned level
- B. You can have single block projected from the same microcube within a single report, all grouped to the sectioned level
- C. You can insert subtotal cells, repeated in each section, which are created by the simple process of drag and drop
- D. You can insert tables, different in each section, which are created by the simple process of drag and drop

**Answer:** A,C ([LEAVE A REPLY](#))

**NEW QUESTION: 41**

What is the default behavior when creating a report from two queries from the same universe?

Please choose the correct answer.

Response:

- A. Result produces two table blocks.
- B. Results are shown on two different report tabs.
- C. Dimension objects are not automatically merged.
- D. Dimension objects are automatically merged.

**Answer:** D ([LEAVE A REPLY](#))

**NEW QUESTION: 42**

Which Report Manager tab should you use to add a free-standing cell to a BusinessObjects Web Intelligence 4.0 document (WID)?

Please choose the correct answer.

Response:

- A. Template
- B. Data
- C. Properties
- D. Map

**Answer: A ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 43**

How do you access the Format Table option?

- A. Right click the footer of the table.
- B. Right click the data of the table.
- C. Right click the column header of the table.
- D. Right click the border of the table.

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 44**

What does the ranking calculation mode Cumulative Percentage keep in the block?

- A. The top/bottom percentage of the number of rows based on the dimension
- B. The top/bottom number of rows based on the measure
- C. The top/bottom values until the sum reaches a specified value
- D. The top/bottom values until the sum reaches a specified percentage of the total

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 45**

You create a document with data from multiple data providers. Which two tasks can you perform to include all data from all providers in the same report block?

There are 2 correct answers to this question.

Response:

- A. Synchronize the data providers.
- B. Synchronize the data providers SQL.
- C. Manually merge the parent dimensions.
- D. Manually merge all dimensions.

**Answer: A,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 46**

Select the correct sequence To Format a Bar Chart?

Please choose the correct answer.

Response:

- A. Report Element>Chart>Insert Column Chart
- B. Chart> Report Element >Insert Column Chart

C. Chart> Insert Column Chart >Report Element

D. Insert Column Chart>Chart>Report Element

Answer: A ([LEAVE A REPLY](#))

Valid **C-BOWI-43 Dumps** shared by PrepPdf.com for Helping Passing C-BOWI-43 Exam! PrepPdf.com now offer the **newest C-BOWI-43 exam dumps**, the PrepPdf.com C-BOWI-43 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C-BOWI-43 dumps with Test Engine here:

<https://www.preppdf.com/SAP/C-BOWI-43-prepaway-exam-dumps.html> (220 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 47**

Why is the subtotal missing from the bottom of each break in the attached diagram?

Year	Quarter	Sales revenue
2011	Q1	\$519,220
	Q2	\$441,404
	Q3	\$364,309
	Q4	\$340,188
2011		
2012	Q1	\$650,715
	Q2	\$529,266
	Q3	\$568,442
	Q4	\$642,287
2012		
2013	Q1	\$729,745
	Q2	\$789,398
	Q3	\$775,768
	Q4	\$997,770
2013		
		\$7,479,569

A. The report is NOT sectioned by year.

B. The default aggregation on the measure is delegated.

C. The calculation was applied to the table before the break.

D. The break footers display option is NOT selected.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 48**

A table contains a dimension [CITY] and a measure [SALES]. You insert a column to display the formula AVERAGE([SALES]). Which operator do you add to the formula so that it displays the average for the table in every row? Note: There are 2 correct Answers to this question.

- A. ForAll ([CITY])
- B. ForEach ([CITY])
- C. In Block
- D. In Body

**Answer: C,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 49**

Which two statements about the If() function are correct?

There are 2 correct answers to this question.

Response:

- A. Can contain a SQL statement
- B. Can contain a Case expression
- C. Contains a Boolean expression
- D. Can contain nested If() statements

**Answer: C,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 50**

What is the correct formula for the RunningSum column (shown in the attached graphic)?

Year	Quarter	Sales revenue	Running Sum
2011	Q1	\$2,660,699.50	\$2,660,699.50
	Q2	\$2,278,693.40	\$4,939,392.90
	Q3	\$1,367,840.70	\$6,307,233.60
	Q4	\$1,788,580.40	\$8,095,814.00
<b>2011</b>			
Year	Quarter	Sales revenue	Running Sum
2012	Q1	\$3,326,172.20	\$3,326,172.20
	Q2	\$2,840,650.80	\$6,166,823.00
	Q3	\$2,879,303.00	\$9,046,126.00
	Q4	\$4,186,126.00	\$13,232,246.00
<b>2012</b>			
Year	Quarter	Sales revenue	Running Sum
2013	Q1	\$3,742,988.90	\$3,742,988.90
	Q2	\$4,006,717.50	\$7,749,706.40
	Q3	\$3,953,395.30	\$11,703,101.70
	Q4	\$3,356,041.10	\$15,059,142.80
<b>2013</b>			

- A. RunningSum([Sales revenue];([Year]))
- B. RunningSum([Sales revenue] in [Quarter])
- C. RunningSum([Sales revenue];[Year];[Quarter])
- D. RunningSum([Sales revenue];([Year];[Quarter]))

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 51**

Which data sources can you access directly using Web Intelligence?

- A. OLAP cubes
- B. XML files
- C. Relational databases
- D. Business Explorer (BEx) Queries

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 52**

What is the purpose of Demonstration: To Create a Simple Web Intelligence Document?

Please choose the correct answer.

Response:

- A. To give the learner an opportunity to practice these texts
- B. To give the learner a quick overview of the process

- C. Launch the Web Intelligence work application, and briefly, explain the different codes
- D. Explain that learners can choose single data source, but that you are using a class for this demonstration

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 53**

For which tasks do you use an If() function?

There are 2 correct answers to this question.

Response:

- A. To display dynamically grouped values
- B. To display a dynamic list of values
- C. To conditionally show rows in a block
- D. To conditionally execute a scheduled report

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 54**

You are asked to create a table to display revenue data values in three distinct colors. What must you create in a single conditional formatting rule?

- A. Multiple Else conditions
- B. Multiple predefined filters
- C. A single formula using the WHERE operator
- D. A single formula using the IF function

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 55**

Which three options are Web Intelligence drill mode options?

There are 3 correct answers to this question.

Response:

- A. Drill By
- B. Drill Through
- C. Drill Down
- D. Drill Up

**Answer: A,C,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 56**

Which of the following option is not a part of The Web Intelligence Query Process?

Please choose the correct answer.

Response:

- A. Run the query
- B. SQL is executed to extract data
- C. Report is displayed

D. Launch panel to generate data

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 57**

Why do you use the "Turn into" functionality?

- A. To change the table into a chart
- B. To change the data source of a document
- C. To change the object of a section
- D. To change the data type of an object

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 58**

Which two properties can you set in the hyperlink dialog box when you create a hyperlink to a document?

There are 2 correct answers to this question.

Response:

- A. Refresh on open
- B. Link to a specific area in the document
- C. Color and font style for the link
- D. Drill level for the target document

Answer: A,B ([LEAVE A REPLY](#))

**NEW QUESTION: 59**

What do you use to conditionally hide a report element?

- A. A formatting rule
- B. A query filter
- C. A report filter
- D. A formula

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 60**

In the query panel, you modify the script and no errors occur. You remove an object and add a different object to the Result Object pane. What happens to the script?

- A. The script is regenerated because the result object list is changed.
- B. The script fails to parse.
- C. The script remains unchanged because the script was changed manually.
- D. The script includes both the manual change and the new result objects.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 61**

You have applied report filters to your document. How do you ensure that end users are aware of this when viewing a document in Reading mode?

- A. Display the Query Summary in a free-standing cell.
- B. Display prompt values in free-standing cells.
- C. Display predefined filters in free-standing cells.
- D. Display the Report filters in free-standing cells.

**Answer:** ([SHOW ANSWER](#))

**Valid C-BOWI-43 Dumps** shared by PrepPdf.com for Helping Passing C-BOWI-43 Exam! PrepPdf.com now offer the **newest C-BOWI-43 exam dumps**, the PrepPdf.com C-BOWI-43 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C-BOWI-43 dumps with Test Engine here: <https://www.preppdf.com/SAP/C-BOWI-43-prepaway-exam-dumps.html> (220 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 62**

In what application mode can you freeze column headers?

Please choose the correct answer.

Response:

- A. Reading
- B. Design, Structure Only
- C. Data
- D. Design, With Data

**Answer:** A ([LEAVE A REPLY](#))

**NEW QUESTION: 63**

Which two locations can you use to set the drill options?

There are 2 correct answers to this question.

Response:

- A. Scope of Analysis Properties
- B. Preferences in InfoView
- C. Query Panel Properties
- D. Tools/Options in Web Intelligence Rich Client
- E. Report Properties

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 64**

Which three statements are true about alerters?

There are 3 correct answers to this question.

Response:

- A. You can apply multiple alerters to one block.
- B. You can control the order in which alerters are applied.
- C. You can apply the same alerter to multiple blocks.
- D. You can apply alerters to charts.

**Answer: A,B,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 65**

Which of the following are extended syntax keywords? Note: There are 2 correct Answers to this question.

- A. Table
- B. Document
- C. Report
- D. Section

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 66**

Mention the five types of column charts for presenting DATA?

There are 3 correct answers to this question

Response:

- A. Combined column and line chart
- B. Stacked column chart
- C. Column chart with dual values
- D. 4D column chart
- E. Column charts with fixed contents

**Answer: A,B,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 67**

Which table type looks most similar to a Microsoft Excel pivot table?

- A. Form
- B. Vertical table
- C. Cross table
- D. Horizontal table

**Answer: C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 68**

A document displays a date in the format: MM/DD/YY. What options allow you to change the format to DD/MM/YY? Note: There are 2 correct Answers to this question.

- A. Product locale
- B. Format number
- C. Preferred viewing locale

D. Auto detect

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 69**

Which is a benefit of using query drill?

Please choose the correct answer.

Response:

- A. Data is pre-formatted and stored for all levels prior to drill.
- B. Dedicated SQL statements are generated for each drill.
- C. Levels you can drill through are based on your security profile.
- D. Data is pre-fetched and stored for all levels prior to drill.

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 70**

Which two Web Intelligence Rich Client authentication methods enable you to export Web Intelligence documents (WID) to the Central Management Server (CMS)?

There are 2 correct answers to this question.

Response:

- A. LTM
- B. Enterprise
- C. Standalone
- D. Offline
- E. LDAP

**Answer:** B,E ([LEAVE A REPLY](#))

**NEW QUESTION: 71**

Which statement is a benefit of using a Web Intelligence formula?

Please choose the correct answer.

Response:

- A. The formula can be reused to create a variable.
- B. The formula can be saved into a new function.
- C. The formula can be reused in a document from the Data tab.
- D. The formula can be saved and reused in a measure object.

**Answer:** A ([LEAVE A REPLY](#))

**NEW QUESTION: 72**

Which two statements are correct about hierarchies in Web Intelligence?

There are 2 correct answers to this question.

Response:

- A. They can be created in the Scope of Analysis panel.
- B. They can be created using the Query panel.

- C. They are used to define the drill path in the Scope of Analysis.
- D. They can be chosen using a custom Scope of Analysis.

**Answer: C,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 73**

How does SAP recommend you print a Web Intelligence document to ensure the document layout is preserved?

- A. Export data to a CSV file and print the CSV file.
- B. Use the print option in the browser
- C. Export the document to a PDF file and print the PDF file.
- D. Use the Print Screen button on your keyboard

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 74**

Which of the following can you use to filter results dynamically? (2 answers)

- A. Element linking
- B. Input control
- C. Results Object pane
- D. Report map

**Answer: A,B ([LEAVE A REPLY](#))**

**NEW QUESTION: 75**

Which panel should you use to view a Document Summary of a BusinessObjects Web Intelligence 4.0 document (WID)?

Please choose the correct answer.

Response:

- A. Active X
- B. Advanced
- C. Query
- D. Interactive

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 76**

Which two methods can you use to apply report filters to a BusinessObjects Web Intelligence 4.0 document (WID)?

There are 2 correct answers to this question.

Response:

- A. Dynamic
- B. Custom
- C. Global
- D. Block

**Answer: C,D ([LEAVE A REPLY](#))**

**Valid C-BOWI-43 Dumps** shared by PrepPdf.com for Helping Passing C-BOWI-43 Exam! PrepPdf.com now offer the **newest C-BOWI-43 exam dumps**, the PrepPdf.com C-BOWI-43 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C-BOWI-43 dumps with Test Engine here:  
<https://www.preppdf.com/SAP/C-BOWI-43-prepaway-exam-dumps.html> (**220 Q&As** Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 77**

Which of the following is not a step of demonstration, to display an aggregate within a sectioned report.

Please choose the correct answer.

Response:

- A. Click a detail row in the Sales revenue column
- B. Click the Functions Tab
- C. Click the Table, Chart or Others tab
- D. Click the Analysis Toolbox

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 78**

Which three objects represent qualifications from a local data provider?

There are 3 correct answers to this question.

Response:

- A. BLOB
- B. DATE
- C. NUMBER
- D. TEXT

**Answer: B,C,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 79**

Which two statements are true of an ambiguous query?

There are 2 correct answers to this question.

Response:

- A. It contains one or more objects that can potentially return two different types of information.
- B. It can be resolved with a context.
- C. It contains all possible combinations of rows from the tables inferred by the objects.
- D. It can be resolved with a loop.

**Answer: A,B ([LEAVE A REPLY](#))**

**NEW QUESTION: 80**

Why should you always log off the BI launch pad rather than just closing your browser session?

- A. To allow data refreshes
- B. To improve system performance
- C. To protect corporate data
- D. To clear the browser cache

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 81**

What are the components of a universe? Note: There are 3 correct answers to this question.

- A. Measure
- B. Key Figure
- C. Folder
- D. Dimensions
- E. Information

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 82**


Discuss the instructions appropriate for how you want the data in a table and manipulate the data within the table There are 2 correct answers to this question Response:

- A. Drag and drop the table from Web Intelligence to the target application
- B. Right-click the table and, from the contextual menu, select Copy
- C. In the target document, right-click the section cell and, from the contextual menu, click Copy and paste
- D. In the target application, right-click the area where you want the table to appear and, from the contextual menu, select Paste

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 83**

How can you make the pie chart (shown in the attached graphic) display correctly?



- A. Drag a measure on to the chart
- B. Change to the Reading application mode.
- C. Change to the Design - With Data application mode.
- D. Drag a dimension or attribute on to the chart

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 84**

What is the required argument of the UserResponse( ) function?

- A. report name
- B. dimension
- C. prompt\_string
- D. measure

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 85**

What object type is found in navigation paths?

- A. Filter
- B. Dimension
- C. Measure
- D. Attribute

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 86**

How can you see general report information such as the document author and the document creation date?

Please choose the correct answer.

Response:

- A. Open the Query panel.
- B. Insert the pre-defined cell Query Summary in the report.
- C. Select the Query Properties button.
- D. Open the Document Summary panel.

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 87**

Which two are running aggregate functions in Web Intelligence?

There are 2 correct answers to this question.

Response:

- A. RunningSum()
- B. RunningMax()
- C. RunningTotal()
- D. RunningMean()

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 88**

The side panel can group several panes. Which ones? Note: There are 3 correct answers to this question.

- A. My Objects
- B. Insert
- C. Report Structure
- D. Build
- E. Display

**Answer: A,C,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 89**

Which three rules apply when you manually synchronize queries?

There are 3 correct answers to this question.

Response:

- A. Dimensions with different names can be merged.
- B. Dimensions with different data types can be merged.
- C. Dimensions from multiple data sources can be merged.
- D. Dimension value formats must be the same.

**Answer: A,C,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 90**

What are the benefits of using SAP BusinessObjects Web Intelligence? Note: There are 2 correct Answers to this question.

- A. You can use simple drag-and-drop features to create interactive reports.

- B. You can centrally manage, control, and configure your BI deployment.
- C. You can dynamically refresh and update information directly in your MS Office documents.
- D. You can drill, slice-and-dice, and format information based on your business needs.

**Answer: A,D (LEAVE A REPLY)**

**NEW QUESTION: 91**

You add a new object to a query and run the query. How do you display the new object in the document?

- A. Drag the new object from the Available Objects pane onto the report.
- B. Choose "Refresh All" in the report.
- C. Select the "Insert a table in a new report" option.
- D. Select the "Insert a table in the current report" option.

**Answer: A (LEAVE A REPLY)**

**Valid C-BOWI-43 Dumps** shared by PrepPdf.com for Helping Passing C-BOWI-43 Exam! PrepPdf.com now offer the **newest C-BOWI-43 exam dumps**, the PrepPdf.com C-BOWI-43 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C-BOWI-43 dumps with Test Engine here: <https://www.preppdf.com/SAP/C-BOWI-43-prepaway-exam-dumps.html> (220 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 92**

What option do you select to change the Total Revenue to a currency (shown in the attached graphic)?

Year	Quarter	Quantity sold	Sold at (unit price)	Total Revenue
2011	Q1	18,136	\$146.71	2,660,698.1
2011	Q2	14,408	\$158.15	2,278,692.92
2011	Q3	10,203	\$134.06	1,367,839.69
2011	Q4	10,331	\$173.12	1,788,580.2
2012	Q1	21,135	\$157.38	3,326,171.35
2012	Q2	17,152	\$165.62	2,840,650.78
2012	Q3	19,224	\$149.78	2,879,301.51
2012	Q4	22,344	\$187.35	4,186,119.35
2013	Q1	22,537	\$166.08	3,742,987.78
2013	Q2	22,846	\$175.38	4,006,715.49
2013	Q3	26,263	\$150.53	3,953,393.03
2013	Q4	18,650	\$179.95	3,356,039.53

- A. 1. Right click on the edge of the table.
- 2. Select Format Table.

- B.** 1. Right click a number in the Total Revenue column.  
2. Select Format Cell.
- C.** 1. Right click the Total Revenue column name.  
2. Select Format Number.
- D.** 1. Right click a number in the Total Revenue column.  
2. Select Format Number.

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 93**

How do you duplicate a query?

Please choose the correct answer.

Response:

- A.** Right-click Query in the Report Manager and select Duplicate Query
- B.** Right-click the Query Tab in the Query Panel and select Duplicate Query
- C.** Choose Duplicate Query in the Tools Menu
- D.** Select Duplicate Query in Properties in the Query Panel

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 94**

A variable in your report contains the statement:

=If[State] = "California" Then [Sales revenue] \* 1.05 Else If[State] = "Colorado" Then [Sales revenue] \*

1.1 Else If[State] InList ("DC";"Texas ") Then [Sales revenue] \* 1.15 Else If[State] = "Massachusetts" Then

[Sales revenue] \* 1.18 Else [Sales revenue]

Sales revenue for Florida is \$1,879,159. Which rate is applied to the Florida revenue by the formula?

Please choose the correct answer.

Response:

- A.** 1.10
- B.** 1.00
- C.** 1.18
- D.** 1.15
- E.** 1.05

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 95**

Where are contexts created?

Please choose the correct answer.

Response:

- A.** In a report

- B. In a derived table
- C. At the database level
- D. In a universe

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 96**

You need to create a report that compares data to a reference data set. You create the report and activate the track data option. The report correctly indicates the changes in the data; however when you make another change to the report, the display no longer indicates any data tracking.

What actions could have caused this behavior?

There are 2 correct answers to this question.

Response:

- A. You added a report break.
- B. You drilled outside the scope of analysis.
- C. You activated query drill mode.
- D. You added a chart to the report

**Answer: B,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 97**

Which two search criteria are valid when using Delegated List of Values?

There are 2 correct answers to this question.

Response:

- A. a%
- B. %a
- C. a\*
- D. \*a

**Answer: C,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 98**

Which three are prerequisites for combining data from multiple data providers?

There are 3 correct answers to this question.

Response:

- A. Data values from each linked dimension must have a common format.
- B. Both data providers must have the same dimension values.
- C. Object name from different universes in both data providers must be the same.
- D. There are two or more queries in your document.

**Answer: A,B,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 99**

You are reviewing a report with the following statement in a variable:

=If([Sales revenue] > 750000) Then "Top Performer" Else If([Sales revenue] Between (200000;650000)) Then "Average Performer" Else If ([Sales revenue] < 200000) Then "Low Performer" Which statement is true of the results produced by the statement for sales representatives with sales between 650,000 and 750,000?

Please choose the correct answer.

Response:

- A. They will be Top Performers.
- B. They will not have a performance value assigned.
- C. They will not be included in the report.
- D. They will be Average Performers.

**Answer: B ([LEAVE A REPLY](#))**

### **NEW QUESTION: 100**

To produce a report that focuses more precisely on certain data, you may need to apply more than one filter, and these filter must use Logical Operators.

What are these Logical operators?

There are 2 correct answers to this question

Response:

- A. The PLUS operator
- B. The ONE operator
- C. The AND operator
- D. The OR operator

**Answer: C,D ([LEAVE A REPLY](#))**

### **NEW QUESTION: 101**

A document displays a data in the format: MM/DD/YY. What option allow you to change the format to DD/MM/YY? (2 answers)

- A. Format number
- B. Preferred viewing locale
- C. Auto detect
- D. Product locale

**Answer: ([SHOW ANSWER](#))**

### **NEW QUESTION: 102**

Which three can you use to start the Web Intelligence Rich Client from?

There are 3 correct answers to this question.

Response:

- A. InfoView
- B. Central Management Console

C. Command Line

D. Start > All Programs

**Answer: A,C,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 103**

Where should you configure the regional settings of a Web Intelligence document (WID) within InfoView?

Please choose the correct answer.

Response:

A. Browser Preferences

B. User Machine Settings

C. Local Settings

D. InfoView Preferences

**Answer: D ([LEAVE A REPLY](#))**

**Valid C-BOWI-43 Dumps** shared by PrepPdf.com for Helping Passing C-BOWI-43 Exam!

PrepPdf.com now offer the **newest C-BOWI-43 exam dumps**, the PrepPdf.com C-BOWI-43 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C-BOWI-43 dumps with Test Engine here:

<https://www.preppdf.com/SAP/C-BOWI-43-prepaway-exam-dumps.html> (220 Q&As

Dumps, **40%OFF** Special Discount: **Exam-Tests**)