

## SAP.C-DS-42.v2022-06-10.q27

<b>Exam Code:</b>	C-DS-42
<b>Exam Name:</b>	SAP Certified Application Associate - Data Integration with SAP Data Services 4.2
<b>Certification Provider:</b>	SAP
<b>Free Question Number:</b>	27
<b>Version:</b>	v2022-06-10
<b># of views:</b>	812
<b># of Questions views:</b>	270
<a href="https://www.freeqas.com/qa/SAP/C-DS-42/SAP.C-DS-42.v2022-06-10.q27.html">https://www.freeqas.com/qa/SAP/C-DS-42/SAP.C-DS-42.v2022-06-10.q27.html</a>	

### NEW QUESTION: 1

Contains repository names that are associated with the Job Server on which you run your jobs. Which is the actual option to see jobs status?

- A. Real-Time
- B. Batch
- C. Adapters
- D. Profiler

**Answer:** [\(SHOW ANSWER\)](#)

### NEW QUESTION: 2

You are working as an ETL developer using SAP Data Services Designer. To whom You will create Datastores?

- A. For the source
- B. For the staging databases
- C. None of the above
- D. For the Target

**Answer:** A,B,D [\(LEAVE A REPLY\)](#)

### NEW QUESTION: 3

In which parameter the number of seconds to sleep before the Data Profiler checks for completion of an invoked task. Invoked tasks run synchronously, and the Data Profiler must check for their completion?

- A. Active Interval (Seconds)
- B. Invoke sleep interval (seconds)

- C. Submit sleep interval (seconds)
- D. Inactive interval (minutes)

**Answer: B (LEAVE A REPLY)**

#### **NEW QUESTION: 4**

How to Use a WHERE clause to select only customers in North America (North American countries are United States, Canada, and Mexico which have COUNTRYID values of 1, 2, and 11)?

- A. Enter the where clause, customer.COUNTRYID in (1,2,11)
- B. To save all changes, choose OK
- C. Confirm that 22 records were loaded
- D. In the Query editor, choose the WHERE tab

**Answer: A,D (LEAVE A REPLY)**

#### **NEW QUESTION: 5**

In addition to the main databases for source information, records for orders are stored in flat files. You need to extract data from these flat files, and so must create the appropriate file format for the extraction. Adjust the data types for the columns proposed by the Designer based on their content. (Validate the correct statement).

- A. Choose Save and close .
- B. In the Column Attributes pane, change the field datatypes to the datatypes in the Column Attributes Values table.
- C. In the ORDERDATE field, to change the format of the date, enter dd-mon-yyyy .
- D. In the Local Objects Library, choose Formats tab.
- E. Right click the Flat Files node and choose New.
- F. Enter Orders\_Format as the format name.

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 6**

In addition to the main databases for source information, records for orders are stored in flat files. You need to extract data from these flat files, and so must create the appropriate file format for the extraction. Create a file format Orders\_Format for an orders flat file so that you can use it as a source object for extraction. (Validate the correct statement).

- A. In the Local Objects Library, choose Formats tab.
- B. Right click your new file format Orders\_Format and choose View Data .
- C. Enter Orders\_Format as the format name.
- D. Right click the Flat Files node and choose New.

**Answer: A,C,D (LEAVE A REPLY)**

#### **NEW QUESTION: 7**

By which application you do Evaluate the reliability of your target data based on the validation rules you created in your batch jobs. Quickly review, assess, and identify potential inconsistencies or errors in source data?

- A. Data Quality Reports
- B. Operational Dashboard
- C. Data Validation Dashboard
- D. Impact and Lineage Analysis
- E. Auto Documentation
- F. Administrator

**Answer: C (LEAVE A REPLY)**

#### **NEW QUESTION: 8**

Which connection does Management Console use to repositories?

- A. JDNC Connection
- B. JDBC connection
- C. Internet Connection
- D. Server Connection

**Answer: B (LEAVE A REPLY)**

#### **NEW QUESTION: 9**

Which SAP Data Services transforms would you use in a dataflow to load a slowly changing dimension of type 2?

- A. History\_Preserving
- B. Effective\_Date
- C. Row\_Generation
- D. Table\_Comparison
- E. Key\_Generation

**Answer: A,D,E (LEAVE A REPLY)**

#### **NEW QUESTION: 10**

By which application you do Analyze the end-to-end impact and lineage for source and target objects used within the Data Services local repository?

- A. Data Validation Dashboard
- B. Administrator
- C. Operational Dashboard
- D. Data Quality Reports
- E. Auto Documentation
- F. Impact and Lineage Analysis

**Answer: F (LEAVE A REPLY)**

#### **NEW QUESTION: 11**

You must calculate the total value of all orders, including their discounts, for reporting purposes.

Currently these details are found in different tables.

Use the sum function to calculate the total value of orders in the Order\_Details table.

How to Execute the Alpha\_Order\_Sum\_Job with the default execution properties after saving all of the objects that you have created.

- A. In the Query Editor , select the Group By tab.
- B. Choose Execute .
- C. To use the default execution properties, choose OK .
- D. In the Omega project, right click the Alpha\_Order\_Sum\_Job .

**Answer: B,C,D (LEAVE A REPLY)**

### NEW QUESTION: 12

Once you have confirmed that the structure appears correct, you execute another debug session with all records, breaking after every row. Execute the Alpha\_NACustomer\_Job again in debug mode using a breakpoint to stop the debug process after a number of rows.

- A. In the workspace for the Alpha\_NACustomer\_DF , right click the connection between the source table and the Query transform, and choose Remove Filter
- B. Open the workspace for the Alpha\_NACustomer\_DF & Right click the connection between the source table and the Query Transform and choose Set Filter/Breakpoint
- C. In the Breakpoint window, select the Set checkbox
- D. In the Filter window, select the Set checkbox
- E. Right click the connection between the source table and the Query transform, and choose Set Filter/Breakpointe

**Answer: A,C,E (LEAVE A REPLY)**

### NEW QUESTION: 13

Contains the repository name associated with the \_\_\_\_\_ Server?

- A. Real-Time
- B. Adapters
- C. Batch
- D. Profiler

**Answer: D (LEAVE A REPLY)**

### NEW QUESTION: 14

By which application you do Manage your production environment including batch job execution, real-time services, web services, adapter instances, server groups, central repositories, profiler repositories, and more?

- A. Impact and Lineage Analysis
- B. Operational Dashboard
- C. Data Quality Reports

- D. Administrator
- E. Data Validation Dashboard
- F. Auto Documentation

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 15**

You must calculate the total value of all orders, including their discounts, for reporting purposes. Currently these details are found in different tables.

Use the sum function to calculate the total value of orders in the Order\_Details table.

How to In the transform editor for the Query transform, propose a join between the two source tables.

- A. To connect the Query Transform, select the Query Transform , hold down the mouse button, drag it to the order\_sum table, and release the mouse button.
- B. Choose the Where tab or the From tab.
- C. To open the Query Editor double click the Query .
- D. the Propose Join button.

**Answer: B,C,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 16**

When evaluating the customer data for Alpha Acquisitions, you discover a data entry error. The contact title of "Account Manager" has been entered as "Accounting Manager". You must correct these entries before it is moved to the data warehouse.

How to Using the Function wizard, create a new expression for the column using the search\_replace function found under the category of "String" functions.

- A. In the Query Editor , in the Mapping tab, choose Functions.
- B. In the Select Function dialog box, choose String Functions .
- C. From the list of function names, select search\_replace and choose Next .
- D. To delete existing expression, in the Mapping tab highlight the expression and press the Delete button on your keyboard.

**Answer: ([SHOW ANSWER](#))**

**Valid C-DS-42 Dumps** shared by PrepPdf.com for Helping Passing C-DS-42 Exam! PrepPdf.com now offer the **newest C-DS-42 exam dumps**, the PrepPdf.com C-DS-42 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C-DS-42 dumps with Test Engine here:

**NEW QUESTION: 17**

By which application you do View, analyze, and print graphical representations of all objects as depicted in the Designer including their relationships, properties, and more?

- A. Auto Documentation
- B. Data Validation Dashboard
- C. Impact and Lineage Analysis
- D. Data Quality Reports
- E. Operational Dashboard
- F. Administrator

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 18**

What do you call for that particular link of Clicking to return to the Management Console home page where you can select another application, for example?

- A. Home
- B. Question mark icon
- C. Settings
- D. Logout

**Answer:** A ([LEAVE A REPLY](#))

**NEW QUESTION: 19**

You must ensure that all records from the Customer table in the Alpha database are being moved to the Delta staging database using the audit logs.

In the Local Object Library, replicate the Alpha\_NACustomer\_DF data flow. Name the replicated data flow Alpha\_AuditCustomer\_DF . Add the replicated data flow to a new job, Alpha\_AuditCustomer\_Job . Set up auditing on the data flow Alpha\_AuditCustomer\_DF by adding an audit rule to compare the total number of records in the source and target tables.

How to Replicate the Audit\_NACustomer\_DF data flow.

- A. In the Local Object Library Data Flow tab right click the Alpha\_NACustomer\_DF data flow and choose Replicate
- B. Rename the copied data flow Alpha\_AuditCustomer\_DF.
- C. Choose New Batch Job
- D. Right click the Omega project in the Project Area.
- E. Name the new job Alpha\_AuditCustomer\_Job .

**Answer:** A,B ([LEAVE A REPLY](#))

**NEW QUESTION: 20**

How to View the data for both tables. Verify that both tables have the same column names, and that the target table is empty?

- A. Double click the target table.
- B. Click the View Data icon (magnifying glass) for the target table in the workspace.
- C. Close both view data windows.
- D. Click the View Data icon (magnifying glass) for the source table in the workspace

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 21**

How to Open the target table editor to view the Schema In and Schema Out?

- A. Click the View Data icon (magnifying glass) for the target table in the workspace.
- B. Double click the target table
- C. Double click the target table.
- D. Close both view data windows.

**Answer: C (LEAVE A REPLY)**

#### **NEW QUESTION: 22**

The Marketing department would like to send special offers to customers who have placed a specified number of orders. This can be done by creating a custom function that must be called when a customer order is placed.

You want to create a custom function to accept the input parameters of the Customer ID, and the number of orders required to receive a special order, check the Orders table, and then create an initial list of eligible customers.

How to In the Local Object Library, create a new customer function called CF\_MarketingOffer.

- A. In the tool palette, select the Data Flow icon and click in the workspace.
- B. Enter the name Alpha\_Marketing\_Offer\_Job.
- C. In the Local Object Library, choose the Custom Functions tab.
- D. Enter the name CF\_MarketingOffer, and choose Next.
- E. the Smart Editor, choose the Variables tab.

**Answer: C,D,E (LEAVE A REPLY)**

#### **NEW QUESTION: 23**

When evaluating the customer data for Alpha Acquisitions, you discover a data entry error. The contact title of "Account Manager" has been entered as "Accounting Manager". You must correct these entries before it is moved to the data warehouse.

How to In the Alpha\_NACustomer\_DF workspace, delete an existing expression for the Title column in the Query transform.

- A. In the Query Editor, in the output schema, choose the field CONTACTTITLE .
- B. In the Alpha\_NACustomer\_DF workspace, to open the Query Editor, double click the Query transform.

**C.** In the Search\_replace Select Parameters dialog box, select the drop down arrow next to the field Input expression.

**D.** To delete existing expression, in the Mapping tab highlight the expression and press the Delete button on your keyboard.

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 24**

In the workspace for Alpha\_Product\_DF, How to add the product table from the Alpha datastore as the source object?

**A.** Drag the table to the data flow workspace and choose Make Source.

**B.** In the Project area, right-click the project name and, in the context menu, choose New Batch Job .

**C.** Select the product table from the Alpha datastore.

**D.** In the Local Object Library , choose the Datastores tab.

**Answer:** A,C,D ([LEAVE A REPLY](#))

#### **NEW QUESTION: 25**

The Marketing department would like to send special offers to customers who have placed a specified number of orders. This can be done by creating a custom function that must be called when a customer order is placed.

You want to create a custom function to accept the input parameters of the Customer ID, and the number of orders required to receive a special order, check the Orders table, and then create an initial list of eligible customers.

How to Create a new batch job and data flow, called

Alpha\_Marketing\_Offer\_Job and \_Marketing\_Offer\_DF respectively, and a new global variable

\$G\_Num\_to\_Qual.

**A.** Enter the name Alpha\_Marketing\_Offer\_DF.

**B.** In the tool palette, select the Data Flow icon and click in the workspace.

**C.** Right click Parameters and choose Insert.

**D.** In the project area, right click the Omega project and choose New batch job

**E.** Enter the name Alpha\_Marketing\_Offer\_Job.

**F.** In the Smart Editor, choose the Variables tab.

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 26**

You must ensure that all records from the Customer table in the Alpha database are being moved to the Delta staging database using the audit logs.

In the Local Object Library, replicate the Alpha\_NACustomer\_DF data flow. Name the

replicated data flow Alpha\_AuditCustomer\_DF . Add the replicated data flow to a new job, Alpha\_AuditCustomer\_Job . Set up auditing on the data flow Alpha\_AuditCustomer\_DF by

adding an audit rule to compare the total number of records in the source and target tables.

How to Construct an audit rule that an exception must be entered into the log if the count from both tables is not the same.

- A. On the Label tab, right click the target table, Alpha\_NA\_customer , and choose Count .
- B. Under Action on failure, select the Raise exception checkbox.
- C. Choose Close .
- D. In the operator drop down list, choose the operator equal (=).
- E. In the right drop down list, choose the audit label \$count\_Alpha\_NA\_customer for the target table.
- F. In the Rule tab, under Auditing Rules , choose Add .

**Answer: (SHOW ANSWER)**

### NEW QUESTION: 27

You must ensure that all records from the Customer table in the Alpha database are being moved to the Delta staging database using the audit logs.

In the Local Object Library, replicate the Alpha\_NACustomer\_DF data flow. Name the replicated data flow Alpha\_AuditCustomer\_DF . Add the replicated data flow to a new job, Alpha\_AuditCustomer\_Job . Set up auditing on the data flow Alpha\_AuditCustomer\_DF by adding an audit rule to compare the total number of records in the source and target tables.

How to Save all changes and execute the job with auditing enabled and Trace Audit Data set to Yes.

- A. In the Value field, using the drop down list, change the value to Yes .
- B. Right-click the Alpha\_AuditCustomer\_Job and choose Execute .
- C. In the Trace tab, choose Trace Audit Data .
- D. Choose Add and select Custom.
- E. In the Execution Properties dialog box, in the Execution Options tab, select the Enable auditing checkbox.
- F. To remove the existing audit rule, choose Delete

**Answer: (SHOW ANSWER)**

**Valid C-DS-42 Dumps** shared by PrepPdf.com for Helping Passing C-DS-42 Exam!

PrepPdf.com now offer the **newest C-DS-42 exam dumps**, the PrepPdf.com C-DS-42 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C-DS-42 dumps with Test Engine here:

<https://www.preppdf.com/SAP/C-DS-42-prepaway-exam-dumps.html> (80 Q&As Dumps,

**40%OFF Special Discount: Exam-Tests)**