

SAP.C-HCMOD-01.v2022-10-02.q27

Exam Code:	C-HCMOD-01
Exam Name:	SAP Certified Application Associate - SAP HANA Cloud Modeling
Certification Provider:	SAP
Free Question Number:	27
Version:	v2022-10-02
# of views:	1081
# of Questions views:	270
https://www.freeqas.com/qa/SAP/C-HCMOD-01/SAP.C-HCMOD-01.v2022-10-02.q27.html	

NEW QUESTION: 1

A new release of SAP HANA Cloud, SAP HANA database is available as of today. If you do not perform the upgrade manually, how much time do you have before your database will be automatically upgraded to the next release?

- A. 1 year
- B. 7 months
- C. 3 months
- D. 2 weeks

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

A calculation view consumes the data sources shown in the graphic. You want to identify which companies sold products in January AND February. What is the optimal way to do this?

- A. Use an intersect node.
- B. Use an aggregation node.
- C. Use a minus node.
- D. Use a union node.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 3

Which of the following approaches might improve the performance of joins in a CUBE calculation view?

Note: There are 2 correct answers to this question.

- A. Specifying the join cardinality

- B. Limiting the number of joined columns
- C. Using an inner join
- D. Determining join direction in a full outer join

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

You deleted the design-time file of a calculation view in your HDB module. What is the recommended way to ensure that the corresponding runtime object is also removed from the database?

- A. Execute a DROP statement in an SQL Console connected to the HDI container.
- B. Deploy the project that contained the deleted design-time file.
- C. Execute the refactor function for the calculation view.
- D. Deploy the folder that contained the deleted design-time file.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

You are deploying a new calculation view, A, that uses calculation view B, as shown in the diagram.

When you preview calculation view A, the account number is not masked. What could be the reason?

- A. The UNMASKED privilege has NOT been granted at the schema level.
- B. You did not define masking in calculation view A.
- C. The type of the Account_Number column is VARCHAR.
- D. You previewed the data with the technical user in SAP Business Application Studio.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 6

A calculation view includes a rank node that uses the source data and settings shown in the graphic.

Your query requests all columns of the rank node. How many rows are in the output of your query?

- A. 2
- B. 5
- C. 6
- D. 9

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 7

You implement a referential join between Table A and Table B, but when you query the calculation view, Table B is not pruned. What could be the problem? Note: There are 2 correct answers to this question.

- A. Join cardinality is set :1.
- B. Integrity constraint is set to RIGHT.
- C. The Country column is requested.
- D. The Keep flag is activated for the Customer column.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 8

You have imported calculation views from SAP HANA on-premise to SAP HANA Cloud. Why should you switch calculated column expression language from column engine to SQL?

- A. To define limits for query unfolding
- B. Column engine language is not supported.
- C. To benefit from additional SQL optimizations
- D. Incorrect aggregations may be generated

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 9

What are some best practices when developing calculation views? Note: There are 2 correct answers to this question.

- A. Avoid defining joins on calculated columns.
- B. Include all data flow logic within one calculation view.
- C. Aggregate at the lowest possible node.
- D. Model star schemas using a sequence of join nodes.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Using the table in the diagram, you need to create a CUBE calculation view. What is the simplest approach to create the output shown in the screenshot?

- A. Create a restricted column for each country.
- B. Create 3 calculated columns.
- C. Implement a union node and map each country as a separate column.
- D. Create a filter expression that uses an OR operator.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

Why would you use parameter mapping in a calculation view? Note: There are 2 correct answers to this question.

- A. To convert the data types of input parameters
- B. To assign variables to one or more attributes
- C. To push down filters to the lowest level calculation views
- D. To pass variable values to external value help views

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 12

What is generated when you deploy a CUBE calculation view design-time file? Note: There are 2 correct answers to this question.

- A. Metadata to enable consumption by external tools
- B. An SQL execution plan
- C. A column view in a container
- D. Cached results to improve read performance

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 13

Referring to the diagram, which privileges would a user require to view United States data when querying the CUBE calculation view?

- A. A SELECT privilege and an Analytic Privilege (Country = United States) on the DIMENSION calculation view
- B. A SELECT privilege on the CUBE calculation view and an Analytic Privilege (Country = United States) on the DIMENSION calculation view
- C. A SELECT privilege and an Analytic Privilege (Country = United States) on the CUBE calculation view
- D. SELECT privileges and Analytic Privileges (Country = United States) on both views

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 14

You set the Null Handling property for an attribute but do not set a default value. What is displayed when null values are found in a column of data type NVARCHAR?

- A. <empty string>
- B. "?"
- C. "0"
- D. "Null"

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 15

In SAP HANA Cloud, which tasks are handled by the cloud provider? Note: There are 3 correct answers to this question.

- A. Managing users, roles, and permissions in the database
- B. Sizing, provisioning, and monitoring the database
- C. Installing, configuring, and upgrading the operating system
- D. Backing up and restoring, and recovering the database software
- E. Tuning the database to run optimally on the underlying operating system, and hardware

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 16

When is the first column store compression executed?

- A. When a delta merge is triggered
- B. When partitions are regenerated
- C. When the table is created
- D. When a backup is started

Answer: ([SHOW ANSWER](#))

Valid **C-HCMOD-01 Dumps** shared by PrepPdf.com for Helping Passing C-HCMOD-01 Exam! PrepPdf.com now offer the **newest C-HCMOD-01 exam dumps**, the PrepPdf.com C-HCMOD-01 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C-HCMOD-01 dumps with Test Engine here: <https://www.preppdf.com/SAP/C-HCMOD-01-prepaway-exam-dumps.html> (82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

Which of the following techniques can you use to improve the performance of calculation views? Note:

There are 2 correct answers to this question.

- A. Implement union pruning.
- B. Partition large tables.
- C. Limit the number of stacked calculation views.
- D. Avoid aggregating data early in the data flow.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 18

You define a hierarchy in a calculation view. You want to expose the hierarchy to SQL. Which of the following conditions must be met? Note: There are 2 correct answers to this question.

- A. The hierarchy must be a local hierarchy.
- B. The hierarchy must be a shared hierarchy.
- C. The hierarchy must be a parent-child hierarchy.
- D. The hierarchy must be exposed by a calculation view of type CUBE with star join.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 19

What is a restricted measure?

- A. A measure that is filtered by one or more attribute values.

- B. A measure that can only be displayed by those with necessary privileges.
- C. A measure that cannot be referenced by a calculated column.
- D. A measure that can be consumed by a CUBE and not a DIMENSION.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 20

You want to create a star schema using a calculation view. The measures are based on columns from two transaction tables. DIMENSION calculation views provide the attributes. What is the correct approach?

- A. Combine the transaction tables using a star join node in a calculation view of type CUBE with star join./Use the same star join node to connect the DIMENSIONS to the fact table.
- B. Combine the transaction tables using an aggregation node in a calculation view of type CUBE with star join./Use a star join node to join the DIMENSIONS to the fact table.
- C. Combine the transaction tables using a star join node in a calculation view of type CUBE with star join./Use a join node to join the DIMENSIONS to the fact table.
- D. Combine the transaction tables using a join node in a calculation view of type CUBE with star join./Use a star join node to join the DIMENSIONS to the fact table.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 21

You want to map an input parameter of calculation view A to an input parameter of calculation view B using the parameter mapping feature in the calculation view editor. However, the input parameters of calculation view B are not proposed as source parameters. What might be the reason for this?

- A. You selected the wrong parameter mapping TYPE.
- B. Your source calculation view is of type DIMENSION.
- C. You already mapped the input parameters in another calculation view.
- D. The names of the input parameters do not match.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

You want to join two tables in a calculation view. Why do you use a non-equi join?

- A. The join condition is not represented by matching values.
- B. The number of joined columns is different in each table.
- C. Join columns need to be ignored when NOT requested by the query.
- D. Join columns have different data types.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 23

At which levels of a project structure can you execute a deploy operation? Note: There are 2 correct answers to this question.

- A. Individual container
- B. Entire workspace
- C. Sub-folder of a database module
- D. Individual source file

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 24

What can you identify using Performance Analysis mode? Note: There are 2 correct answers to this question.

- A. Expected memory consumption
- B. Information about join cardinality
- C. Joins that are defined on calculated columns
- D. Usage statistics of the calculation view

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

Why would you create shared hierarchies? Note: There are 2 correct answers to this question.

- A. To enable SQL SELECT statements to access hierarchies
- B. To provide reusable hierarchies for drilldown in a CUBE without star schema
- C. To access hierarchies created in external schemas
- D. To provide reusable hierarchies for drilldown in a CUBE with star schema

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

Which of the following data sources can you include in a graphical calculation view? Note: There are 2 correct answers to this question.

- A. Table function
- B. Row table
- C. Scalar function
- D. Procedure

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 27

In a calculation view, what is the purpose of a variable?

- A. To pass values between procedures and calculation views
- B. To filter an attribute at runtime based on a user input
- C. To break up complex SQL into smaller steps
- D. To provide a dynamic value in a calculated column

Answer: C ([LEAVE A REPLY](#))

Valid C-HCMOD-01 Dumps shared by PrepPdf.com for Helping Passing C-HCMOD-01 Exam! PrepPdf.com now offer the **newest C-HCMOD-01 exam dumps**, the PrepPdf.com C-HCMOD-01 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C-HCMOD-01 dumps with Test Engine here: <https://www.preppdf.com/SAP/C-HCMOD-01-prepaway-exam-dumps.html> (82 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)