

## SAP.C-SACP-2316.v2024-09-04.q43

<b>Exam Code:</b>	C-SACP-2316
<b>Exam Name:</b>	SAP Certified Application Associate - SAP Analytics Cloud: Planning
<b>Certification Provider:</b>	SAP
<b>Free Question Number:</b>	43
<b>Version:</b>	v2024-09-04
<b># of views:</b>	283
<b># of Questions views:</b>	430
<a href="https://www.freeqas.com/qa/SAP/C-SACP-2316/SAP.C-SACP-2316.v2024-09-04.q43.html">https://www.freeqas.com/qa/SAP/C-SACP-2316/SAP.C-SACP-2316.v2024-09-04.q43.html</a>	

### NEW QUESTION: 1

You are planning with two hierarchies that have different granularity. Your model contains no data. The story has two pages: a parent planning page and a member planning page (see attached image).



In the Member Planning page you enter the following data: Brazil 100 Chile 100 Peru 100. In the Parent Planning page you enter the following data: North America 10000 South America 30000. When you go back to the Member Planning page, what will you see? Note: There are 2 correct answers to this question.

- A. North America 10000, US 5000, Canada 5000
- B. South America 30300, Brazil 10100, Chile 10100, Peru 10100
- C. South America 30300, Brazil 100, Chile 100, Peru 100
- D. North America 10000, US 0, Canada 0

**Answer:** ([SHOW ANSWER](#))

### NEW QUESTION: 2

What is required in an allocation process to allocate HR expenses with the Human Resources account as shown in the attached image. Note: There is 1 correct answer to this question

- A. Allocation account
- B. Target account
- C. Booking account

D. Calculated account

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 3**

You have a planning model with the following dimensions: account, product, profit center, date, and version. In a story, which new master data can you add on the fly? Note: There are 2 correct answers to this question.

- A. Profit center member
- B. Profit center property value
- C. Account member
- D. Hierarchy node

Answer: A,B ([LEAVE A REPLY](#))

**NEW QUESTION: 4**

Which of the following actions on the date dimension are available in Value Driver Trees?

- A. Change the date filter for an individual node within the Value Driver Tree
- B. Select the day granularity
- C. Specify a presentation date range.

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 5**

You want to create an input task using a story based on a planning model. What are prerequisites for this scenario? Note: There are 2 correct answers to this question.

- A. The model contains private dimensions.
- B. The model has a private version.
- C. The model is shared.
- D. The story is shared.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 6**

What story settings are relevant when using validation rules? Note: There are 2 correct answers to this question

- A. Input enablement
- B. Data entry mode
- C. Data disaggregation
- D. Lock cell

Answer: B,C ([LEAVE A REPLY](#))

**NEW QUESTION: 7**

In SAP Analytics Cloud Smart Predict, how can you use versions with a planning model? Note: There are

2 correct answers to this question.

- A. Save the forecast to a private version.
- B. Save the forecast to a public version
- C. Train the model with completed public data
- D. Train the model with in-process public data

**Answer: A,B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 8**

You have labor hours in an expense model and labor rates in the HR model. To calculate and store labor values (labor hours x labor rates) in the expense model, what must you do? Note: There are 2 correct answers to this question.

- A. Blend labor hours and labor rates in the story.
- B. Copy the labor rates into the expense model.
- C. Look up the labor rates in an advanced data action.
- D. Include the labor hours and labor rates in a dimension formula.

**Answer: C,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 9**

You want to create a copy data action that allows you to select the source and target values for the following dimensions at run time: Version, Account, Time. What do you specify for each of these dimensions?

- A. No Filter Source and target parameters for version in the filter Source and target parameters for version, account, and time in the copy rules
- B. Source version parameter in the filter
- C. Source and target parameters for version, account, and time in the copy rules
- D. Source and target parameters for account and time in the copy rules

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 10**

You need a hierarchy that is based both on the region and the country column in the same dimension. What hierarchy type can you use?

- A. Level-based
- B. Parent-child
- C. Table-based

**Answer: A ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 11**

You are using validation rules. What can you do after a property value change?

- A. You can change an invalid combination.
- B. You can publish an invalid combination.
- C. You can delete an invalid combination.

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 12**

What is supported when you use the New Model for planning? Note: There are 3 correct answers to this question.

- A. Creating a measure using simple moving average
- B. Viewing formula results in the modeler
- C. Using a currency variable
- D. Using a default model currency
- E. Defining a model without an account dimension

**Answer: B,C,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 13**

In Preferences of a new model type, which option can you use to prioritize properties and calculations?

- A. Measure
- B. Converted Measure
- C. Calculated Measure
- D. Time

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 14**

What are some steps in a Prepare Phase performed by planning report users? Note: There are 2 correct answers to this question.

- A. Set up validation rules.
- B. Disaggregate data
- C. Create multi actions.
- D. Run structured allocations

**Answer: A,B ([LEAVE A REPLY](#))**

**NEW QUESTION: 15**

You want to create a copy data action that allows you to select the source and target via following dimensions at run time: Version. Account. Time. What do you specify for each of these dimensions? Note: There is 1 correct answer to this question

- A. Source and target parameters for version in the filter.  
Source and targets parameters for version, account, and time in the copy rules.
- B. Source version parameter in the filter.  
Source and target parameters for account and time in the copy rules.
- C. No filter.  
Source and target parameters for version, account, and time in the copy rules.

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 16**

Which scheduling task is available from the SAP Analytics Cloud calendar?

- A. Planning sequence
- B. Multi action
- C. Allocation process

**Answer:** ([SHOW ANSWER](#))

**Valid C-SACP-2316 Dumps** shared by PrepPdf.com for Helping Passing C-SACP-2316 Exam! PrepPdf.com now offer the **newest C-SACP-2316 exam dumps**, the PrepPdf.com C-SACP-2316 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C-SACP-2316 dumps with Test Engine here:

<https://www.preppdf.com/SAP/C-SACP-2316-prepaway-exam-dumps.html> (62 Q&As Dumps,

**40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 17**

You have a planning model with the following dimensions: account, version. In a story, which new master data can your ad don the fly? Note: There are 2 correct answers to this question

- A. Hierarchy node
- B. Profit center value
- C. Profit center member
- D. Account member

**Answer:** B,D ([LEAVE A REPLY](#))

**NEW QUESTION: 18**

In the Smart Predict application in SAP Analytics Cloud, model?

Note: There are 2 correct answers to this question

- A. Train the model with completed public data
- B. Save the forecast to a private version
- C. Train the model with in-process public data
- D. Save the forecast to public version

**Answer:** A,B ([LEAVE A REPLY](#))

**NEW QUESTION: 19**

You create an input task using a story based on a planning model. Which kind of field can you set for

"Distribution"?

- A. Dimension
- B. User Role

C. User Name

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 20**

You have a new model type. Where can you create a public version? Note: There is 1 correct answer to this question

- A. From the data actions
- B. From the model
- C. From stories
- D. From the data wrangling screen

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 21**

Which activities could data validation apply to? Note: There are 2 correct answers to this question

- A. Multi actions that target public data
- B. Data import
- C. Data action that target private data
- D. Data input

**Answer: B,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 22**

In a rolling forecast table, what can be used to determine the date to cut over to plan data?

- A. Current and next table filter
- B. New calculation input control
- C. Current and next input control

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 23**

What are some of the characteristics of cell locking? Note: There are 2 correct answers to this question

- A. Cell locks are page-specific
- B. Cell locks are story-specific
- C. Cell locks are user-specific
- D. Cell locks are defined in the model

**Answer: A,B ([LEAVE A REPLY](#))**

**NEW QUESTION: 24**

You are using an advanced data action to copy Northeast (NE) data to Northwest (NW) as shown in the attached image. What must you activate in the advanced data action to achieve the desired result for profit center PC4?

This is the data before running the advanced data action

Version	Book	
Account	Revenue	
Region	NE	NW
Profit_Center		
> Not in Hierarchy	--	--
▼ All_PC	3,000.00	2,000.00
PC1	1,000.00	500.00
PC2	1,000.00	500.00
PC3	1,000.00	500.00
PC4	--	500.00
PC5	--	--
PC6	--	--

This is the unwanted result after running the advanced data action. The existing PC4 value of 500 is retained.

Version	Book	
Account	Revenue	
Region	NE	NW
Profit_Center		
> Not in Hierarchy	--	--
▼ All_PC	3,000.00	3,500.00
PC1	1,000.00	1,000.00
PC2	1,000.00	1,000.00
PC3	1,000.00	1,000.00
PC4	--	500.00
PC5	--	--
PC6	--	--

This is the desired result after running the advanced data action. The existing PC4 value of 500 is 0.

Version	Book	
Account	Revenue	
Region	NE	NW
Profit_Center		
> Not in Hierarchy	--	--
▼ All_PC	3,000.00	3,000.00
PC1	1,000.00	1,000.00
PC2	1,000.00	1,000.00
PC3	1,000.00	1,000.00
PC4	--	0.00
PC5	--	--
PC6	--	--

- A. Unbooked
- B. Signflip
- C. Overwrite

Answer: [\(SHOW ANSWER\)](#)

#### NEW QUESTION: 25

How can you use a data action to copy data from one version to another while keeping the account number the same? Note: There are 2 correct answers to this question.

- A. Include a parameter for version and account in the filter section of the data action.
- B. Include a parameter for version in the filter and 'to' and 'from' parameters for the account dimension in the copy rules.
- C. Include 'to' and 'from' parameters for version and account in the copy rules.
- D. Include a parameter for account in the filter and "to" and "from" parameters for version in the copy rules.

Answer: [A,B \(LEAVE A REPLY\)](#)

#### NEW QUESTION: 26

How can you change plan data via the Planning Panel in a story? Note: There are 2 correct answers to this question.

- A. Realign values based on properties.
- B. Repost the values to a higher level of the hierarchy.
- C. Distribute values based on recommendations
- D. Redistribute values among date members

Answer: [A,D \(LEAVE A REPLY\)](#)

#### NEW QUESTION: 27

When importing data, why would you use a New Model instead of a Classic Model?

- A. To change data types
- B. To import multiple versions
- C. To define link dimensions
- D. To combine data from multiple sources

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 28**

Which scheduling task is available from the SAP Analytics Cloud calendar? Note: There is 1 correct answer to this question

- A. Planning sequence
- B. Multi action
- C. Allocation process
- D. Import query

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 29**

In a Rolling forecast table, what can be used to determine the date to cut over to plan data? Note: There is 1 correct answer to this question

- A. System administration parameter
- B. Next calculation input control
- C. Current and next table filter
- D. Current and next input control

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 30**

You want to rebuild an SAP Analytics Cloud classic planning model but the Rebuild Model button is inactive. Why might this happen? Note: There are 2 correct answers to this question.

- A. Currency conversion is enabled.
- B. A public version is used in the model.
- C. Data exists in the model.
- D. A private version is used in the model.

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 31**

Which of the following actions are available to a non-lock owner in a story when the data lock status is set to restricted?

Note: There are 2 correct answers to this question

- A. Change an existing value
- B. Publish and changed value
- C. Ignore data lock
- D. Change the lock status

Answer: ([SHOW ANSWER](#))

**Valid C-SACP-2316 Dumps** shared by PrepPdf.com for Helping Passing C-SACP-2316 Exam! PrepPdf.com now offer the **newest C-SACP-2316 exam dumps**, the PrepPdf.com C-SACP-2316 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C-SACP-2316 dumps with Test Engine here:  
<https://www.preppdf.com/SAP/C-SACP-2316-prepaway-exam-dumps.html> (62 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 32**

What must you do to create a seasonal time hierarchy? Note: There are 2 correct answers to this question.

- A. Set date to system-managed
- B. Add a property
- C. Set date to user-managed
- D. Add a member

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 33**

You enter plan values by year and product group. You want to allocate these values to months and products in proportion to last year's actual data. What dimension do you add to the allocation process to achieve this?

Note: There is 1 correct answer to this question

- A. Add a date as a source dimension
- B. Add a date as a reference dimension
- C. Add a product as a source dimension
- D. Add a product as a reference dimension

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 34**

You are planning in a story and you Access version management panel?

Note: There are 2 correct answers to this question

- A. Approve a public version
- B. Show only the versions in use
- C. Create a blank public version
- D. Lock a version

Answer: B,C ([LEAVE A REPLY](#))

**NEW QUESTION: 35**

You create an input form with a restricted measure called "Current Year Plan" based on the amount measure and date set to current year. In the attached image, what is used to display the selected year as a column header?

Note: There is 1 correct answer to this question

- A. Dimension formula
- B. Text variable
- C. Table formula
- D. Text widget

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 36**

When you set up a copy data action, what must you do to allow the user to select the source and target version?

- A. Create a parameter for the source version.
- B. Add a copy rule for version.
- C. Create a parameter for the target version.

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 37**

How can you use data actions to run allocations? Note: There are 2 correct answers to this question

- A. Create new allocation processes
- B. Create new allocation steps
- C. Use existing allocation processes
- D. Use existing allocations steps

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 38**

What can be triggered directly from a multi-action?

- A. Predictive scenarios
- B. Calendar processes
- C. Calendar tasks
- D. Predictive forecast

**Answer: A ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 39**

You are using mass data entry mode. After you enter new transaction data, what can you do with the data?

Note: There is 1 correct answer to this question

- A. Approve
- B. Publish

C. Process

D. Reject

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 40**

Which application can you run in a predictive forecast? Note: There is 1 correct answer to this question

A. Time series

B. Automatic

C. Moving average

D. Calculation

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 41**

What are some steps in a Finalize Phase performed by planning report users? Note: There are 2 correct answers to this question.

A. Review and approve Calendar tasks

B. Activate the validation rules

C. Create planning tables

D. Set data locks

**Answer: B,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 42**

Which dimension property can be used when setting up data locking? Note: There is 1 correct answer to this question

A. Reviewer

B. Person responsible

C. Manager

D. Owner

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 43**

You enter plan values by year and product group. You want to allocate these values to months and products in proportion to last year's actual data. What dimension do you add to the allocation process to achieve this?

A. Add date as a reference dimension.

B. Add product as a source dimension.

C. Add date as a source dimension.

D. Add product as a reference dimension.

**Answer: A ([LEAVE A REPLY](#))**

**Valid C-SACP-2316 Dumps** shared by PrepPdf.com for Helping Passing C-SACP-2316 Exam! PrepPdf.com now offer the **newest C-SACP-2316 exam dumps**, the PrepPdf.com C-SACP-2316 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C-SACP-2316 dumps with Test Engine here:

<https://www.preppdf.com/SAP/C-SACP-2316-prepaway-exam-dumps.html> (62 Q&As Dumps,

**40%OFF Special Discount: Exam-Tests**)