

SAP.C_C4H620_24.v2023-12-06.q28

| | |
|---|---|
| Exam Code: | C_C4H620_24 |
| Exam Name: | Certified Development Associate - SAP Customer Data Cloud |
| Certification Provider: | SAP |
| Free Question Number: | 28 |
| Version: | v2023-12-06 |
| # of views: | 568 |
| # of Questions views: | 280 |
| https://www.freeqas.com/qa/SAP/C_C4H620_24/SAP.C_C4H620_24.v2023-12-06.q28.html | |

NEW QUESTION: 1

Which actions can be taken if a risk is detected when using Risk-Based Authentication? Note: There are 3 correct answer to this question

- A. Display a captcha.
- B. Display a second password field.
- C. Lock out an account.
- D. Delete an account.
- E. Send an SMS to an account.

Answer: A,C,E (LEAVE A REPLY)

NEW QUESTION: 2

You are implementing SAP Customer Consent using Screen-Sets, but without SAP Customer Identity. Which API call do you need to use to initiate the process of collecting consent?

- A. accounts.register
- B. accounts.initRegistration
- C. accounts.notifyLogin
- D. accounts.login

Answer: C (LEAVE A REPLY)

NEW QUESTION: 3

Where in the schema do social networks store data about a newly registered user?

- A. In the subscription schema
- B. In the data schema
- C. In the profile and data schema
- D. In the profile schema

Answer: D (LEAVE A REPLY)

NEW QUESTION: 4

You are setting up a new webhooks endpoint and you would like to retrieve the profile object on receipt of the "Account logged in" notification. What method would you recommend?

- A.** Use the profile object sent in the notification payload
- B.** `accounts.getAccountInfo` with UID from notification
- C.** `accounts.search` with 'SELECT profile FROM emailAccounts WHERE profile.email= \$email from notification\$'
- D.** `accounts.search` with 'SELECT profile FROM account WHERE profile.email= \$email from notification\$'

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 5

What are the characteristics of a Webhook in SAP Customer Data Cloud? Note: There are 2 correct answer to this question

- A.** Notifications can contain multiple events.
- B.** Events are ordered per UID.
- C.** Custom data fields can be added to the payload.
- D.** Notifications are always sent in under 1 second.

Answer: (SHOW ANSWER)

NEW QUESTION: 6

Which properties can you set in the field of a schema? Note: There are 3 correct answer to this question

- A.** The field's name
- B.** The field's type
- C.** Whether the field is hidden
- D.** Whether the field is compressed
- E.** Whether the field is encrypted

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 7

Which capabilities does the UI Builder provide? Note: There are 3 correct answer to this question

- A.** E-mail template editor
- B.** Multi-device preview
- C.** CSS editor
- D.** Policy editor
- E.** Language translation support

Answer: (SHOW ANSWER)

NEW QUESTION: 8

You are working on an IdentitySync dataflow that exports accounts. The values of the first and last name need to be lowercase. What is the recommended approach to format the name fields?

- A. Apply a custom transformation inside the record.evaluate component.
- B. Use the field.flatten component.
- C. Use the toLowerCase function in the Select parameter of the datasource.read.gigya.account component.
- D. NO dataflow component can transform the format of a field.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

What system data is recorded for every user inside the accounts database? Note: There are 2 correct answer to this question

- A. Login provider
- B. Number of logins
- C. Time stamps
- D. SDK version

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Your customer's security team wants to improve login security on their Web site. What risk factors can be configured through the Risk-Based Authentication UI? Note: There are 3 correct answer to this question

- A. Unsuccessful logins on a specific date
- B. Login from a new country
- C. Login from a new device
- D. Login during a specific timeframe
- E. Unsuccessful logins from a specific account

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

On which data point is account linking triggered?

- A. Username
- B. First name
- C. Phone number
- D. E-mail address

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

What are the recommended methods for adding dynamic data to a consent record? Note: There are 2 correct answer to this question

- A. Custom data
- B. Placeholders
- C. Tags
- D. Entitlements

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 13

What is the goal of permission groups?

- A. Define which access the delegated admin can assign in CIAM for B2B.
- B. Define the privileges of Console users and applications.
- C. Define the data returned by social networks.
- D. Define the privileges of the mobile SOK.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 14

In CIAM for B2B, what actions can a delegated administrator perform? Note: There are 3 correct answer to this question

- A. Create roles.
- B. Manage member roles.
- C. Invite members.
- D. Create policies.
- E. Reset member passwords.

Answer: B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 15

You are doing a client-side implementation of SAP Customer Data Cloud using the JavaScript SDK. You had previously recorded user behavior data in the store, and would like to record additional user behavioral data (such as activities and progress) in the form of an array. Which function would meet your requirement?

- A. `gigya.ds.setSchema({ oid:"UID", type: "behavior", updateBehavior: "arrayPush", data: { activity: [{ type: "checkout", updated: "2019-01-01" }] } })`
- B. `gigya.ds.store({ oid:"UID", type: "behavior", updateBehavior: "arrayPush", data: { activity: [{ type: "checkout", updated: "2019-01-01" }] } })`
- C. `gigya.ds.setSchema({ oid:"UID", type: "behavior", updateBehavior: "arraySet", data: { activity: [{ type: "checkout", updated: "2019-01-01" }] } })`
- D. `gigya.ds.store({ oid:"UID", type: "behavior", updateBehavior: "arraySet", data: { activity: [{ type: "checkout", updated: "2019-01-01" }] } })`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

You are generating a JSON Web Token (JWT) from the client side by calling the following: `gigya.accounts.getJWT('email,firstName,lastName');` However, the e-mail, firstName, and lastName of the user are NOT returned in the JWT. How can you re-write the API call to get the required claims?

- A. `gigya.accounts.getJWT({fields:'profile.email,profile.firstName,profile.lastName'});`
- B. `gigya.accounts.getJWT('email,firstName,lastName');`
- C. `gigya.accounts.getJWT({fields:'email,firstName,lastName'});`
- D. `gigya.accounts.getJWT({'profile.email,profile.firstName,profile.lastName'});`

Answer: ([SHOW ANSWER](#))

Valid C_C4H620_24 Dumps shared by PrepPdf.com for Helping Passing C_C4H620_24 Exam! PrepPdf.com now offer the **newest C_C4H620_24 exam dumps**, the PrepPdf.com C_C4H620_24 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C_C4H620_24 dumps with Test Engine here: https://www.preppdf.com/SAP/C_C4H620_24-prepaway-exam-dumps.html (82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

You want to return a list of assets that you can perform a specific action on. Which authorization request do you use?

- A. Detailed authorization request
- B. Authorization token
- C. Basic authorization request
- D. Authorization list

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 18

You have uploaded CSV translation files through the Localization menu in Screen-Sets. How do you ensure that both Screen-Set content and error messages are translated into the correct language?

- A. Include the Lang parameter in the WebSDK Configuration.
- B. Include the customLang parameter in the accounts.showScreenSet call.
- C. Create an e-mail template with the correct language.
- D. Set the profile.locale value in the Screen-Set.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 19

You are implementing a mobile app and want to expire user sessions after 1800 seconds. How can you achieve this? Note: There are 2 correct answer to this question

- A. By passing a value of 1800 for the sessionTimeout parameter in WebSDK configuration
- B. By passing a value of 1800 for the sessionExpiration parameter when calling accounts.login
- C. By having a value of 1800 for the sessionExpiration parameter in global configuration
- D. By having a value of 1800 for the sessionExpiration parameter in cookie settings

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

Which password attributes can be defined in the RaaS policies? Note: There are 2 correct answer to this question

- A. An option to ensure a password does NOT contain any personal attributes
- B. A regular expression that passwords must match to be considered valid
- C. A blacklist of passwords that are NOT considered valid
- D. The minimum number of characters for a valid password

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

You created a new Data Store type called behavior. You are running the following query: SELECT behavior.data FROM ds WHERE UID = '12345' The search is returning NO results even though UID 12345 exists in the SSO group. What is your analysis?

- A. The command is incorrect and should be SELECT* FROM ds WHERE UID = '12345'.
- B. The command is incorrect and should be SELECT behavior.* FROM ds WHERE UID = '12345'.
- C. The command is correct and this user has NO data.
- D. The command is incorrect and should be SELECT* FROM behavior WHERE UID = '12345'.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 22

When creating a new schedule in IdentitySync, which parameters can you set manually?

Note: There are 3 correct answer to this question

- A. Schedule timeout
- B. Schedule ID
- C. Execution frequency
- D. Schedule name
- E. E-mail on success/failure

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 23

You have implemented a registration screen but after you submit it, the registration completion screen is automatically displayed. You have set the registration success screen to None (close screen). What is causing this behavior?

- A. There is a required schema field without a value.
- B. An invalid password was entered.
- C. Registration is restricted to specific countries.
- D. Two-Factor Authentication is enabled.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 24

What are you able to configure inside your RaaS site settings on the Console? Note: There are 2 correct answer to this question

- A. The list of trusted site URLs
- B. The SMTP address of your e-mail server
- C. The e-mail address of the site administrator
- D. The domain alias or CNAME

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

What is the purpose of the profile schema?

- A. To store users' profile pictures
- B. To store custom data about users
- C. To store a predefined set of fields common to all sites
- D. To manage the configuration of your site

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 26

What attribute in a JSON Web Token (JWT) represents the UID of the user?

- A. iss
- B. exp
- C. id
- D. sub

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

Which fields can be found inside a subscription schema? Note: There are 2 correct answer to this question

- A. isSubscribed
- B. isEnabled
- C. doubleOptin
- D. acceptanceDate

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 28

The account progression policy is set to automatic and a user registers a full account with the same e-mail as an existing lite account. What happens to the lite account data?

- A.** Any data that is NOT provided during the full registration are copied into the full account.
- B.** Only subscription data is copied into the full account.
- C.** All data, including data provided during full registration, is copied into the full account.
- D.** Only profile and custom data are copied into the full account.

Answer: C ([LEAVE A REPLY](#))

Valid C_C4H620_24 Dumps shared by PrepPdf.com for Helping Passing C_C4H620_24 Exam! PrepPdf.com now offer the **newest C_C4H620_24 exam dumps**, the PrepPdf.com C_C4H620_24 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C_C4H620_24 dumps with Test Engine here:
https://www.preppdf.com/SAP/C_C4H620_24-prepaway-exam-dumps.html (82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)