

SAP.C_DS_42.v2022-06-01.q28

Exam Code:	C_DS_42
Exam Name:	SAP Certified Application Associate - Data Integration with SAP Data Services 4.2
Certification Provider:	SAP
Free Question Number:	28
Version:	v2022-06-01
# of views:	1047
# of Questions views:	280
https://www.freeqas.com/qa/SAP/C_DS_42/SAP.C_DS_42.v2022-06-01.q28.html	

NEW QUESTION: 1

In the Alpha Acquisitions database, the country for a customer is stored in a separate table and referenced with a code. To speed up access to information in the data warehouse, this lookup should be eliminated.

Use the lookup_ext function to exchange the ID for the country name in the customers table for Alpha with the actual value from the country table.

How to In the Alpha_NACustomer_DF workspace, delete an existing expression for the Country column in the Query transform.

- A. the Alpha_NACustomer_DF workspace, to open the transform editor, double click the Query transform.
- B. In the Mapping tab for the Country field, delete the existing expression.
- C. In the Mapping tab, choose Functions.
- D. In the Select Function dialog box, choose Lookup Functions.
- E. In the Query Editor, in the output schema, choose the field Country.

Answer: A,B,E (LEAVE A REPLY)

NEW QUESTION: 2

In the Omega project, How to create a new batch jobAlpha_NACustomer_Job with a new data flow called Alpha_NACustomer_DF?

- A. In the tool palette, choose the Data Flow icon & Click the workspace where you want to add the data flow.
- B. Name the data flow Alpha_NACustomer_DF and, on your keyboard, press Enter. The job should open automatically. If it does not, open it by double-clicking.
- C. In the Local Object Library , select the Datastores tab

D. Name the job Alpha_NACustomer_Job and, on your keyboard, press Enter. The job should open automatically. If it does not, open it by double-clicking.

E. Choose New Batch Job.

F. To save changes, choose OK

G. In the Project area, right click the project name.

Answer: A,D,E,G ([LEAVE A REPLY](#))

NEW QUESTION: 3

By which application you do Analyze the end-to-end impact and lineage for source and target objects used within the Data Services local repository?

A. Impact and Lineage Analysis

B. Data Quality Reports

C. Data Validation Dashboard

D. Administrator

E. Operational Dashboard

F. Auto Documentation

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 4

You must calculate the total value of all orders, including their discounts, for reporting purposes. Currently these details are found in different tables.

Use the sum function to calculate the total value of orders in the Order_Details table.

How to in the Query transform, create a new output column

TOTAL_VALUE , which will hold the new calculation.

A. Choose the Where tab or the From tab.

B. Choose Insert Below.

C. To map the ORDERID column from the input schema to the same field in the output schema, select ORDERID and drag to the output schema

D. In the output schema, right click ORDERID and choose New output column.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

How to Add the Query transform to the workspace between the source and target?

A. To connect the source table to the Query transform, select the source table, hold down the left mouse button, drag the cursor to the Query transform, and release the mouse button.

B. To open the Query Editor , in the data flow workspace, double click the Query transform.

C. To add a new Query template to the data flow, in the tool palette, choose the Query Transform icon, and click the workspace.

D. To connect the Query transform to the target template table, select the Query transform, hold down the left mouse button, drag the cursor to the target table, and release the mouse button.

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 6

You want to restore an older version of an object found in a shared object library. Where do you find this version of the object in SAP Data Services?

- A.** ☐ In the Auditing repository
- B.** ☐ In the Profiler repository
- C.** ☐ In the Local repository
- D.** ☐ In the Central repository

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 7

You must ensure that all records from the Customer table in the Alpha database are being moved to the Delta staging database using the audit logs.

In the Local Object Library, replicate the Alpha_NACustomer_DF data flow. Name the replicated data flow Alpha_AuditCustomer_DF . Add the replicated data flow to a new job, Alpha_AuditCustomer_Job . Set up auditing on the data flow Alpha_AuditCustomer_DF by adding an audit rule to compare the total number of records in the source and target tables.

How to Replicate the Audit_NACustomer_DF data flow.

- A.** In the Local Object Library Data Flow tab right click the Alpha_NACustomer_DF data flow and choose Replicate
- B.** Right click the Omega project in the Project Area.
- C.** Choose New Batch Job
- D.** Rename the copied data flow Alpha_AuditCustomer_DF.
- E.** Name the new job Alpha_AuditCustomer_Job .

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 8

You are an ETL developer working on a data warehousing project. You need to load data from the product table and create a table for North American customers.

How to Create a new project called Omega?

- A.** Choose Create .The new project appears in the Project area.
- B.** In the Project menu, choose New Project.
- C.** In the Project area, right-click the project name and, in the context menu, choose New Batch Job.
- D.** In the Project New dialog box, in the Project name field, enter Omega.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

In which parameter the number of seconds to sleep before the Data Profiler checks for completion of an invoked task. Invoked tasks run synchronously, and the Data Profiler must check for their completion?

- A. Submit sleep interval (seconds)
- B. Invoke sleep interval (seconds)
- C. Active Interval (Seconds)
- D. Inactive interval (minutes)

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 10

When you log in to the Management Console, Where you must log in as a user defined?

- A. Data Services Management Console
- B. Management Console navigation
- C. Central Management Server (CMS)
- D. Management Console

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 11

Where is an SAP Data Services job executed?

- A. Designer application
- B. Management console
- C. Access server
- D. Job server

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

What are task's of data Services uses the SAP RFC Server Interface?

- A. Reading from SAP Open Hub destinations
- B. Loading SAP NetWeaver BW
- C. None of above
- D. Viewing Data Services logs from SAP NetWeaver BW
- E. Scheduling SAP jobs

Answer: A,B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 13

In addition to the main databases for source information, records for orders are stored in flat files. You need to extract data from these flat files, and so must create the appropriate file format for the extraction. Adjust the data types for the columns proposed by the Designer based on their content. (Validate the correct statement).

- A. Enter Orders_Format as the format name.
- B. In the Column Attributes pane, change the field datatypes to the datatypes in the Column Attributes Values table.
- C. Right click the Flat Files node and choose New.
- D. In the ORDERDATE field, to change the format of the date, enter dd-mon-yyyy .
- E. In the Local Objects Library, choose Formats tab.
- F. Choose Save and close .

Answer: B,D,F ([LEAVE A REPLY](#))

NEW QUESTION: 14

You must calculate the total value of all orders, including their discounts, for reporting purposes. Currently these details are found in different tables.

Use the sum function to calculate the total value of orders in the Order_Details table.

How to In the transform editor for the Query transform, propose a join between the two source tables.

- A. the Propose Join button.
- B. To open the Query Editor double click the Query .
- C. To connect the Query Transform, select the Query Transform , hold down the mouse button, drag it to the order_sum table, and release the mouse button.
- D. Choose the Where tab or the From tab.

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 15

How to Save and execute the Alpha_NACustomer_Job?

- A. In the Query editor, choose the WHERE tab
- B. To return to the Job workspace, in the tool bar, choose the Back icon & To return to the Data Flow workplace, double click the Data Flow.
- C. In the main menu, choose Project Save All & To save all changes, choose OK
- D. In the Project Area , right click the Alpha_NACustomer_Job and choose Execute & To accept the default execution properties, choose OK

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

_____in the SAP RFC destination to which this RFC Server will connect?

- A. System number
- B. Client number
- C. SAP application server name
- D. RFC program ID

Answer: D ([LEAVE A REPLY](#))

Valid C_DS_42 Dumps shared by PrepPdf.com for Helping Passing C_DS_42 Exam! PrepPdf.com now offer the **newest C_DS_42 exam dumps**, the PrepPdf.com C_DS_42 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C_DS_42 dumps with Test Engine here:
https://www.preppdf.com/SAP/C_DS_42-prepaway-exam-dumps.html (80 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

Contains repository names that are associated with the Job Server on which you run your jobs. Which is the actual option to see jobs status?

- A. Real-Time
- B. Batch
- C. Adapters
- D. Profiler

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

What do you call for that particular link of Clicking to Click to open the Documentation Map, which lists the SAP Data Services technical documentation available to end users or administrators, and a link to the customer portal where you can find the latest versions of the documentation?

- A. Question mark icon
- B. Logout
- C. Home
- D. Settings

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 19

You must ensure that all records from the Customer table in the Alpha database are being moved to the Delta staging database using the audit logs.

In the Local Object Library, replicate the Alpha_NACustomer_DF data flow.

Name the replicated data flow Alpha_AuditCustomer_DF . Add the replicated data flow to a new job, Alpha_AuditCustomer_Job . Set up auditing on the data flow

Alpha_AuditCustomer_DF by adding an audit rule to compare the total number of records in the source and target tables.

How to Save all changes and execute the job with auditing enabled and Trace Audit Data set to Yes

- A. To remove the existing audit rule, choose Delete

- B.** In the Value field, using the drop down list, change the value to Yes.
- C.** Right-click the Alpha_AuditCustomer_Job and choose Execute .
- D.** Choose Add and select Custom .
- E.** In the Trace tab, choose Trace Audit Data .
- F.** In the Execution Properties dialog box, in the Execution Options tab, select the Enable auditing checkbox.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

Which SAP Data Services transforms would you use in a dataflow to load a slowly changing dimension of type 2?

- A.** History_Preserving
- B.** Row_Generation
- C.** Effective_Date
- D.** Table_Comparison
- E.** Key_Generation

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 21

In which parameter the number of seconds to sleep before the Data Profiler attempts to start pending tasks. Pending tasks have not yet started because the maximum number of concurrent tasks was reached?

- A.** Submit sleep interval (seconds)
- B.** Invoke sleep interval (seconds)
- C.** Inactive interval (minutes)
- D.** Active Interval (Seconds)

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 22

The Marketing department would like to send special offers to customers who have placed a specified number of orders. This can be done by creating a custom function that must be called when a customer order is placed.

You want to create a custom function to accept the input parameters of the Customer ID, and the number of orders required to receive a special order, check the Orders table, and then create an initial list of eligible customers.

How to Create a new batch job and data flow, called

Alpha_Marketing_Offer_Job and _Marketing_Offer_DF respectively, and a new global variable

\$G_Num_to_Qual.

- A.** Enter the name Alpha_Marketing_Offer_DF.
- B.** In the tool palette, select the Data Flow icon and click in the workspace.

- C. Enter the name Alpha_Marketing_Offer_Job.
- D. Right click Parameters and choose Insert.
- E. In the Smart Editor, choose the Variables tab.
- F. In the project area, right click the Omega project and choose New batch job

Answer: A,B,C,F ([LEAVE A REPLY](#))

NEW QUESTION: 23

In the workspace for Alpha_Product_DF, How to add the product table from the Alpha datastore as the source object?

- A. In the Project area, right-click the project name and, in the context menu, choose New Batch Job .
- B. Drag the table to the data flow workspace and choose Make Source.
- C. In the Local Object Library , choose the Datastores tab.
- D. Select the product table from the Alpha datastore.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

Once you have confirmed that the structure appears correct, you execute another debug session with all records, breaking after every row. Execute the Alpha_NACustomer_Job again in debug mode using a breakpoint to stop the debug process after a number of rows.

- A. In the Breakpoint window, select the Set checkbox
- B. Open the workspace for the Alpha_NACustomer_DF & Right click the connection between the source table and the Query Transform and choose Set Filter/Breakpoint
- C. Right click the connection between the source table and the Query transform, and choose Set Filter/Breakpointe
- D. In the workspace for the Alpha_NACustomer_DF , right click the connection between the source table and the Query transform, and choose Remove Filter
- E. In the Filter window, select the Set checkbox

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

By which application you do Manage your production environment including batch job execution, real-time services, web services, adapter instances, server groups, central repositories, profiler repositories, and more?

- A. Administrator
- B. Data Quality Reports
- C. Impact and Lineage Analysis
- D. Auto Documentation
- E. Operational Dashboard
- F. Data Validation Dashboard

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

Execute the Alpha_NACustomer_Job in debug mode with a subset of records. In the workspace for the Alpha_NACustomer_Job , add a filter between the source and the Query transform to filter the records, so that only customers from the USA are included in the debug session?

- A. Open the workspace for the Alpha_NACustomer_DF & Right click the connection between the source table and the Query Transform and choose Set Filter/Breakpoint
- B. In the workspace for the Alpha_NACustomer_DF , right click the connection between the source table and the Query transform, and choose Remove Filter
- C. Right click the connection between the source table and the Query transform, and choose Set Filter/Breakpoint
- D. In the Breakpoint window, select the Set checkbox
- E. In the Filter window, select the Set checkbox

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

How to Open the target table editor to view the Schema In and Schema Out?

- A. Double click the target table
- B. Double click the target table.
- C. Click the View Data icon (magnifying glass) for the target table in the workspace.
- D. Close both view data windows.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

How to Create a new template table alpha_NA_customer in the Delta datastore as the target object?

- A. In the Create Template dialog box, in the Table name field, enter alpha_NA_customer
- B. Select the customer table from the Alpha datastore.
- C. In the In datastore field, choose Delta from the dropdown list
- D. To add a new template table to the workspace, in the tool palette, choose the Template Table icon, and click the workspace

Answer: A,C,D ([LEAVE A REPLY](#))

Valid C_DS_42 Dumps shared by PrepPdf.com for Helping Passing C_DS_42 Exam! PrepPdf.com now offer the **newest C_DS_42 exam dumps**, the PrepPdf.com C_DS_42 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C_DS_42 dumps with Test Engine here:

https://www.preppdf.com/SAP/C_DS_42-prepaway-exam-dumps.html (80 Q&As
Dumps, **40%OFF** Special Discount: **Exam-Tests**)