

SAP.C_FIORDEV_22.v2023-01-27.q27

Exam Code:	C_FIORDEV_22
Exam Name:	SAP Certified Development Associate - SAP Fiori Application Developer
Certification Provider:	SAP
Free Question Number:	27
Version:	v2023-01-27
# of views:	919
# of Questions views:	270
https://www.freeqas.com/qa/SAP/C_FIORDEV_22/SAP.C_FIORDEV_22.v2023-01-27.q27.html	

NEW QUESTION: 1

Which activities does the the OData Model Editor support?Note: There are 2 correct Answers to this question.

- A. Deploy ODataModels
- B. Test ODataModels
- C. Edit ODataModels
- D. Create ODataModels

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

Which SAP Fiori app types require the SAP HANA database?Note: There are 2 correct Answers to this question.

- A. Factsheet
- B. Analytical
- C. Transactional
- D. Legacy

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

In the source code below, which of the following locations must reference the extension point?

```

1- <core:view xmlns:core="sap.ui.core" xmlns:form="sap.ui.core.mvc" xmlns="sap.m"
2-   controllerName="appextension.EmployeeData" xmlns:html="http://www.w3.org/1999/xhtml">
3-   <page title="Title">
4-     <content>
5-       <label text="First name:">
6-         <input>
7-           <core:extensionpoint name="forMiddleName">
8-             <label text="Last name:">
9-               <input>
10-                <button text="Get info" press="doGetInfo"></button>
11-              </label>
12-            </core:extensionpoint>
13-          </label>
14-        </content>
15-      </page>
16-    </core:view>

```

- A. EmployeeData.view.xml
- B. EmployeeData.controller.js
- C. Neo-app.json
- D. Component.js

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 4

Which model supports deep inserts?

- A. JSON model
- B. Resource model
- C. XML model
- D. OData model

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 5

Why does SAP Fiori use an intent-based navigation? Note: There are 2 correct Answers to this question.

- A. Interdependent targets must be deployed in a single transport request
- B. To provide different results to different users with the same intent
- C. To support cross-app navigation
- D. The concrete app targets can be deployed separately

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 6

Which features of the SAP Business Application Studio help you extend a standard SAP Fiori app? Note:

There are 2 correct Answers to this question.

- A. An editor to modify the data model in the extended project

- B. The Extensibility Pane to choose extension points
- C. A wizard to generate the files for each extension possibility
- D. The Descriptor Editor to choose elements for extension

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 7

Which of the following are features of the SAPUI5 SDK?Note: There are 2 correct Answers to this question.

- A. Responsiveness across browsers on non-mobile devices only
- B. Interface for Web Dynpro
- C. Feature-rich UI controls for handling complex UI patterns
- D. Full translation support

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

What are some of the core design principles of SAP Fiori?Note: There are 2 correct Answers to this question.

- A. Role-based
- B. Adaptive
- C. Accessibility
- D. Multi-device support

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 9

What are some advantages of the Model View Controller (MVC) design pattern used in SAPUI5?Note:

There are 2 correct Answers to this question.

- A. Allows changing the view without modifying the underlying business logic.
- B. Allows to define several views of the same data.
- C. It supports quick coding.
- D. MVC artifacts can be transported and debugged separately.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 10

Which of the following sequences is the correct sequence for the Problem Space phase in a Design Thinking workshop?

- A. Scoping -> 360° Research -> Ideation
- B. Discover -> Design -> Deliver
- C. Scoping -> Synthesis -> Ideation
- D. Scoping -> Ideation -> Design

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

In a SAP Fiori hub deployment, where is the SAPUI5 application code stored for a transactional app?

- A. SAP Web Dispatcher
- B. SAP HANA XS Engine
- C. SAP Back-End Server (BES)

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 12

You need to bind data from a model to an SAPUI5 view control. Which of the following modes are valid? Note: There are 3 correct Answers to this question.

- A. Three-way binding
- B. Resource-model binding
- C. Two-way binding
- D. One-time binding
- E. One-way binding

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 13

A business user is unable to find an application on the SAP Fiori Launchpad or on the App Finder. Which of the following options could explain why the tile is unavailable? Note: There are 3 correct Answers to this question.

- A. The target mapping for the tile is missing in the catalog.
- B. The user does not have the proper PFCG role assigned to see the application or tile.
- C. The end user is missing the required group containing the tile.
- D. The catalogs assigned to the user do not contain the relevant application or tile.
- E. The OData service authorization is missing.

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 14

While testing an SAP Fiori app you discover that the navigation on the page does not work correctly. Which of the following agile pyramid options do you use?

- A. Mock server
- B. OPA
- C. QUnit
- D. Sinon

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 15

You are extending an SAP Fiori app. Which of the extension properties are defined in the manifest.json? Note: There are 2 correct Answers to this question.

- A. sap.ui.modelModifications
- B. sap.ui.i18nModifications
- C. sap.ui.controllerExtensions
- D. sap.ui.viewModifications

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 16

Which HTTP request methods does the SAP Gateway server use to compute and return a new eTag in a response header? Note: There are 2 correct Answers to this question.

- A. GET
- B. POST
- C. DELETE
- D. PUT

Answer: ([SHOW ANSWER](#))

Valid C_FIORDEV_22 Dumps shared by PrepPdf.com for Helping Passing C_FIORDEV_22 Exam! PrepPdf.com now offer the **newest C_FIORDEV_22 exam dumps**, the PrepPdf.com C_FIORDEV_22 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C_FIORDEV_22 dumps with Test Engine here:
https://www.preppdf.com/SAP/C_FIORDEV_22-prepaway-exam-dumps.html (85 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

What activity does the QUnit Stub functionality perform?

- A. Supplies parameters for method calls.
- B. Verifies that expected methods are called correctly.
- C. Provides parameters and return values for method calls.
- D. Returns values for method calls.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

In a standard SAPUI5 project, which file is the Application Descriptor that contains the metadata description of the application?

- A. Neo-app.json
- B. Manifest.json
- C. Index.html
- D. Component.js

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 19

You are modeling a new role for your SAP Fiori Launchpad users. Which of the following steps is an optional configuration step?

- A. Assign Catalog to Role
- B. Create Tiles and Target Mappings
- C. Create Group and Assign Tile
- D. Create Catalog

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 20

What are Technical Catalogs used for? Note: There are 2 correct Answers to this question.

- A. As a reference for Business Groups
- B. As a reference for Business Catalogs
- C. To reference tiles and target mappings according to Segregation of Duties for example a Purchaser, a Buyer and so on
- D. To store tiles and target mappings by technology per solution area

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

Which of the following can you use to extend an SAP Fiori Elements application? Note: There are 2 correct Answers to this question.

- A. Adaption extensions
- B. App extension
- C. CDS extension
- D. ABAP extension

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

You perform a QUnit test with the following syntactical options. Which call returns true when you execute it?

- A. `assert.strictEqual(0,-0,"true");`
- B. `assert.strictEqual(0," ","true");`
- C. `assert.strictEqual(0,null,"true");`
- D. `assert.strictEqual(0,"0","true");`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

Your customer requires that the SAPUI5 design of all apps matches their corporate theme. Which of the following actions do you perform? Note: There are 3 correct Answers to this question.

- A. Create a module using the Web IDE implementing the theme.
- B. Create a theme using the Theme Designer implementing the theme.
- C. Create a css file using the SAP Business Application Studio implementing the theme.
- D. Create a model using the SAP Business Application Studio implementing the theme.
- E. Reference the relevant artifacts in the bootstrap of the app.

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 24

What type of navigation is used in SAP Fiori Launchpad applications?

- A. Action-based navigation
- B. Scope-based navigation
- C. Target-based navigation

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 25

In the code on the screenshot, what are the absolute paths of the property that retrieves the City value for the company Acme Inc.?Note: There are 2 correct Answers to this question.

```

1  var data = {
2      regions: [
3          {
4              name: "Americas",
5              companies : [
6                  {
7                      name : "Acme Inc.",
8                      city: "Belmont"
9                  },
10                 {
11                     name : "Beam Hdg.",
12                     city: "Hancock"
13                 }
14             ]
15         },
16         {
17             name: "Europe",
18             companies: []
19         }
20     ]
21 };

19  var oModel = new sap.ui.model.json.JSONModel();
20  oModel.setData(data);
21  oModel.getProperty("/Absolute/Path/");

```

- A. /regions/0/companies/0/city
- B. /regions/1/companies/1/city
- C. /region[0]/companies[0]/city
- D. /regions/companies/0/city

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 26

What are the advantages of Local Annotations Over SADL-based Annotations?Note: There are 2 correct Answers to this question.

- A. Local Annotations are more reusable as compared to SADL based annotations
- B. Can Override the CDS based Annotations
- C. Can handle Complex annotations which is not a bound to a single field or entity
- D. All the Framework-Specific Annotations available as a part of CDS views are also available as a part of Annotation Modeler, which makes it highly flexible

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 27

In the data in the screenshot, you want to display the List of Companies in the Americas region. Which binding option do you use for the X, Y, and Z values in the view?

```

1 View:
2   <List id="myList" items="{X}"
3     headerText="Companies" >
4     <DisplayListItem label="{Y}" value="{Z}" />
5   </List>
6
7 Data:
8   var data = {
9     regions: [
10      {
11        name: "Americas",
12        companies : [
13          {
14            name : "Acme Inc.",
15            city: "Belmont"
16          },
17          {
18            name : "Beam Hdg.",
19            city: "Hancock"
20          }
21        ]
22      }
23    ]
24  };
25

```

- A. X: /regions/0/companies Y: name Z: city
- B. X: /regions/0/companies Y: companies/0/name Z: companies/0/city
- C. X: /regions/companies Y: name Z: city
- D. X: /regions/companies Y: companies/name Z: companies/city

Answer: A ([LEAVE A REPLY](#))

Valid C_FIORDEV_22 Dumps shared by PrepPdf.com for Helping Passing C_FIORDEV_22 Exam! PrepPdf.com now offer the **newest C_FIORDEV_22 exam dumps**, the PrepPdf.com C_FIORDEV_22 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C_FIORDEV_22 dumps with Test Engine here:

https://www.preppdf.com/SAP/C_FIORDEV_22-prepaway-exam-dumps.html (85 Q&As
Dumps, **40%OFF** Special Discount: **Exam-Tests**)