

SAP.C_HANAIMP_17.v2022-09-23.q89

Exam Code:	C_HANAIMP_17
Exam Name:	SAP Certified Application Associate - SAP HANA 2.0 (SPS05)
Certification Provider:	SAP
Free Question Number:	89
Version:	v2022-09-23
# of views:	2294
# of Questions views:	890
https://www.freeqas.com/qa/SAP/C_HANAIMP_17/SAP.C_HANAIMP_17.v2022-09-23.q89.html	

NEW QUESTION: 1

What SELECT statement isn't recommended for use with column tables?

Please choose the correct answer.

Response:

- A. SELECT *
- B. SELECT ALL
- C. SELECT with a time-travel clause
- D. SELECT in a subquery

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 2

How can you optimize performance when writing SQL for use with calculation views?

There are 2 correct answers to this question.

Response:

- A. Increase parallelization by using variables to break up statements
- B. Control the flow logic using IF-THEN-ELSE conditions
- C. Use calculation engine (CE) functions instead of plain SQL
- D. Use declarative language instead of cursors

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

You join two tables using a referential join and set the cardinality to 1...n What type of join is executed at runtime if your query does not request columns from the right table?

Please choose the correct answer.

Response:

- A. Inner join
- B. Right outer join

- C. Full outer join
- D. left outer join

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

Which modeling features can you use in flowgraphs?

There are 2 correct answers to this question.

Response:

- A. Spatial
- B. Predictive
- C. Text
- D. Graph

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 5

When would you use a function?

Please choose the correct answer.

Response:

- A. To break SQL into smaller statements.
- B. To develop a calculation view with the best possible performance.
- C. When you need to define complex data sources for my calculation view that require conditional logic.
- D. When you need to write results back to a table.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

How can you define a variable that presents its value help hierarchically?

Note: There are 2 correct answers to this question.

- A. Create a parent-child hierarchy and assign it to the variable.
Ensure the variable's reference column is the parent attribute of the hierarchy.
- B. Create a level hierarchy and assign it to the variable.
Ensure the variable's reference column is the top level of the hierarchy.
- C. Create a parent-child hierarchy and assign it to the variable.
Ensure the variable's reference column is the child attribute of the hierarchy.
- D. Create a level hierarchy and assign it to the variable.
Ensure the variable's reference column is the leaf level of the hierarchy.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 7

Why do you implement Active / active read-enabled mode?

- A. To provide offline access to data

- B. To improve query performance
- C. To synchronize query results with operational data
- D. To enhance security for data access

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 8

What SAP HANA feature do you use to host multiple applications for different companies in single SAP HANA landscape while ensuring isolation?

Please choose the correct answer.

Response:

- A. Extended storage
- B. SAP HANA as a distributed database
- C. Multitenant Database Containers (MDC)
- D. Active/Active (read-enabled) mode

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

How do you move code to SAP HANA?

There are 2 correct answers to this question.

Response:

- A. Use stored procedures in SAP HANA
- B. Use graphical data models in SAP HANA
- C. Use row tables in SAP HANA
- D. Delete the application server

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 10

Which deployment scenarios feature security staying in the application server and end users not logging in to the SAP HANA system?

There are 2 correct answers to this question.

Response:

- A. SAP HANA as a platform with an SAP HANA XS application
- B. SAP HANA as a reporting server
- C. SAP HANA as a side-by-side accelerator
- D. SAP HANA as a database

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

You want to ignore columns defined in the Rank node that aren't included in the query. What setting do you set?

Please choose the correct answer.

Response:

- A. Default Client
- B. Hidden
- C. Dynamic Partition Elements
- D. Keep Flag

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

Which SAP tools can work with data from Hadoop?

There are 3 correct answers to this question.

Response:

- A. SDA
- B. RDSync
- C. SDI
- D. SAP Vora
- E. SAP Landscape Transformation Replication Server

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 13

You're creating a currency conversion. What options do you have for the Target Currency field?

There are 3 correct answers to this question.

Response:

- A. Use an input parameter.
- B. Select a column.
- C. Select a table type.
- D. Select a fixed currency.
- E. Use the Derived from Table option.

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 14

You have a table with two columns, CUSTOMER NAME and COUNTRY NAME, in which Italian customers are stored. You have an identical table in which you store French customers.

What type of calculation view should you create to combine the customers in to two columns that mirror the structure of the source tables?

Please choose the correct answer.

Response:

- A. Calculation view of dimension type with a join node
- B. Calculation view of cube type with a union node
- C. Calculation view of cube type with a join node
- D. Calculation view of dimension type with a union node

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

Why do you create a time dimension calculation view?

Please choose the correct answer.

Response:

- A. To enable time dependency on parent-child hierarchies
- B. To enhance a calculation view with a drilldown on a time hierarchy
- C. To support temporal joins in a cube calculation view with star schema
- D. To provide date-based help values for a DIRECT type input parameter

Answer: B (LEAVE A REPLY)

NEW QUESTION: 16

What is the persistent storage layer used for?

There are 2 correct answers to this question.

Response:

- A. To enable data to be recovered if hardware fails
- B. To unload the least-used data when the memory is full
- C. To store the data primarily used for transaction processing
- D. TO improve the parallel processing of queries

Answer: A,B (LEAVE A REPLY)

Valid C_HANAIMP_17 Dumps shared by PrepPdf.com for Helping Passing C_HANAIMP_17 Exam! PrepPdf.com now offer the **newest C_HANAIMP_17 exam dumps**, the PrepPdf.com C_HANAIMP_17 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C_HANAIMP_17 dumps with Test Engine here:
https://www.preppdf.com/SAP/C_HANAIMP_17-prepaway-exam-dumps.html (82 Q&As
Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

What are the four SAP HANA platform services?

There are 4 correct answers to this question.

Response:

- A. Application Services
- B. Integration Services
- C. Processing Services
- D. Database Services
- E. Security Services

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 18

What are features of SDA?

There are 2 correct answers to this question.

Response:

- A. Merging data from multiple sources
- B. Evaluation and execution of push down possibilities to remote sources
- C. Automatic data type translation
- D. Data cleansing

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 19

What predicate do you use for fuzzy text search in the WHERE clause of a SQL statement?

Please choose the correct answer.

Response:

- A. IN
- B. CONTAINS
- C. LIKE
- D. ANY

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

Your calculation view consumes one data source which includes the following columns :
SALES_ORDER_ID, PRODUCT_ID, QUANTITY & PRICE.

In the output, you want to see summarized data by PRODUCT_ID and a calculated column,
PRODUCT_TOTAL, with the formula QUANTITY * PRICE.

In which type of node do you define the calculation to display the correct result?

- A. Aggregation
- B. Union
- C. Join
- D. Projection

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 21

What are the currency conversion functionalities supported by SAP HANA?

There are 3 correct answers to this question.


Response:

- A. Multiple exchange rate types
- B. Determination of target currency based on attributes or input parameters
- C. Conversion based on customer-defined tables
- D. Enabling of decimal shifts

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 22

Which of the following results are generated when you query this temporal hierarchy using a time-
validity period interval of March to May?



- A. B
- B. C
- C. D
- D. A

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 23

What are the basic spatial shapes you can store in SAP HANA Spatial?

There are 3 correct answers to this question.

Response:

- A. Graphs
- B. Lines
- C. Polygons
- D. Points

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 24

You're working with a currency measure. What is decimal shift used for?

Please choose the correct answer.

Response:

- A. To undo the decimal adjustment for ABAP
- B. To increase the accuracy of the currency conversion
- C. For currencies with more than two decimal places
- D. To avoid rounding errors during the conversion

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 25

In SAP Web IDE for SAP HANA, what can a flowgraph generate in a predictive analysis scenario?

Note: There are 2 correct answers to this question.

- A. Task
- B. Container
- C. Procedure
- D. Function

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 26

Which types of calculation views can you create?

There are 2 correct answers to this question.

Response:

- A. Derived
- B. Time-based
- C. Materialized
- D. Standard

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 27

What is the correct sequence for loading data with SAP Data Services?

Please choose the correct answer.

Response:

- A. Load - Extract - Transform
- B. Extract - Transform - Load
- C. Load - Transform - Extract
- D. Extract - Load - Transform

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 28

What does the C in ACID-compliant stand for?

Please choose the correct answer.

Response:

- A. Constant
- B. Complexity
- C. Consistency
- D. Complete

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 29

What do SAP S/4HANA embedded analytics and SAP HANA Live have in common?

There are 3 correct answers to this question.

Response:

- A. They are built using ABAP CDS
- B. Their data access is controlled using analytic privileges
- C. They can be extended by customers
- D. They expose operational data from SAP Sources
- E. They are built and maintained by SAP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

Which join type makes use of date ranges?

Please choose the correct answer.

Response:

- A. Temporal join
- B. Inner join
- C. Text join
- D. Spatial join

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 31

What enables the delta buffer technique to speed up both reads and inserts in SAP HANA?

Please choose the correct answer.

Response:

- A. Using both row-based and column-based tables
- B. Using column-based tables only
- C. Using row-based tables only
- D. Using only the insert-only technique

Answer: A ([LEAVE A REPLY](#))

Valid C_HANAIMP_17 Dumps shared by PrepPdf.com for Helping Passing C_HANAIMP_17 Exam! PrepPdf.com now offer the **newest C_HANAIMP_17 exam dumps**, the PrepPdf.com C_HANAIMP_17 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C_HANAIMP_17 dumps with Test Engine here: https://www.preppdf.com/SAP/C_HANAIMP_17-prepaway-exam-dumps.html (82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

What are the features of a parent-child hierarchy?

There are 3 correct answers to this question.

Response:

- A. A single dedicated column is used to store the parent of each record of the table.
- B. Heterogeneous fields are combined in a hierarchy.
- C. Recursive data structure defines the hierarchy.
- D. Parent and child field have the same data type.

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 33

Your newly created analytic privilege does NOT want to build. What must you do?

Please choose the correct answer.

Response:

- A. Assign the ::access role to the HDI container user.
- B. Change the analytic privilege to use an SQL Expression.
- C. Grant rights to the _SYS_REPO user.
- D. Change the Apply Privileges property of the view.

Answer: (SHOW ANSWER)

NEW QUESTION: 34

You want to use a field in a formula but don't want to expose the values of the original field to the end users. What do you do?

Please choose the correct answer.

Response:

- A. Mark the field as hidden.
- B. Make the field a key column.
- C. Rename the field.
- D. Change the data type of the field.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 35

What information can you find in Performance Analysis Mode when you view the analysis for a Join node?

There are 2 correct answers to this question.

Response:

- A. Time taken by the join
- B. Suggested filter for the tables in the Join node
- C. Total number of records returned by the node
- D. Tables used by the join in the node

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 36

What should you keep in mind when using dynamic SQL?

There are 2 correct answers to this question.

Response:

- A. It's always bad for security.
- B. It could be used for SQL injection.
- C. It delivers the best possible performance.
- D. You can dynamically change your data sources.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 37

What can you extract using the standard text analysis configuration: Voice of the Customer?

There are 2 correct answers to this question.

Response:

- A. Suggestions
- B. Sentiments
- C. Recommendations
- D. Requests

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

You have made changes to the design-time files of several calculation views in your DEV environment. These calculation views belong to the same project. Before deploying your calculation views to a PROD environment, which sequence of steps is required in the DEV environment?

- A. Activate the project -> Build the HDB module
- B. Build the project -> Build the HDB module
- C. Build the HDB module -> Build the project
- D. Export the HDB module -> Export the project

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 39

Which of the following approaches can be used to implement union pruning?

There are 2 correct answers to this question.

Response:

- A. Define a restricted column and include it in both data sources of a union.
- B. Define a constant value for each data source in the Union node.
- C. Define the cardinality between the data sources.
- D. Define union pruning conditions in a pruning configuration table.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 40

What is SQLScript?

Please choose the correct answer.

Response:

- A. An extension to standard SQL that provides additional expressions, functions and datatypes.
- B. A subset of standard SQL that is exposed to HANA database procedures.
- C. A subset of standard SQL that is exposed to HANA modelers.
- D. A simplified query language aimed at business users that generates SQL.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

Which of the following techniques can you use to improve the performance of calculation views?

There are 2 correct answers to this question.

Response:

- A. Partition large tables
- B. Implement union pruning
- C. Avoid aggregating data early in the data flow
- D. Minimize layering of calculation views

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 42

What must be installed for PAL to work?

Please choose the correct answer.

Response:

- A. SAP HANA BFL
- B. SAP HANA AFL
- C. SAP HANA AFM
- D. SAP HANA SINA

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 43

Which interface client is used for XSA application development?

Please choose the correct answer.

Response:

- A. SAP Web IDE for SAP HANA
- B. SAP HANA Studio
- C. SAP HANA Web-based Workbench
- D. SAP Web IDE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 44

Where do you use SQLScript outside of the development environment discussed in this chapter?

There are 3 correct answers to this question.

Response:

- A. Creating tables
- B. Calculation views
- C. Reporting tools
- D. Text analytics
- E. Security

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 45

You created a user-defined function with a return type of BIGINT. What type of function have you created?

Please choose the correct answer.

Response:

- A. Window function
- B. Table function
- C. SQL function
- D. Scalar function

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 46

What variable type do you use if you want to allow the user to choose the years from 2011 to 2014?

Please choose the correct answer.

Response:

- A. Multiple entries
- B. Single value
- C. Interval
- D. Range

Answer: C ([LEAVE A REPLY](#))

Valid C_HANAIMP_17 Dumps shared by PrepPdf.com for Helping Passing C_HANAIMP_17 Exam! PrepPdf.com now offer the **newest C_HANAIMP_17 exam dumps**, the PrepPdf.com C_HANAIMP_17 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C_HANAIMP_17 dumps with Test Engine here:
https://www.preppdf.com/SAP/C_HANAIMP_17-prepaway-exam-dumps.html (82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

You want to see in a Union node which data sources return no results for a query. How do you achieve this?

Please choose the correct answer.

Response:

- A. Set the is Null property in the Manage Mapping dialog.
- B. Set the Empty Union Behavior property.
- C. Create a standard union.
- D. Create a union pruning configuration table.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 48

In which SAP HANA deployment scenarios will end users be created as users in the SAP HANA system?

There are 2 correct answers to this question.

Response:

- A. SAP BW powered by SAP HANA
- B. SAP HANA as a platform
- C. SAP HANA Live
- D. SAP S/4HANA

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 49

Why do you create a multi store table?


- A. To have the opt on to partition the table across different storage tiers
- B. To have a table that combines the characteristics of row and column stores
- C. To evenly distribute the data across all available server nodes
- D. To improve read performance when accessed by simultaneous applications

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 50

Referring to the diagram which privileges would a user require to view United States data when querying the CUBE Calculation view?

Please choose the correct answer.



Response:


- A. ASELECT privilege and an analytic privilege (Country = United States) on the DIMENSION calculation view
- B. A SELECT privilege on the CUBE and an analytic privilege (Country = United States) on the DIMENSION calculation view
- C. SELECT privileges and Analytic Privileges on both views
- D. Analytic Privilege and SELECT privilege on the CUBE calculation view

Answer: B (LEAVE A REPLY)

NEW QUESTION: 51

You are querying a calculation view based on the union node, as shown in the graphic. When would the value of the Empty Union Behavior property take effect?

Note: There are 2 correct answers to this question.



- A. When Source A has no records
- B. When the query requests PRODUCT_GROUP
- C. When the query requests only the PRODUCT_ID
- D. When the query requests PRODUCT_GROUP and PRODUCT_ID

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 52

What are components of SAP HANA EIM?

There are 2 correct answers to this question.

Response:

- A. SDA
- B. SDQ
- C. SDI
- D. SDS

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 53

You are building a new calculation view B that uses calculation view A as a data source. In the Semantics node of calculation view A, you define a mask for the first 10 digits of a 15 digit Account Number. When you preview calculation view B, the Account Number is not masked.

Why do you see the Account Number unmasked?

- A. You did not define masking in calculation view B.
- B. The masking is based on the column of a row table.
- C. The UNMASKED privilege for calculation view A has been granted.
- D. The Account Number is based on the Integer datatype.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 54

What does a graph neighborhood search reveal?

- A. Edges that contain the same attributes
- B. Vertices that are closely connected
- C. Shortest path between vertices
- D. Vertices that contain the same attributes

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 55

How many processing tiers do you usually find in a native SAP HANA application stack?

Please choose the correct answer.

Response:

- A. 1
- B. 3
- C. 4
- D. 2

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 56

On a weekly basis, you need to extract and transform data from multiple sources such as SAP ERP Microsoft Excel and Apache Hadoop and load the data into SAP HANA.

Which tools can you use?

There are 2 correct answers to this question.

Response:

- A. SAP Data Services
- B. SAP HANA smart data access
- C. SAP HANA smart data integration
- D. SAP Landscape Transformation Replication Server

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 57

You are a data analyst working with medical records that contain confidential patient information.

Why do you use the anonymization node in a calculation view?

Note: There are 2 correct answers to this question.

- A. To provide partial value such as #34343#34##
- B. To add noise to the data to hide the actual values
- C. To restrict data access for specific users or roles
- D. To hide individual patients in groups of similar records

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 58

When creating a system connection in SAP HANA Studio, which of these is essential information?

There are 3 correct answers to this question.

Response:

- A. URL
- B. Instance
- C. A valid user and password
- D. Host


Answer: B,C,D (LEAVE A REPLY)

NEW QUESTION: 59

One SQL analytic privilege authorizes you to view data for Europe and the USA in the sales calculation view, and another one authorizes you to view data for Asia and the USA in the income calculation view.

The income view uses the sales view as a data source.

Both calculation views check SQL analytic privileges.



What data can you visualize when consuming the income calculation view?

Please choose the correct answer.

Response:

- A. Data from the USA
- B. Data from Europe, Asia, and the USA
- C. Data from Asia and the USA
- D. Data from Europe and the USA

Answer: A (LEAVE A REPLY)

NEW QUESTION: 60

Your calculation view includes the following SALES_ORDER_ID and ITEM as attributes, and QUANTITY and PRICE as measures. You create a calculated column, ITEM_TOTAL, with the formula QUANTITY*PRICE.

In which node do you define the calculation to display the correct aggregated result?

Please choose the correct answer.

Response:

- A. Join
- B. Union
- C. Aggregation
- D. Projection

Answer: D (LEAVE A REPLY)

NEW QUESTION: 61

Why do you use the debug query mode in a calculation view?

- A. To check which database engines will be invoked by each node
- B. To highlight potential performance issues at design-time
- C. To measure the overall run-time of the query
- D. To observe the generated SQL for each node

Answer: D (LEAVE A REPLY)

Valid C_HANAIMP_17 Dumps shared by PrepPdf.com for Helping Passing C_HANAIMP_17 Exam! PrepPdf.com now offer the **newest C_HANAIMP_17 exam dumps**, the PrepPdf.com C_HANAIMP_17 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C_HANAIMP_17 dumps with Test Engine here:

https://www.preppdf.com/SAP/C_HANAIMP_17-prepaway-exam-dumps.html (82 Q&As

Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

What can you use to limit the number of records produced by a calculation view?

There are 3 correct answers to this question.

Response:

- A. SAP client restrictions
- B. Domain fix values
- C. Generated columns
- D. Filter expressions
- E. Restricted columns

Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 63

In your calculation view, you CANNOT enable a hierarchy for time dependency. What could be the reason for this?

Response:

- A. You did NOT reference a DIMENSION of the type TIME.
- B. You did NOT include a history column table.
- C. The hierarchy is a parent-child type.
- D. The hierarchy is a level type.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 64

Which are of the following languages supported by SAP HANA Graph are optimized for graph processing?

There are 2 correct answers to this question.

Response:

- A. GraphScript
- B. Cypher Query Language
- C. SQL
- D. SQL Script

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 65

What restrictions apply to a graph node that you include in a calculation view?

Please choose the correct answer.

Response:

- A. It cannot be included in a calculation view of type dimension
- B. It must be the first node in the data flow.
- C. Its data sources must be provided by a projection node
- D. It must be the final node in the data flow

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 66

In a calculation view, which object type do you assign to a projection node to consume a Predictive Analysis Library (PAL) function?

- A. Table function
- B. Scalar function
- C. Input parameter
- D. Synonym

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 67

You are a data analyst working with medical records that contain confidential patient information. Why do you use the anonymization node in a calculation view?

There are 2 correct answers to this question.

Response:

- A. To hide individual patients in groups of similar records
- B. To provide partial values such as #3434 3#34##
- C. To restrict data access for specific users or roles
- D. To add noise to the data to hide the actual values

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 68

You want to control parallelization in a calculation view. Which action is mandatory when you define the parallelization block?

- A. Define a union node as the start of the parallelization block.
- B. Define a source column as partitioning value in the start node of the parallelization block.
- C. Assign tables as the only data sources in the nodes that start the parallelization block.
- D. Define a projection node as the end of the parallelization block.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 69

Using SAP Analysis for Microsoft Office, your calculation view on SAP application data returns data from two clients. In SAP Web IDE, you have identified the column to be used as the client column.

Which of the following approaches will return data from only one client?

Please choose the correct answer.

Response:

- A. Create a Context for each client.
Assign the relevant Context to each user.
- B. Create a variable on the client column in the properties of the Star join node.
Set flexible default values set for each user.
- C. Set the default client property of the Semantic node to Session Client Set the preferred client in the user settings of SAP HANA.
- D. Create a Union node with two sources.
Filter one source on client 001 and the other source on client 002.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 70

How many tiers do you usually find in an SAP HANA application?

There are 2 correct answers to this question.

Response:

- A. 2
- B. 4
- C. 1
- D. 3

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 71

Which of the following are valid types of privileges in SAP HANA?

There are 2 correct answers to this question.

Response:

- A. Attribute privileges
- B. Data privileges
- C. Application privileges
- D. Package privileges
- E. System privileges

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 72

What are the two storage components used to restore the database in case of power failure?

There are 2 correct answers to this question.

Response:

- A. Memory
- B. Delta store
- C. Data volume
- D. Log area

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 73

Which of the following are results of deploying SAP HANA as a distributed (scale-out) solution?

There are 2 correct answers to this question.

Response:

- A. Backups
- B. Failover
- C. Disaster recovery
- D. High availability

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 74

Which of the following benefits characterize the use of a design time filter?

There are 3 correct answers to this question.

Response:

- A. It reduces the result set of data.
- B. It is applied before a table join is executed.
- C. The filter is applied on the table before the query is executed.
- D. The filter is applied on the result set of a query.
- E. It is defined on the runtime in the SQL query.

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 75

You deleted the design-time file of a calculation view in your HDB module.

Which of the following is the optimal way to ensure that the corresponding runtime object is also removed from the database?

- A. Run a DELETE statement in an SQL console connected to the HDI container.
- B. Build the project that contained the deleted design-time file.
- C. Build the folder that contained the deleted design-time file.
- D. Delete the folder that contained the deleted design-time file.

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 76

What are features of SAP S/4HANA?

There are 2 correct answers to this question.

Response:

- A. Optimized for SAP HANA but maintains compatibility with other platforms
- B. Embedded Analytics
- C. SAP HANA Live provides real time operational analytics
- D. Rewritten ABAP code optimized for SAP HANA

Answer: (SHOW ANSWER)

Valid C_HANAIMP_17 Dumps shared by PrepPdf.com for Helping Passing C_HANAIMP_17 Exam! PrepPdf.com now offer the **newest C_HANAIMP_17 exam dumps**, the PrepPdf.com C_HANAIMP_17 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C_HANAIMP_17 dumps with Test Engine here:

https://www.preppdf.com/SAP/C_HANAIMP_17-prepaway-exam-dumps.html (82 Q&As

Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 77

Which of the following data sources can you include in a graphical calculation view?

There are 2 correct answers to this question.

Response:

- A. Procedure

- B. SQL VIEW
- C. Table function
- D. Scalar function

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 78

In Web IDE for SAP HANA, what can I create in a HDB module?

There are 3 correct answers to this question.

Response:

- A. HTML file
- B. Analytic Privilege
- C. Calculation View
- D. Flowgraph

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 79

Where can you set the default value for the SAP client for the entire calculation view?

Please choose the correct answer.

Response:

- A. In the Preferences option of the Tools menu
- B. In the semantic layer of the calculation view
- C. In the default node of the calculation view
- D. In the Join node of the calculation view

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 80

Which hierarchies can you enable for SQL access?

Please choose the correct answer.

Response:

- A. Shared hierarchies in a star join view
- B. Local hierarchies in a star join view
- C. Level hierarchies in a calculation view of type cube
- D. Time-dependent hierarchies in a dimension view

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 81

If we change the transaction "Laura buys 10 apples" to "Laura buys 10 green apples," how would we store the color green?

Please choose the correct answer.

Response:

- A. Store green as a spatial data type.

- B. Store green as an attribute.
- C. Store green as a measure.
- D. Store green as a CDS view.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 82

What can you extract using the standard text analysis configuration: Voice of the Customer?

Note: There are 2 correct answers to this question.

- A. Recommendations
- B. Suggestions
- C. Requests
- D. Sentiments

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 83

Your calculation view presents employee names which must only be seen by managers. Which steps are required to implement this?

There are 2 correct answers to this question.

Response:

- A. Set the column to hidden in the calculation view
- B. Create SQL expression to define the concealing logic for the column
- C. Assign the UNMASK privilege to the managers for the calculation view
- D. Include an anonymization node in the calculation view

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 84

Why do you create calculation views of data category DIMENSION with type TIME?

- A. To add a temporal condition to a join to find matching records from two tables based on a date.
- B. To store historical version of attributes.
- C. To provide additional time-related navigation possibilities
- D. To provide the time intervals required by time-dependent parent-child hierarchies.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 85

You're writing a mobile application for the World Series. You have details about all the baseball players and the baseball scores for all the previous games.

How do you use the data of the player information and the scores?

Please choose the correct answer.

Response:

- A. Both the player information and the scores are used as transactional data.
- B. The player information is used as master data, and the scores are used as transactional data.

- C. Both the player information and the scores are used as master data.
- D. The player information is used as transactional data, and the scores are used as master data.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 86

Which of the following features of an XS Advanced application are provided by an HDB module?

There are 2 correct answers to this question.

Response:

- A. Business logic
- B. Persistence layer
- C. User interface
- D. Virtual data modeling

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 87

Which are views of the SAP supplied virtual data model of Embedded Analytics?

There are 2 correct answers to this question.

Response:

- A. Attribute
- B. Composite
- C. Calculation
- D. Basic

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 88

You have a cube calculation view that consumes a dimension view. You suspect some dimension columns have been renamed in the cube calculation view.

Which function of SAP Web IDE for SAP HANA do you use to check where the output columns originate from?

Please choose the correct answer.

Response:

- A. Impact Analysis
- B. Show lineage
- C. Database explorer
- D. Where used

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 89

What information can you find in the Plan Graph?

There are 2 correct answers to this question.

Response:

- A. Execution engines used
- B. Time taken for each step
- C. Number of records returned in each step
- D. SQL Plan Cache

Answer: ([SHOW ANSWER](#))

Valid C_HANAIMP_17 Dumps shared by PrepPdf.com for Helping Passing C_HANAIMP_17 Exam! PrepPdf.com now offer the **newest C_HANAIMP_17 exam dumps**, the PrepPdf.com C_HANAIMP_17 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C_HANAIMP_17 dumps with Test Engine here:
https://www.preppdf.com/SAP/C_HANAIMP_17-prepaway-exam-dumps.html (82 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)