

## SAP.C\_HANATEC\_17.v2022-11-25.q104

<b>Exam Code:</b>	C_HANATEC_17
<b>Exam Name:</b>	SAP Certified Technology Associate - SAP HANA 2.0 SPS05
<b>Certification Provider:</b>	SAP
<b>Free Question Number:</b>	104
<b>Version:</b>	v2022-11-25
<b># of views:</b>	2368
<b># of Questions views:</b>	1040
<a href="https://www.freeqas.com/qa/SAP/C_HANATEC_17/SAP.C_HANATEC_17.v2022-11-25.q104.html">https://www.freeqas.com/qa/SAP/C_HANATEC_17/SAP.C_HANATEC_17.v2022-11-25.q104.html</a>	

### NEW QUESTION: 1

What do you need in a Multitenant Database Container (MDC) system to run queries across tenant databases?

There are 2 correct answers to this question.

- A. The user in the source system must have sufficient privileges in the target database
- B. The user in the source system must be associated with a user in the target database
- C. The bidirectional communication channel must be whitelisted
- D. The cross-tenant database communication must be explicitly activated

**Answer: A,D (LEAVE A REPLY)**

### NEW QUESTION: 2

Which prerequisites have to be fulfilled before you reset a database migration option (DMO) procedure?

There are 2 correct answers in this question.

- A. A cleanup has already been triggered.
- B. The source database is up and running.
- C. The DMO procedure hasn't reached downtime yet.
- D. The SUM folder needs to exist.

**Answer: (SHOW ANSWER)**

### NEW QUESTION: 3

Which features are provided by the Manage Full System Information Dumps app in SAP HANA cockpit?

There are 2 correct answers to this question.

- A. Diagnosis information
- B. End-to-end Trace
- C. Runtime environment

D. SAP HANA minichecks

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 4**

What is the additional disk space factor required during delta merge operations? Please choose the correct answer.

A. 1.2

B. 3.0

C. 1.6

D. 4.0

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 5**

Which default users will be created during the installation of the SAP HANA database system?

There are 2 correct answers to this question.

A. sapadm

B. <sid>crypt

C. sap<sid>

D. ldapadm

Answer: A,C ([LEAVE A REPLY](#))

**NEW QUESTION: 6**

In the General Licensing Process which of the following statements are true regarding Temporary license keys?

There are 2 correct answers to this question.

A. After 90 days, the temporary license expires and the system is locked down

B. Temporary license keys are automatically installed by the SAP HANA system

C. Temporary license keys are manually installed by the SAP HANA system

D. After 28 days, the temporary license expires and the system is locked down

Answer: B,D ([LEAVE A REPLY](#))

**NEW QUESTION: 7**

You setup email notification for a specific alert threshold by using Alerts Configuration. When are the email notification sent? Note: There are 2 correct answers.

A. When the alert checker identifies a resolved issue

B. When the alert checker is turned off

C. When the alert checker identifies an issue

D. When the alert checker identifies a recurring issue

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 8**

What can you do to shorten the startup time of an SAP HANA system after a reboot?

- A. Flag all columnar tables for preload.
- B. Set the savepoint interval to a lower value.
- C. Partition the row store across nodes.
- D. Set the preload column value in the Tables system table to FULL.

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 9**

Which properties can you adjust in SAP HANA Admission Control? There are 3 correct answers to this question.

- A. SQL statement request memory limit
- B. Maximum parallel 10 requests
- C. Maximum request queue size
- D. CPU threshold for rejecting requests
- E. Memory limit for queuing requests

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 10**

Which technology is used to install the SAP Landscape Management tool?

Please choose the correct answer.

- A. SAP NetWeaver Application Server for ABAP
- B. SAP HANA XS advanced runtime
- C. SAP NetWeaver Application Server for Java
- D. SAP Fiori launchpad

**Answer: C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 11**

You define the parameters for the password policy of an SAP HANA tenant database. Where are these parameters stored?

- A. global.ini
- B. nameserver.ini
- C. multidb.ini
- D. indexserver.ini

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 12**

You are performing a database migration option (DMO) procedure and applying SAP support packages in combination as in-place migration. Which steps take place during downtime?

There are 2 correct answers to this question.

- A. Migration of application tables in phase EU\_CLONE\_MIG\_DT\_RUN
- B. Creation of application tables in the target database in phase EU\_CLONE\_MIG\_DT\_CREATE

- C. Activation of dictionary objects in phase ACT\_UPG
- D. XPRaS execution in phase XPRAS\_AIMMRG

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 13

You investigate a hung SAP HANA database, and you CANNOT identify the blocking transactions. What causes could lead to this behavior? Note: There are 2 correct answers.

- A. A setting to restrict CPU usage
- B. A long savepoint duration
- C. An issue with the delta merge
- D. A wrong role of a service in a failover situation

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 14

Reloading column tables in this way restores the database to a fully operational state more quickly. However, it does create performance overhead, and may not be necessary in nonproductive systems, how can you deactivate the the reload feature? Please choose the correct answer.

- A. Edit the indexserver.ini file by setting the reload\_tables parameter in the sql section to true
- B. Edit the indexserver.xml file by setting the reload\_tables parameter in the sql section to false
- C. Edit the indexserver.ini file by setting the reload\_tables parameter in the sql section to false
- D. Edit the indexserver.xml file by setting the reload\_tables parameter in the sql section to false

Answer: C ([LEAVE A REPLY](#))

#### NEW QUESTION: 15

What are prerequisites for changing the SSFS Master Keys? There are 2 correct answers to this question.

- A. You have the credentials of the SYSTEM user
- B. You have the system privilege I IN I FILE ADMIN
- C. You have the server root privilege INIFILE ADMIN
- D. You have the credentials of the Operating system user <sid>adm that was created when the system was installed

Answer: B,D ([LEAVE A REPLY](#))

#### NEW QUESTION: 16

Which of the following tools can be used for User Administration? There are 3 correct Answers to this question.

- A. SAP HANA Cockpit
- B. Resident hdblcm
- C. hdbsql
- D. SAP NetWeaver Identity Management

Answer: A,C,D ([LEAVE A REPLY](#))

**Valid C\_HANATEC\_17 Dumps** shared by PrepPdf.com for Helping Passing C\_HANATEC\_17 Exam! PrepPdf.com now offer the **newest C\_HANATEC\_17 exam dumps**, the PrepPdf.com C\_HANATEC\_17 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C\_HANATEC\_17 dumps with Test Engine here:  
[https://www.preppdf.com/SAP/C\\_HANATEC\\_17-prepaway-exam-dumps.html](https://www.preppdf.com/SAP/C_HANATEC_17-prepaway-exam-dumps.html) (272 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 17**

Which file system locations do you need to specify when installing the SAP HANA multi-host database system using the default settings?

There are 2 correct answers to this question.

- A. /usr/sap/<SID>
- B. /hana/log/<SID>
- C. /usr/sap/hostctrl
- D. /hana/shared

**Answer: B,D (LEAVE A REPLY)**

**NEW QUESTION: 18**

Which SAP HANA database service can you stop from the system database? There are 2 correct answers to this question

- A. XS Engine
- B. Compile server
- C. Preprocessor
- D. Index server

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 19**

logical error occurred in one tenant of your SAP HANA database. What action do you perform to make the tenant consistent again? Please choose the correct answer:

- A. Recover the system database. The affected tenant is recovered automatically.
- B. Recover the affected tenant first and then recover the system database.
- C. Recover the affected tenant. The system database is NOT recovered.
- D. Recover the system database first and then recover the affected tenant.

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 20**

You install an SAP HANA database and SAP NetWeaver AS ABAP 7.5 on one productive system. Which of the following installation requirements are mandatory? There are 2 correct answers to this question.

- A. The system ID (SID) for the SAP NetWeaver AS ABAP system and the SAP HANA database must be different.
- B. The memory resources for the SAP NetWeaver AS ABAP system and the SAP HANA database must be added.
- C. The instance number for the SAP NetWeaver AS ABAP system and the SAP HANA database must be the same.
- D. The disk resources for the SAP NetWeaver AS ABAP system and the SAP HANA database must be the same.

**Answer: A,B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 21**

What can you assign to a user with the User Management app in SAP HANA cockpit?

There are 2 correct answers to this question.

- A. Scopes
- B. User group
- C. LDAP authorization mode
- D. LDAP identity provider

**Answer: B,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 22**

You plan to migrate a non-SAP database to SAP HANA using the database migration option (DMO) of the Software Update Manager. Which advanced DMO options can you adjust to speed up the migration? There are

2

correct answers to this question.

- A. SAPup processes
- B. TP processes
- C. SQL processes
- D. R3trans processes

**Answer: C,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 23**

Which SAP HANA database system usage types are automatically assigned to tiles in the SAP HANA cockpit? There are 3 correct answers to this question.

- A. Production
- B. Test
- C. Custom
- D. Sandbox

E. Development

**Answer: A,B,E ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 24**

You register a new resource in SAP HANA cockpit 2.0. What prerequisite does the resource require?

- A. The target database on SAP HANA 2.0 SPS00 or higher
- B. A user with DATA ADMIN privileges and SELECT on `_SYS_TELEMETRY` schema
- C. A multitenant configuration with SYSTEMDB
- D. A user with CATALOG READ privileges and SELECT on `_SYS_STATISTICS` schema

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 25**

Which activities do you have to carry out to configure your Multiple Database Container (MDC) System to a higher database isolation between tenant databases on the operating system (OS) level? There are 3 correct answers to this question.

- A. Add dedicated tenant OS users to the sapsys group.
- B. Create dedicated tenant OS users for each tenant.
- C. users to the `<sid> shm` group.
- D. Remove the `<sid> adm` OS user from the sapsys group.
- E. Lock the adm OS user V O Add dedicated tenant

**Answer: A,B,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 26**

In which scenario do you need SAP expert sizing? There are 2 correct answers to this question.

- A. Consolidating multiple ERP source systems into one ERP system on SAP HANA
- B. Customers want to migrate their existing SAP NetWeaver-based systems to run on SAP HANA
- C. Customers are new to SAP applications and SAP HANA
- D. Carving out ERP functionality from the source system to the ERP on SAP HANA system.

**Answer: A,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 27**

Which services can you stop in the SAP HANA cockpit from the SYSTEMDB Manage Services app?

There are 2 correct answers to this question.

- A. Compile server
- B. Daemon
- C. Preprocessor
- D. Index server

**Answer: A,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 28**

What is the correct sequence of the following four steps in the restart of the SAP HANA database system? Please choose the correct answer.

- A. Row tables are loaded into memory. 2. Open transactions are recovered. 3. Aborted transactions are rolled back. 4. Column tables are loaded.
- B. Row tables are loaded into memory. 2. Column tables are loaded. 3. Open transactions are recovered. 4. Aborted transactions are rolled back.
- C. Aborted transactions are rolled back.
- D. Aborted transactions are rolled back. 2. Open transactions are recovered. 3. Row tables are loaded into memory. 4. Column tables are loaded.
- E. Row tables are loaded into memory. 3. Open transactions are recovered. 4. Column tables are loaded.

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 29**

Which tools can you use to start and stop an SAP HANA database? Note: There are 3 correct answers.

- A. DBA cockpit
- B. SAP HANA cockpit
- C. Sapcontrol
- D. HDB command
- E. SAP HANA application life cycle management (HDBLCM)

**Answer: (**[SHOW ANSWER](#)**)**

**NEW QUESTION: 30**

What do you do to prepare the database migration option of a Software Update Manager procedure? Note:

There are 3 correct answers.

- A. Move the stack.xml update file into the download folder
- B. Extract the SAP HANA Client installation archive
- C. Move the SPAM update archive into the download folder
- D. Move the R3trans update archive into the download folder
- E. Extract the SAP HANA database installation archive

**Answer: A,B,C** ([LEAVE A REPLY](#))

**NEW QUESTION: 31**

Which kinds of patches are available in the SAP HANA2.0 revision strategy? Note: There are 2 correct answers.

- A. Datacenter Service Point
- B. Support Package
- C. Feature Package Stack

D. Support Package Stack

Answer: B,D ([LEAVE A REPLY](#))

Valid C\_HANATEC\_17 Dumps shared by PrepPdf.com for Helping Passing C\_HANATEC\_17 Exam! PrepPdf.com now offer the **newest C\_HANATEC\_17 exam dumps**, the PrepPdf.com C\_HANATEC\_17 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C\_HANATEC\_17 dumps with Test Engine here:

[https://www.preppdf.com/SAP/C\\_HANATEC\\_17-prepaway-exam-dumps.html](https://www.preppdf.com/SAP/C_HANATEC_17-prepaway-exam-dumps.html) (272 Q&As

Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 32**

Which information is provided by the backup catalog. Please choose the correct answer:.

- A. Backup configuration
- B. Backup destination
- C. Progress of a backup
- D. Backup ID

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 33**

To ensure that the database can be restored to the most recent committed state after a restart which of the following Indexserver components make sure such consistency and maintain durable changes?

- A. Relational Engines
- B. Request Processing
- C. Storage Engine
- D. Disk Storage

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 34**

The data storage of your productive SAP HANA instance crashed and you need to recover the database. The log storage is still intact. You have a full data backup that is 9 hours old and an incremental backup that is 4 hours old To which point in time you can recover to minimize the data.

- A. the latest log backup
- B. the last committed transaction
- C. the last full data backup
- D. the latest incremental backup

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 35**

Which of the following are characteristics of SAP HANA Smart Data Streaming?

- A. It is a standalone product for use with any target system.
- B. It provides reports and analysis on the received data.
- C. It acts based on combinations of events.
- D. It uses databases queries.

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 36**

In an SAP HANA database system running in log mode "normal", in which situation does the system automatically execute a regular log backup? There are 2 correct answers to this question.

- A. When the time threshold is exceeded.
- B. When the log buffer is full.
- C. When a commit occurs.
- D. When the log segment is full.

**Answer:** A,D ([LEAVE A REPLY](#))

**NEW QUESTION: 37**

Which operations are performed by SAP Landscape Management? Note: There are 2 correct answers.

- A. It de-centralizes landscape operations and provides local landscape view
- B. It automizes repetitive, time-intensive administration tasks
- C. It simplifies the management of SAP hybrid landscapes and standardizes SAP operations
- D. It replicates the storage in SAP landscape

**Answer:** B,C ([LEAVE A REPLY](#))

**NEW QUESTION: 38**

Which scale-out roles can you assign to the hosts in the nameserver.ini file? There are 2 correct answers to this question.

- A. MASTER 1
- B. SLAVE
- C. STANDBY
- D. WORKER

**Answer:** C,D ([LEAVE A REPLY](#))

**NEW QUESTION: 39**

When you use the database migration option reset procedure as a fallback scenario, which of the changes made during the migration are NOT reset? There are 3 correct answers to this question.

- A. The deleted SAP BusinessObjects Business Intelligence data on the non-SAP database
- B. The updated BRTOOLS on the non-SAP database
- C. The DBACOCKPIT user on the SAP HANA database
- D. The shadow schema on the non-SAP database

E. The SAP ABAP kernel on the application server

**Answer: A,B,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 40**

You are registering an SAP HANA database resource using SAP HANA cockpit manager. Which privileges are automatically assigned when you initially create the COCKPIT\_MONITOR technical user?

There are 2 correct answers to this question.

- A. DATABASE ADMIN
- B. SELECT on the SYS\_STATISTICS schema
- C. SELECT on the SYS\_TELEMETRY schema
- D. CATALOG READ

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 41**

Which of the following SAP HANA capability allows you to load and replicate data in real time from ABAP source systems and non-ABAP source systems to an SAP HANA environment? Please choose the correct answer.

- A. SAP HANA dynamic tearing
- B. SAP HANA remote data sync
- C. SAP HANA smart data streaming
- D. SAP HANA landscape transformation replication server

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 42**

How are savepoints triggered? There are 2 correct answers to this question

- A. By performing a database backup.
- B. By issuing a transactional commit.
- C. By a database soft shutdown.
- D. By performing a delta merge.

**Answer: A,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 43**

Which certificates can you manage in SAP HANA cockpit 2.0? There are 2 correct answers to this question.

- A. SAML
- B. PKCS #12
- C. Kerberos
- D. X.509

**Answer: A,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 44**

You install a productive multi-host system with failover capabilities. Which storage condition prerequisites must be ensured? Note: There are 2 correct answers.

- A. The failed worker host no longer has access to write to files
- B. The failed worker host has access to write files
- C. The standby host has file access
- D. The standby host has NO file access

**Answer: A,C (LEAVE A REPLY)**

**NEW QUESTION: 45**

What is included with the Predictive Analysis Library (PAL)? There are 2 correct answers to this question.

- A. Text mining functions
- B. Flowgraphs
- C. Predictive algorithms
- D. Data preparation functions

**Answer: C,D (LEAVE A REPLY)**

**NEW QUESTION: 46**

USER A grants a privilege to USER B, and USER B grants the same to USER C afterwards. What happens if you drop USER B from the HANA database?

- A. The privilege is revoked from both USER A and USER C.
- B. The privilege is revoked from USER C, but not USER A.
- C. The privilege remains assigned to both USER A and USER C.
- D. The privilege is revoked from USER A, but not USER C.

**Answer: (SHOW ANSWER)**

**Valid C\_HANATEC\_17 Dumps** shared by PrepPdf.com for Helping Passing C\_HANATEC\_17 Exam! PrepPdf.com now offer the **newest C\_HANATEC\_17 exam dumps**, the PrepPdf.com C\_HANATEC\_17 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C\_HANATEC\_17 dumps with Test Engine here:

[https://www.preppdf.com/SAP/C\\_HANATEC\\_17-prepaway-exam-dumps.html](https://www.preppdf.com/SAP/C_HANATEC_17-prepaway-exam-dumps.html) (272 Q&As

Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 47**

How can you optimize the Database Migration Option (DMO) procedure downtime for a production system?

There are 2 correct answers to this question.

- A. Use the benchmarking option to find the optimal throughput during the DMO procedure.

- B. Set the optimal number of R3load processes during benchmarking and the DMO procedure
- C. Provide the measured table migration duration data for optimal table sequencing during benchmarking.
- D. Use the Test Cycle option to find the optimal number of R3load processes in a test run.

**Answer: B,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 48**

Which system privileges are required for administrating tenant databases when being connected to the system database? There are 2 correct answers to this question.

- A. BACKUP ADMIN
- B. DATABASE ADMIN
- C. DATA ADMIN
- D. MONITOR ADMIN

**Answer: B,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 49**

Which steps can be combined in a DMO procedure, targeting an AS ABAP 7.50 based SAP system? There are

2 correct answers to this question.

- A. Migrating to a target database, g. SAP HANA
- B. Performing a database upgrade of the source database
- C. Performing a Unicode conversion
- D. Performing an SAP software update

**Answer: A,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 50**

Why do we still need a persistent layer? There are 2 correct answers to this question.

- A. To hold the delta store for newly arrived records
- B. To store data that has been unloaded from memory
- C. To enable full database recovery if we have a power failure
- D. To store data that is frequently used

**Answer: B,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 51**

Which rules should you consider when creating a table distribution plan for SAP Business Suite on SAP HANA to get the best possible results? There are 2 correct answers to

- A. Keep all partitions on different hosts.
- B. Keep the number of key columns low.
- C. Keep the number of partitioned tables low.
- D. Keep the number of partitions per table high.

**Answer: B,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 52**

Which SAP HANA feature ensure that committed data is NOT lost if there is a power failure? Note:

There are

2 correct answers.

- A. Automatic savepoints
- B. Delta merge
- C. Persisted redo logs
- D. Memory allocation limit

**Answer: A,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 53**

Where can you check the trace and log files when your SAP HANA database is NOT available?

There are 2 correct answers to this question.

- A. In the Diagnosis Files app of the SAP HANA cockpit for offline administration
- B. In the Troubleshoot Unresponsive System app of SAP HANA cockpit 2.0
- C. In the /usr/sap/<SID>/HDB<instance number>/<host>/trace path on the operating system
- D. In the Trace app of the SAP HANA Web-based Development Workbench

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 54**

Which is the relationship between the user group operators and the user groups? There are 2 correct answers to this question.

- A. Multiple user groups per user group operator
- B. Only one user group operator per user group
- C. Only one user group per user group operator
- D. Multiple user group operators per user group

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 55**

What is a prerequisite before you can install SAP HANA Cockpit 2.0 as a central monitoring tool for productive SAP HANA databases?

- A. SAP Netweaver 7.5x on SAP HANA 2.0 with ABAP Core Data Services (CDS) and SAP Fiori installed
- B. A dedicated server with at least 16 GB RAM with SUSE Linux Enterprise Server (SLES) or Red Hat Enterprise Linux (RHEL)
- C. A central SAP HANA database 2.0 SPS05 multitenant database system with at least 16 GB of RAM
- D. A central SAP HANA database 2.0 with SAP HANA extended application services, advanced model (XS Advanced) installed

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 56**

How are user group administrators and user groups related?

There are 2 correct answers to this question.

- A. Multiple user groups per user group administrator
- B. Only one user group per user group administrator
- C. Multiple user group administrators per user group
- D. Only one user group administrator per user group

**Answer: A,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 57**

What must you do to configure the data backup on a scale-out SAP HANA system? Note: There are 2 correct answers

- A. Change the backup configuration for each node
- B. Verify that data and log backup destinations are valid throughout the system
- C. Specify the individual backup destination on each node
- D. Ensure the availability of shared backup storage

**Answer: B,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 58**

What is the minimum space requirement for the Data Volume? There are 2 correct answers to this question.

- A. 1.2 \* RAM (TDI)
- B. 3 \* RAM (Appliance)
- C. Min. 0.5 \* RAM
- D. Min. 1 \* RAM

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 59**

Which authentication method can you configure for single sign-on in a middleware/application server scenario.

- A. X.509 certificate
- B. SAML
- C. JSON web token
- D. Kerberos

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 60**

Which information can you analyze using the Troubleshoot Unresponsive System application?

- A. Alerts count
- B. CPU utilization

C. System availability

D. Thread status

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 61**

Which table partitioning types does SAP HANA support? There are 3 correct answers to this question.

A. Composite

B. Hash

C. Cluster

D. Round-robin

E. Range

**Answer: B,D,E ([LEAVE A REPLY](#))**

**Valid C\_HANATEC\_17 Dumps** shared by PrepPdf.com for Helping Passing C\_HANATEC\_17 Exam! PrepPdf.com now offer the **newest C\_HANATEC\_17 exam dumps**, the PrepPdf.com C\_HANATEC\_17 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C\_HANATEC\_17 dumps with Test Engine here:  
[https://www.preppdf.com/SAP/C\\_HANATEC\\_17-prepaway-exam-dumps.html](https://www.preppdf.com/SAP/C_HANATEC_17-prepaway-exam-dumps.html) (272 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

#### **NEW QUESTION: 62**

Which activities do you have to carry out to configure your Multiple Database Container (MDC) System to a higher database isolation between tenant databases on the operating system (OS) level? There are 3 correct answers to this question.

A. Add dedicated tenant OS users to the sapsys group.

B. Create dedicated tenant OS users for each tenant.

C. Remove the <sid> adm OS user from the sapsys group.

D. Lock the adm OS user.

E. Add dedicated tenant OS users to the <sid> shm group.

**Answer: A,B,E ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 63**

The recovery of your productive SAP HANA database fails during log replay. What is the fastest solution to complete the recovery.

A. Resume the recovery from beginning

B. Replay the delta backups and log backups

C. Restart the database and resume the interrupted recovery

D. Resume the interrupted recovery

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 64**

Which tool do you use during the Database Migration Option (DMO) procedure to monitor table splitting?

Please choose the correct answer.

- A. The R3LDCTL
- B. The Log viewer
- C. The Observer Monitor
- D. The Process Bucket monitor

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 65**

Which SQL privileges can you grant to another user?

- A. ATTACH DEBUGGER
- B. DATA ADM IN
- C. CATALOG READ
- D. CREATE SCHEMA

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 66**

What do you need to size before you install SAP HANA in a tailored data center integration (TDI) scenario?

There are 3 correct Answers to this question.

- A. SAP Application Performance Standard (SAPS)
- B. Input/output operations per second (IOPS)
- C. Network throughput
- D. Persistent storage
- E. Main memory

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 67**

Your customer asks you to set up alert monitoring in SAP HANA cockpit 2.0. Which alert properties can you configure?

There are 2 correct answers to this question.

- A. Threshold values
- B. Schedule activation
- C. Check interval
- D. Proposed solution

**Answer: A,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 68**

The SAP HANA database is NOT reachable, and the root cause is unclear. Which SAP HANA cockpit functions allow you to investigate this situation? Note: There are 2 correct answers.

- A. Troubleshoot unresponsive system
- B. Overall database status
- C. Open blocked transactions
- D. Manage full system information dumps

**Answer: A,B ([LEAVE A REPLY](#))**

**NEW QUESTION: 69**

Which R3load mode is used during an inplace SUM database migration option procedure?

- A. File
- B. Network
- C. Socket
- D. Pipe

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 70**

Why does SAP HANA have a persistence storage layer that is disk-based? Note: There are 2 correct answers.

- A. To allow a restart if the power fails
- B. To persist in-memory data
- C. To enable database scale-up
- D. To ensure maximum performance

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 71**

What can you directly assign to a user with the Manage Users app in SAP HANA cockpit? There are 2 correct answers to this question.

- A. Roles
- B. Scopes
- C. Privileges
- D. Role collections

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 72**

How can you use the results from a comparable the run to optimize the database migration option (DMO) procedure downtime for a production system?

There are 2 correct answers to this question.

- A. Use the MIGRATE\_SOT\_DUR.XML file to manually optimize table splitting of large tables.
- B. Use the UPGANA.XML analysis file to optimize the number of R3load processes.

- C. Use the Test Cycle option to determine the optimal number of R3load processes.
- D. Use the MIGRATE\_DT\_DUR.XML file to optimize table splitting and migration sequence.

**Answer: C,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 73**

Which information can you collect by running the fullSystemInfoDump.py script when the SQL connection is available? Please choose the correct answer:.

- A. A selection of rows of schema SAP<SID>
- B. A selection of .trc files
- C. A selection of .log files
- D. A selection of rows of schema \_SYS\_XS

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 74**

You installed an SAP Netweaver-based application on an SAP HANA database. What is the default secure user store to store the password of the SAP<schema-id> user?

- A. xuser
- B. hdbuserstore
- C. Secure store in file system (SSFS)
- D. ABAP secure store file system (SSFS)

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 75**

Once you start the SAP HANA cockpit 2.0, From the Aggregated Health Monitor, navigate to the SAP HANA system overview pag This page displays the detailed status of the selected SAP HANA system. Which of the following options are listed? There are 3 correct answers to this question.

- A. Monitoring and Administration
- B. Performance Management
- C. Security
- D. Memory Management
- E. Resource Management

**Answer: A,B,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 76**

Which file systems are supported for the SAP HANA database system? There are 2 correct answers to this question.

- A. DxfS
- B. GPFS
- C. MPFS
- D. EXT3

**Answer: B,D ([LEAVE A REPLY](#))**

**Valid C\_HANATEC\_17 Dumps** shared by PrepPdf.com for Helping Passing C\_HANATEC\_17 Exam! PrepPdf.com now offer the **newest C\_HANATEC\_17 exam dumps**, the PrepPdf.com C\_HANATEC\_17 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C\_HANATEC\_17 dumps with Test Engine here:  
[https://www.preppdf.com/SAP/C\\_HANATEC\\_17-prepaway-exam-dumps.html](https://www.preppdf.com/SAP/C_HANATEC_17-prepaway-exam-dumps.html) (272 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 77**

You administer a single-host system with 100GB physical memory. The global allocation limit and the individual service allocation limit are set to 90%. Three services are running-Service 1 has 25 GB of memory allocated and service 2 has 40 GB allocated. What is the effective allocation limit of service 3?

- A. 90 GB
- B. 100 GB
- C. 35 GB
- D. 25 GB

**Answer: D** ([LEAVE A REPLY](#))

**NEW QUESTION: 78**

Which action do you perform when the data area in an SAP HANA database is running out of space?

- A. Create a new tenant database
- B. Extend the file system size in the operating system level
- C. Extend the size of the database volume
- D. Create a new database volume

**Answer: (**[SHOW ANSWER](#)**)**

**NEW QUESTION: 79**

Which tools do you use to delete diagnosis files? There are 2 correct answers to this question.

- A. SAP HANA cleaner
- B. SAP HANA Web-based Development Workbench
- C. SAP HANA database explorer
- D. SAP HANA cockpit

**Answer: A,C** ([LEAVE A REPLY](#))

**NEW QUESTION: 80**

What are some advantages of a system replication with operation mode logreplay compared to delta\_datashipping Note: There are 2 correct answers.

- A. CPU load is reduced
- B. Network traffic is reduced
- C. Memory consumption is lower
- D. Takeover time is shorter

**Answer: B,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 81**

Which diagnostic file can you use to monitor the status of database recovery?

- A. backint.log
- B. sapstartsrv.log
- C. backup.log
- D. available.log

**Answer: C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 82**

How can you perform a complete back up of an SAP HANA database system? Please choose the correct answer.

- A. Back up the complete database system.
- B. Back up the system database and all tenant databases in one step.
- C. Backup the complete storage system.
- D. Back up the system database and all tenant databases individually.

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 83**

The data storage of your productive SAP HANA instance crashed, and you need to recover the database. The log storage is still intact. You have a full data backup that is 9 hours old and an incremental backup that is 4 hours old. To which point in time can you recover to minimize the data loss? Please choose the correct answer.

- A. The latest incremental backup
- B. The last committed transaction
- C. The last full data backup
- D. The latest log backup

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 84**

The network security policies of your project restrict direct SQL connections to the SAP HANA databases.

Which tools can you use to monitor the SAP HANA database? Note: There are 2 correct answers.

- A. SAP Solution Manager
- B. SAP HANA Data Management Suite
- C. SAP HANA Cockpit

D. SAP Landscape Management

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 85**

Which tasks must you perform to convert a single database to a multitenant database system?

There are 2 correct answers to this question.

- A. Trigger the conversion in the SAP HANA cockpit 2.0.
- B. Set the password for the system database user.
- C. Generate the system database before the conversion.
- D. Create an operating system user for the converted tenant database.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 86**

Which programming languages are supported when you develop an application on SAP HANA extended application services? Note: There are 2 correct answers.

- A. C++
- B. Node.js
- C. ABAP
- D. Lisp.js

Answer: A,B ([LEAVE A REPLY](#))

**NEW QUESTION: 87**

Which user credentials are requested during the initial run of the configuration phase when performing the Database Migration Option (DMO) procedure to an SAP HANA 2.0 database tenant? There are 3 correct answers to this question.

- A. The SYSTEM user of the system database
- B. The S-user for the SAP Support Portal connection
- C. The SAP user in client 000 of the ABAP system
- D. The DDIC user in client 000 of the A BAP system
- E. The DBACOCKPIT user of the tenant database

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 88**

Which actions take place during a database migration option (DMO) procedure when performing an in-place migration?

There are 2 correct answers to this question.

- A. De-pooling of tables is done during the procedure.
- B. TABART is considered for the creation of R3load control files.
- C. One table is migrated per R3load pair.
- D. SAP up decides which tables to split.

Answer: A,D ([LEAVE A REPLY](#))

**NEW QUESTION: 89**

Which SAP HANA trace must you activate to analyze performance issues with systems where third-party software cannot be installed?

Please choose the correct answer.

- A. User-Specific
- B. SQL
- C. Kernel profiler
- D. End-to-End

**Answer: C** ([LEAVE A REPLY](#))

**NEW QUESTION: 90**

What are the prerequisites for using the Web user interface for HDBLCM? There are 2 correct answers to this question.

- A. The communication port 1329 is open
- B. Internet Explorer - Version 8 or higher
- C. The SAP HANA database is revision 90 or higher
- D. The communication port 1129 is open

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 91**

Which of the following actions are audited by default in SAP HANA? There are 2 correct answers to this question.

- A. Deletion of audit entries from the audit trail
- B. Installation of SAP HANA license
- C. Creation, modification or deletion of audit policies
- D. Changes to system configuration
- E. Changes to system configuration

**Answer: A,C** ([LEAVE A REPLY](#))

**Valid C\_HANATEC\_17 Dumps** shared by PrepPdf.com for Helping Passing C\_HANATEC\_17 Exam! PrepPdf.com now offer the **newest C\_HANATEC\_17 exam dumps**, the PrepPdf.com C\_HANATEC\_17 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C\_HANATEC\_17 dumps with Test Engine here:  
[https://www.preppdf.com/SAP/C\\_HANATEC\\_17-prepaway-exam-dumps.html](https://www.preppdf.com/SAP/C_HANATEC_17-prepaway-exam-dumps.html) (272 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 92**

Which system privilege must you have to restrict features for tennant databases in the SAP HANA cockpit?

Please choose the correct answer.

- A. RESOURCE ADMIN
- B. INFILE ADMIN
- C. WORKLOAD ADMIN
- D. DATABASE ADMIN

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 93**

Which properties can you adjust in SAP HANA Admission Control? There are 3 correct answers to this question.

- A. Memory threshold for queuing new request
- B. CPU threshold for rejecting new requests
- C. Maximum number of parallel request
- D. Maximum queue size for requests
- E. Memory limits for new SQL statement requests

**Answer: A,D,E ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 94**

Which partitioning option distributes rows equally for load balancing in the SAP HANA database?

- A. Hash
- B. Range
- C. Range-Range
- D. RoundRobin

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 95**

Which package of SAP HANA cloud platform provides a vast set of platform services for the most common pattern in software engineering, such as persistence, connectivity, identity and document management?

- A. SAP HANA DBServices
- B. SAP HANA AppServices
- C. SAP HANA Infrastructure Services
- D. SAP HANA Enterprise Cloud

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 96**

Which database objects can you manipulate if you have the ALL PRIVILEGES activity? There are 2 correct answers to this question.

- A. Sequences

- B. Procedures
- C. Tables
- D. Views

**Answer: B,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 97**

Which preparation steps do you need to perform before replaying a captured workload using the SAP HA NA capture and replay tool? There are 3 correct answers to this question.

- A. Create a replayer user account on the target operating system.
- B. Preprocess the captured workload on the source system.
- C. Restore the source system tenant backup to the target tenant.
- D. Create a replayer user account in the target database system.
- E. Store the logon credentials of the replayer user in the secure store.

**Answer: B,D,E ([LEAVE A REPLY](#))**

**NEW QUESTION: 98**

What is the correct sequence of the following four steps when you restart the SAP HANA database system?

Please choose the correct answer.

- A. 1. Aborted transactions are rolled back.  
2. Row tables are loaded into memory.  
3. Open transactions are recovered.  
4. Column tables are loaded.
- B. 1. Row tables are loaded into memory.  
2. Open transactions are recovered.  
3. Aborted transactions are rolled back.  
4. Column tables are loaded.
- C. 1. Aborted transactions are rolled back.  
2. Open transactions are recovered.  
3. Row tables are loaded into memory.  
4. Column tables are loaded.
- D. 1. Row tables are loaded into memory.  
2. Column tables are loaded.  
3. Open transactions are recovered.  
4. Aborted transactions are rolled back.

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 99**

You plan to set up an SAP HANA2.0 system on intel-based hardware platform. Which of the following operating systems can you use Note: There are 2 correct answers.

- A. SUSE Linux Enterprise Server (SLES) for SAP Applications 11 SP1

- B. Red Hat Enterprise Linux for SAP HANA (RHEL for SAP HANA) 6.5
- C. Red Hat Enterprise Linux for SAP HANA (RHEL for SAP HANA) 7.2
- D. SUSE Linux Enterprise Server (SLES) for SAP Applications 12 SP1

**Answer: C,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 100**

You created data and log backups on the file system. Due to a hardware failure, you use the Recover Database app in SAP HANA cockpit 2.0 to recover the crashed SAP HANA database. From which location does the Recover Database app read the recovery information by default?

- A. `$(DIR_INSTANCE)/<hostname>/trace`
- B. `$(DIR_INSTANCE)/backup/log`
- C. `$(DIR_INSTANCE)/backup/data`
- D. `$(DIR_INSTANCE)/../global/hdb/custom/config`

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 101**

In single-host SAP HANA systems, you can use plain attached storage devices, such as Small Computers System Interface hard drives, solid-state drives (SSDs), or storage area networks (SANs).

However, to build a multi-host system with failover capabilities, the storage must ensure which of the following conditions?

There are 2 correct answers to this question.

- A. SYSTEM users replaced by standby host
- B. The standby host has access to write to files
- C. The standby host has file access
- D. The failed worker host no longer has access to write to files

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 102**

Which tool do you use to check that the actual size of the backup file is the same as the size recorded in the backup file header?

Please choose the correct answer.

- A. hdb backup check
- B. hdb back int
- C. hdb backup diag
- D. hdb recover check

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 103**

What are the supported operating systems for SAP HANA on IBM Power Servers? There are 2 correct answers to this question.

- A. For SAP HANA 1.0, Red Hat Enterprise Linux (RHEL) 6. 10
- B. For SAP HANA 2.0, SUSE Linux Enterprise Server (SLES) 12 and 15
- C. For SAP HANA 2.0, Red Hat Enterprise Linux (RHEL) 7.2
- D. For SAP HANA 1.0, SUSE Linux Enterprise Server (SLES) 11 SP4

**Answer: B,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 104**

What is a prerequisite when you install the SAP Landscape Management tool? Please choose the correct answer.

- A. SAP NetWeaver Application Server Java
- B. SAP Fiori launchpad
- C. SAP NetWeaver Application Server ABAP
- D. SAP HANA XS Advanced

**Answer: A ([LEAVE A REPLY](#))**

**Valid C\_HANATEC\_17 Dumps** shared by PrepPdf.com for Helping Passing C\_HANATEC\_17 Exam! PrepPdf.com now offer the **newest C\_HANATEC\_17 exam dumps**, the PrepPdf.com C\_HANATEC\_17 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C\_HANATEC\_17 dumps with Test Engine here:

[https://www.preppdf.com/SAP/C\\_HANATEC\\_17-prepaway-exam-dumps.html](https://www.preppdf.com/SAP/C_HANATEC_17-prepaway-exam-dumps.html) (272 Q&As

Dumps, **40%OFF Special Discount: Exam-Tests**)