

SAP.C_HCMOD_02.v2022-12-08.q29

Exam Code:	C_HCMOD_02
Exam Name:	Certified Application Associate - SAP HANA Cloud Modeling
Certification Provider:	SAP
Free Question Number:	29
Version:	v2022-12-08
# of views:	732
# of Questions views:	290
https://www.freeqas.com/qa/SAP/C_HCMOD_02/SAP.C_HCMOD_02.v2022-12-08.q29.html	

NEW QUESTION: 1

What is a restricted measure?

- A. A measure that is filtered by one or more attribute values.
- B. A measure that can only be displayed by those with necessary privileges.
- C. A measure that cannot be referenced by a calculated column.
- D. A measure that can be consumed by a CUBE and not a DIMENSION.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 2

Why would you choose an HDI-shared service plan instead of a schema service plan? Note: There are 3 correct answers to this question.

- A. You want to create database objects using source files.
- B. You want to use synonyms to access external data.
- C. You want to use SAP Business Application Studio.
- D. You want to use containers to isolate objects.
- E. You want to develop calculation views.

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 3

Why would you partition a table in an SAP HANA Cloud database? Note: There are 2 correct answers to this question.

- A. To improve data replication performance on large row tables
- B. To improve response time when multiple users access the same table
- C. To improve query performance when accessing large column tables
- D. To overcome the 2 billion record limit

Answer: D (LEAVE A REPLY)

NEW QUESTION: 4

Why would an SQL developer work with SQLScript? Note: There are 3 correct answers to this question.

- A. To include ABAP syntax in the code
- B. To pass parameters from calculation views
- C. To exploit additional data types
- D. To automate the generation of the code
- E. To implement conditional logic

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

You implement a referential join between Table A and Table B, but when you query the calculation view, Table B is not pruned.



What could be the problem? Note: There are 2 correct answers to this question.

- A. Join cardinality is set :1.
- B. Integrity constraint is set to RIGHT.
- C. The Country column is requested.
- D. The Keep flag is activated for the Customer column.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Using the table in the diagram, you need to create a CUBE calculation view.

The diagram shows Table A and its output. Table A has columns: Country, Value. The output shows a cube with columns: Country, Value. The output rows are: France 100, France 200, Germany 100, Germany 100, Germany 200, Germany 100, UK 200.

What is the simplest approach to create the output shown in the screenshot?

- A. Create a filter expression that uses an OR operator.
- B. Implement a union node and map each country as a separate column.
- C. Create 3 calculated columns.
- D. Create a restricted column for each country.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 7

What can you do with shared hierarchies? Note: There are 2 correct answers to this question.

- A. Provide reusable hierarchies for drilldown in a CUBE with star join
- B. Enable SQL SELECT statements to access hierarchies
- C. Provide reusable hierarchies for drilldown in a CUBE without star join
- D. Access hierarchies created in external schemas

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 8

What are some best practices when developing calculation views? Note: There are 2 correct answers to this question.

- A. Include all data flow logic within one calculation view.
- B. Avoid defining joins on calculated columns.
- C. Model star schemas using a sequence of join nodes.
- D. Aggregate at the lowest possible node.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 9

Why would you use parameter mapping in a calculation view? Note: There are 2 correct answers to this question.

- A. To assign variables to one or more attributes
- B. To pass variable values to external value help views
- C. To push down filters to the lowest level calculation views
- D. To convert the data types of input parameters

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 10

You deleted the design-time file of a calculation view in your HDB module. What is the recommended way to ensure that the corresponding runtime object is also removed from the database?

- A. Deploy the folder that contained the deleted design-time file.
- B. Deploy the project that contained the deleted design-time file.
- C. Execute a DROP statement in an SQL Console connected to the HDI container.
- D. Execute the refactor function for the calculation view.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 11

Why would you enable Debug Query mode in a calculation view?

- A. To check which database engines are invoked

- B. To set breakpoints and step through the execution
- C. To identify data sources that are not accessed by a query
- D. To understand how tables are partitioned

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 12

At which levels of a project structure can you execute a deploy operation?Note: There are 2 correct answers to this question.

- A. Individual container
- B. Sub-folder of a database module
- C. Entire workspace
- D. Individual source file

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 13

You define a hierarchy in a calculation view. You want to expose the hierarchy to SQL.Which of the following conditions must be met?Note: There are 2 correct answers to this question.

- A. The hierarchy must be a parent-child hierarchy.
- B. The hierarchy must be exposed by a calculation view of type CUBE with star join.
- C. The hierarchy must be a local hierarchy.
- D. The hierarchy must be a shared hierarchy.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 14

Which tool generates and executes the SQL for a specific node of your calculation view?

- A. Debug Query mode
- B. Database explorer
- C. Explain plan
- D. SQL analyzer

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

You want to ensure that your calculation view does not give unexpected results for a query that is based on any combination of columns.What is the recommended approach for verifying the results?

- A. Select and deselect columns from the output mapping.
- B. Set the HIDE property for columns NOT required.
- C. Write and execute a custom SQL query in the SQL Console.
- D. Select Data Preview for the calculation view.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 16

Why might you use the Keep Flag property in an aggregation node?

- A. To retain the correct aggregation behavior in stacked views
- B. To exclude columns that are NOT requested by a query to avoid incorrect results
- C. To include columns that are NOT requested by a query but are essential for the correct result
- D. To ensure that the aggregation behavior defined in the aggregation node for a measure CANNOT be overridden by a query

Answer: C ([LEAVE A REPLY](#))

Valid C_HCMOD_02 Dumps shared by PrepPdf.com for Helping Passing C_HCMOD_02 Exam! PrepPdf.com now offer the **newest C_HCMOD_02 exam dumps**, the PrepPdf.com C_HCMOD_02 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C_HCMOD_02 dumps with Test Engine here:

https://www.preppdf.com/SAP/C_HCMOD_02-prepaway-exam-dumps.html (82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

You want to create a star schema using a calculation view. The measures are based on columns from two transaction tables. DIMENSION calculation views provide the attributes. What is the correct approach?

- A. Combine the transaction tables using a star join node in a calculation view of type CUBE with star join. Use a join node to join the DIMENSIONS to the fact table.
- B. Combine the transaction tables using an aggregation node in a calculation view of type CUBE with star join. Use a star join node to join the DIMENSIONS to the fact table.
- C. Combine the transaction tables using a join node in a calculation view of type CUBE with star join. Use a star join node to join the DIMENSIONS to the fact table.
- D. Combine the transaction tables using a star join node in a calculation view of type CUBE with star join. Use the same star join node to connect the DIMENSIONS to the fact table.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

What are some of the typical tasks performed by the SAP HANA Cloud modeler role? Note: There are 2 correct answers to this question.

- A. Configure data tiering
- B. Create graph workspaces
- C. Develop calculation views
- D. Develop SAP Fiori apps

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 19

Why do you use the Hidden Columns checkbox in the semantics node of your calculation view?

Note: There are 2 correct answers to this question.

- A. To ensure specific columns are NOT exposed to the reporting tool
- B. To avoid exposing sensitive columns when defining calculated columns
- C. To remove a column that is also used as a Label column
- D. To prevent passing columns in stacked calculation views

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 20


You combine two tables in a join node using multiple columns in each table. Why do you enable the dynamic join option? Note: There are 2 correct answers to this question.

- A. To force the calculation at the relevant level of granularity, even if this level is not the grouping level defined by the query
- B. To ensure that the aggregation always happens after the join execution
- C. To allow data analysis at different levels of granularity with the same calculation view
- D. To ensure that the join execution only uses the join columns requested in the query

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 21

You are deploying a new calculation view, A, that uses calculation view B, as shown in the diagram.



When you preview calculation view A, the account number is not masked. What could be the reason?

- A. The UNMASKED privilege has NOT been granted at the schema level.
- B. You did not define masking in calculation view A.
- C. The type of the Account_Number column is VARCHAR.

D. You previewed the data with the technical user in SAP Business Application Studio.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 22

Which type of join supports a temporal condition in a calculation view?

- A. Left outer join
- B. Referential join
- C. Text join
- D. Inner join

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 23

Which components are part of SAP HANA Cloud?Note: There are 2 correct answers to this question.

- A. SAP Enterprise Architecture Designer
- B. Data lake
- C. SAP HANA database
- D. SAP Analytics Cloud

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 24

You are managing your source files using Git. In which sequence does your file progress towards a COMMIT?

- A. Working directory -> Staging area -> Local Git repository
- B. Working directory -> Local Git repository -> Staging area
- C. Local Git repository -> Staging area -> Working directory
- D. Staging area -> Working directory -> Local Git repository

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

In a database module, what is the purpose of the .hdiconfig file?

- A. To specify in which space the container should be deployed
- B. To specify the namespace rules applicable to the name of database objects
- C. To specify which HDI plug-ins are available
- D. To specify an external schema in which calculation views will get their data

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

In SAP HANA Cloud, which tasks are handled by the cloud provider?Note: There are 3 correct answers to this question.Sizing, provisioning, and monitoring the database

- A. Installing, configuring, and upgrading the operating system

- B. Managing users, roles, and permissions in the database
- C. Backing up the operating system and the database software
- D. Tuning the database to run optimally on the underlying operating system, and hardware

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 27

You create a user-provided service to access tables in external schemas. In which file type do you assign the user-provided service to your database module?

- A. .mtar
- B. .hdiconfig
- C. .namespace
- D. .yaml

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28


What are the key steps to implement currency conversion in a calculation view?

- A. Enable the measure for conversion Choose client, source, and target currencies Choose conversion date and rate type Deploy the conversion rule
- B. Assign semantic type Enable the measure for conversion/Choose client, source, and target currencies/Choose conversion date and rate type
- C. Assign semantic type/Choose client, source, and target currencies/Choose conversion date and rate type/Define an expression in a calculated column
- D. Enable the measure for conversion/Choose client, source, and target currencies/Choose conversion date and rate type/Assign the conversion rule to your calculation view

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 29

Two calculation views, A and B, are defined as shown in the diagram. Three analytic privileges have been granted to you.



When you preview calculation view A, what data do you see?

- A. US for P1 and P2, and GE for P1 and P2
- B. US for P1 and P2, and GE for P2
- C. US for P1 and GE for P1
- D. US for P1

Answer: ([SHOW ANSWER](#))

Valid C_HCMOD_02 Dumps shared by PrepPdf.com for Helping Passing C_HCMOD_02 Exam! PrepPdf.com now offer the **newest C_HCMOD_02 exam dumps**, the PrepPdf.com C_HCMOD_02 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C_HCMOD_02 dumps with Test Engine here:

https://www.preppdf.com/SAP/C_HCMOD_02-prepaway-exam-dumps.html (82 Q&As Dumps,

40%OFF Special Discount: Exam-Tests)