

SAP.C_S4HDEV1909.v2022-05-27.q55

Exam Code:	C_S4HDEV1909
Exam Name:	SAP Certified Development Associate - Programming in SAP S/4HANA, for SAP NetWeaver ABAP Programmer
Certification Provider:	SAP
Free Question Number:	55
Version:	v2022-05-27
# of views:	1866
# of Questions views:	550
https://www.freeqas.com/qa/SAP/C_S4HDEV1909/SAP.C_S4HDEV1909.v2022-05-27.q55.html	

NEW QUESTION: 1

Which data transfer formats are available in SAP Gateway? Note: There are 2 correct Answers to this question.

- A. REST (Representational State Transfer)
- B. XML (Extensible Markup Language)
- C. HTML (Hypertext Markup Language)
- D. JSON (JavaScript Object Notation)

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 2

Which of the following features are available in Open SQL release 7.50?

There are 3 correct answers to this question.

- A. BETWEEN in ON conditions
- B. Up to 50 tables in JOINS
- C. FULL OUTER JOIN
- D. RIGHT OUTER JOIN
- E. ASSOCIATION

Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 3

You develop a transactional application with the ABAP RESTful Application Programming Model (RAP).

Not all field names in the data model view are identical to the field names in the database table.

Where do you define the field name mapping?

- A. In the Behavior Projection
- B. In the field mapping view
- C. In the Behavior Definition
- D. In the Behavior Implementation
- E. You want to replace statements in a program with expressions.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

Which of the following CDS view definitions is syntactically correct?

Please choose the correct answer.

A. @AbapCatalog.sqlViewName: IS4D430_CARRI. DEFINE VIEW S4D430_Carrier AS SELECT.

FROM scar. FIELDS carrid, carrname, currcode, url

B. @AbapCatalog.sqlViewName: IS4D430_CARRI. DEFINE VIEW S4D430_Carrier AS SELECT .

FROM scar. {carrid, carrname, currcode, url}

C. @AbapCatalog.sqlViewName: IS4D430_CARRI. DEFINE VIEW S4D430_Carrier AS SELECT.

FROM scarr. { carrid carrname currcode url }

D. @AbapCatalog.sqlViewName: IS4D430_CARRIERI . DEFINE VIEW S4D430_Carrier AS SELECT.

carrid, carrname, currcode, url. FROM scarr

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 5

You develop an ABAP application and you want to directly access an Internet-facing API. Which of the following methods of the CL_HTTP_DESTINATION_PROVIDE class can you use to obtain the destination object? Note: There are 2 correct Answers to this question.

A. CREATE_BY_HTTP_DESTINATION

B. CREATE_BY_URL

C. CREATE_BY_DESTINATION

D. CREATE_BY_CLOUD_DESTINATION

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 6

How can you create an SAP Gateway service based on a CDS View? Note: There are 2 correct Answers to this question.

A. Add annotation @VDM.viewType: #CONSUMPTION in the data definition.

B. Add annotation @OData.publish: true in the data definition.

C. Redefine the CDS View as service in an SAP Gateway project.

D. Reference the CDS View as data source in an SAP Gateway project.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 7

What can you do with the SQL Trace Tool (ST05)?

There are 3 correct answers to this question.

- A. Detect all deleted database records
- B. Locate database-related performance issues
- C. Locate database-related functional issues
- D. Display record of all database access
- E. Detect redundant statements

Answer: B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 8

You implement the behavior of a CDS-based BOPF Business Object. For which of the following tasks can you reuse the implementation from the BOPF public library?

Please choose the correct answer.

- A. Check for existing foreign keys
- B. Auto-fill semantic key fields
- C. Check for valid dates in input fields
- D. Auto-fill a Last Changed By field

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

The root-node of a CDS-based business object is based on CDS View ZMY_VIEW. The persistent data is stored in the database table ZMY_TABLE. At least one key field of ZMY_TABLE has a different name in CDS View ZMY_VIEW.

Which kind of repository object is needed to map the fields of ZMY_VIEW to the fields of ZMY_TABLE?

Please choose the correct answer.

- A. Database View
- B. Structure Type
- C. SQL View
- D. Global Class

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 10

You want to use Data Source Extensions. Which of the following restrictions and options apply?

There are 2 correct answers to this question.

- A. You can only create one Data Source Extension per data source.
- B. You can use Data Source Extensions to extend SAP data sources with customer-specific fields.

C. You can only read fields of a Data Source Extension.

D. You can only create Data Source Extensions for SAP applications that have been enabled by SAP for key user extensibility.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 11

The Entity Manipulation Language (EML) is an extension of which of the following?

A. The Structured Query Language

B. The Service Definition Language

C. The Behavior Definition Language

D. The ABAP Programming Language

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 12

Which of the following do you use as a separator between a table and a field name in Open SQL?

A. Tilde (~)

B. Period (.)

C. Pointer(->)

D. Minus (-)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

Which of the following are extensibility apps from the Extensibility Business Catalog?

There are 3 correct answers to this question.

A. Data Source Extensions

B. CustomFields and Logic

C. Custom Database Fields

D. Custom CDS Views

E. Configure Software Packages

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 14

What can you define in an SAP Fiori catalog?

There are 2 correct answers to this question.

A. Groups

B. Target Mappings

C. Tiles

D. Links

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 15

You implement the Behavior of a CDS-based BOPF Business Object. You call method update() of the BOPF data modifier to update instance data of node ZMY_NODE. How do you type the actual parameter of import parameter IS_DATA?

- A. TYPE REF TO zs_my_node
- B. TYPE zs_my_node
- C. TYPE REF to zt_my_node
- D. TYPE zt_my_node

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

Which of the following repository objects offer a preview function?

There are 2 correct answers to this question.

- A. Behavior Definition
- B. Service Definition
- C. Data Definition
- D. Service Binding

Answer: C,D ([LEAVE A REPLY](#))

Valid C_S4HDEV1909 Dumps shared by PrepPdf.com for Helping Passing C_S4HDEV1909 Exam! PrepPdf.com now offer the **newest C_S4HDEV1909 exam dumps**, the PrepPdf.com C_S4HDEV1909 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C_S4HDEV1909 dumps with Test Engine here:
https://www.preppdf.com/SAP/C_S4HDEV1909-prepaway-exam-dumps.html (82 Q&As
Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

Which of the following do you use as a separator between a table and a field name in Open SQL?

Please choose the correct answer.

- A. Pointer (->)
- B. Tilde (~)
- C. Period (.)
- D. Minus (-)

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 18

You want to add a validation to a Custom Business Object. Which pattern do you choose for your custom logic?

Please choose the correct answer.

- A. After Modification
- B. Before Modification
- C. Before Save
- D. After Save

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 19

In SAP S/4HANA, a replacement object is assigned to transparent table ANEA. Which uses of table ANEA do you have to correct when migrating an SAP ERP system to SAP S/4HANA? Note: There are 2 correct Answers to this question.

- A. As the line type of a table type in the ABAP Dictionary
- B. In the FROM clause of a DELETE statement
- C. In the FROM clause of a SELECT statement
- D. As the data source of a database view in the ABAP Dictionary

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 20

You want to use the UNION between 2 SELECT statements in a CDS view. What must both statements have in common?

There are 2 correct answers to this question.

- A. Identical name or alias for elements in the same position
- B. Identical data types for elements in the same position
- C. Same number of elements
- D. Same number of key elements

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

Which of the following rules apply to the naming of CDS Views?

There are 2 correct answers to this question.

- A. The data definition name can be up to 30 characters long.
- B. The data definition and the SQL view must have the same name.
- C. The CDS view and the SQL view must have different names.
- D. The SQL view name can be up to 30 characters long.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 22

You are defining a variant in the ABAP Trace tool (SAT). Which of the following trace restrictions can you set? Note: There are 2 correct Answers to this question.

- A. Restrict trace to specific program parts
- B. Restrict trace to specific statements

- C. Restrict trace to specific transactions
- D. Restrict trace to specific users

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

You want to create ABAP applications to consume an on-premise RFC. You use the `jco.client.ashost` property to create a corresponding destination. Which other properties must you add to the destination definition? Note: There are 2 correct Answers to this question.

- A. `jco.client.sysnr` = < SAP System Instance >
- B. `jco.client.mshost` = < Message server host >
- C. `jco.client.client` = < SAP Client >
- D. `jco.client.group` = < Group of application servers >

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 24

Where does the SAP system organize the SAP Gateway services?

Please choose the correct answer.

- A. Internet Graphics Service (IGS)
- B. Internet Communication Framework (ICF)
- C. Internet Transaction Server (ITS)
- D. Internet Communication Manager (ICM)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

You create a destination in SAP BTP cockpit. Which of the following destination types can you set in the Connectivity Service? Note: There are 2 correct Answers to this question.

- A. HTTP
- B. OData
- C. SMTP
- D. RFC

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 26

You are writing an ABAP Managed Database Procedure that contains a SELECT statement. How does client handling work?

Please choose the correct answer.

- A. Use `$session.client`
- B. Use `session_context(ICLIENTI)`
- C. Client handling is automatic
- D. Use `sy-mandt`

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 27

You use the UNION in the Open SQL statement in release 7.50. Which of the following must you use?

There are 2 correct answers to this question.

- A. JOIN clauses
- B. Explicit field list
- C. INTO clause at the end
- D. DISTINCT clause

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

You edit a behavior implementation class of a draft-enabled BOPF Business Object. You need to distinguish between a new draft instance and an edit draft instance. Which property of the node instance do you evaluate?

- A. ActiveUUID
- B. HasActiveEntity
- C. DraftEntityOperationCode
- D. IsActiveEntity

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

What can you use as data source for an SAP Fiori App Launcher - Dynamic?

- A. SAPUI5 service
- B. Target mapping
- C. OData service
- D. Source mapping

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 30

Which of the following are valid ways to insert a comment in a Data Definition (DDL source)?

Note:

There are 2 correct Answers to this question.

- A. * comment
- B. // comment
- C. /* comment */
- D. -- comment

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 31

You define a business role for SAP Fiori. Which of the following can you assign? Note: There are 2 correct Answers to this question.

- A. Catalogs
- B. Target Mappings
- C. Groups
- D. Tiles

Answer: C,D ([LEAVE A REPLY](#))

Valid C_S4HDEV1909 Dumps shared by PrepPdf.com for Helping Passing C_S4HDEV1909 Exam! PrepPdf.com now offer the **newest C_S4HDEV1909 exam dumps**, the PrepPdf.com C_S4HDEV1909 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C_S4HDEV1909 dumps with Test Engine here: https://www.preppdf.com/SAP/C_S4HDEV1909-prepaway-exam-dumps.html (82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

You define a business role for SAP Fiori. Which of the following can you assign?
There are 2 correct answers to this question.

- A. Catalogs
- B. Target Mappings
- C. Groups
- D. Tiles

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 33

Which of the following features are part of the new syntax for OpenSQL?
There are 2 correct answersto this question.

- A. Blank-separated column list
- B. Comma-separated column list
- C. ABAP variables escaped with :
- D. ABAP variables escaped with @

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 34

In a Custom Business Object you want to implement a determination for a node with the ID SALESORDER. What kind of parameter is the SALESORDER parameter?

- A. Exporting
- B. Returning
- C. Importing

D. Changing

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 35

You plan to migrate an SAP ERP system to SAP S/4HANA. Which of the following tasks are recommended but NOT mandatory?

There are 2 correct answers to this question.

- A. Functional adaption
- B. SAP S/4HANA checks
- C. Custom code evaluation
- D. Performance tuning

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

Which of the following Open SQL statements are syntactically correct in release 7.50? Note:

There are 3 correct Answers to this question.

- A. SELECT FROM sbook. FIELDS carrid, connid, loccuram, loccurkey . WHERE customid = @lv_customer . INTO TABLE @lt_booking.
- B. SELECT carrid connid loccuram loccurkey . FROM sbook . WHERE customid = lv_customer . INTO TABLE lt_booking.
- C. SELECT carrid connid loccuram loccurkey. FROM sbook. INTO TABLE lt_booking . WHERE customid = lv_customer.
- D. SELECT FROM sbook . FIELDS carrid, connid, loccuram, loccurkey . INTO TABLE @lt_booking . WHERE customid = @lv_customer.
- E. SELECT carrid, connid, loccuram, loccurkey . FROM sbook . INTO TABLE @lt_booking . WHERE customid = @lv_customer.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

You use the following expression to address the internal table gt_flights: gs_flight = gt_flights[carrid = 'XX' connid = '9999']. There is NO table entry with the specified key. What is the result of the statement?

- A. gs_flight retains its previous contents. The system triggers an exception.
- B. gs_flight retains its previous contents. The system sets sy-subrc to 4.
- C. gs_flight is initialized. The system triggers an exception.
- D. gs_flight is initialized. The system sets sy-subrc to 4.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 38

SAP enabled key user extensibility for a SAP Fiori application. The application accesses a database table that you extended with an append structure in the customer namespace. You want to use key user extensibility to create input fields on the SAP Fiori UI that correspond to the custom database fields.

Which of the following steps are mandatory?

There are 3 correct answers to this question.

- A.** Append the custom database fields to the extension include structure provided by SAP.
- B.** Redefine the OData service used by the SAP Fiori app in transaction SAP Gateway Service Builder(SEGW)to add the custom database fields.
- C.** Enable the custom database fields for usage in SAP Fiori apps using the transaction Enable Fields for Use in the Custom Fields and Logic (SCFD_EUI) app.
- D.** Activate the custom database fields using the transaction Extensibility Registry (SCFD_REGISTRY).
- E.** Enable the usage of the custom database fields in the Custom Fields and Logic app.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

You have written the following code: START-OF-SELECTION. LOOP AT itab INTO DATA(line). *
ENDLOOP.

The system creates a variable called Line. When is it created and when can you address it?

- A.** It is created when the LOOP statement is processed. You can access it only within the loop.
- B.** It is created at the beginning of the program. You can access it only within the loop.
- C.** It is created at the beginning of the program. You can access it any time after the declaration.
- D.** It is created when the LOOP statement is processed. You can access it any time after the declaration.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 40

Which of the following tasks are typically done in a Projection view of the ABAP RESTful Application Programming Model (RAP)? Note: There are 2 correct Answers to this question.

- A.** Define the components of the service
- B.** Define the Business Object composition
- C.** Define a value help for an input field
- D.** Enable full-text search in the application

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 41

You implement an ABAP Managed Database Procedure (AMDP). You want to access some other objects from within your script code. Which of the following objects must you list after the USING addition?

Note: There are 2 correct Answers to this question.

- A. Stored Procedures
- B. Database Views
- C. Calculation Views
- D. AMDP Functions

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

You want to create custom fields using the Custom Fields and Logic extensibility app. Which of the following statements do you need to consider?

There are 2 correct answers to this question.

- A. You must define the fields as read-only fields.
- B. You can translate the fields into different languages.
- C. You can only use String-like data types for the fields.
- D. You must assign the fields to a business context.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

You use the following expression to address the internal table `gt_flights`: `gs_flight = gt_flights[carrid = IXXI connid = I9999I]`. There is NO table entry with the specified key.

What is the result of the statement?

Please choose the correct answer.

- A. `gs_flight` retains its previous contents. The system sets `sy-subrc` to 4.
- B. `gs_flight` is initialized. The system sets `sy-subrc` to 4.
- C. `gs_flight` retains its previous contents. The system triggers an exception.
- D. `gs_flight` is initialized. The system triggers an exception.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 44

You want to analyze SQL performance. You use the SQL Monitor in the production system (PRD) to collect the data. How can you create a snapshot in the development system (DEV)? Note:

There are 2 correct Answers to this question.

- A. Use transaction `SQLM` in PRD to export a file and transaction `SWLT` in DEV to import this file.
- B. Use transaction `SWLT` in DEV to retrieve a snapshot from PRD by RFC.
- C. Use transaction `SRTCM` in DEV to retrieve a snapshot from PRD by RFC.
- D. Use transaction `SWLT` in PRD to export a file and transaction `SWLT` in DEV to import this file.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 45

How could you replace the statement `CONCATENATE a b INTO c`? Note: There are 2 correct Answers to this question.

- A. `c = |a && b|`.

- B. $c = \{ a \} \{ b \}$.
- C. $c = a \ \&\& \ b$.
- D. $c = a \ \& \ b$.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 46

You implement the behavior of a CDS-based BOPF Business Object. For which of the following tasks can you reuse the implementation from the BOPF public library?

- A. Check for valid dates in input fields
- B. Auto-fill a Last Changed By field
- C. Check for existing foreign keys
- D. Auto-fill semantic key fields

Answer: D ([LEAVE A REPLY](#))

Valid C_S4HDEV1909 Dumps shared by PrepPdf.com for Helping Passing C_S4HDEV1909 Exam! PrepPdf.com now offer the **newest C_S4HDEV1909 exam dumps**, the PrepPdf.com C_S4HDEV1909 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C_S4HDEV1909 dumps with Test Engine here: https://www.preppdf.com/SAP/C_S4HDEV1909-prepaway-exam-dumps.html (82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

Which OData option do you use to access the data model of the service?

Please choose the correct answer.

- A. \$metadata
- B. \$expand
- C. \$select
- D. \$format

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 48

You want to use the extensibility app, Custom Fields and Logic, to define custom fields for an SAP Fiori app.

Which of the following conditions is a prerequisite for this activity?

Please choose the correct answer.

- A. You must release the SAP Fiori app for extensibility using the Enable Fields for Use transaction in the Custom Fields and Logic (SCFD_EUI) app.
- B. Custom fields can only be created for SAP Fiori apps that have been enabled by SAP for this type of extension.

C. There is no specific requirement. Custom fields can basically be created for any SAP Fiori app.

D. You must release the SAP Fiori app for extensibility via transaction Setup Adaptation Transport Organizer for Key User Tools (S_ATO_SETUP).

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 49

When creating CDS-based BOPF Business Objects, the system generates several additional repository objects. Among those objects are objects in the ABAP Dictionary. Which types of ABAP Dictionary objects are generated? Note: There are 2 correct Answers to this question.

A. Data Elements

B. Structures

C. Table Types

D. Database Views

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

Which building blocks of the ABAP RESTful Programming Model (RAP) are part of the Core Data Services (CDS)? Note: There are 2 correct Answers to this question.

A. Service Definition

B. Projection View

C. Behavior Implementation

D. Behavior Definition

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 51

You implement a SELECT statement in ABAP. When do you use the key word FIELDS? Please choose the correct answer.

A. When the position of the fields list is after the ORDER BY clause.

B. When the position of the fields list is after the UNION clause.

C. When the position of the fields list is after the FROM clause.

D. When the position of the fields list is after the GROUP BY clause.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

The class CL_CLASS contains a public static method DO_SOMETHING with an importing parameter PARAM TYPE i. Your program contains the following data declaration: DATA var TYPE string.

Which of the following method calls is syntactically correct?

There are 2 correct answers to this question.

A. cl_class=>do_something(param = var).

- B. cl_class=>do_something(param = CAST #(var)).
- C. cl_class=>do_something(param = EXACT #(var)).
- D. cl_class=>do_something(param = CONV #(var)).

Answer: (SHOW ANSWER)

NEW QUESTION: 53

There are many syntax differences between SAP HANA SQLScript and Open SQL. Which of the following rules are common ground between the two languages? Note: There are 2 correct Answers to this question.

- A. Host variables are escaped with an at symbol (@)
- B. Key words can be upper-case or lower-case
- C. Statements are ended with a period (.)
- D. Comments can be marked by an asterisk (*) at position 1

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 54

Which of the following are benefits of draft-enabling an application? Note: There are 3 correct Answers to this question.

- A. Implicit authorization checks
- B. Support for device switching
- C. Re-use of existing business logic
- D. Early feedback from validations
- E. Support for continuous work

Answer: B,D,E (LEAVE A REPLY)

NEW QUESTION: 55

Which of the following ways can you use to address input parameter X in the CDS view definition?

There are 2 correct answers to this question.

- A. \$parameters.X
- B. :X
- C. @parameters.X
- D. @X

Answer: A,B (LEAVE A REPLY)

Valid C_S4HDEV1909 Dumps shared by PrepPdf.com for Helping Passing C_S4HDEV1909 Exam! PrepPdf.com now offer the **newest C_S4HDEV1909 exam dumps**, the PrepPdf.com C_S4HDEV1909 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com C_S4HDEV1909 dumps with Test Engine here:

https://www.preppdf.com/SAP/C_S4HDEV1909-prepaway-exam-dumps.html (82 Q&As
Dumps, **40%OFF** Special Discount: **Exam-Tests**)