

## SAP.E\_BW4HANA207.v2022-09-03.q13

<b>Exam Code:</b>	E_BW4HANA207
<b>Exam Name:</b>	SAP Certified Application Specialist - SAP BW/4HANA 2.0 Delta
<b>Certification Provider:</b>	SAP
<b>Free Question Number:</b>	13
<b>Version:</b>	v2022-09-03
<b># of views:</b>	792
<b># of Questions views:</b>	130
<a href="https://www.freeqas.com/qa/SAP/E_BW4HANA207/SAP.E_BW4HANA207.v2022-09-03.q13.html">https://www.freeqas.com/qa/SAP/E_BW4HANA207/SAP.E_BW4HANA207.v2022-09-03.q13.html</a>	

### NEW QUESTION: 1

Which steps are required to set up a real-time data streaming process based on the ""SAP HANA Smart Data Access (HANA\_SDA)"" source system in SAP BW/4HANA? Note: There are 3 correct answers to this question.

- A. Create a DataStore object (advanced) and a Transformation including DTP connecting the BW DataSource
- B. Create a CompositeProvider on top of the DataStore object (advanced) and define a BW Query on top of it.
- C. Set up an Open ODS view based on the SAP HANA remote source and associate InfoObjects to U each field
- D. Create an SAP HANA remote source based on an SAP HANA Smart Data Integration adapter and a 1-1 BW DataSource related to it.
- E. Create a Process Chain that executes the DTP, set it to "Streaming mode", and schedule it.

**Answer: A,C,D (LEAVE A REPLY)**

### NEW QUESTION: 2

The SAP BW/4HANA StarterAdd-on is installed and set to the Compatibility mode. How is the SAP BW system affected? Note: There are 2 correct answers to this question.

- A. Virtual InfoProviders for Planning are still allowed.
- B. The SAP BEx Analyzer is decommissioned.
- C. All objects can be changed after getting approval by a whitelist.
- D. New InfoCubes can be created after getting approval by a whitelist.

**Answer: B,C (LEAVE A REPLY)**

### NEW QUESTION: 3

From an SAP BW/4HANA perspective, what is the difference between SAP HANA Smart Data Access (SDA) and SAP HANA Smart Data Integration (SDI)? Note: There are 2 correct answers to this question.

- A. SDA is integrates into the SAP HANA Indexserver while you need to setup an additional SAP 1-1 HANA Data Provisioning server for SDI
- B. SDI provides options for data replication in real-time, while SDA does NOT provide this capability.
- C. SAP BW/4HANA Open ODS View can be modelled on SDI sources, but NOT on SDA sources.
- D. SAP BW/4HANA DataSources of source system type "SAP HANA" can connect to SDA sources, U but NOT to SDI sources.

**Answer: A,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 4**

Which transformation rules do support SAP HANA Runtime? Note: There are 3 correct answers to this question.

- A. ABAP end routine
- B. SQL script field routine
- C. ABAP Field routine
- D. Lookup from DataStore object (advanced)
- E. SQL procedure in an SAP HANA FlowGraph

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 5**

Which process types of process chains became obsolete in SAP BW/4HANA compared to SAP BW powered by SAP HANA? Note: there are 2 correct answers to this question.

- A. Attribute Change Run
- B. Execute Data Archiving Process (DAO)
- C. Trigger Delta Merge
- D. Execute Analysis Process (APD)

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 6**

You use the SAP BW/4HANA Transfer Cockpit to prepare your SAP BW system for an in-place conversion to SAP BW/4HANA.

Which functions are provided by this cockpit? Note: There are 2 correct answers to this question.

- A. Execute Pre-Checks
- B. Transfer Bex Queries into BW Queries
- C. Transfer Standard Authorizations
- D. Transfer 3.x DataFlow into 7.x DataFlows

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 7**

What is a valid reason to run the program RODPS\_OS\_EXPOSE?

- A. To investigate extractor logic in an SAP delivered DataSource For ODP
- B. To use an SAP ABAP CDS View for ODP
- C. To have an overview of ODP Consumers of a DataSource
- D. To release a customer developed DataSource for ODP

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 8**

What is the recommended and supported way to virtually consume data in SAP BW/4HANA based on SAP ABAP CDS View?

- A. Model an Open View of source type "Database Table or View" which refers to the SAP ABAP CDS U View.
- B. Model a CompositeProvider which consumes an SAP HANA Calculation View which refers to the u SAP ABAP CDS View.
- C. Model an Open ODS View of source type "DataSource (BW)" which refers to the SAP ABAP CDS U View
- D. Model a CompositeProvide which directly consumes the SAO ABAP CDS View.

**Answer:** C ([LEAVE A REPLY](#))

**NEW QUESTION: 9**

You use a customer master data table as a left table and a transactional sales data table as a right table within a graphical SAP HANA Calculation View.

You want to focus in your report on transactional data showing both: customers with sales volume and without.

Which join type should be used?

- A. Left Outer Join
- B. Referential Join
- C. Full Outer Join
- D. Right Outer Join

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 10**

A customer uses an SAP BW 7.5 system powered by SAP HANA with the SAP BW/4HANA Starter Addon.

The system mode is set to ""B4H mode"". How will the system be affected?

- A. MultiProviders are automatically converted into CompositeProviders
- B. Semantically Partitioned Objects (SPOs) can be maintained with the SAP BW/4HANA Modeling U Tools
- C. SAP BW/4HANA Modeling Tools are needed to maintain BW Queries
- D. 3.x Data Flows can still be used if they are registered in the whitelist

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 11**

A customer wants to know the difference between LSA and LSA+ + to define a layered scalable architecture.

Which layers are only presented in LSA+ + ? Note: There are 2 correct answers to this question.

- A. Open Operational Data Store Layer
- B. EDW Propagation Layer
- C. Corporate Memory
- D. BW Workspace Layer

**Answer: A,B ([LEAVE A REPLY](#))**

**NEW QUESTION: 12**

You enable a DataStore object(advanced) for reporting by switching on the ""External SAP HANA view"" flag in the settings.

Which authorizations are used when you consume the generated SAP HANA view directly?

- A. The combination of the generated analytic privileges in SAP HANA and the analysis authorizations in SAP BW/4HANA
- B. The analysis authorizations in SAP BW/4HANA
- C. The authorizations for the HDI container access in SAP HANA
- D. The generated analytic privileges in SAP HANA

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 13**

How does column-based storage enable data to be read faster in SAP HANA?

- A. Individual columns are read-optimized by writing into a main store and a delta store
- B. Individual columns can be transferred to an SAP HANA optimized row-based format for faster access
- C. Individual columns can be processed at the same time by different CPU cores
- D. Individual columns contain all of the information for the record

**Answer: A ([LEAVE A REPLY](#))**

**Valid E\_BW4HANA207 Dumps** shared by PrepPdf.com for Helping Passing E\_BW4HANA207 Exam! PrepPdf.com now offer the **newest E\_BW4HANA207 exam dumps**, the PrepPdf.com E\_BW4HANA207 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com E\_BW4HANA207 dumps with Test Engine here:

[https://www.preppdf.com/SAP/E\\_BW4HANA207-prepaway-exam-dumps.html](https://www.preppdf.com/SAP/E_BW4HANA207-prepaway-exam-dumps.html) (41 Q&As

Dumps, **40%OFF Special Discount: Exam-Tests**)