

Salesforce.CRT-600.v2022-09-27.q81

Exam Code:	CRT-600
Exam Name:	Salesforce Certified JavaScript Developer I
Certification Provider:	Salesforce
Free Question Number:	81
Version:	v2022-09-27
# of views:	2147
# of Questions views:	810
https://www.freeqas.com/qa/Salesforce/CRT-600/Salesforce.CRT-600.v2022-09-27.q81.html	

NEW QUESTION: 1

Given two expressions var1 and var2. What are two valid ways to return the logical AND of the two expressions and ensure it is data type Boolean ?

Choose 2 answers:

- A. Boolean(var1) && Boolean(var2)
- B. var1.toBoolean() && var2.toBoolean()
- C. var1 && var2
- D. Boolean(var1 && var2)

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 2

Refer to the code below:

```
Let textValue = '1984';
```

Which code assignment shows a correct way to convert this string to an integer?

- A. Let numberValue = (Number)textValue;
- B. let numberValue = Number(textValue);
- C. Let numberValue = textValue.toInteger();
- D. Let numberValue = Integer(textValue);

Answer: (SHOW ANSWER)

NEW QUESTION: 3

A developer has two ways to write a function:

Option A:

```
function Monster(){  
  this.growl = ()=>{  
    console.log('Grr!');  
  }  
}
```

```
}
```

Option B:

```
function Monster(){};
```

```
Monster.prototype.growl = ()=>{
```

```
console.log('Grr!');
```

```
}
```

After deciding on an option, the developer creates 1000 monster objects.

How many growl methods are created with Option A and Option B?

A. 1 for Option A, 1000 for Option B

B. 1000 for both

C. 1 methods for both

D. 1000 for Option A, 1 for Option B

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

Refer to the code below:

Line 05 causes an error.

What are the values of greeting and salutation once code completes?

A. Greeting is Hello and salutation is I say hello.

B. Greeting is Goodbye and salutation is Hello, Hello.

C. Greeting is Hello and salutation is Hello, Hello.

D. Greeting is Goodbye and salutation is I say Hello.

Answer: **C** ([LEAVE A REPLY](#))

NEW QUESTION: 5

A developer has an ErrorHandler module that contains multiple functions.

What kind of export be leverages so that multiple functions can be used?

A. Default

B. Named

C. Multi

D. All

Answer: **B** ([LEAVE A REPLY](#))

NEW QUESTION: 6

Refer to the following code that imports a module named utils:

```
import (foo, bar) from '/path/Utils.js';
```

```
foo();
```

```
bar();
```

Which two implementations of Utils.js export foo and bar such that the code above runs without error?

Choose 2 answers

A. `const foo = () => { return 'foo';}`
`const bar = () => {return 'bar'; }`
`Export default foo, bar;`

B. `// FooUtils.js and BarUtils.js exist`
`Import (foo) from '/path/FooUtils.js';`
`Import (boo) from ' /path/NarUtils.js';`

C. `const foo = () => { return 'foo' ; }`
`const bar = () => { return 'bar' ; }`
`export { bar, foo }`

D. `Export default class {`
`foo() { return 'foo' ; }`
`bar() { return 'bar' ; }`
`}`

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 7

Refer to code below:

`Let productSKU = '8675309' ;`

A developer has a requirement to generate SKU numbers that are always 19 characters long, starting with 'sku', and padded with zeros.

Which statement assigns the values sku0000000008675309 ?

- A.** `productSKU = productSKU .padStart (19. '0').padstart('sku');`
- B.** `productSKU = productSKU .padEnd (16. '0').padstart('sku');`
- C.** `productSKU = productSKU .padEnd (16. '0').padstart(19, 'sku');`
- D.** `productSKU = productSKU .padStart (16. '0').padstart(19, 'sku');`

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 8

A developer has an ErrorHandler module that contains multiple functions.

What kind of export should be leveraged so that multiple functions can be used?

- A.** named
- B.** multi
- C.** all
- D.** default

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 9

A developer is leading the creation of a new web server for their team that will fulfill API requests from an existing client.

The team wants a web server that runs on Node.js, and they want to use the new web framework Minimalist.js. The lead developer wants to advocate for a more seasoned back-end framework that already has a community around it.

Which two frameworks could the lead developer advocate for?

Choose 2 answers

- A. Angular
- B. Express
- C. Koa
- D. Gatsby

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 10

A developer needs to test this function:

```
01 const sum3 = (arr) => (  
02 if (!arr.length) return 0,  
03 if (arr.length === 1) return arr[0],  
04 if (arr.length === 2) return arr[0] + arr[1],  
05 return arr[0] + arr[1] + arr[2],  
06 );
```

Which two assert statements are valid tests for the function?

Choose 2 answers

- A. `console.assert(sum3('hello', 2, 3, 4) === NaN);`
- B. `console.assert(sum3(0) == 0);`
- C. `console.assert(sum3(1, '2') == 12);`
- D. `console.assert(sum3(-3, 2) == -1);`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

Refer to code below:

```
Const objBook = {  
Title: 'Javascript',  
};  
Object.preventExtensions(objBook);  
Const newObjBook = objBook;  
newObjBook.author = 'Robert';
```

What are the values of objBook and newObjBook respectively ?

- A. {author: "Robert", title: "javaScript"}
{author: "Robert", title: "javaScript"}
- B. {author: "Robert", title: "javaScript"}
Undefined
- C. [title: "javaScript"] [title: "javaScript"]

D. {author: "Robert"}

{author: "Robert", title: "JavaScript"}

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 12

Which option is true about the strict mode in imported modules?

A. Add the statement use non-strict, before any other statements in the module to enable not-strict mode.

B. Imported modules are in strict mode whether you declare them as such or not.

C. You can only reference notStrict() functions from the imported module.

D. Add the statement use strict =false; before any other statements in the module to enable not-strict mode.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 13

A developer has two ways to write a function:

Option A:

```
function Monster() {  
  This.growl = () => {  
    Console.log ("Grr!");  
  }  
}
```

Option B:

```
function Monster() {};  
Monster.prototype.growl =() => {  
  console.log("Grr!");  
}
```

After deciding on an option, the developer creates 1000 monster objects.

How many growl methods are created with Option A Option B?

A. 1 growl method is created regardless of which option is used.

B. 1000 growl method is created for Option A. 1 growl methods are created for Option B.

C. 1000 growl methods are created regardless of which option is used.

D. 1 growl method is created for Option A. 1000 growl methods are created for Option B.

Answer: (SHOW ANSWER)

NEW QUESTION: 14

A developer at Universal Containers creates a new landing page based on HTML, CSS, and JavaScript TO ensure that visitors have a good experience, a script named personaliseContext needs to be executed when the webpage is fully loaded (HTML content and all related files), in order to do some custom initialization.

Which statement should be used to call personalizeWebsiteContent based on the above business requirement?

- A. Document.addEventListener("DOMContentLoaded" , personalizeWebsiteContext);
- B. window.addEventListener('load',personalizeWebsiteContext);
- C. document.addEventListener("onDOMContentLoaded", personalizeWebsiteContext);
- D. window.addEventListener('onload', personalizeWebsiteContext);

Answer: (SHOW ANSWER)

NEW QUESTION: 15

A developer creates a simple webpage with an input field. When a user enters text in the input field and clicks the button, the actual value of the field must be displayed in the console.

Here is the HTML file content:

```
<input type = " text" value="Hello" name ="input">
```

```
<button type ="button" >Display </button>
```

 The developer wrote the javascript code below:

```
Const button = document.querySelector('button');
```

```
button.addEvenListener('click', () => (
```

```
Const input = document.querySelector('input');
```

```
console.log(input.getAttribute('value'));
```

When the user clicks the button, the output is always "Hello".

What needs to be done to make this code work as expected?

- A. Replace line 03 with const input = document.getElementById('input');
- B. Replace line 02 with button.addCallback("click", function() {
- C. Replace line 02 with button.addEventListener("onclick", function() {
- D. Replace line 04 with console.log(input .value);

Answer: D (LEAVE A REPLY)

NEW QUESTION: 16

Which code statement below correctly persists an objects in local Storage ?

```
A. const setLocalStorage = ( jsObject) => {
```

```
window.localStorage.setItem(jsObject);
```

```
}
```

```
B. const setLocalStorage = (storageKey, jsObject) => {
```

```
window.localStorage.persist(storageKey, jsObject);
```

```
}
```

```
C. const setLocalStorage = ( jsObject) => {
```

```
window.localStorage.connectObject(jsObject);
```

```
}
```

```
D. const setLocalStorage = (storageKey, jsObject) => {
```

```
window.localStorage.setItem(storageKey, JSON.stringify(jsObject));
```

```
}
```

Answer: D (LEAVE A REPLY)

Valid CRT-600 Dumps shared by PrepPdf.com for Helping Passing CRT-600 Exam! PrepPdf.com now offer the **newest CRT-600 exam dumps**, the PrepPdf.com CRT-600 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com CRT-600 dumps with Test Engine here:
<https://www.preppdf.com/Salesforce/CRT-600-prepaway-exam-dumps.html> (225 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

Refer to the code snippet below:

```
Let array = [1, 2, 3, 4, 4, 5, 4, 4];  
For (let i =0; i < array.length; i++){  
  if (array[i] === 4) {  
    array.splice(i, 1);  
  }  
}
```

What is the value of the array after the code executes?

- A. [1, 2, 3, 4, 5, 4, 4]
- B. [1, 2, 3, 4, 5, 4]
- C. [1, 2, 3, 5]
- D. [1, 2, 3, 4, 4, 5, 4]

Answer: B (LEAVE A REPLY)

NEW QUESTION: 18

Refer to the code below:

```
Function changeValue(obj) {  
  Obj.value = obj.value/2;  
}  
Const objA = (value: 10);  
Const objB = objA;  
changeValue(objB);  
Const result = objA.value;
```

What is the value of result after the code executes?

- A. Undefined
- B. 5
- C. Nan
- D. 10

Answer: B (LEAVE A REPLY)

NEW QUESTION: 19

Refer to HTML below:

```
<div id ="main">
<div id = " card-00">This card is smaller.</div>
<div id = "card-01">The width and height of this card is determined by its contents.</div>
</div>
```

Which expression outputs the screen width of the element with the ID card-01?

- A. document.getElementById(' card-01 ').innerHTML.lenght*e
- B. document.getElementById(' card-01 ').width
- C. document.getElementById(' card-01 ').getBoundingClientRect().width
- D. document.getElementById(' card-01 ').style.width

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 20

Refer to the code below:

```
Let str = 'javascript';
```

```
Str[0] = 'J';
```

```
Str[4] = 'S';
```

After changing the string index values, the value of str is 'javascript'. What is the reason for this value:

- A. Primitive values are immutable.
- B. Non-primitive values are immutable.
- C. Primitive values are mutable.
- D. Non-primitive values are mutable.

Answer: (SHOW ANSWER)

NEW QUESTION: 21

Refer to the code below:

```
let sayHello = () => {
console.log ('Hello, world!');
};
```

Which code executes sayHello once, two minutes from now?

- A. setTimeout(sayHello, 12000);
- B. setInterval(sayHello, 12000);
- C. delay(sayHello, 12000);
- D. setTimeout(sayHello(), 12000);

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 22

Refer to the code below:

```
new Promise((resolve, reject) => {
```

```
const fraction = Math.random();
if( fraction >0.5) reject("fraction > 0.5, " + fraction);
resolve(fraction);
})
.then(() =>console.log("resolved"))
.catch((error) => console.error(error))
.finally(() => console.log(" when am I called?"));
```

When does Promise.finally on line 08 get called?

- A. When resolved or rejected
- B. When rejected
- C. When resolved and settled
- D. WHen resolved

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 23

developer wants to use a module named universalContainersLib and them call functions from it.

How should a developer import every function from the module and then call the fuctions foo and bar ?

- A. import all from '/path/universalContainerLib.js';
universalContainersLib.foo();
universalContainersLib.bar();
- B. import (foo, bar) from '/path/universalContainersLib.js';
foo();
bar();
- C. import * from '/path/universalContainerLib.js';
universalContainersLib.foo();
universalContainersLib.bar();
- D. import * ad lib from '/path/universalContainersLib.js';
lib.foo();
lib.bar();

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 24

Refer to the code below:

```
Const resolveAfterMilliseconds = (ms) => Promise.resolve (
setTimeout (( => console.log(ms), ms ));
Const aPromise = await resolveAfterMilliseconds(500);
Const bPromise = await resolveAfterMilliseconds(500);
Await aPromise, wait bPromise;
What is the result of running line 05?
```

- A. aPromise and bPromise run sequentially.
- B. Neither aPromise or bPromise runs.
- C. Only aPromise runs.
- D. aPromise and bPromise run in parallel.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 25

A developer has code that calculates a restaurant bill, but generates incorrect answers while testing the code:

```
function calculateBill ( items ) {  
  let total = 0;  
  total += findSubTotal(items);  
  total += addTax(total);  
  total += addTip(total);  
  return total;  
}
```

Which option allows the developer to step into each function execution within calculateBill?

- A. Calling the console.trace (total) method on line 03.
- B. Using the debugger command on line 03
- C. Using the debugger command on line 05.
- D. Wrapping findSubtotal in a console.log() method.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 26

A team that works on a big project uses npm to deal with projects dependencies.

A developer added a dependency does not get downloaded when they execute npm install.

Which two reasons could be possible explanations for this?

Choose 2 answers

- A. The developer missed the option --save when adding the dependency.
- B. The developer added the dependency as a dev dependency, and NODE_ENV is set to production.
- C. The developer missed the option --add when adding the dependency.
- D. The developer added the dependency as a dev dependency, and NODE_ENV is set to production.

Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 27

A developer has a web server running with Node.js. The command to start the web server is node server.js. The web server started having latency issues. Instead of a one second turnaround for web requests, the developer now sees a five second turnaround.

Which command can the web developer run to see what the module is doing during the latency period?

- A. `DEBUG=true node server.js`
- B. `NODE_DEBUG=http,https node server.js`
- C. `NODE_DEBUG=true node server.js`
- D. `DEBUG=http, https node server.js`

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 28

Universal Containers recently launched its new landing page to host a crowd-funding campaign. The page uses an external library to display some third-party ads. Once the page is fully loaded, it creates more than 50 new HTML items placed randomly inside the DOM, like the one in the code below:

All the elements includes the same `ad-library-item` class, They are hidden by default, and they are randomly displayed while the user navigates through the page.

- A. Use the browser to execute a script that removes all the element containing the class `ad-library-item`.
- B. Use the browser console to execute a script that prevents the load event to be fired.
- C. Use the DOM inspector to remove all the elements containing the class `ad-library-item`.
- D. Use the DOM inspector to prevent the load event to be fired.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 29

Consider type coercion, what does the following expression evaluate to?

`True + 3 + '100' + null`

- A. 104
- B. 4100
- C. '3100null'
- D. '4100null'

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 30

Given the code below:

```
Function myFunction(){  
  A =5;  
  Var b =1;  
}
```

```
myFunction();  
console.log(a);  
console.log(b);
```

What is the expected output?

- A. Both lines 08 and 09 are executed, but values outputted are undefined.
- B. Both lines 08 and 09 are executed, and the variables are outputted.
- C. Line 08 throws an error, therefore line 09 is never executed.
- D. Line 08 outputs the variable, but line 09 throws an error.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 31

Given the HTML below:

Which statement adds the priority-account CSS class to the Universal Containers row?

- A. `document. querySelectorAll('#row-uc') -classList.add("priority-accour");`
- B. `document. queryselector('#row-uc').classList.add('priority-account');`
- C. `document. getElementById('row-uc').addClass('priority-account*');`
- D. `document. querySelector (#row-uc'). classes-push('priority-account');`

Answer: (SHOW ANSWER)

Valid CRT-600 Dumps shared by PrepPdf.com for Helping Passing CRT-600 Exam!
PrepPdf.com now offer the **newest CRT-600 exam dumps**, the PrepPdf.com CRT-600 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com CRT-600 dumps with Test Engine here:
<https://www.preppdf.com/Salesforce/CRT-600-prepaway-exam-dumps.html> (225 Q&As
Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

A developer is working on an ecommerce website where the delivery date is dynamically calculated based on the current day. The code line below is responsible for this calculation.

```
Const deliveryDate = new Date ();
```

Due to changes in the business requirements, the delivery date must now be today's date + 9 days.

Which code meets this new requirement?

- A. `deliveryDate.setDate(Date.current () + 9);`
- B. `deliveryDate.setDate((new Date ()).getDate () +9);`
- C. `deliveryDate.date = Date.current () + 9;`
- D. `deliveryDate.date = new Date(+9) ;`

Answer: B (LEAVE A REPLY)

NEW QUESTION: 33

Refer the code below.

```
x=3.14;
```

```
function myfunction() {
```

```
"use strict";  
y=x;  
}  
z=x;  
myFunction();
```

Answer:

Z is equal to 3.14

Use strict has effect only on line 5.

Line 5 throws an error

NEW QUESTION: 34

In which situation should a developer include a try .. catch block around their function call ?

- A. The function contains scheduled code.
- B. The function has an error that should not be silenced.
- C. The function results in an out of memory issue.
- D. The function might raise a runtime error that needs to be handled.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 35

Refer to the following code:

What is the value of output on line 11?

- A. An error will occur due to the incorrect usage of the for...of statement on line 07.
- B. [{"foo":1, "bar":2}]
- C. [1, 2]
- D. ["foo", "bar"]

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 36

A developer wants to define a function log to be used a few times on a single-file JavaScript script.

```
01 // Line 1 replacement  
02 console.log("LOG:", logInput);  
03 }
```

Which two options can correctly replace line 01 and declare the function for use?

Choose 2 answers

- A. `const log = (logInput) => {`
- B. `function log = (logInput) {`
- C. `const log(logInput) {`
- D. `function leg(logInput) {`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

A developer is asked to fix some bugs reported by users. To do that, the developer adds a breakpoint for debugging.

```
Function Car (maxSpeed, color){  
  This.maxspeed =masSpeed;  
  This.color = color;  
  Let carSpeed = document.getElementById(' CarSpeed');  
  Debugger;  
  Let fourWheels =new Car (carSpeed.value, 'red');
```

When the code execution stops at the breakpoint on line 06, which two types of information are available in the browser console ?

Choose 2 answers:

- A. The information stored in the window.localStorage property
- B. A variable displaying the number of instances created for the Car Object.
- C. The values of the carSpeed and fourWheels variables
- D. The style, event listeners and other attributes applied to the carSpeed DOM element

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 38

Refer to the code below:

```
01 const server = require('server');  
02 /* Insert code here */
```

A developer imports a library that creates a web server. The imported library uses events and callbacks to start the servers Which code should be inserted at the line 03 to set up an event and start the web server ?

- A. console.log('Listening on ', port) ;
- B. server.on(' connect ' , (port) => {
 console.log("Listening on ' , port) ;})
- C. serve((port) => (
- D. Server.start ();
- E. server()

Answer: B (LEAVE A REPLY)

NEW QUESTION: 39

Given the code below:

```
const copy = JSON.stringify([ new String(' false '), new Bollean( false ), undefined ]); What is the value of copy?
```

- A. -- [false, { }]--
- B. -- [\"false\" ,false, null]--
- C. -- [\"false\" , { }]--
- D. -- [\"false\" , false, undefined]--

Answer: (SHOW ANSWER)

NEW QUESTION: 40

A developer is setting up a new Node.js server with a client library that is built using events and callbacks.

The library:

* Will establish a web socket connection and handle receipt of messages to the server

* Will be imported with require, and made available with a variable called we.

The developer also wants to add error logging if a connection fails.

Given this info, which code segment shows the correct way to set up a client with two events that listen at execution time?

A. `ws.on ('connect', () => {
console.log('connected to client'); ws.on('error', (error) => { console.log('ERROR' , error); });
});`

B. `ws.on ('connect', () => { console.log('connected to client'); }); ws.on('error', (error) => { console.log('ERROR' , error); });`

C. `try{
ws.connect (() => {
console.log('connected to client'); });
} catch(error) { console.log('ERROR' , error); };
}`

D. `ws.connect (() => {
console.log('connected to client'); }).catch((error) => { console.log('ERROR' , error); });`

Answer: B (LEAVE A REPLY)

NEW QUESTION: 41

A Developer wrote the following code to test a sum3 function that takes in an array of numbers and returns the sum of the first three number in the array, The test passes:

```
Let res = sum2([1, 2, 3 ] );
```

```
console.assert(res === 6 );
```

```
Res = sum3([ 1, 2, 3, 4]);
```

```
console.assert(res=== 6);
```

A different developer made changes to the behavior of sum3 to instead sum all of the numbers present in the array. The test passes:

Which two results occur when running the test on the updated sum3 function ?

Choose 2 answers

A. The line 02 assertion passes.

B. The line 02 assertion fails

C. The line 05 assertion passes.

D. The line 05 assertion fails.

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 42

The developer wants to test the array shown:

```
const arr = Array(5).fill(0)
```

Which two tests are the most accurate for this array ?

Choose 2 answers:

- A. `arr.forEach(elem => console.assert(elem === 0)) ;`
- B. `console.assert(arr[0] === 0 && arr[arr.length] === 0);`
- C. `console.assert(arr.length === 5);`
- D. `console.assert (arr.length >0);`

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 43

A developer is trying to handle an error within a function.

Which code segment shows the correct approach to handle an error without propagating it elsewhere?

- A)
- B)
- C)
- D)
- A. Option C
- B. Option B
- C. Option D
- D. Option A

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 44

Universal Containers (UC) just launched a new landing page, but users complain that the website is slow. A developer found some functions any that might cause this problem. To verify this, the developer decides to execute everything and log the time each of these three suspicious functions consumes.

Which function can the developer use to obtain the time spent by every one of the three functions?

- A. `console.getTime ()`
- B. `console.timeStamp ()`
- C. `console.trace()`
- D. `console. timeLog ()`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 45

Refer to the code below:

```

01 const exec = (item, delay) =>{
02 new Promise(resolve => setTimeout( () => resolve(item), delay)),
03 async function runParallel() {
04 Const (result1, result2, result3) = await Promise.all{
05 [exec ('x', '100') , exec('y', 500), exec('z', '100')]
06 };
07 return `parallel is done: ${result1} ${result2}${result3}`;
08 }
}
}

```

Which two statements correctly execute the runParallel () function?

Choose 2 answers

- A. Async runParallel () .then(data);
- B. runParallel () .then(data);
- C. runParallel () .then(function(data)
return data
- D. runParallel (). done(function(data){
return data;
});

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 46

Given the code below:

What is logged to the console'

- A. 2 5 3 4 1
- B. 1 2 3 4 5
- C. 2 5 1 3 4
- D. 1 2 5 3 4

Answer: A (LEAVE A REPLY)

Valid CRT-600 Dumps shared by PrepPdf.com for Helping Passing CRT-600 Exam!
PrepPdf.com now offer the **newest CRT-600 exam dumps**, the PrepPdf.com CRT-600 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com CRT-600 dumps with Test Engine here:
<https://www.preppdf.com/Salesforce/CRT-600-prepaway-exam-dumps.html> (225 Q&As
Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

Refer to the code below:

```
Async funct on functionUnderTest(isOK) {  
If (isOK) return 'OK' ;  
Throw new Error('not OK');  
}
```

Which assertion accurately tests the above code?

- A. Console.assert (await functionUnderTest(true), ' OK ')
- B. Console.assert (await functionUnderTest(true), 'OK')
- C. Console.assert (await functionUnderTest(true), ' not OK ')
- D. Console.assert (await functionUnderTest(true), ' not OK ')

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

Refer to the code below:

```
Const pi = 3.1415326,
```

What is the data type of pi?

- A. Decimal
- B. Double
- C. Float
- D. Number

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 49

A developer has the function, shown below, that is called when a page loads.

```
function onload() {  
console.log("Page has loaded!");  
}
```

Where can the developer see the log statement after loading the page in the browser?

- A. On the webpage.
- B. Terminal running the web server.
- C. Browser javaScript console
- D. Browser performance toots

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 50

Refer to the code below:

```
Const myFunction = arr => {  
Return arr.reduce((result, current) =>{  
Return result = current;  
}, 10);  
}
```

What is the output of this function when called with an empty array ?

- A. Returns 10
- B. Returns NaN
- C. Throws an error
- D. Returns 0

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 51

Refer to the following code:

Which two statement could be inserted at line 17 to enable the function call on line 18?

Choose 2 answers

- A. Object.assign (leo, tony);
- B. leo.roar = () => { console.log('They\'re pretty good!'); };
- C. Object.assign (leo, Tiger);
- D. leo.prototype.roar = () =>(console.log('They\'re pretty good!'););

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 52

Refer to the following code:

```
function test (val) {  
  if (val === undefined) {  
    return 'Undefined values!' ;  
  }  
  if (val === null) {  
    return 'Null value! ' ;  
  }  
  return val;  
}
```

Let x;
test(x);

What is returned by the function call on line 13?

- A. 'Null value!'
- B. 'Undefined values!'
- C. Undefined
- D. Line 13 throws an error.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 53

At Universal Containers, every team has its own way of copying JavaScript objects. The code Snippet shows an implementation from one team:

```
Function Person() {  
  this.firstName = "John";
```

```
this.lastName = 'Doe';
This.name =() => (
console.log('Hello $(this.firstName) $(this.firstName)');
})
Const john = new Person ();
Const dan = JSON.parse(JSON.stringify(john));
dan.firstName = 'Dan';
dan.name();
```

What is the Output of the code execution?

- A. TypeError: dan.name is not a function
- B. TypeError: Assignment to constant variable.
- C. Hello John DOe
- D. Hello Dan Doe

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

Refer to the HTML below:

```
<div id="main">
<ul>
<li>Leo</li>
<li>Tony</li>
<li>Tiger</li>
</ul>
</div>
```

Which JavaScript statement results in changing " Tony" to "Mr. T."?

- A. document.querySelector('\$main li.Tony').innerHTML = ' Mr. T. ';
- B. document.querySelectorAll('\$main \$TONY').innerHTML = ' Mr. T. ';
- C. document.querySelector('\$main li:second-child').innerHTML = ' Mr. T. ';
- D. document.querySelector('\$main li:nth-child(2)'),innerHTML = ' Mr. T. ';

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

Given the following code:

```
document.body.addEventListener(' click ', (event) => {
if (/* CODE REPLACEMENT HERE */) {
console.log("button clicked!");
}
});
```

Which replacement for the conditional statement on line 02 allows a developer to correctly determine that a button on page is clicked?

- A. e.nodeTarget ==this

- B. event.target.nodeName === 'BUTTON'
- C. Event.clicked
- D. button.addEventListener('click')

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 56

Given the requirement to refactor the code above to JavaScript class format, which class definition is correct?

- A. console.log(10/0);
- B. console.log(10/ "five");
- C. console.log(parseInt('two'));
- D. console.log(10/ Number('5'));

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 57

Refer to the code snippet below:

```
Let array = [1, 2, 3, 4, 4, 5, 4, 4];
```

```
For (let i =0; i < array.length; i++)
```

```
if (array[i] === 4) {
```

```
array.splice(i, 1);
```

```
}
```

```
}
```

What is the value of array after the code executes?

- A. [1, 2, 3, 4, 5, 4, 4]
- B. [1, 2, 3, 4, 4, 5, 4]
- C. [1, 2, 3, 5]
- D. [1, 2, 3, 4, 5, 4]

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 58

A developer is required to write a function that calculates the sum of elements in an array but is getting undefined every time the code is executed. The developer needs to find what is missing in the code below.

```
Const sumFunction = arr => {
```

```
Return arr.reduce((result, current) => {
```

```
//
```

```
Result += current;
```

```
//
```

```
), 10);
```

```
};
```

Which option makes the code work as expected?

- A. Replace line 05 with return result;
- B. Replace line 04 with result = result +current;
- C. Replace line 02 with return arr.map((result, current) => (
- D. Replace line 03 with if(arr.length == 0) (return 0;)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

A developer is debugging a web server that uses Node.js The server hits a runtimeerror every third request to an important endpoint on the web server.

The developer added a break point to the start script, that is at index.js at he root of the server's source code. The developer wants to make use of chrome DevTools to debug. Which command can be run to access DevTools and make sure the breakdown is hit ?

- A. Node --inspect-brk index.js
- B. node -i index.js
- C. Node --inspect index.js
- D. Node inspect index.js

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 60

A test has a dependency on database. query. During the test, the dependency is replaced with an object called database with the method, Calculator query, that returns an array. The developer does not need to verify how many times the method has been called.

Which two test approaches describe the requirement?

Choose 2 answers

- A. White box
- B. Stubbing
- C. Substitution
- D. Black box

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 61

Refer to the string below:

```
const str = 'Salesforce';
```

Which two statements result in the word 'Sales'?

Choose 2 answers

- A. str.substr (0, 5);
- B. str.substring (0, 5);
- C. str.substr(1, 5);
- D. str.substring (1, 5);

Answer: A,B ([LEAVE A REPLY](#))

Valid CRT-600 Dumps shared by PrepPdf.com for Helping Passing CRT-600 Exam! PrepPdf.com now offer the **newest CRT-600 exam dumps**, the PrepPdf.com CRT-600 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com CRT-600 dumps with Test Engine here:
<https://www.preppdf.com/Salesforce/CRT-600-prepaway-exam-dumps.html> (225 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

Refer to the following code block:

```
class Animal{
  constructor(name){
    this.name = name;
  }
  makeSound(){
    console.log(`${this.name} is making a sound.`)
  }
}
class Dog extends Animal{
  constructor(name){
    super(name)
    this.name = name;
  }
  makeSound(){
    console.log(`${this.name} is barking.`)
  }
}
let myDog = new Dog('Puppy');
```

myDog.makeSound();

What is the console output?

A. Puppy is barking

Answer: A (LEAVE A REPLY)

NEW QUESTION: 63

Which two console logs output NaN?

Choose 2 answers | |

A. console.log(10 / Number('5'));

B. console.log(parseInt ' ("two')) ;

C. console.log(10 / 0);

D. console.loeg(10 / 'five');

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 64

Refer to the code below:

```
Function Person(firstName, lastName, eyeColor) {  
  this.firstName = firstName;  
  this.lastName = lastName;  
  this.eyeColor = eyeColor;  
}
```

```
Person.job = 'Developer';  
const myFather = new Person('John', 'Doe');  
console.log(myFather.job);
```

What is the output after the code executes?

- A. ReferenceError: assignment to undeclared variable "Person"
- B. Developer
- C. ReferenceError: eyeColor is not defined
- D. Undefined

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 65

Refer to code below:

```
Function myFunction(reassign){  
  let x = 1;  
  var y = 1;  
  if( reassign ) {  
    let x= 2;  
    var y = 2;  
    console.log(x);  
    console.log(y);}  
  console.log(x);  
  console.log(y);} 
```

What is displayed when myFunction(true) is called?

- A. 2 2 2 2
- B. 2 2 undefined undefined
- C. 2 2 1 1
- D. 2 2 1 2

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 66

developer uses the code below to format a date.

After executing, what is the value of formattedDate?

- A. October 05, 2020
- B. June 10, 2020
- C. May 10, 2020
- D. November 05, 2020

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 67

Refer to HTML below:

`<p> The current status of an Order: In Progress </p>`.

Which JavaScript statement changes the text 'In Progress' to 'Completed' ?

- A. `document.getElementById(".status").innerHTML = 'Completed' ;`
- B. `document.getElementById("status").Value = 'Completed' ;`
- C. `document.getElementById("#status").innerHTML = 'Completed' ;`
- D. `document.getElementById("status").innerHTML = 'Completed' ;`

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 68

Refer to the code below:

```
const car = {  
  price:100,  
  getPrice:function(){  
    return this.price;  
  }  
};  
const customCar = Object.create(car);  
customCar.price = 70;  
delete customCar.price;const result = customCar.getPrice();
```

What is the value of result after the code executes?

- A. 100
- B. undefined
- C. 70
- D. null

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 69

Given the code below:

```
const delay = async delay =>{  
  return new Promise((resolve,reject)=>{  
    console.log(1);  
    setTimeout(resolve,deleay);  
  });
```

```
};  
const callDelay = async ()=>{  
  console.log(2);  
  const yup = await delay(1000);  
  console.log(3);  
}  
console.log(4);  
callDelay();  
console.log(5);
```

What is logged to the console?

A. 4 2 1 5 3

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 70

A team that works on a big project uses npm to deal with projects dependencies.

A developer added a dependency does not get downloaded when they execute npm install.

Which two reasons could be possible explanations for this?

Choose 2 answers

A. The developer missed the option --add when adding the dependency.

B. The developer added the dependency as a dev dependency, and NODE_ENV is set to production.

C. The developer added the dependency as a dev dependency, and NODE_ENV

Is set to production.

D. The developer missed the option --save when adding the dependency.

Answer: **B,C,D** ([LEAVE A REPLY](#))

NEW QUESTION: 71

Refer to the following code:

```
01 function Tiger(){  
02   this.Type = 'Cat';  
03   this.size = 'large';  
04 }  
05  
06 let tony = new Tiger();  
07 tony.roar = () =>{  
08   console.log('They're great1');  
09 };  
10  
11 function Lion(){  
12   this.type = 'Cat';
```

```
13 this.size = 'large';
14 }
15
16 let leo = new Lion();
17 //Insert code here
18 leo.roar();
```

Which two statements could be inserted at line 17 to enable the function call on line 18?

Choose 2 answers.

- A. Object.assign(leo,Tiger);
- B. Leo.roar = () => { console.log('They\'re pretty good:'); };
- C. Leo.prototype.roar = () => { console.log('They\'re pretty good:'); };
- D. Object.assign(leo,tony);

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 72

Which three options show valid methods for creating a fat arrow function?

Choose 3 answers

- A. [] => (console.log(' executed ') ;)
- B. X,y,z => (console.log(' executed ') ;)
- C. x => (console.log(' executed ') ;)
- D. (x,y,z) => (console.log(' executed ') ;)
- E. () => (console.log(' executed ') ;)

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 73

Refer to the code below:

```
const addBy = ?
const addByEight =addBy(8);
const sum = addBYEight(50);
```

Which two functions can replace line 01 and return 58 to sum?

Choose 2 answers

- A. const addBy = (num1) => num1 + num2 ;
- B. const addBY = (num1) => (num2) => num1 + num2;
- C. const addBy = function(num1){
return function(num2){
return num1 + num2;
}
}
- D. const addBy = function(num1){
return num1 + num2;
}

Answer: (SHOW ANSWER)

NEW QUESTION: 74

Which code statement below correctly persists an objects in local Storage ?

- A.** `const setLocalStorage = (storageKey, jsObject) => {
window.localStorage.setItem(storageKey, JSON.stringify(jsObject));
}`
- B.** `const setLocalStorage = (jsObject) => {
window.localStorage.connectObject(jsObject);
}`
- C.** `const setLocalStorage = (jsObject) => {
window.localStorage.setItem(jsObject);
}`
- D.** `const setLocalStorage = (storageKey, jsObject) => {
window.localStorage.persist(storageKey, jsObject);
}`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 75

Which three actions can be using the JavaScript browser console?

Choose 3 answers:

- A.** Run code that is not related to page.
- B.** View and change DOM the page.
- C.** Display a report showing the performance of a page.
- D.** view , change, and debug the JavaScript code of the page.
- E.** View and change security cookies.

Answer: **A,B,D** ([LEAVE A REPLY](#))

NEW QUESTION: 76

Refer of the string below:

`Const str = 'sa;esforce'=';`

Which two statement result in the word 'Sale'?

Choose 2 answers

- A.** `str, substring (0,5) ;`
- B.** `str, substring(1,5) ;`
- C.** `str, substr(1,5) ;`
- D.** `str, substr(0,5) ;`

Answer: ([SHOW ANSWER](#))

Valid CRT-600 Dumps shared by PrepPdf.com for Helping Passing CRT-600 Exam!
PrepPdf.com now offer the **newest CRT-600 exam dumps**, the PrepPdf.com CRT-600 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com CRT-600 dumps with Test Engine here:
<https://www.preppdf.com/Salesforce/CRT-600-prepaway-exam-dumps.html> (225 Q&As
Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 77

Refer to the following code:

```
function test (val) {  
  If (val === undefined) {  
    return 'Undefined values!';  
  }  
  if (val === null) {  
    return 'Null value!';  
  }  
  return val;  
}  
Let x;  
test(x);
```

What is returned by the function call on line 13?

- A. Line 13 throws an error.
- B. Undefined
- C. 'Null value!'
- D. 'Undefined values!'

Answer: B (LEAVE A REPLY)

NEW QUESTION: 78

A developer creates a class that represents a blog post based on the requirement that a Post should have a body author and view count.

The Code shown Below:

```
Class Post {  
  // Insert code here  
  This.body =body  
  This.author = author;  
  this.viewCount = viewCount;  
}  
}
```

Which statement should be inserted in the placeholder on line 02 to allow for a variable to be set to a new instance of a Post with the three attributes correctly populated?

- A. Function Post (body, author, viewCount) {
- B. constructor (body, author, viewCount) {
- C. constructor() {
- D. super (body, author, viewCount) {

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 79

A developer wrote the following code to test a sum3 function that takes in an array of numbers and returns the sum of the first three numbers in the array, and the test passes.

A different developer made changes to the behavior of sum3 to instead sum only the first two numbers present in the array.

Which two results occur when running this test on the updated sum3 function?

Choose 2 answers

- A. The line 02 assertion passes.
- B. The line 05 assertion passes.
- C. The line 05 assertion fails.
- D. The line 02 assertion fails.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 80

The developer wants to test this code:

```
Const toNumber =(strOrNum) => strOrNum;
```

Which two tests are most accurate for this code?

Choose 2 answers

- A. console.assert(toNumber () === NaN);
- B. console.assert(toNumber('-3') < 0);
- C. console.assert(Number.isNaN(toNumber()));
- D. console.assert(toNumber('2') === 2);

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 81

Refer to the following array:

```
Let arr = [ 1,2, 3, 4, 5];
```

Which three options result in x evaluating as [3, 4, 5] ?

Choose 3 answers.

- A. Let x= arr.slice(2);
- B. Let x = arr.slice(2,3);
- C. Let x= arr.splice(2,3);
- D. Let x= arr.filter ((a) => (a<2));
- E. Let x= arr.filter((a) => (return a>2));

Answer: ([SHOW ANSWER](#))

Valid CRT-600 Dumps shared by PrepPdf.com for Helping Passing CRT-600 Exam!
PrepPdf.com now offer the **newest CRT-600 exam dumps**, the PrepPdf.com CRT-600 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com CRT-600 dumps with Test Engine here:
<https://www.preppdf.com/Salesforce/CRT-600-prepaway-exam-dumps.html> (**225 Q&As** Dumps, **40%OFF** Special Discount: **Exam-Tests**)