Salesforce.DEX-450.v2022-04-15.q141

Exam Code:	DEX-450
Exam Name:	Programmatic Development using Apex and Visualforce in Lightning Experience
Certification Provider:	Salesforce
Free Question Number:	141
Version:	v2022-04-15
# of views:	3760
# of Questions views:	1410
https://www.freeqas.com/qa/Salesforce/DEX-450/Salesforce.DEX-450.v2022-04-15.q141.html	

NEW QUESTION: 1
A reviewer is required to enter a reason in the comments field only when a candidate is recommended to be hired. Which action can a developer take to enforce this requirement?
A. Create a required comments field.
B. Create a formula field.
C. Create a required Visualforce component.
D. Create a validation rule.
Answer: D (LEAVE A REPLY)

NEW QUESTION: 2
Where can the custom roll-up summary fields be created using Standard Object relationships (Choose 3)
A. On Opportunity using Opportunity Product records.
B. On Account using Case records.
C. On Campaign using Campaign Member records.
D. On Account using Opportunity records.
E. On Quote using Order records.
Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 3
When is an Apex Trigger required instead of a Process Builder Process?
A. When a record needs to be created
B. When a post to Chatter needs to be created

C. When an action needs to be taken on a delete or undelete, or before a DML operation is executed.
D. When multiple records related to the triggering record need to be updated
Answer: C (LEAVE A REPLY)

NEW QUESTION: 4
An Account trigger updates all related Contacts and Cases each time an Account is saved using the following two DML statements:
update allContacts; update allCases;
What is the result if the Case update exceeds the governor limit for maximum number of DML records?
A. The Account save fails and no Contacts or Cases are updated
B. The Account save succeeds, Contacts are updated, but Cases are not.
C. The Account save succeeds and no Contacts or Cases are updated
D. The Account save is retried using a smaller trigger batch size.
Answer: A (LEAVE A REPLY)

NEW QUESTION: 5
A developer must troubleshoot to pinpoint the causes of performance issues when a custom page loads in their org. Which tool should the developer use to troubleshoot?
A. Visual Studio Core IDE
B. AppExchange
C. Developer Console
D. Salesforce CLI
Answer: C (LEAVE A REPLY)

NEW QUESTION: 6
Which actions can a developer perform using the Schema Builder?Choose 2 answers
A. Create a custom field and automatically add it to an existing page layout.
B. Create a custom object and define a lookup relationship on that object
C. Create a view of objects and relationships without fields
D. Create a view containing only standard and system objects.
Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 7
An Apex transaction inserts 100 Account records and 2,000 Contact records before encountering a DML exception when attempting to insert 500 Opportunity records. The Account records are inserted by calling the database.insert() method with the allOrNone argument set to false. The Contact and Opportunity records are inserted using the standalone insert statement. How many total records will be committed to the database in this transaction?
A. 0

B. 2100
C. 2000
D. 100
Answer: D (LEAVE A REPLY)

NEW QUESTION: 8
How can a developer set up a debug log on a specific user?
A. Ask the user for access to their account credentials, log in as the user and debug the issue.
B. Create Apex code that logs code actions into a custom object.
C. It is not possible to setup debug logs for users other than yourself.
D. Set up a trace flag for the user, and define a logging level and time period for the trace.
Answer: (SHOW ANSWER)

NEW QUESTION: 9
A platform developer needs to write an apex method that will only perform an action if a record is assigned to a specific record type. Which two options allow the developer to dynamically determine the ID of the required record type by its name? Choose 2 answers
A. Use the getrecordtypeinfosbydevelopername() method in the describesobjectresult class
B. Make an outbound web services call to the SOAP API
C. Hardcore the ID as a constant in an apex class
D. Execute a SOQL query on the recordtype object
Answer: (SHOW ANSWER)

NEW QUESTION: 10
A developer has the following code block:
public class PaymentTax {public static decimal SalesTax = 0.0875;} trigger OpportunityLineItemTrigger on OpportunityLineItem (before insert, before update) {PaymentTax PayTax = new PaymentTax();decimal ProductTax = ProductCost * XXXXXXXXXXX;} To calculate the productTax, which code segment would a developer insert at the XXXXXXXXXXX to make the value the class variable SalesTax accessible within the trigger?
A. PaymentTax.SalesTax
B. SalesTax
C. PayTax.SalesTax
D. OpportunityLineItemTngger.SalesTax
Answer: A (LEAVE A REPLY)

NEW QUESTION: 11
A developer must implement a CheckPaymentProcessor class that provides check processing payment capabilities that adhere to what defined for payments in the PaymentProcessor interface. public interface PaymentProcessor { void pay(Decimal amount); } Which is the correct implementation to use the PaymentProcessor interface class?

A. Public class CheckPaymentProcessor implements PaymentProcessor {
public void pay(Decimal amount) {}
}
B. Public class CheckPaymentProcessor implements PaymentProcessor {
public void pay(Decimal amount);
}
C. Public class CheckPaymentProcessor extends PaymentProcessor {
public void pay(Decimal amount) {}
}
D. Public class CheckPaymentProcessor extends PaymentProcessor {
public void pay(Decimal amount);
}
Answer: (SHOW ANSWER)

NEW QUESTION: 12
A platform developer at Universal Containers needs to create a custom button for the Account object that, when clicked, will perform a series of calculations and redirect the user to a custom Visualforce page.
Which three attributes need to be defined with values in the <apex:page> tag to accomplish this? (Choose three.)
A. action
B. readOnly
C. standardController
D. extensions
E. renderAs
Answer: A,C,E (LEAVE A REPLY)

NEW QUESTION: 13
How should a developer create a new custom exception class?
A. public class CustomException extends Exception{}
B. CustomException ex = new (CustomException)Exception();
C. (Exception)CustomException ex = new Exception();
D. public class CustomException implements Exception{}
Answer: A (LEAVE A REPLY)

NEW QUESTION: 14
Which feature allows a developer to create test records for use in test classes?
A. Httpcalloutmocks
B. Static resources
C. Documents
D. Webservicetests

Answer: D (LEAVE A REPLY)

NEW QUESTION: 15
An org has an existing Visual Flow that creates an Opportunity with an Update records element. A developer must update the Visual Flow also created a Contact and store the created Contact's ID on the Opportunity.
A. Add a new Create records element.
B. Add a new Quick Action (of type create) element.
C. Add a new Get Records element.
D. Add a new Update records element
Answer: A (LEAVE A REPLY)

NEW QUESTION: 16
A developer must create a Lightning component that allows user to input Contact record information to create a Contact record, including a Salary__c custom field. What should the developer use, along with a lightning-record-edit-form, so that Salary__c field functions as a currency input and is only viewable and editable by users that have the correct field level permissions on Salary__c?
A. <ligthning-input-field field-name="Salary__c">
</lightning-input-field>
B. <lightning-formatted-number value="Salary__c" format-style="currency">
</lightning-formatted-number>
C. <lightning-input type="number" value="Salary__c" formatter="currency">
</lightning-input>
D. <lightning-input-currency value="Salary__c">
</lightning-input-currency>
Answer: A (LEAVE A REPLY)

Valid DEX-450 Dumps shared by PrepPdf.com for Helping Passing DEX-450 Exam! PrepPdf.com now offer the **newest DEX-450 exam dumps**, the PrepPdf.com DEX-450 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com DEX-450 dumps with Test Engine here: https://www.preppdf.com/Salesforce/DEX-450-prepaway-exam-dumps.html (**202** Q&As Dumps, **40%OFF** **Special Discount:** **Exam-Tests**)

NEW QUESTION: 17
Which two operations can be performed using a formula field? Choose 2 answers
A. Triggering a Process Builder
B. Displaying the last four digits of an encrypted Social Security number

C. Calculating a score on a Lead based on the information from another field (Missed)
D. Displaying an Image based on the Opportunity Amount (Missed)
Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 18
Candidates are reviewed by four separate reviewers and their comments and scores which range from 1 (lowest) to 5 (highest) are stored on a review record that is a detail record for a candidate what is the best way to indicate that a combined review score of 15 of better is required to recommend that the candidate come in for an interview?
A. Use a rollup summary field to calculates the sum of the review scores, and store this in a total score field on the candidate
B. Use a workflow rule to calculate the sum of the review scores and send an email to the hiring manager when the total is 15 or better
C. Use a validation rule on a total score field on the candidate record that prevents a recommended field from being true if the total score is less than 15
D. Use visual workflow to set a recommended field on the candidate whenever the cumulative review score is 15 or better
Answer: B (LEAVE A REPLY)

NEW QUESTION: 19
What would a developer do to update a picklist field on related Opportunity records when a modification to the associated Account record is detected?
A. Create a workflow rule with a field update.
B. Create a Lightning Component.
C. Create a Visualforce page.
D. Create a process with Process Builder.
Answer: D (LEAVE A REPLY)

NEW QUESTION: 20
Which three data types can be returned from an SOQL statement?
A. Boolean
B. Single object
C. String
D. Integer
E. List of objects
Answer: B,D,E (LEAVE A REPLY)

NEW QUESTION: 21
Universal Containers stores Orders and Line Items in Salesforce. For security reason, financial representatives are allowed to see information on the Order such as order amount, but they are not allowed to see the Line items on the Order. Which type of relationship should be used?

A. Indirect lookup
B. Direct Lookup
C. Lookup
D. Master Detail
Answer: D (LEAVE A REPLY)

NEW QUESTION: 22
A developer created a Visualforce page and custom controller to display the account type field as shown below. Custom controller code: public class customCtrlr{ private Account theAccount; public String actType; public customCtrlr() { theAccount = [SELECT Id, Type FROM Account WHERE Id = :apexPages.currentPage().getParameters().get('id')]; actType = theAccount.Type; } } Visualforce page snippet: The Account Type is {!actType} The value of the account type field is not being displayed correctly on the page. Assuming the custom controller is property referenced on the Visualforce page, what should the developer do to correct the problem?
A. Add a getter method for the actType attribute.
B. Change theAccount attribute to public.
C. Convert theAccount.Type to a String.
D. Add with sharing to the custom controller.
Answer: (SHOW ANSWER)

NEW QUESTION: 23
Cloud Kicks Fitness, an ISV Salesforce partner, is developing a managed package application. One of the application modules allows the user to calculate body fat using the apex class, Bodyfat, and its method, calculateBodyfat(). The product owner wants to ensure this method is accessible by the consumer of the application when developing customizer outside the ISV's package namespace. Which approach should a developer take to ensure calculateBodyFat() is accessible outside the package namespace?
A. Declare the class as public and use the global access modifier on the method.
B. Declare the class and method using the global access modifier.
C. Declare the class and method using the public access modifier.
D. Declare the class as public and use the public access modifier on the method.
Answer: (SHOW ANSWER)

NEW QUESTION: 24
A Licensed_Professional__c custom object exist in the system with two Master-Detail fields for the following objects: Certification__c and Contact. Users with the "Certification Representative" role can access the Certification records they own and view the related Licensed Professionals records, however users with the "Salesforce representative" role report they cannot view any Licensed professional records even though they own the associated Contact record. What are two likely causes of users in the "Sales Representative" role not being able to access the Licensed Professional records? Choose 2 answers

A. The organization has a private sharing model for Certification__c, and Contact is the primary relationship in the Licensed_Professional__c object
B. The organization's sharing rules for Licensed_Professional__c have not finished their recalculation process. (Missed)
C. The organization has a private sharing model for Certification__c, and Certification__c is the primary relationship in the Licensed_Professional__c object. (Missed)
D. The organization recently modified the Sales representative role to restrict Read/Write access to Licensed_Professional__c
Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 25
Which standard field needs to be populated when a developer inserts new Contact records programmatically?
A. Name
B. AccountId
C. FirstName
D. LastName
Answer: (SHOW ANSWER)

NEW QUESTION: 26
Which tool allows a developer to send requests to the Salesforce REST APIs and view the responses?
A. Workbench REST Explorer
B. REST resource path URL
C. Developer Console REST tab
D. Force.com IDE REST Explorer tab
Answer: (SHOW ANSWER)

NEW QUESTION: 27
A developer wants to list all of the Tasks for each Account on the Account detail page. When a task is created for a Contact, what does the developer need to do to display the Task on the related Account record?
A. Create an Account formula field that displays the Task information.
B. Create a Workflow rule to relate the Task to the Contact's Account.
C. Nothing. The task is automatically displayed on the Account page.
D. Nothing. The Task cannot be related to an Account and a Contact.
Answer: C (LEAVE A REPLY)

NEW QUESTION: 28
To which primitive data type is a text area (rich) field automatically assigned?
A. Object

B. Text
C. Blob
D. String
Answer: D (LEAVE A REPLY)

NEW QUESTION: 29
A method is passed a list of generic sObjects as a parameter.
What should the developer do to determine which object type (Account, Lead, or Contact, for example) to cast each sObject?
A. Use a try-catch construct to cast the sObject into one of the three sObject types.
B. Use the getSObjectType method on each generic sObject to retrieve the sObject token.
C. Use the first three characters of the sObject ID to determine the sObject type.
D. Use the getSObjectName method on the sObject class to get the sObject name.
Answer: B (LEAVE A REPLY)

NEW QUESTION: 30
A development team wants to use a deployment script to automatically deploy to a sandbox during their development cycles. Which tool should they use to deploy to the sandbox?
A. Ant Migration Tool
B. Change Sets
C. Developer Console
D. VSCode
Answer: (SHOW ANSWER)

NEW QUESTION: 31
What is the value of x after the code segment executes?String x = 'A';Integer i = 10;if (i < 15) {i = 15;x = 'B';} else if (i < 20) {x = 'C';} else {x = 'D'; }
A. D
B. C
C. B
D. A
Answer: C (LEAVE A REPLY)

Valid DEX-450 Dumps shared by PrepPdf.com for Helping Passing DEX-450 Exam! PrepPdf.com now offer the **newest DEX-450 exam dumps**, the PrepPdf.com DEX-450 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com DEX-450 dumps with Test Engine here:

https://www.preppdf.com/Salesforce/DEX-450-prepaway-exam-dumps.html (**202** Q&As Dumps, **40%OFF** **Special Discount:** **Exam-Tests**)

NEW QUESTION: 32
A developer needs to provide a way to mass edit, update, and delete records from a list view. In which two ways can this be accomplished? Choose 2 answers
A. Download an unmanaged package from the AppExchange that provide customizable mass edit, update, and delete functionality.
B. Download a managed package from the AppExchange that provides customizable Enhanced List Views and buttons
C. Create a new Visualforce page and Apex Controller for the list view that provides mass edit, update and delete functionality.
D. Configure the user interface and enable both inline editing and enhanced lists.
Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 33
Which two statements are true regarding formula fields? Choose 2 answers
A. When using the & operator to concatenate strings, the result is automatically truncated to fit the destination.
B. Formula fields may reference formula field on the same object to a level of one deep.
C. Fields that are referenced by formula field can not be deleted until the formula is modified or deleted.
D. When concatenating fields, line breaks can be added to improve readability.
Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 34
In order to override a standard action with a visualforce page, which attribute must be defined in the <apex:page> tag?
A. Override
B. Pagereference
C. Standardcontroller
D. Controller
Answer: C (LEAVE A REPLY)

NEW QUESTION: 35
A developer has a unit test that is failing. To identify the issue, the developer copies the code inside the test method and executes it via the Execute Anonymous Apex Tool. The code then executes without failing. Why did the unit test failed, but not the Execute Anonymous?
A. The test method calls an @future method.
B. The test method use a try/catch block
C. The test method has a syntax error in the code.

D. The test method relies on existing data in the database
Answer: D (LEAVE A REPLY)

NEW QUESTION: 36
A developer created a Lightning component to display a short text summary for an object and wants to use it with multiple Apex classes.
How should the developer design the Apex classes?
A. Extend each class from the same base class that has a method getTextSummary() that returns the summary.
B. Have each class define method getObject() that returns the sObject that is controlled by the Apex class.
C. Have each class implement an interface that defines method getTextSummary() that returns the summary.
D. Have each class define method getTextSummary() that returns the summary.
Answer: (SHOW ANSWER)

NEW QUESTION: 37
When creating unit tests in Apex, which statement is accurate?Choose 2
A. System Assert statements that do not Increase code coverage contribute important feedback in unit tests
B. Unit tests with multiple methods result in all methods failing every time one method fails.
C. Increased test coverage requires large test classes with many lines of code in one method.
D. Triggers do not require any unit tests in order to deploy them from sandbox to production.
Answer: (SHOW ANSWER)

NEW QUESTION: 38
What should be used to create scratch orgs?
A. Workbench
B. Developer Console
C. Salesforce CLI
D. Sandbox refresh
Answer: C (LEAVE A REPLY)

NEW QUESTION: 39
Opportunity opp=[select id ,stagename from opportunity limit 1] Given the code above, how can a developer get the label for the stagename field?
A. Call"opp.stagename.getdescribe().getlabel()"
B. Call"opp.stagename.label"
C. Call "opportunity.stagename.label"
D. Call"opportunity.stagename.getdescribe().getlabel()"
Answer: (SHOW ANSWER)

NEW QUESTION: 40
When a task is created for a contact, how can a developer prevent the task from being included on the activity timeline of the contact's account record?
A. In activity settings,uncheck roll-up activities to a contact's primary account
B. Create a task trigger to set the account field to NULL
C. By default,tasks do not display on the account activity timeline
D. Use process builder to create a process to set the task account field to blank
Answer: (SHOW ANSWER)

NEW QUESTION: 41
Where would a developer build a managed package?
A. Developer Sandbox
B. Partial Copy Sandbox
C. Unlimited Edition
D. Developer Edition
Answer: D (LEAVE A REPLY)

NEW QUESTION: 42
How can a developer avoid exceeding governor limits when using Apex Triggers? (Choose 2)
A. By performing DML transactions on a list of sObjects.
B. By using the Database class to handle DML transactions
C. By using a helper class that can be invoked from multiple triggers
D. By using Maps to hold data from query results
Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 43
Which data structure is returned to a developer when performing a SOSL search?
A. A list of sObjects.
B. A map of sObject types to a list of sObjects
C. A list of lists of sObjects.
D. A map of sObject types to a list oflists of sobjects
Answer: (SHOW ANSWER)

NEW QUESTION: 44
Account acct = {SELECT Id from Account limit 1}; Given the code above, how can a developer get the type of object from acct?
A. Call "Account.getSobjectType()"
B. Call "acct.SobjectType"
C. Call "Account.SobjectType"
D. Call "acct.getsObjectType()"

Answer: (SHOW ANSWER)

NEW QUESTION: 45
Which code in a Visualforce page and/or controller might present a security vulnerability?
A. <apex:outputText value="{!£CurrentPage.parameters.userInput}" />
B. <apex:outputField value="{!ctrl.userInput}" />
C. <apex:outputField escape="false" value="{!ctrl.userInput}" />
D. <apex:outputText escape="false" value=" {!$CurrentPage.parameters.userInput}" />
Answer: D (LEAVE A REPLY)

NEW QUESTION: 46
Which two statements are true about using the @testSetup annotation in an Apex test class? (Choose two.)
A. Test data is inserted once for all test methods in a class.
B. The @testSetup method is automatically executed before each test method in the test class is executed.
C. Records created in the @testSetup method cannot be updates in individual test methods.
D. The @testSetup annotation cannot be used when the @isTest(SeeAllData=True) annotation is used.
Answer: (SHOW ANSWER)

Valid DEX-450 Dumps shared by PrepPdf.com for Helping Passing DEX-450 Exam! PrepPdf.com now offer the **newest DEX-450 exam dumps**, the PrepPdf.com DEX-450 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com DEX-450 dumps with Test Engine here: https://www.preppdf.com/Salesforce/DEX-450-prepaway-exam-dumps.html (**202** Q&As Dumps, **40%OFF** **Special Discount:** **Exam-Tests**)

NEW QUESTION: 47
A developer has the following class and trigger code public class insurancerates{ public static final decimal smokercharge = 0.01; } trigger contacttrigger on contact (before insert) { insurancerates rates = new insurancerates(); decimal basecost=xxx; } Which code segment should a developer insert at the xxx to set the basecost variable to the value of the class variable smokercharge?
A. Contacttrigger.insurancerates.smokercharge
B. Rates.getsmokercharge()
C. Rates.smokercharge
D. Insurancerates.smokercharge
Answer: (SHOW ANSWER)

NEW QUESTION: 48
Given the code block: Integer x; for (x =0; x<10; x+=2){
if (x==8) break; if (x==10) break;
} system.debug(x); Which value will the system.debug display?
A. 4
B. 10
C. 2
D. 8
Answer: D (LEAVE A REPLY)

NEW QUESTION: 49
What are three considerations when using the @InvocableMethod annotation in Apex?
Choose 3 answers
A. A method using the @InvocableMethod annotation must be declared as static (Missed)
B. A method using the @InvocableMethod annotation can be declared as Public or Global. (Missed)
C. A method using the @InvocableMethod annotation must define a return value.
D. A method using the @InvocableMethod annotation can have multiple input parameters.
E. Only one method using the @InvocableMethod annotqation can be defined per Apex class. (Missed)
Answer: A,B,E (LEAVE A REPLY)

NEW QUESTION: 50
A candidate may apply to multiple jobs at the company Universal Containers by submitting a single application per job posting, that application cannot be modified to be resubmitted to a different job posting.What can the administrator do to associate an application with each job posting in the schema for the organization?
A. Create a master-detail relationship in the Job Postings custom object to the Applications custom object.
B. Create a lookup relationship in the Applications custom object to the Job Postings custom object.
C. Create a master-detail relationship in the Application custom object to the Job Postings custom object.
D. Create a lookup relationship on both objects to a junction object called Job Posting Applications.
Answer: C (LEAVE A REPLY)

NEW QUESTION: 51
What are two valid options for iterating through each Account in the collection List <Account> named AccountList? Choose 2 answers.

A. For (Integer i=0; i<AccountList. Size();i++){...}
B. For (Account theAccount : AccountList){...}
C. For(AccountList){...}
D. For (List L : AccountList) {...}
Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 52
Which SOQL query successfully returns the Accounts grouped by name?
A. SELECT Id, Type, Max(CreatedDate) FROM Account GROUP BY Name
B. SELECT Type, Max(CreatedDate) FROM Account GROUP BY Name
C. SELECT Name, Max(CreatedDate) FROM Account GROUP BY Name
D. SELECT Type, Name, Max(CreatedDate) FROM Account GROUP BY Name LIMIT 5
Answer: C (LEAVE A REPLY)

NEW QUESTION: 53
If apex code executes inside the execute() method of an Apex class when implementing the Batchable interface, which statement are true regarding governor limits? Choose 2 answers
A. The Apex governor limits might be higher due to the asynchronous nature of the transaction. (Missed)
B. The Apex governor limits are relaxed while calling the costructor of the Apex class.
C. The apex governor limits are reset for each iteration of the execute() mrthod. (Missed)
D. The Apex governor limits cannot be exceeded due to the asynchronous nature of the transaction,
Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 54
Which statement would a developer use when creating test data for products and pricebooks?
A. IsTest(SeeAllData = false);
B. Pricebook pb = new Pricebook();
C. List objList = Test.loadData(Account.sObjectType, 'myResource');
D. Id pricebookId = Test.getStandardPricebookId();
Answer: D (LEAVE A REPLY)

NEW QUESTION: 55
A lead object has a custom field Prior_Email__c. The following trigger is intended to copy the current Email into the Prior_Email__c field any time the Email field is changed:

```
trigger test on Lead (before update) {
    for(Lead ld: trigger.new)
    {
        if(ld.Email != trigger.oldMap.get (ld.ld).email)
        {
            ld.Prior_Email__c = trigger.old,ap.get(ld.ld).email;
            update ld;
        }
    }
}
```

freeqas.com

Which type of exception will this trigger cause?

A. A DML exception

B. A limit exception when doing a bulk update

C. A null reference exception

D. A compile time exception

Answer: (SHOW ANSWER)

NEW QUESTION: 56

A developer needs an Apex method that can process Account or Contact records. Which method signature should the developer use?

A. Public void doWork(Account Contact)

B. Public void doWork(Record theRecord)

C. Public void doWork(Account || Contatc)

D. Public void doWork(sObject theRecord)

Answer: D (LEAVE A REPLY)

NEW QUESTION: 57

In which order does Salesforce execute events upon saving a record?

A. Validation Rules; Before Triggers; After Triggers; Workflow Rules; Assignment Rules; Commit

B. Validation Rules; Before Triggers; After Triggers; Assignment Rules; Workflow Rules; Commit

C. Before Triggers; Validation Rules; After Triggers; Assignment Rules; Workflow Rules; Commit

D. Before Triggers; Validation Rules; After Triggers; Workflow Rules; Assignment Rules; Commit

Answer: C (LEAVE A REPLY)

NEW QUESTION: 58

A developer writes a trigger on the Account object on the before update event that increments a count field. A workflow rule also increments the count field every time that an Account is created or update. The field update in the workflow rule is configured to not re-evaluate workflow rules. What is the value of the count field if an Account is inserted with an initial value of zero, assuming no other automation logic is implemented on the Account?

A. 1

B. 2

C. 3
D. 4
Answer: (SHOW ANSWER)

NEW QUESTION: 59
What are two ways a developer can get the status of an enquered job for a class that queueable interface? Choose 2 answers
A. View the apex Jobs page (Missed)
B. View the apex flex Queue
C. Query the AsyncApexJobe object (Missed)
D. View the apex status Page
Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 60
What are two considerations for deciding to use a roll-up summary field? Choose 2 answer's partner.
A. Roll-up cannot be performed on formula fields.
B. Roll-up cannot be performed on formula fields that use cross-object references or on-the-fly calculations such as NOW().
C. Roll-up summary fields do not cause validation rules on the parent object unless that object is edited separately.
D. Roll-up summary can be performed on formula fields, but if their formula contains an #Error result, it may affect the summary value.
Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 61
For which three items can a trace flag be configured? (Choose three.)
A. Process Builder
B. Apex Class
C. Apex Trigger
D. User
E. Visualforce
Answer: B,C,D (LEAVE A REPLY)

Valid DEX-450 Dumps shared by PrepPdf.com for Helping Passing DEX-450 Exam! PrepPdf.com now offer the **newest DEX-450 exam dumps**, the PrepPdf.com DEX-450 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com DEX-450 dumps with Test Engine here:

https://www.preppdf.com/Salesforce/DEX-450-prepaway-exam-dumps.html (**202** Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62
Application Events follow the traditional publish-subscribe model. Which method is used to fire an event?
A. FireEvent()
B. Emit()
C. RegisterEvent()
D. Fire()
Answer: (SHOW ANSWER)

NEW QUESTION: 63
A developer creates a new Apex trigger with a helper class, and writes a test class that only exercises 95% coverage of new Apex helper class. Change Set deployment to production fails with the test coverage warning: "Test coverage of selected Apex Trigger is 0%, at least 1% test coverage is required" What should the developer do to successfully deploy the new Apex trigger and helper class?
A. Create a test class and methods to cover the Apex trigger
B. Run the tests using the 'Run All Tests' method.
C. Increase the test class coverage on the helper class
D. Remove the falling test methods from the test class.
Answer: A (LEAVE A REPLY)

NEW QUESTION: 64
A developer writes a SOQL query to find child records for a specific parent. How many levels can be returned in a single query?
A. 7
B. 3
C. 5
D. 1
Answer: C (LEAVE A REPLY)

NEW QUESTION: 65
A Platform Developer needs to write an Apex method that will only perform an action if a record is assigned to a specific Record Type.
Which two options allow the developer to dynamically determine the ID of the required Record Type by its name? (Choose two.)
A. Make an outbound web services call to the SOAP API.
B. Execute a SOQL query on the RecordType object.
C. Use the getRecordTypeInfosByName() method in the DescribeSObjectResult class.

D. Hardcode the ID as a constant in an Apex class.
Answer: (SHOW ANSWER)

NEW QUESTION: 66
A developer has a Apex controller for a Visualforce page that takes an ID as a URL parameter.
How should the developer prevent a cross site scripting vulnerability?
A. String.ValueOf(ApexPages.currentPage() .getParameters() .get('url_param'))
B. ApexPages.currentPage() .getParameters() .get('url_param') .escapeHtml4()
C. ApexPages.currentPage() .getParameters() .get('url_param')
D. String.escapeSingleQuotes(ApexPages.currentPage() .getParameters(). get('url_param'))
Answer: (SHOW ANSWER)

NEW QUESTION: 67
A developer has the following requirements:
Calculate the total amount on an Order.
Calculate the line amount for each Line Item based on quantity selected and price.
Move Line Items to a different Order if a Line Item is not stock.
Which relationship implementation supports these requirements?
A. Line Items has a Master-Detail field to Order and the Master can be re-parented.
B. Order has a Lookup field to Line Item and there can be many Line Items per Order.
C. Order has a Master-Detail field to Line Item and there can be many Line Items per Order.
D. Line Item has a Lookup field to Order and there can be many Line Items per Order
Answer: A (LEAVE A REPLY)

NEW QUESTION: 68
Which process automation should be used to send an outbound message without using Apex code?
A. Flow Builder
B. Approval Process
C. Process Builder
D. Workflow Rule
Answer: D (LEAVE A REPLY)

NEW QUESTION: 69
What is the preferred way to reference web content such as images, style sheets, JavaScript, and other libraries that is used in Visualforce pages?
A. By uploading the content in the Documents tab.
B. By uploading the content as a Static Resource.
C. By accessing the content from a third -party CON.
D. By accessing the content from Chatter Files.
Answer: (SHOW ANSWER)

NEW QUESTION: 70
A company has a custom object named Warehouse. Each Warehouse record has a distinct record owner, and is related to a parent Account in Salesforce.Which kind of relationship would a developer use to relate the Account to the Warehouse?
A. Parent -Child
B. Master -Detail
C. Lookup
D. One -to -Many
Answer: C (LEAVE A REPLY)

NEW QUESTION: 71
A newly hired developer discovers that there are multiple triggers on the case object.
What should the developer consider when working with triggers?
A. Unit tests must specify the trigger being tested.
B. Trigger execution order is not guaranteed for the same sObject.
C. Trigger execution order is based on creation date and time.
D. Developers must dictate the order of trigger execution.
Answer: B (LEAVE A REPLY)

NEW QUESTION: 72
When the value of a field of an account record is updated, which method will update the value of a custom field opportunity? Choose 2 answers.
A. A workflow rule on the Account object
B. A process builder on the Account object
C. An Apex trigger on the Account object.
D. A cross-object formula field on the Account object
Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 73
A developer can use the debug log to see which three types of information? Choose 3 answers
A. HTTP callout to external systems
B. User login events
C. Actions triggered by time-based workflow
D. Database changes
E. Resource usage and limits
Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 74
When a Task is created for a Contact, how can a developer prevent the task from being included on the Activity Timeline of the Contact's Account record?

A. By default, tasks do not display on the Account Activity Timiline.
B. In Activity Settings, uncheck Roll up activities to a contact's primary account.
C. Create a Task trigger to set the Account field to NULL
D. Use Process Builder to create a process to set the Task Account field to blank.
Answer: B (LEAVE A REPLY)

NEW QUESTION: 75
A developer needs to import customer subscription records into salesforce and attach them to existing account records. Which 2 actions should the developer take to ensure the subscription records are related to the correct account records? Choose 2 answers
A. Match an auto-number field to a column in the imported file
B. Match the name field to a column in the imported file
C. Match the id field to a column in the imported file
D. Match an external ID text field to a column in the imported file
Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 76
A developer writes the following code:

```
List<Account> acc = [SELECT Id FROM Account LIMIT 10];
Delete acc;
Database.emptyRecycleBin(acc);

System.Debug(Limits.getDMLStatements() +', '+ Limits.getLimitDMLStatements());
```

What is the result of the debug statement?
A. 1, 150
B. 1, 100
C. 2, 150
D. 2, 200
Answer: C (LEAVE A REPLY)

Valid DEX-450 Dumps shared by PrepPdf.com for Helping Passing DEX-450 Exam! PrepPdf.com now offer the **newest DEX-450 exam dumps**, the PrepPdf.com DEX-450 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com DEX-450 dumps with Test Engine here: https://www.preppdf.com/Salesforce/DEX-450-prepaway-exam-dumps.html (**202** Q&As Dumps, **40%OFF** **Special Discount:** **Exam-Tests**)

NEW QUESTION: 77
A developer needs to provide a Visualforce page that lets users enter Product-specific details during a Sales cycle. How can this be accomplished? (Choose 2)

A. Create a new Visualforce page and an Apex controller to provide Product data entry.
B. Download a Managed Package from the AppExhange that provides a custom Visualforce page to modify.
C. Download an Unmanaged Package from the AppExchange that provides a custom Visualforce page to modify.
D. Copy the standard page and then make a new Visualforce page for Product data entry.
Answer: (SHOW ANSWER)

NEW QUESTION: 78
Which statement generates a list of Leads and Contacts that have a field with the phrase 'ACME'?
A. List<List <sObject>> searchList = (FIND "*ACME*" IN ALL FIELDS RETURNING Contact, Lead);
B. Map <sObject> searchList = (FIND "*ACME*" IN ALL FIELDS RETURNING Contact, Lead);
C. List<List < sObject>> searchList = (SELECT Name, ID FROM Contact, Lead WHERE Name like '%ACME%');
D. List <sObject> searchList = (FIND "*ACME*" IN ALL FIELDS RETURNING Contact, Lead);
Answer: A (LEAVE A REPLY)

NEW QUESTION: 79
A Visualforce page is required for displaying and editing Case records that includes both standard and custom functionality defined in an Apex class called myControllerExtension.
The Visualforce page should include which <apex:page> attribute(s) to correctly implement controller functionality?
A. standardController="Case" and extensions="myControllerExtension"
B. controller="myControllerExtension"
C. controller="Case" and extensions="myControllerExtension"
D. extensions="myControllerExtension"
Answer: A (LEAVE A REPLY)

NEW QUESTION: 80
Which two statements are true about Apex code executed in Anonymous Blocks? Choose 2 answers
A. The code runs with the permissions of the logged user.
B. Successful DML operations are automatically committed
C. The code runs in system mode having access to all objects and fields.
D. The code runs with the permissions of the user specified in the runAs() statement
E. All DML operations are automatically rolled back
Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 81

How should a developer make sure that a child record on a custom object, with a lookup to the Account object, has the same sharing access as its associated account?
A. Create a validation rule on the custom object comparing the record owners on both records.
B. Ensure that the relationship between the objects is Master-Detail.
C. Create a Sharing Rule comparing the custom object owner to the account owner.
D. Include the sharing related list on the custom object page layout.
Answer: B (LEAVE A REPLY)

NEW QUESTION: 82
What are two considerations for custom Apex Exception classes? Choose 2 answers.
A. Custom Exception class names must end with the word 'Exception'.
B. Custom Exception classes must extend the base Exception class.
C. Custom Exceptions cannot be extended by other Exception classes.
D. Constructor for custom Exceptions can only accept string values as arguments.
Answer: (SHOW ANSWER)

NEW QUESTION: 83
A developer observes that an Apex test method fails in the Sandbox. To identify the issue, the developer copies the code inside the test method and executes it via the Execute Anonymous tool in the Developer Console. The code then executes with no exceptions or errors. Why did the test method fail in the sandbox and pass in the Developer Console?
A. The test method relies on existing data in the sandbox.
B. The test method has a syntax error in the code.
C. The test method is calling an @future method.
D. The test method does not use System.runAs to execute as a specific user.
Answer: A (LEAVE A REPLY)

NEW QUESTION: 84
How would a developer change the field type of a custom field on the Account object from string to an integer?
A. Make the changes in the developer console, and then the change will automatically be reflected in the Apex code.
B. Mate the change in the declarative UI, then update the field type to an integer field in the Apex code.
C. Remove all references in the code, make the change in the declarative UI, and restore the references with the new type.
D. Make the change in the declarative UI, an then the change will automatically be reflected in the Apex code.
Answer: (SHOW ANSWER)

NEW QUESTION: 85

A developer needs to update an unrelated object when a record gets saved. Which two trigger types should the developer create?
A. After update
B. Before update
C. After insert
D. Before insert
Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 86
A developer is creating a Visualforce page that allows users to create multiple Opportunities. The developer is asked to verify the current user's default Opportunity record type, and set certain default values based on the record type before inserting the record. How can the developer find the current user's default record type?
A. Use Opportunity.SObjectType.getDescribe().getRecordTypeInfos() to get a list of record types, and iterate trought them until isdefaultRecordTypeMapping() is true.
B. Use the Schema.userInfo.Opportunity.getDefaultRecordType() method.
C. Query the Profile where the ID equals userInfo.getProfileID() and then use the profile.Opportunity.getDefaultRecordType() method.
D. Create the opportunity and check the opportunity.recordType before inserting, which will have the record ID of the current user's default record type
Answer: (SHOW ANSWER)

NEW QUESTION: 87
The following Apex method is part of the ContactService class that is called from a trigger: public static void setBusinessUnitToEMEA(Contact thisContact){ thisContact.Business_Unit__c = "EMEA" ; update thisContact; } How should the developer modify the code to ensure best practice are met?
A. Public void setBusinessUnitToEMEA(List<Contact> contatcs){
contacts[0].Business_Unit__c = 'EMEA' ;
update contacts[0];
}
B. Public static void setBusinessUnitToEMEA(List<Contact> contacts){
for(Contact thisContact : contacts){
thisContact.Business_Unit__c = 'EMEA' ;
update contacts[0];
}
}
C. Public static void setBusinessUnitToEMEA(List<Contact> contacts){
for(Contact thisContact : contacts) {
thisContact.Business_Unit__c = 'EMEA' ;
}

update contacts;
}
D. Public static void setBusinessUnitToEMEA(Contact thisContact){
List<Contact> contacts = new List<Contact>();
contacts.add(thisContact.Business_Unit__c = 'EMEA');
update contacts;
}
Answer: D (LEAVE A REPLY)

NEW QUESTION: 88
What is a capability of formula fields? (Choose 3)
A. Return and display a field value from another object using the VLOOKUP function.
B. Generate a link using the HYPERLINK function to a specific record in a legacy system.
C. Determine which of three different images to display using the IF function.
D. Determine if a datetime field has passed using the NOW function.
E. Display the previous values for a field using the PRIORVALUE function.
Answer: B,C,D (LEAVE A REPLY)

NEW QUESTION: 89
On a Visualforce page with a custom controller, how should a developer retrieve a record by using an ID that is passed on the URL?
A. Use the tag in the Visualforce page.
B. Create a new PageReference object with the Id.
C. Use the $Action.View method in the Visualforce page.
D. Use the constructor method for the controller.
Answer: D (LEAVE A REPLY)

NEW QUESTION: 90
What is a correct pattern to follow when programming in Apex on a Multi-tenant platform?
A. Apex code is created in a separate environment from schema to reduce deployment errors.
B. Apex classes use the "with sharing" keyword to prevent access from other server tenants.
C. DML is performed on one record at a time to avoid possible data concurrency issues.
D. Queries select the fewest fields and records possible to avoid exceeding governor limits.
Answer: (SHOW ANSWER)

NEW QUESTION: 91
What is a capability of the Force.com IDE? Choose 2 answers
A. Download debug logs.
B. Roll back deployments.
C. Edit metadata components.
D. Run Apex tests.

Answer: C,D (LEAVE A REPLY)

Valid DEX-450 Dumps shared by PrepPdf.com for Helping Passing DEX-450 Exam! PrepPdf.com now offer the **newest DEX-450 exam dumps**, the PrepPdf.com DEX-450 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com DEX-450 dumps with Test Engine here: https://www.preppdf.com/Salesforce/DEX-450-prepaway-exam-dumps.html (**202** Q&As Dumps, **40%OFF** **Special Discount:** **Exam-Tests**)

NEW QUESTION: 92
What is accurate statement about with sharing keyword? Choose 2 answers
A. Inner classes do not inherit the sharing settings from the container class
B. Both inner and outer classes can be declared as with sharing
C. Either inner or outer classes can be declared as with sharing, but not both
D. Inner classes inherit the sharing settings from the container class.
Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 93
What is a benefit of using an after insert trigger over using a before insert trigger?
A. An after insert trigger allows a developer to bypass validation rules when updating fields on the new record.
B. An after insert trigger allows a developer to make a callout to an external service.
C. An after insert trigger allows a developer to insert other objects that reference the new record.
D. An after insert trigger allows a developer to modify fields in the new record without a query.
Answer: C (LEAVE A REPLY)

NEW QUESTION: 94
What is a valid way of loading external JavaScript files into a Visualforce page? (Choose 2)
A. Using an (apex:includeScript)* tag. \>
B. Using a (link)* tag.
C. Using a (script)* tag.
D. Using an (apex:define)* tag.
Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 95
What are two correct examples of the model in the salesforce MVC architecture? Choose 2 answers.
A. Standard lightning component
B. Standard account lookup on the contract object

C. Workflow rule on the contact object
D. Custom field on the custom wizard_c object
Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 96
Which statement is true about developing in a multi-tenant environment?
A. Org-level data security controls which users can see data from multiple tenants on the same instance
B. Global apex classes can be referenced from multiple tenants on the same instance
C. Apex sharing controls access to records fomr multiple tenants on the same instance
D. Governor limits prevent apex from impactiong the performance of multiple tenants on the same instance
Answer: D (LEAVE A REPLY)

NEW QUESTION: 97
A developer wants to store a description of a product that can be entered on separate lines by a user during product setup and later displayed on a Visualforce page for shoppers. Which field type should the developer choose to ensure that the description will be searchable in the custom Apex SOQL queries that are written?
A. Text Area
B. Text Area (Long)
C. Text Area (Rich)
D. Text
Answer: (SHOW ANSWER)

NEW QUESTION: 98
A developer in a Salesforce org with 100 Accounts executes the following code using the Developer console:Account myAccount = new Account(Name = 'MyAccount');Insert myAccount;For (Integer x = 0; x < 150; x++)
{Account newAccount = new Account (Name='MyAccount' + x);try {Insert newAccount;} catch (Exception ex) {System.debug (ex) ;}}insert new Account (Name='myAccount');How many accounts are in the org after this code is run?
A. 100
B. 252
C. 101
D. 102
Answer: A (LEAVE A REPLY)

NEW QUESTION: 99
A developer creates a custom controller and a custom Visualforce page by using the code block below:

public class MyController {
public String myString {
get {
if (myString == null) { myString = 'a';
}
return myString;
} private set; } public string getMyString (){
return 'getMyString';
} public string getStringMethod () {
if (myString == null) {
myString = 'b';
} return myString;
}
} <apex:page controller = "MyController"> {!StringMethod}, {!myString}, {!myString} </apex:page>
What can the user expect to see when accessing the custom page?
A. B, b, b
B. A, b, getMyString
C. B, a, getMyString
D. A, a, a
Answer: (SHOW ANSWER)

NEW QUESTION: 100
A team of developers is working on a source-driven project that allows them to work independently, with many different org configurations. Which type of Salesforce orgs should they use for their development?
A. Full Copy sandboxes
B. Scratch orgs
C. Developer sandboxes
D. Developer orgs
Answer: B (LEAVE A REPLY)

NEW QUESTION: 101
developer created this Apex trigger that calls MyClass .myStaticMethod: trigger myTrigger on Contact(before insert) (MyClass.myStaticMethod(trigger.new, trigger.oldMap); } The developer creates a test class with a test method that calls MyClass.mystaticMethod, resulting in 81% overall code coverage. What happens when the developer tries to deploy the trigger and two classes to production, assuming no other code exist?
A. The deployment passes because the Apex code has required (>75%) code coverage.
B. The deployment fails because the Apex trigger has no code coverage.
C. The deployment passes because both classes and the trigger were included in the deployment.

D. The deployment fails because no assertions were made in the test method.
Answer: B (LEAVE A REPLY)

NEW QUESTION: 102
A developer needs to prevent the creation of request records when certain conditions exist in the system. A RequestLogic class exists to checks the conditions. What is the correct implementation?
A. Trigger RequestTrigger on Request (before insert) {
RequestLogic.validateRecords {trigger.new};
}
B. Trigger RequestTrigger on Request (after insert) {
RequestLogic.validateRecords {trigger.new};
}
C. Trigger RequestTrigger on Request (after insert) {
if (RequestLogic.isValid{Request})
Request.addError {'Your request cannot be created at this time.'};
}
D. Trigger RequestTrigger on Request (before insert) {
if (RequestLogic.isvalid{Request})
Request.addError {'Your request cannot be created at this time.'};
}
Answer: A (LEAVE A REPLY)

NEW QUESTION: 103
A developer needs to confirm that a Contact trigger works correctly without changing the organization's dat a. what should the developer do to test the Contact trigger?
A. Use the Test menu on the Developer Console to run all test classes for the Contact trigger
B. Use Deploy from the VSCode IDE to display an 'insert Contact' Apex class.
C. Use the Open execute Anonymous feature on the Developer Console to run an 'insert Contact' DML statement
D. Use the New button on the Salesforce Contacts Tab to create a new Contact record.
Answer: A (LEAVE A REPLY)

NEW QUESTION: 104
What can a Lightning Component contain in its resource bundle? Choose 2 answer
A. Custom client side rendering behavior.
B. Build scripts for minification
C. CSS styles scoped to the component
D. Properties files with global settings
Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 105
When can a developer use a custom Visualforce page in a Force.com application? (Choose 2)
A. To deploy components between two organizations
B. To modify the page layout settings for a custom object
C. To create components for dashboards and layouts
D. To generate a PDF document with application data
Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 106
A developer created a visualforce page using a custom controller that calls an apex helper class. A method in the helper class hits a governor limit. what is the result of the transaction?
A. All changes made by the custom controller are saved
B. All changes in the transaction are rolled back
C. The helper class creates a savepoint and continues
D. The custom controller calls the helper class method ag
Answer: A (LEAVE A REPLY)

Valid DEX-450 Dumps shared by PrepPdf.com for Helping Passing DEX-450 Exam! PrepPdf.com now offer the **newest DEX-450 exam dumps**, the PrepPdf.com DEX-450 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com DEX-450 dumps with Test Engine here: https://www.preppdf.com/Salesforce/DEX-450-prepaway-exam-dumps.html (**202** Q&As Dumps, **40%OFF** **Special Discount:** **Exam-Tests**)

NEW QUESTION: 107
The Sales Management team hires a new intern. The intern is not allowed to view Opportunities, but needs to see the Most Recent Closed Date of all child Opportunities when viewing an Account record. What would a developer do to meet this requirement?
A. Create a Workflow rule on the Opportunity object that updates a field on the parent Account.
B. Create a roll-up summary field on the Account object that performs a MAX on the Opportunity Close Date field.
C. Create a trigger on the Account object that queries the Close Date of the most recent Opportunities.
D. Create a formula field on the Account object that performs a MAX on the Opportunity Close Date field.
Answer: (SHOW ANSWER)

NEW QUESTION: 108
How can a developer get all of the available record types for the current user on the case object?

A. Use SOQL to get all cases
B. Use case.getrecordtypes()
C. Use describefieldresult of the case.recordtype field
D. Use describesobjectresult of the case object
Answer: (SHOW ANSWER)

NEW QUESTION: 109
A developer writes a before insert trigger.How can the developer access the incoming records in the trigger body?
A. By accessing the Trigger.new context variable.
B. By accessing the Trigger.newRecords context variable.
C. By accessing the Trigger.newMap context variable.
D. By accessing the Tripper.newList context variable.
Answer: (SHOW ANSWER)

NEW QUESTION: 110
An apex trigger fails because it exceeds governor limits. Which two techniques should a developer use to resolve the problem? Choose 2 answers
A. Use lists for all DML operations
B. Use SOQL aggregate queries to retrieve child records
C. Use the database class to handle DML operations
D. Use maps to reference related records
Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 111
The Review_c object have a lookup relationship to the job_Application_c object. The job_Application_c object has a master detail relationship up to the position_c object. The relationship is based on the auto populated defaults?
What is the recommended way to display field data from the related Review _C records a Visualforce page for a single Position_c record? Select one of the following:
A. Utilize the Standard Controller for Position_c and cross-object Formula Fields on the Job_Application_c object to display Review_c data.
B. Utilize the Standard Controller for Position_c and expression syntax in the Page to display related Review_c through the Job_Applicacion_c inject.
C. Utilize the Standard Controller for Position_c and a Controller Extension to query for Review_c data.
D. Utilize the Standard Controller for Position_c and cross-object Formula Fields on the Review_c object to display Review_c data.
Answer: C (LEAVE A REPLY)

NEW QUESTION: 112

A developer needs to display all of the available fields for an object.
In which two ways can the developer retrieve the available fields if the variable myObject represents the name of the object? (Choose two.)
A. Use myObject.sObjectType.getDescribe().fieldSet() to return a set of fields.
B. Use mySObject.myObject.fields.getMap() to return a map of fields.
C. Use Schema.describeSObjects(new String[]{myObject})[0].fields.getMap() to return a map of fields.
D. Use getGlobalDescribe().get(myObject).getDescribe().fields.getMap() to return a map of fields.
Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 113
The Review__c object has a lookup relationship up to the Job_Application__c object. The Job_Application__c object has a master-detail relationship up the Position__c object. The relationship field names are based on the auto-populated defaults. What is the recommended way to display field data from the related Review__c records on a Visualforce page for a single Position__c record?
A. Utilize the Standard Controller for Position__c and cross-object Formula fields on the job_Application__c object to display Review__c data.
B. Utilize the Standard Controller for Position__c and cross-object Formula fields on the Review__c object to display Review__c data.
C. Utilize the Standard Controller for position__c and a Controller Extension to query for Review__c data.
D. Utilize the Standard Controller for position__c and expression syntax in the page to display related Review__c data through the job_Application__c object
Answer: C (LEAVE A REPLY)

NEW QUESTION: 114
A developer uses a before insert trigger on the Lead object to fetch the Territory__c object, where the Territory__c.PostalCode__c matches the Lead.PostalCode. The code fails when the developer uses the Apex Data Loader to insert 10,000 Lead records. The developer has the following code block: Line-01: for (Lead l : Trigger.new){Line-02: if (l.PostalCode != null) {Line-03: List<Territory__c> terrList = [SELECT Id FROM Territory__c WHERE PostalCode__c = :l.PostalCode];Line-04: if(terrList.size() > 0) Line-05: l.Territory__c = terrList[0].Id; Line-06: }Line-07: }Which line of code is causing the code block to fail?
A. Line-05: The Lead in a before insert trigger cannot be updated.
B. Line-01: Trigger:new is not valid in a before insert Trigger.
C. Line-02: A NullPointer exception is thrown if PostalCode is null.
D. Line-03: A SOQL query is located inside of the for loop code.
Answer: (SHOW ANSWER)

NEW QUESTION: 115

What should a developer use to implement an automate approval process submission for case?
A. An assignment rules.
B. Process builder.
C. Scheduled apex.
D. A workflow rules.
Answer: B (LEAVE A REPLY)

NEW QUESTION: 116
A Lightning component has a wired property, searcResults, that stores a list of Opportunities. Which definition of the Apex method, to which the searchResults property is wired, should be used?
A. @AuraEnabled(cacheable=true)
public static List<Opportunity> search(String term) { /* implementation*/ }
B. @AuraEnabled(cacheable=false)
public static List<Opportunity> search(String term) { /*implementation*/ }
C. @AuraEnabled(cacheable=false)
public List<Opportunity> search(String term) { /*implementation*/ }
D. @AuraEnabled(cacheable=true)
public List<Opportunity> search(String term) { /*implementation*/ }
Answer: A (LEAVE A REPLY)

NEW QUESTION: 117
A developer creates an Apex class that includes private methods. What can the developer do to ensure that the private methods can be accessed by the test class?
A. Add the SeeAllData attribute to the test methods.
B. Add the TestVisible attribute to the Apex class
C. Add the TestVisible attribute to the apex methods.
D. Add the SeeAllData attribute to the test class
Answer: C (LEAVE A REPLY)

NEW QUESTION: 118
A developer needs to know if all tests currently pass in a Salesforce environment. Which feature can the developer use? (Choose 2)
A. Salesforce UI Apex Test Execution
B. Workbench Metadata Retrieval
C. Developer Console
D. ANT Migration Tool
Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 119
On which object can an administrator create a roll-up summary field?

A. Any object that is on the master side of a master-detail relationship.
B. Any object that is on the detail side of a master-detail relationship.
C. Any object that is on the parent side of a lookup relationship.
D. Any object that is on the child side of a lookup relationship.
Answer: A (LEAVE A REPLY)

NEW QUESTION: 120
Which tag should a developer include when styling from external CSS is required in a Visualforce page?
A. Apex : stylesheet
B. Apex : includeScript
C. Apex : includeStyle
D. Apex : require
Answer: A (LEAVE A REPLY)

NEW QUESTION: 121
A developer is creating a test coverage for a class and needs to insert records to validate functionality. Which method annotation should be used to create records for every method in the test class?
A. @TestSetup
B. @isTest(SeeAllData=True)
C. @PreTest
D. @BeforeTest
Answer: A (LEAVE A REPLY)

Valid DEX-450 Dumps shared by PrepPdf.com for Helping Passing DEX-450 Exam! PrepPdf.com now offer the **newest DEX-450 exam dumps**, the PrepPdf.com DEX-450 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com DEX-450 dumps with Test Engine here: https://www.preppdf.com/Salesforce/DEX-450-prepaway-exam-dumps.html (**202** Q&As Dumps, **40%OFF** **Special Discount:** **Exam-Tests**)

NEW QUESTION: 122
What should a developer use to implement an automatic Approval Process submission for Cases?
A. Scheduled Apex
B. An Assignment Rule
C. A Workflow Rule
D. Process Builder

Answer: D (LEAVE A REPLY)

NEW QUESTION: 123
Which statement about the Lookup Relationship between a Custom Object and a Standard Object is correct?
A. The Lookup Relationship on the Custom Object can prevent the deletion of the Standard Object.
B. The Lookup Relationship cannot be marked as required on the page layout for the Custom Object.
C. The Custom Object inherits security from the referenced Standard Objects
D. The Custom Object will be deleted when the referenced Standard Object is deleted.
Answer: D (LEAVE A REPLY)

NEW QUESTION: 124
What is the return data type when ApexPages.currentPage().getParameters() is used to retrieve URL parameters from a visualforce controller?
A. Map
B. String[]
C. List
D. Enum
Answer: (SHOW ANSWER)

NEW QUESTION: 125
Where can a developer identify the time taken by each process in a transaction using Developer Console log inspector?
A. Timeline tab under Execution Overview panel
B. Execution Tree tab under Stack Tree panel
C. Performance Tree tab under Stack Tree panel
D. Save Order tab under Execution Overview panel
Answer: A (LEAVE A REPLY)

NEW QUESTION: 126
A developer in a Salesforce org with 100 Accounts executes the following code using the Developer console: Account myAccount = new Account(Name = 'MyAccount');Insert myAccount;For (Integer x = 0; x < 250; x++)
{Account newAccount = new Account (Name='MyAccount' + x);try {Insert newAccount;}catch (Exception ex) {System.debug (ex) ;}}insert new Account (Name='myAccount'); How many accounts are in the org after this code is run?
A. 101
B. 100
C. 252

D. 102
Answer: (SHOW ANSWER)

NEW QUESTION: 127
For which example task should a developer use a trigger rather than a workflow rule?
A. To set the primary Contact on an Account record when it is saved
B. To notify an external system that a record has been modified.
C. To set the Name field of an expense report record to Expense and the Date when it is saved.
D. To send an email to hiring manager when a candidate accepts a job offer.
Answer: (SHOW ANSWER)

NEW QUESTION: 128
A Visual Flow uses an apex Action to provide additional information about multiple Contacts, stored in a custom class, contactInfo. Which is the correct definition of the Apex method that gets additional information?
A. @InvocableMethod(Label='additional Info')
public ContactInfo(Id contactId)
{ /*implementation*/ }
B. @InvocableMethod(label='additional Info')
public static ContactInfo getInfo(Id contactId)
{ /*implementation*/ }
C. @InvocableMethod(label='Additional Info')
public List<ContactInfo> getInfo(List<Id> contactIds)
{ /*implementation*/ }
D. @invocableMethod(label)='Additional Info')
public static List<ContactInfo> getInfo(List<Id> contactIds)
{ /*Implementation*/ }
Answer: D (LEAVE A REPLY)

NEW QUESTION: 129
A company has a custom object named Region. Each account in salesforce can only be related to one region at a time, but this relationship is optional. Which type of relantionship should a developer use to relate an account to a region?
A. Hierarchical
B. Master-detail
C. Lookup
D. Parent-child
Answer: (SHOW ANSWER)

NEW QUESTION: 130
Where can debug log filter settings be set?Choose 2 answers

A. The Show More link on the debug log's record.
B. The Filters link by the monitored user's name within the web UI.
C. The Log Filters tab on a class or trigger detail page.
D. On the monitored user's name.
Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 131
A company would like to send an offer letter to a candidate, have the candidate sign it electronically, and then send the letter back.What can a developer do to accomplish this?
A. Develop a Process Builder that will send the offer letter and allow the candidate to sign it electronically.
B. Create a visual workflow that will capture the candidate's signature electronically
C. Create an assignment rule that will assign the offer letter to the candidate
D. Install a managed package that will allow the candidate to sign documents electronically
Answer: (SHOW ANSWER)

NEW QUESTION: 132
What features are available when writing apex test classes?(Choose 2 Answers)
A. The ability to select error types to ignore in the developer console.
B. The ability to set and modify the CreatedDate field in apex tests.
C. The ability to set breakpoints to freeze the execution at a given point.
D. The ability to select testing data using csv files stored in the system.
E. The ability to write assertions to test after a @future method.
Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 133
When the number of record in a recordset is unknown, which control statement should a developer use to implement a set of code that executes for every record in the recordset, without performing a .size() or .length() method call?
A. While (Condition) { ... }
B. Do { } While (Condition)
C. For (variable : list_or_set) { }
D. For (init_stmt, exit_condition; increment_stmt) { }
Answer: (SHOW ANSWER)

NEW QUESTION: 134
In a single record, a user selects multiple values from a multi-select picklist.
How are the selected values represented in Apex?
A. As a String with each value separated by a semicolon
B. As a List<String> with each value as an element in the list
C. As a String with each value separated by a comma

D. As a Set<String> with each value as an element in the set
Answer: A (LEAVE A REPLY)

NEW QUESTION: 135
A developer creates an Apex Trigger with the following code block:List<Account> customers = new List<Account>();For (Order__c o: trigger.new){Account a = [SELECT Id, Is_Customer__c FROM Account WHERE Id = :o.Customer__c];a.Is_Customer__c = true;customers.add(a);}Database.update(customers, false);The developer tests the code using Apex Data Loader and successfully loads 10 Orders. Then, the developer loads 150 Orders.How many Orders are successfully loaded when the developer attempts to load the 150 Orders?
A. 100
B. 0
C. 150
D. 1
Answer: B (LEAVE A REPLY)

NEW QUESTION: 136
A developer needs to include a Visualforce page in the detail section of a page layout for the Account object, but does not see the page as an available option in the Page Layout Editor. Which attribute must the developer include in the <apex:page> tag to ensure the Visualforce page can be embedded in a page layout?
A. Controller="Account"
B. Action="AccountId"
C. StandardController="Account"
D. Extensions="AccountController"
Answer: (SHOW ANSWER)

Valid DEX-450 Dumps shared by PrepPdf.com for Helping Passing DEX-450 Exam! PrepPdf.com now offer the **newest DEX-450 exam dumps**, the PrepPdf.com DEX-450 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com DEX-450 dumps with Test Engine here: https://www.preppdf.com/Salesforce/DEX-450-prepaway-exam-dumps.html (**202** Q&As Dumps, **40%OFF** **Special Discount:** **Exam-Tests**)

NEW QUESTION: 137
A developer created a lightning component name accountList.cmp that display a list of Accounts. Client-side logic that is executed when a user hovers over an account in the list should be stored in which bundle member?

A. AccountList.helper
B. AccountListRenderer.js
C. AccountList.renderer
D. AccountListHelper.js
Answer: C (LEAVE A REPLY)

NEW QUESTION: 138
Universal Containers stores the availability date on each Line Item of an Order and Orders are only shipped when all of the Line Items are avaible. Which method should be used to calculate the estimated ship date for an Order?
A. Use a Max Roll-Up Summary field on the Latest availability date fields.
B. Use a LATEST formula on each of the latest availability date fields.
C. Use a DAYS formula on each of the availability date fields and a COUNT Roll-Up Summary field on the Order.
D. Use a CEILING formula on each of the Latest availability date fields.
Answer: A (LEAVE A REPLY)

NEW QUESTION: 139
A developer wants to retrieve the Contacts and Users with the email addres 'dev@uc.com'. Which SOSL statement should the developer use?
A. FIND {dev@uc.com} IN Email Fields RETURNING Contact (Email), User (Email)
B. FIND {Email = 'dev@uc.com'} RETURNING Contact (Email), User (Email)
C. FIND Email IN Contact, User FOR {dev2uc.com}
D. FIND {Email = 'dev@uc.com'} IN Contact, User
Answer: (SHOW ANSWER)

NEW QUESTION: 140
A developer creates a method in an Apex class and needs to ensure that errors are handled properly.What would the developer use? (There are three correct answers.)
A. .addError()
B. A try/catch construct
C. Database.handleException()
D. A custom exception
E. ApexPages.addErrorMessage()
Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 141
A company that uses a Custom object to track candidates would like to send candidate information automatically to a third -party human resource system when a candidate is hired. What can a developer do to accomplish this task?
A. Create a Process Builder with an outbound message action.

B. Create a workflow rule with an outbound message action.
C. Create an escalation rule to the hiring manager.
D. Create an auto response rule to the candidate.
Answer: (SHOW ANSWER)

Valid DEX-450 Dumps shared by PrepPdf.com for Helping Passing DEX-450 Exam! PrepPdf.com now offer the **newest DEX-450 exam dumps**, the PrepPdf.com DEX-450 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com DEX-450 dumps with Test Engine here: https://www.preppdf.com/Salesforce/DEX-450-prepaway-exam-dumps.html (**202** Q&As Dumps, **40%OFF** **Special Discount:** **Exam-Tests**)