

# Salesforce.JavaScript-Developer-I.v2023-09-09.q190

<b>Exam Code:</b>	JavaScript-Developer-I
<b>Exam Name:</b>	Salesforce Certified JavaScript Developer I Exam
<b>Certification Provider:</b>	Salesforce
<b>Free Question Number:</b>	190
<b>Version:</b>	v2023-09-09
<b># of views:</b>	3240
<b># of Questions views:</b>	1900
<a href="https://www.freeqas.com/qa/Salesforce/JavaScript-Developer-I/Salesforce.JavaScript-Developer-I.v2023-09-09.q190.html">https://www.freeqas.com/qa/Salesforce/JavaScript-Developer-I/Salesforce.JavaScript-Developer-I.v2023-09-09.q190.html</a>	

## NEW QUESTION: 1

A developer has a `formatName` function that takes two arguments, `firstName` and `lastName` and returns a string. They want to schedule the function to run once after five seconds.

What is the correct syntax to schedule this function?

- A. `setTimeout (formatName(), 5000, "John", "BDoe");`
- B. `setTimeout ('formatName', 5000, 'John', "Doe");`
- C. `setTimeout (formatName('John', "Doe'), 5000);`
- D. `setTimout(() => { formatName("John', 'Doe') }, 5000);`

Answer: ([SHOW ANSWER](#))

## NEW QUESTION: 2

Universal Containers recently its new landing page to host crowd-function campaign. The page uses an external library to display some third-party ads. Once the page is fully loaded, It creates more than 50 new HTML items placed randomly inside the DOM, like the one in the code below.

```
<!-- This is an ad -->
<div class="ad-library-item ad-hidden" onload="myFunction()">
  
</div>
```

All the elements included the same `ad-library-item` class. They are hidden by default, and they are randomly displayed while the user navigation through the page.

Tired of all the ads, what can the developer do to temporarily and quickly remove them?

- A. Use the browser console to execute a script that prevents the load event to be fired.
- B. Use the DOM inspector to prevent the load event to be fired.
- C. Use the browser console to execute a script that removes all the elements containing the class `ad-library-item`.
- D. Use the DOM inspector to remove all the elements containing the call `ad-library -item`.

Answer: C ([LEAVE A REPLY](#))

### NEW QUESTION: 3

A developer wrote a fizzbuzz function that when passed in a number, returns the following:

- 'Fizz' if the number is divisible by 3.
- 'Buzz' if the number is divisible by 5.
- 'Fizzbuzz' if the number is divisible by both 3 and 5.
- Empty string if the number is divisible by neither 3 or 5.

Which two test cases will properly test scenarios for the fizzbuzz function?

Choose 2 answers

**A.** let res = fizzbuzz(15);  
console.assert ( res === ' fizzbuzz ' )

**B.** let res = fizzbuzz(3);  
console.assert ( res === ' buzz ' )

**C.** let res = fizzbuzz(Infinity);  
console.assert ( res === ' ' )

**D.** let res = fizzbuzz(5);  
console.assert ( res === ' ' );

**Answer: A,B,C** ([LEAVE A REPLY](#))

### NEW QUESTION: 4

Refer to the code below:

```
01 function Person() {  
02   this.firstName = 'John';  
03 }  
04  
05 Person.prototype = {  
06   job: x => 'Developer'  
07 };  
08  
09 const myFather = new salesforce  
10 const result = myFather.firstName + ' ' + myFather.job();
```

What is the value of result after line 10 executes?

- A.** John undefined
- B.** Error: myFather.job is not a function
- C.** undefined Developer
- D.** John Developer

**Answer: (SHOW ANSWER)**

### NEW QUESTION: 5

Refer to the code below:

```
const event = new CustomEvent(  
//Missing Code  
);  
obj.dispatchEvent(event);
```

A developer needs to dispatch a custom event called update to send information about recordId.

Which two options could a developer insert at the placeholder in line 02 to achieve this?

Choose 2 answers

- A. 'Update' , (  
recordId : '123abc'  
(
- B. 'Update' , '123abc'
- C. { type : 'update', recordId : '123abc' }
- D. 'Update' , {  
Details : {  
recordId : '123abc'

**Answer: A,D (LEAVE A REPLY)**

```
}  
}
```

### NEW QUESTION: 6

Universal Containers (UC) notices that its application that allows users to search for accounts makes a network request each time a key is pressed. This results in too many requests for the server to handle.

- Address this problem, UC decides to implement a debounce function on string change handler.

What are three key steps to implement this debounce function?

Choose 3 answers:

- A. If there is an existing setTimeout and the search string change, allow the existing setTimeout to finish, and do not enqueue a new setTimeout.
- B. Store the timerId of the setTimeout last enqueued by the search string change handle.
- C. If there is an existing setTimeout and the search string changes, cancel the existing setTimeout using the persisted timerId and replace it with a new setTimeout.
- D. Ensure that the network request has the property debounce set to true.
- E. When the search string changes, enqueue the request within a setTimeout.

**Answer: A,D,E (LEAVE A REPLY)**

### NEW QUESTION: 7

A developer wrote the following code:

```
01 let X = object.value;
02
03 try {
04   handleObjectValue(X);
05 } catch (error) {
06   handleError(error);
07 }
```

The developer has a getNextValue function to execute after handleObjectValue(), but does not want to execute getNextValue() if an error occurs.

How can the developer change the code to ensure this behavior?

**A.** 03 try{  
04 handleObjectValue(x);  
05 } catch(error){  
06 handleError(error);  
07 }  
08 getNextValue();

**B.** 03 try {  
04 handleObjectValue(x)  
05 .....

**C.** 03 try{  
04 handleObjectValue(x);  
05 } catch(error){  
06 handleError(error);  
07 } then {  
08 getNextValue();  
09 }

**D.** 03 try{  
04 handleObjectValue(x);  
05 } catch(error){  
06 handleError(error);  
07 } finally {  
08 getNextValue();  
10 }

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 8**

Refer to the code below:

```
01 const server = require('server');
02 /* Insert code here */
```

A developer imports a library that creates a web server. The imported library uses events and

callbacks to start the servers

Which code should be inserted at the line 03 to set up an event and start the web server ?

- A. `console.log( 'Listening on ', port ) ;`
- B. `Server.start ( );`
- C. `server()`
- D. `server.on(' connect ' , ( port) => {  
console.log('Listening on ' , port) ;})`
- E. `serve(( port) => (`

**Answer: D** ([LEAVE A REPLY](#))

### NEW QUESTION: 9

Given a value, which three options can a developer use to detect if the value is NaN?

Choose 3 answers !

- A. `value === Number.NaN`
- B. `Number.isNaN(value)`
- C. `Object.is(value, NaN)`
- D. `value == NaN`
- E. `value !== value`

**Answer: B,D** ([LEAVE A REPLY](#))

### NEW QUESTION: 10

Refer to the code below:

```
Async funct on functionUnderTest(isOK) {  
If (isOK) return 'OK' ;  
Throw new Error('not OK');  
}
```

Which assertion accurately tests the above code?

- A. `Console.assert (await functionUnderTest(true), ' not OK ')`
- B. `Console.assert (await functionUnderTest(true), ' not OK ')`
- C. `Console.assert (await functionUnderTest(true), 'OK')`
- D. `Console.assert (await functionUnderTest(true), ' OK ')`

**Answer: C** ([LEAVE A REPLY](#))

### NEW QUESTION: 11

Refer to the code below:

```
01 <html lang="en">
02   <table onclick="console.log('Table log')">
03     <tr id="row1">
04       <td>Click me!</td>
05     </tr>
06   </table>
07   <script>
08     function printMessage(event) {
09       console.log('Row log');
10     }
11
12     let elem = document.getElementById('row1');
13     elem.addEventListener('click', printMessage, false);
14   </script>
15 </html>
```

salesforce

Which code change should be made for the console to log only Row log when 'Click me!' is clicking?

- A. Add event,stopPropagation (); to printMessage function.
- B. Add event,stopPropagation (); to window.onLoad event hadler.
- C. Add event,stopPropagation (); to window,onLoad event hadler.
- D. Add event,stopPropagation (); to printMessage function.

**Answer: B,D ([LEAVE A REPLY](#))**

#### NEW QUESTION: 12

Which code statement below correctly persists an objects in local Storage ?

- A. 

```
const setLocalStorage = (storageKey, jsObject) => {
window.localStorage.setItem(storageKey, JSON.stringify(jsObject));
}
```
- B. 

```
const setLocalStorage = ( jsObject) => {
window.localStorage.connectObject(jsObject);
}
```
- C. 

```
const setLocalStorage = ( jsObject) => {
window.localStorage.setItem(jsObject);
}
```
- D. 

```
const setLocalStorage = (storageKey, jsObject) => {
window.localStorage.persist(storageKey, jsObject);
}
```

**Answer: ([SHOW ANSWER](#))**


```
indow.localStorage.setItem(storageKey, JSON.stringify(jsObject));
undefined
localStorage
Storage {schedulerFrame-f: "1", schedulerFrame-v: "1", docsOfflineIf
rameApi-n: "1", PeopleStackExperiments::["[\"[322251917]\", \"[34]\",
1]\", \"03457637324820102062\"]": {"keyPath": "[\"[322251917]
\\\", \\\"[34]\\\\\", 1_]\", \"lastUpdated\": 1596275940167, \"xe\": \"i8kfs4Lnd
y\"}], kx-e-f: "1", -}
PeopleStackExperiments::["[\"[322251917]\", \"[34]\", 1]\", \"03457637-
docs-urop: "true"
docsOfflineIframeApi-f: ""
docsOfflineIframeApi-n: ""
docsOfflineIframeApi-v: "1"
google-upload::stats: "{}"
kx-e-f: "1"
kx-e-n: "1"
kx-e-v: "1"
length: 12
schedulerFrame-f: "1"
schedulerFrame-n: "1"
schedulerFrame-v: "1"
proto : Storage
```



**NEW QUESTION: 13**

Refer to the code:

```
01 function Animal(size, type) {
02   this.type = type || 'Animal';
03   this.canTalk = false;
04 }
05
06 Animal.prototype.speak = function() {
07   if (this.canTalk) {
08     console.log("It spoke!");
09   }
10 };
11
12 let Pet = function(size, type, name, owner) {
13   Animal.call(this, size, type);
14   this.size = size;
15   this.name = name;
16   this.owner = owner;
17 }
18
19 Pet.prototype = Object.create(Animal.prototype);
```



Given the code above, which three properties are set for pet1? Choose 3 answers

- A. type
- B. speak
- C. canTalk
- D. owner

E. name

**Answer: A,C,E ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 14**

What are two unique features of functions defined with a fat arrow as compared to normal function definition?

Choose 2 answers

- A.** The function receives an argument that is always in scope, called parentThis, which is the enclosing lexical scope.
- B.** The function uses the this from the enclosing scope.
- C.** The function generated its own this making it useful for separating the function's scope from its enclosing scope.
- D.** If the function has a single expression in the function body, the expression will be evaluated and implicit returned.

**Answer: A,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 15**

Universal Containers recently launched its new landing page to host a crowd-funding campaign. The page uses an external library to display some third-party ads. Once the page is fully loaded, it creates more than 50 new HTML items placed randomly inside the DOM, like the one in the code below:

```
<div class="ad-library-item ad-hidden" data-bbox="100 100 200 200">  
  
</div>
```

All the elements includes the same ad-library-item class, They are hidden by default, and they are randomly displayed while the user navigates through the page.

- A.** Use the DOM inspector to prevent the load event to be fired.
- B.** Use the browser to execute a script that removes all the element containing the class ad-library-item.
- C.** Use the browser console to execute a script that prevents the load event to be fired.
- D.** Use the DOM inspector to remove all the elements containing the class ad-library-item.

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 16**

Given the following code:

Let  $x = ('15' + 10) + 2$ ;

What is the value of x?

- A.** 50
- B.** 35
- C.** 1520
- D.** 3020

**Answer: ([SHOW ANSWER](#))**

**Valid JavaScript-Developer-I Dumps** shared by PrepPdf.com for Helping Passing JavaScript-Developer-I Exam! PrepPdf.com now offer the **newest JavaScript-Developer-I exam dumps**, the PrepPdf.com JavaScript-Developer-I exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JavaScript-Developer-I dumps with Test Engine here: <https://www.preppdf.com/Salesforce/JavaScript-Developer-I-prepaway-exam-dumps.html> (224 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

#### NEW QUESTION: 17

Given the following code:

Let x = ('15' + 10)\*2;

What is the value of a?

- A. 1520
- B. 50
- C. 3020
- D. 35

**Answer: C (LEAVE A REPLY)**

#### NEW QUESTION: 18

Which three statements are true about promises ?

Choose 3 answers

- A. A settled promise can become resolved.
- B. A pending promise can become fulfilled, settled, or rejected.
- C. The executor of a new Promise runs automatically.
- D. A fulfilled or rejected promise will not change states .
- E. A Promise has a .then() method.

**Answer: B,D,E (LEAVE A REPLY)**

#### NEW QUESTION: 19

Refer to the code below:

```
01 const exec = (item, delay) =>
02   new Promise(resolve => setTimeout(() => resolve(item), delay));
03
04 async function runParallel() {
05   const [result1, result2, result3] = await Promise.all(
06     [exec('a', '100'), exec('b', '100'), exec('c', '100')];
07   );
08   return `parallel is done! ${result1};${result2};${result3}`;
09 }
```

Which two statements correctly execute the runparallel () function?

Choose 2 answers

- A. runParralel () . then (data );

- B. `runParallel () , then (function ) (date) { } 0;`
- C. `runParallel () , done (function ( data)(return data; }};`
- D. `Async runParalled () . Then (data) :`

**Answer: B,D (LEAVE A REPLY)**

### NEW QUESTION: 20

At Universal Containers, every team has its own way of copying JavaScript objects. The code snippet shows an Implementation from one team:

```
01 function Person() {
02     this.firstName = "John";
03     this.lastName = "Doe";
04     this.name = () => {
05         console.log("Hello " + this.firstName + " " + this.lastName);
06     }
07 }
08
09 const john = new Person();
10 const dan = JSON.stringify(JSON.parse(john));
11 dan.firstName = "Dan";
12 dan.name();
```

What is the output of the code execution?

- A. Hello Dan Doe
- B. Hello John Doe
- C. Hello Dan
- D. `SyntaxError: Unexpected token in JSON`

**Answer: D (LEAVE A REPLY)**

### NEW QUESTION: 21

Refer to the code snippet:

```
01 function getAvailabilityMessage(item) {
02     if (getAvailability(item)) {
03         var msg = "Username available";
04     }
05     return msg;
06 }
```

A developer writes this code to return a message to a user attempting to register a new username. If the username is available, a variable named `msg` is declared and assigned a value on line 03.

What is the return of `msg` when `getAvailabilityMessage ("newUserName")` is executed and `getAvailability ("newUserName")` returns false?

- A. "newUsername"
- B. undefined
- C. "Username available"
- D. "msg is not defined"

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 22**

Which statement can a developer apply to increment the browser's navigation history without a page refresh?

Which statement can a developer apply to increment the browser's navigation history without a page refresh?

- A. `window.history.state.push(newStateObject);`
- B. `window.history.replaceState(newStateObject, ' ', null);`
- C. `window.history.pushState(newStateObject);`
- D. `window.history.pushStare(newStateObject, ' ', null);`

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 23**

Refer to HTML below:

`<p> The current status of an Order: <span id ="status"> In Progress </span> </p>`.

Which JavaScript statement changes the text 'In Progress' to 'Completed' ?

- A. `document.getElementById("status").innerHTML = 'Completed' ;`
- B. `document.getElementById("#status").innerHTML = 'Completed' ;`
- C. `document.getElementById(".status").innerHTML = 'Completed' ;`
- D. `document.getElementById("status").Value = 'Completed' ;`

**Answer: A** ([LEAVE A REPLY](#))

**NEW QUESTION: 24**

```

01 <html lang="en">
02   <table onclick="console.log('Table log');">
03     <tr id="row1">
04       <td>Click me!</td>
05     </tr>
06   </table>
07   <script>
08     function printMessage (event) {
09       console.log('Row log');
10       event.stopPropagation();
11     }
12
13     let elem = document.getElementById('row1');
14     elem.addEventListener('click', printMessage, false);
15   </script>
16 </html>

```

Which code change should be done for the console to log the following when 'Click me!' is clicked'

> Row log

> Table log

- A. Change line 14 to `elem.addEventListener ('click', printMessage, true);`
- B. Change line 10 to `event.stopPropagation (false) ;`
- C. Remove line 10
- D. Remove lines 13 and 14

**Answer: C** ([LEAVE A REPLY](#))

#### NEW QUESTION: 25

In the browser, the window object is often used to assign variables that require the broadcast scope in an application Node is application do not have access to the window object by default.

Which two methods are used to address this? Choose 2 answer

- A. Assign variables to module, exports and require them as needed.
- B. Assign variables to the global object.
- C. Use the document instead of the window object.
- D. Create a new window object in the root file.

**Answer: C,D** ([LEAVE A REPLY](#))

#### NEW QUESTION: 26

Refer to the code below:

```
01 const objBook = {
02   title: 'JavaScript',
03 };
04 Object.preventExtensions(objBook);
05 const newObjBook = objBook;
06 newObjBook.author = 'Robert';
```

What are the value of objBook and newObBook respectively?

- A. ( author: "Robert", title JavaScript" )  
( author: "Robert", title JavaScript" )
- B. (author: "Robert" )  
(Author: "Robert ", title: JavaScript")
- C. ( Title: JavaScript")  
( Title: JavaScript")
- D. author: "Robert title "javaScript" ) undefined

**Answer: D** ([LEAVE A REPLY](#))

**NEW QUESTION: 27**

developer uses the code below to format a date.

```
01 const date = new Date(2020, 05, 10);
02 const dateDisplayOptions = {
03   year: 'numeric',
04   month: 'long',
05   day: 'numeric'
06 };
07
08 const formattedDate = date.toLocaleDateString('en', dateDisplayOptions);
```

After executing, what is the value of formattedDate?

- A. June 10, 2020
- B. October 05, 2020
- C. November 05, 2020
- D. May 10, 2020

**Answer: A** ([LEAVE A REPLY](#))

**NEW QUESTION: 28**

A team that works on a big project uses npm to deal with projects dependencies. A developer added a dependency does not get downloaded when they execute npm install. Which two reasons could be possible explanations for this?

Choose 2 answers

- A. The developer added the dependency as a dev dependency, and NODE\_ENV is set to production.
- B. The developer missed the option --add when adding the dependency.

C. The developer added the dependency as a dev dependency, and NODE\_ENV is set to production.

D. The developer missed the option --save when adding the dependency.

**Answer:** ([SHOW ANSWER](#))

### NEW QUESTION: 29

Given the code below:

```
const copy = JSON.stringify([ new String(' false '), new Boolean( false ), undefined ]);
```

What is the value of copy?

A. -- [ \"false\" , false, undefined ]--

B. -- [ false, { } ]--

C. -- [ \"false\" ,false, null ]--

D. -- [ \"false\" , { } ]--

**Answer:** C ([LEAVE A REPLY](#))

### NEW QUESTION: 30

Which two options are core Node.js modules?

Choose 2 answers

A. exception

B. istream

C. http

D. worker

**Answer:** B,C ([LEAVE A REPLY](#))

### NEW QUESTION: 31

A developer is creating a simple webpage with a button. When a user clicks this button for the first time, a message is displayed.

The developer wrote the JavaScript code below, but something is missing. The message gets displayed every time a user clicks the button, instead of just the first time.

```
01 function listen(event) {  
02 alert ( 'Hey! I am John Doe' );  
03 button.addEventListener ( 'click', listen);
```

Which two code lines make this code work as required?

Choose 2 answers

A. On line 04, use event.stopPropagation ( ),

B. On line 04, use button.removeEventListener(' click" , listen);

C. On line 02, use event.first to test if it is the first execution.

D. On line 06, add an option called once to button.addEventListener().

**Answer:** B,D ([LEAVE A REPLY](#))

**Valid JavaScript-Developer-I Dumps** shared by PrepPdf.com for Helping Passing JavaScript-Developer-I Exam! PrepPdf.com now offer the **newest JavaScript-Developer-I exam dumps**, the PrepPdf.com JavaScript-Developer-I exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JavaScript-Developer-I dumps with Test Engine here: <https://www.preppdf.com/Salesforce/JavaScript-Developer-I-prepaway-exam-dumps.html> (224 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 32**

A developer wants to set up a secure web server with Node.js. The developer creates a directory locally called app-server, and the first file is app-server/index.js Without using any third-party libraries, what should the developer add to index.js to create the secure web server?

- A. `const http =require('http');`
- B. `const tls = require('tls');`
- C. `const https =require('https');`
- D. `const server =require('secure-server');`

**Answer: C** ([LEAVE A REPLY](#))

**NEW QUESTION: 33**

Which option is true about the strict mode in imported modules?

- A. Add the statement `use strict =false;` before any other statements in the module to enable not- strict mode.
- B. Imported modules are in strict mode whether you declare them as such or not.
- C. Add the statement `use non-strict,` before any other statements in the module to enable not-strict mode.
- D. You can only reference `notStrict()` functions from the imported module.

**Answer: D** ([LEAVE A REPLY](#))

**NEW QUESTION: 34**

Which two console logs output NaN?

Choose 2 answers | |

- A. `console.log(10 / Number('5') );`
- B. `console.log(10 / 0);`
- C. `console.loeg(10 / 'five');`
- D. `console.log(parseInt ' ("two')) ;`

**Answer: A,D** ([LEAVE A REPLY](#))

**NEW QUESTION: 35**

A developer writes the code below to calculate the factorial of a given number.

```
01 function factorial(number) {
02   return number * factorial(number - 1);
03 }
04 factorial(3);
```

What is the result of executing line 04?

- A. 0
- B. 6
- C. RuntimeError
- D. -Infinity

**Answer: C** ([LEAVE A REPLY](#))

### NEW QUESTION: 36

A developer is asked to fix some bugs reported by users. To do that, the developer adds a breakpoint for debugging.

```
Function Car (maxSpeed, color){
```

```
This.maxspeed =masSpeed;
```

```
This.color = color;
```

```
Let carSpeed = document.getElementById(' CarSpeed');
```

```
Debugger;
```

```
Let fourWheels =new Car (carSpeed.value, 'red');
```

When the code execution stops at the breakpoint on line 06, which two types of information are available in the browser console ?

Choose 2 answers:

- A. The values of the carSpeed and fourWheels variables
- B. The information stored in the window.localStorage property
- C. The style, event listeners and other attributes applied to the carSpeed DOM element
- D. A variable displaying the number of instances created for the Car Object.

**Answer: B,C** ([LEAVE A REPLY](#))

### NEW QUESTION: 37

developer publishes a new version of a package with new features that do not break backward compatibility. The previous version number was 1.1.3.

Following semantic versioning format, what should the new package version number be?

- A. 1.1.4
- B. 2.0.0
- C. 1.2.3
- D. 1.2.0

**Answer: D** ([LEAVE A REPLY](#))

### NEW QUESTION: 38

What are two unique feature of function defined with a fat arrow as compared to normal functional definition?

Choose 2 answers

- A. The function uses the this from the enclosing scope.
- B. If the function has a single expression in the function body, the expression will be evaluated and implicitly returned.
- C. The function receives an argument that is always in scope, called parent this, which is the enclosing lexical scope
- D. The function generation its own this making it useful for separating the function's scope its enclosing scope

**Answer: B (LEAVE A REPLY)**

### NEW QUESTION: 39

The developer has a function that prints "Hello" to an input name. To test this, the developer created a function that returns "World". However the following snippet does not print " Hello World".

```
const sayHello = (name) => {
  console.log("Hello" , name());};

const world = () => {
  return "world";
};

sayHello(world);
```

What can the developer do to change the code to print "Hello World" ?

- A. Change line 9 to sayHello(world) ();
- B. Change line 5 to function world ( ) {
- C. Change line 2 to console.log('Hello' , name() );
- D. Change line 7 to ) ();

**Answer: (SHOW ANSWER)**

### NEW QUESTION: 40

A developer has the function, shown below, that is called when a page loads.

```
function onLoad() {
  console.log("Page has loaded!");
}
```

Where can the developer see the log statement after loading the page in the browser?

- A. On the webpage console log
- B. On the browser JavaScript console
- C. In the browser performance tools log
- D. On the terminal console running the web server

**Answer:** ([SHOW ANSWER](#))

### NEW QUESTION: 41

Refer to the code declarations below:

```
let str1 = 'Java';  
let str2 = 'Script';
```

Which three expressions return the string JavaScript?

Choose 3 answers

- A. Str1.join (str2);
- B. Str1 + str2;
- C. \${str1} \${str2} ';
- D. Concat (str1, str2);
- E. Str1.concat (str2);

**Answer:** B,C,E ([LEAVE A REPLY](#))

### NEW QUESTION: 42

Given HTML below:

```
<div>  
<div id="row-uc"> Universal Container</div>  
<div id="row-aa">Applied Shipping</div>  
<div id="row-bt"> Burlington Textiles </div>  
</div>
```

Which statement adds the priority = account CSS class to the universal Containers row ?

- A. Document .queryElementById('row-uc').addClass('priority-account');
- B. Document .querySelector('#row-uc').classes.push('priority-account');
- C. Document .querySelectorALL('#row-uc').classList.add('priority-account');
- D. Document .querySelector('#row-uc').classList.add('priority-account');

**Answer:** A ([LEAVE A REPLY](#))

### NEW QUESTION: 43

Why would a developer specify a package.json as a developed forge instead of a dependency ?

- A. It is required by the application in production.
- B. It should be bundled when the package is published.
- C. It is only needed for local development and testing.
- D. Other required packages depend on it for development.

**Answer:** C ([LEAVE A REPLY](#))

### NEW QUESTION: 44

There is a new requirement for a developer to implement a currPrice method that will return the current price of the item or sales..

```
01 let regItem = new Item('Scarf', 50); // Name, Price
02 let saleItem = new SaleItem('Shirt', 80, .1); // Name, Price, Discount
03 Item.prototype.currPrice = function() { return this.price; }
04 console.log(regItem.currPrice());
05 console.log(saleItem.currPrice());
06
07 SaleItem.prototype.currPrice = function() { return this.price - (this.price * this.discount); }
08 console.log(regItem.currPrice());
09 console.log(saleItem.currPrice());
```

What is the output when executing the code above

**A.** 50

Uncaught TypeError: saleItem.description is not a function

50

80

**B.** 50

80

50

72

**C.** 50

80

Uncaught Reference Error: this.discount is undefined

72

**D.** 50

80

72

**Answer:** ([SHOW ANSWER](#))

### NEW QUESTION: 45

A team that works on a big project uses npm to deal with the project's dependencies.

A developer added a dependency to manipulated dates and pushed the updates to the remote repository. The rest of the team complains that the dependency does not get download when they execute npm install.

Which two reason could be possible explanation for this?

**A.** The developer missed the option - add when adding the dependency.

**B.** The developer missed the option -ssve when adding the dependency.

**C.** The developer added the dependency as a dev dependency, and NOOK\_ENV is set to production.

**D.** The developer added the dependency as a dev dependency, and NODK\_ENV is set to production.

**Answer:** B,C,D ([LEAVE A REPLY](#))

### NEW QUESTION: 46

Universal Containers recently launched its new landing page to host a crowd-funding campaign. The page uses an external library to display some third-party ads. Once the page is fully loaded, it creates more than 50 new HTML items placed randomly inside the DOM, like the one in the code below:

```
<!-- This is an ad -->
<div class="ad-library-item ad-hidden" onload="myfunction()">
  
</div>
```

All the elements includes the same ad-library-item class, They are hidden by default, and they are randomly displayed while the user navigates through the page.

- A. Use the browser to execute a script that removes all the element containing the class ad-library-item.
- B. Use the DOM inspector to remove all the elements containing the class ad-library-item.
- C. Use the browser console to execute a script that prevents the load event to be fired.
- D. Use the DOM inspector to prevent the load event to be fired.

**Answer: A (LEAVE A REPLY)**

**Valid JavaScript-Developer-I Dumps** shared by PrepPdf.com for Helping Passing JavaScript-Developer-I Exam! PrepPdf.com now offer the **newest JavaScript-Developer-I exam dumps**, the PrepPdf.com JavaScript-Developer-I exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JavaScript-Developer-I dumps with Test Engine here: <https://www.preppdf.com/Salesforce/JavaScript-Developer-I-prepaway-exam-dumps.html> (224 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

#### NEW QUESTION: 47

Refer to the code below:

```
new Promise((resolve, reject) => {
  const fraction = Math.random();
  if( fraction >0.5) reject("fraction > 0.5, " + fraction);
  resolve(fraction);
})
.then(() =>console.log("resolved"))
.catch((error) => console.error(error))
.finally(() => console.log(" when am I called?"));
```

```
new Promise((resolve, reject) => {
  const fraction = Math.random();
  if( fraction >0.5) reject("fraction > 0.5, " + fraction);
  reject(fraction);
})
.then(() =>console.log("resolved"))
.catch((error) => console.error(error))
.finally(() => console.log(" when am I called?"));
> 0.024493713600408196 VM1560:7
  when am I called? VM1560:8
> Promise {<fulfilled>: undefined}
```

```
new Promise((resolve, reject) => {
  const fraction = Math.random();
  if( fraction >0.5) reject("fraction > 0.5, " + fraction);
  resolve(fraction);
})
.then(() =>console.log("resolved"))
.catch((error) => console.error(error))
.finally(() => console.log(" when am I called?"));
resolved VM1349:6
  when am I called? VM1349:8
> Promise {<fulfilled>: undefined}
```

When does Promise.finally on line 08 get called?

- A. When resolved or rejected
- B. When rejected
- C. When resolved and settled
- D. WHen resolved

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 48**

Refer to the following code block:

```
01 class Student {
02   constructor(name) {
03     this.name = name;
04   }
05
06   takeTest() {
07     console.log(`${this.name} got 70% on test.`);
08   }
09 }
10
11 class BetterStudent extends Student {
12   constructor(name) {
13     super(name);
14     this.name = 'Better student ' + name;
15   }
16   takeTest() {
17     console.log(`${this.name} got 100% on test.`);
18   }
19 }
20
21 let student = new BetterStudent('Jackie');
22 student.takeTest();
```

What is the console output?

- A. > Better student Jackie got 70% on test.
- B. > Jackie got 70% on test.
- C. > Better student Jackie got 100% on test.
- D. > Uncaught Reference Error

**Answer: A** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 49**

Given the code below:

```

01 function Person(name, email) {
02   this.name = name;
03   this.email = email;
04 }
05
06 const john = new Person('John', 'john@email.com');
07 const jane = new Person('Jane', 'jane@email.com');
08 const emily = new Person('Emily', 'emily@email.com');
09
10 let userList = [john, jane, emily];

```

Which method can be used to provide a visual representation of the list of users and to allow sorting by the name or email attribute?

- A. `console.table(usersList)` ;
- B. `console.groupCollapsed(usersList)` ;
- C. `console.info(usersList)` ;
- D. `console.group(usersList)` ;

**Answer: D** ([LEAVE A REPLY](#))

#### NEW QUESTION: 50

Given the JavaScript below:

```

01 function filterDOM(searchString){
02   const parsedSearchString = searchString && searchString.toLowerCase();
03   document.querySelectorAll('.account').forEach(account => {
04     const accountName = account.innerHTML.toLowerCase();
05     account.style.display = accountName.includes(parsedSearchString) ? /* Insert code here */
06   });
07 }

```

Which code should replace the placeholder comment on line 06 to hide accounts that do not match the search string?

- A. `'Block' : 'none'`
- B. `'None' : 'block'`
- C. `'Hidden, visible'`
- D. `'Visible' : 'hidden'`

**Answer: A** ([LEAVE A REPLY](#))

#### NEW QUESTION: 51

Given the requirement to refactor the code above to JavaScript class format, which class definition is correct?

```
01 function Vehicle(name, price) {
02   this.name = name;
03   this.price = price;
04 }
05 Vehicle.prototype.priceInfo = function () {
06   return 'Cost of the $' + this.name + ' is $' + this.price + '$';
07 }
08 var ford = new Vehicle('Ford Fiesta', '20,000');
```

A. D

```
01 class Vehicle {
02   constructor() {
03     this.name = name;
04     this.price = price;
05   }
06   priceInfo() {
07     return 'Cost of the $' + this.name + ' is $' + this.price + '$';
08   }
09 }
```

B. B

```
01 class Vehicle {
02   constructor(name, price) {
03     this.name = name;
04     this.price = price;
05   }
06   priceInfo() {
07     return 'Cost of the $' + this.name + ' is $' + this.price + '$';
08   }
09 }
```

C. C

```
01 class Vehicle {
02   constructor(name, price) {
03     name = name;
04     price = price;
05   }
06   priceInfo() {
07     return 'Cost of the $' + this.name + ' is $' + this.price + '$';
08   }
09 }
```

D. A

```
01 class Vehicle {
02   constructor(name, price) {
03     this.name = name;
04     this.price = price;
05   }
06   priceInfo() {
07     return 'Cost of the $' + this.name + ' is $' + this.price + '$';
08   }
09 }
```

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 52

Given the requirement to refactor the code above to JavaScript class format, which class definition is correct?

A)

```
01 class Vehicle (  
02   constructor(name, price) (  
03     this.name = name;  
04     this.price = price;  
05   )  
06   priceInfo() (  
07     return 'Cost of the $(this.name) is $(this.price)$';  
08   )  
09 )
```

B)

```
01 class Vehicle (  
02   vehicle(name, price) (  
03     this.name = name;  
04     this.price = price;  
05   )  
06   priceInfo() (  
07     return 'Cost of the $(this.name) is $(this.price)$';  
08   )  
09 )
```

C)

```
01 class Vehicle (  
02   constructor(name, price) (  
03     name = name;  
04     price = price;  
05   )  
06   priceInfo() (  
07     return 'Cost of the $(this.name) is $(this.price)$';  
08   )  
09 )
```

D)

```
01 class Vehicle (  
02   constructor() (  
03     this.name = name;  
04     this.price = price;  
05   )  
06   priceInfo() (  
07     return 'Cost of the $(this.name) is $(this.price)$';  
08   )  
09 )
```

A. Option C

B. Option A

C. Option D

D. Option B

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 53**

Refer to the following code:

```
01 function Tiger() {
02   this.type = 'Cat';
03   this.size = 'large';
04 }
05
06 let tony = new Tiger();
07 tony.roar = () => {
08   console.log('They\'re great!');
09 };
10
11 function Lion() {
12   this.type = 'Cat';
13   this.size = 'large';
14 }
15
16 let leo = new Lion();
17 // Insert code here
18 leo.roar();
```

salesforce

Which two statements could be inserted at line 17 to enable the function call on line 18?

Choose 2 answers

- A. `Object.assign (leo, tony);`
- B. `leo.roar = () => { console.log('They're pretty good!'); };`
- C. `leo.prototype.roar = () =>( console.log('They're pretty good!'); );`
- D. `Object.assign (leo, Tiger);`

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 54

Refer to code below:

```
Let a ='a';
```

```
Let b;
```

```
// b = a;
```

```
console.log(b);
```

What is displayed when the code executes?

- A. Null
- B. `ReferenceError: b is not defined`
- C. Undefined
- D. A

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 55**

Which code change should be done for the console to log the following when 'Click me!' is clicked'

> Row log

> Table log

- A. Change line 10 to event.stopPropagation (false) ;
- B. Remove lines 13 and 14
- C. Change line 14 to elem.addEventListener ('click', printMessage, true);
- D. Remove line 10

**Answer:** A ([LEAVE A REPLY](#))

**NEW QUESTION: 56**

Refer to the code below:

Let str = 'javascript';

Str[0] = 'J';

Str[4] = 'S';

After changing the string index values, the value of str is 'javascript'. What is the reason for this value:

- A. Primitive values are mutable.
- B. Non-primitive values are immutable.
- C. Non-primitive values are mutable.
- D. Primitive values are immutable.

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 57**

Refer to the code below.

```
01 let str = 'javascript';
02 str[0] = 'J';
03 str[4] = 'S';
```

After changing the string index values, the of atr is Javascript". What is the reason for this value?

- A. Primitive values are immutable
- B. Non-primitive values are mutable.
- C. Non-primitive values are immutable.
- D. Primitive values are mutable.

**Answer:** B ([LEAVE A REPLY](#))

**NEW QUESTION: 58**

A developer wants to iterate through an array of objects and count the objects whose property value, name, start with the letter N. const arrobj - [{"name "t "Zach"}, {"name t Kate"}] , ( "name

Alice") < ( "name" t "Bob" ) , ("name" t "Nathan" ) , ("name" t "Nathandle1" ) ] Refer to the code snippet below:

```
01 arrObj.reduce((acc, curr) => {
02   // missing line 02
03   // missing line 03
04 }, 0);
```

Which missing lines 02 and 03 return the correct count?

- A. `const sum = curr.name.startsWith('N') ? 1 : 0`  
Return `acc + sum`;
- B. `const sum = curr.name.startsWith('N') ? 1 : 0`  
Return `curr + sum`;
- C. `const sum = curr.name.startsWith('N') ? 1 : 1`  
Return `acc + sum` ;
- D. `const sum = curr.name.startsWith('N') ? 1 : 0`  
Return `curr + sum`;

**Answer:** [\(SHOW ANSWER\)](#)

### NEW QUESTION: 59

Refer to the code below:

```
01 let car1 = new Promise( (_, reject) =>
02   setTimeout(reject, 2000, "Car 1 crashed in"));
03 let car2 = new Promise( resolve => setTimeout(resolve, 1500, "Car 2 completed"));
04 let car3 = new Promise( resolve => setTimeout(resolve, 3000, "Car 3 completed"));
05
06 Promise.race([car1, car2, car3])
07   .then(value => {
08     let result = `${value} the race.`;
09   })
10   .catch(err => {
11     console.log("Race is cancelled.", err);
12   });
```

What is the value of result when Promise. race executes?

- A. Car 3 completed the race
- B. Car 2 completed the race
- C. Car 1 crashed the race
- D. Race is cancelled.

**Answer:** [C \(LEAVE A REPLY\)](#)

### NEW QUESTION: 60

Which statement can a developer apply to increment the browser's navigation history without a page refresh?

- A. `Window.history.pushState(newStateObject, '', null)` ;
- B. `Window.history.state.push(newStateObject)`;
- C. `Window.history.pushState(newStateObject)`;
- D. `Window.history.state.push(newStateObject, '' null)`;

**Answer:** [D \(LEAVE A REPLY\)](#)

### NEW QUESTION: 61

A developer has an ErrorHandler module that contains multiple functions. What kind of export be leverages so that multiple functions can be used?

- A. Named
- B. Default
- C. All
- D. Multi

Answer: ([SHOW ANSWER](#))

**Valid JavaScript-Developer-I Dumps** shared by PrepPdf.com for Helping Passing JavaScript-Developer-I Exam! PrepPdf.com now offer the **newest JavaScript-Developer-I exam dumps**, the PrepPdf.com JavaScript-Developer-I exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JavaScript-Developer-I dumps with Test Engine here: <https://www.preppdf.com/Salesforce/JavaScript-Developer-I-prepaway-exam-dumps.html> (224 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

#### NEW QUESTION: 62

A developer wants to create an object from a function in the browser using the code below. What happens due to lack of the new keyword on line 02?

- A. The a variable is assigned the correct object.
- B. The n variable is assigned the correct object but this- remains undefined.
- C. Window. === name is assigned to "hello" and the variable a n remain undefined.
- D. Window. n is assigned the correct object.

Answer: C ([LEAVE A REPLY](#))

#### NEW QUESTION: 63

Which statement accurately describes the behavior of the async /swait keywords?

- A. The associated function sometimes returns a promise.
- B. The associated function can only be called via asynchronous methods.
- C. The associated class contains some asynchronous functions.
- D. The associated function will always return a promise.

Answer: D ([LEAVE A REPLY](#))

#### NEW QUESTION: 64

Refer to the code below:

```
Let inArray - [ [1, 2] , [3, 4, 5] ];
```

Which two statements result in the array [1, 2, 3, 4, 5]?

- A. [ ] . concat. ( ... inArray) ;
- B. [ ] . concat. Apply (inArray, [ ] );

C. []. concat. Apply ([], inArray) ;

D. []. Concat ([...InArray] );

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 65

Refer to the code below:

```
01 const resolveAfterMilliseconds = (ms) => Promise.resolve(  
02   setTimeout(() => console.log(ms), ms));  
03 const aPromise = await resolveAfterMilliseconds(500);  
04 const bPromise = await resolveAfterMilliseconds(500);  
05 await aPromise, await bPromise;
```

What is the result of running line 05?

A. Neither aPromise or bPromise runs.

B. aPromise and bPromise run sequentially.

C. aPromise and bPromise run in parallel.

D. Only aPromise runs.

Answer: A ([LEAVE A REPLY](#))

### NEW QUESTION: 66

Given the code below:

```
01 setTimeout(() => {  
02   console.log(1);  
03 }, 1100);  
04 console.log(2);  
05 new Promise((resolve, reject) => {  
06   setTimeout(() => {  
07     reject(console.log(3));  
08   }, 1000);  
09 }).catch(() => {  
10   console.log(4);  
11 });  
12 console.log(5);
```

What is logged to the console'

A. 1 2 5 3 4

B. 2 5 1 3 4

C. 2 5 3 4 1

D. 1 2 3 4 5

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 67**

Refer to the following code:

```
01 function test(val) {
02   if (val === undefined) {
03     return 'Undefined value!';
04   }
05   if (val === null) {
06     return 'Null value!';
07   }
08   return val;
09 }
10
11 let x;
12
13 test(x);
```

What is returned by the function call on line 13?

- A. Null value
- B. Undefined
- C. Line 13 throws an error.
- D. Undefined value.

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 68**

Given the HTML below:

```
<div>
  <div id="row-wc">Universal Containers</div>
  <div id="row-as">Applied Shipping</div>
  <div id="row-bt">Burlington Textiles</div>
</div>
```

Which statement adds the priority-account css class to the Applied Shipping row?

Answer:

```
document.querySelector('#row-as').classList.add('priority-account');
```

**NEW QUESTION: 69**

Given the following code:

```
Counter = 0;
const logCounter = () => {
  console.log(counter);
};
logCounter();
setTimeout(logCounter, 1100);
setInterval(() => {
  Counter++;
  logCounter();
}, 1000);
```

What is logged by the first four log statements?

- A. 0 1 1 2
- B. 0 0 1 2
- C. 0 1 2 3
- D. 0 1 2 2

Answer: A ([LEAVE A REPLY](#))

#### NEW QUESTION: 70

A developer has code that calculates a restaurant bill, but generates incorrect answers while testing the code.

```
01 function calculateBill(items) {
02   let total = 0;
03
04   total += findSubtotal(items);
05
06   total += addTax(total);
07   total += addTip(total);
08   return total;
09 }
```

Which option allows the developer to step into each function execution within calculateBill?

- A. Calling the console.trace(total) method on line 03.
- B. Using the debugger command on line 03.
- C. Wrapping findSubtotal in a console.log method.
- D. Using the debugger command on line 05.

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 71

Refer to the following array:

Let arr1 = [ 1, 2, 3, 4, 5 ];

```

let arr1 = [ 1, 2, 3, 4, 5 ];
let arr2 = arr1;
console.log(arr2)
> (5) [1, 2, 3, 4, 5] VM1767:4
undefined
let arr1 = [ 1, 2, 3, 4, 5 ];
let arr2 = Array.from(arr1);
console.log(arr2)
> (5) [1, 2, 3, 4, 5] VM1827:3
undefined

```

Which two lines of code result in a second array, arr2 being created such that arr2 is not a reference to arr1?

- A. Let arr2 = arr1.sort();
- B. Let arr2 = arr1.slice(0, 5);
- C. Let arr2 = arr1;
- D. Let arr2 = Array.from(arr1);

**Answer: B,D** ([LEAVE A REPLY](#))

**NEW QUESTION: 72**

Refer to the code below:

```

const event = new CustomEvent(
//Missing Code
);
obj.dispatchEvent(event);

```

A developer needs to dispatch a custom event called update to send information about recordId.

Which two options could a developer insert at the placeholder in line 02 to achieve this?

Choose 2 answers

- A. 'Update' , ( recordId : '123abc' )
- B. 'Update' , '123abc'
- C. { type : 'update', recordId : '123abc' }
- D. 'Update' , { Details : { recordId : '123abc' }

**Answer: A,D** ([LEAVE A REPLY](#))

```

}
}

```

**NEW QUESTION: 73**

Given the following code:

```
01 counter = 0;
02 const logCounter = () => {
03   console.log(counter);
04 };
05 logCounter();
06 setTimeout(logCounter, 2100);
07 setInterval(() => {
08   counter++;
09   logCounter();
10 }, 1000);
```

What will be the first four numbers logged?

- A. 0012
- B. 0123
- C. 0112
- D. 0122

Answer: D ([LEAVE A REPLY](#))

#### NEW QUESTION: 74

Refer to the code below:

```
01 const myFunction = arr => {
02   return arr.reduce((result, current) => {
03     return result + current;
04   }, 5);
05 }
```

What is the output of this function when called with an empty array?

- A. Return NaN
- B. Return 0
- C. Return Infinity
- D. Return 5

Answer: D ([LEAVE A REPLY](#))

#### NEW QUESTION: 75

A developer is debugging a web server that uses Node.js. The server hits a runtime error every third request to an important endpoint on the web server.

The developer added a break point to the start script, that is at index, js at the root of the server's source code. The developer wants to make use of Chrome DevTools to debug.

Which command can be run to access DevTools and make sure the breakpoint is hit?

- A. Node -l index , js
- B. Node inspect index , js
- C. Node -- inspect index ,js
- D. Node --inspect -brk index , js

Answer: C ([LEAVE A REPLY](#))

#### NEW QUESTION: 76

Given the code below.

```
const delay = async delay => {
  return new Promise((resolve, reject) => {
    setTimeout(resolve, delay);
  });
};

const callDelay = async () => {
  const yup = await delay(2000);
  console.log(1);
};

console.log(2);
callDelay();
console.log(3);
```



What is logged to the console?

- A. 231
- B. 132
- C. 213
- D. 123

Answer: A ([LEAVE A REPLY](#))

**Valid JavaScript-Developer-I Dumps** shared by PrepPdf.com for Helping Passing JavaScript-Developer-I Exam! PrepPdf.com now offer the **newest JavaScript-Developer-I exam dumps**, the PrepPdf.com JavaScript-Developer-I exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JavaScript-Developer-I dumps with Test Engine here: <https://www.preppdf.com/Salesforce/JavaScript-Developer-I-prepaway-exam-dumps.html> (224 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

#### NEW QUESTION: 77

Which option is true about the strict mode in imported modules?

- A. Add the statement use strict =false; before any other statements in the module to enable not-strict mode.
- B. Imported modules are in strict mode whether you declare them as such or not.

C. Add the statement use non-strict, before any other statements in the module to enable not-strict mode.

D. You can only reference notStrict() functions from the imported module.

**Answer: B** ([LEAVE A REPLY](#))

### NEW QUESTION: 78

Refer to the code below:

```
01 const event = new CustomEvent(  
02   //Missing code  
03 );  
04 obj.dispatchEvent(event);
```

A developer needs to dispatch a custom event called update to send information about recordId. Which two options could a developer insert at the placeholder in line 02 to achieve this? Choose 2 answers

A. 'update', ( recordId ; 123abc'  
)

B. 'update' , '123abc'

C. 'update', {  
Detail ; {  
recordId, '123abc'  
}}

D. {type ; update ', recordId : '123abc'}

**Answer: A,C** ([LEAVE A REPLY](#))

### NEW QUESTION: 79

Consider type coercion, what does the following expression evaluate to?

True + 3 + '100' + null

A. '4100null'

B. 104

C. 4100

D. '3100null'

**Answer: A** ([LEAVE A REPLY](#))

### NEW QUESTION: 80

Which option is a core Node;js module?

A. Memory

B. Path

C. locale

D. los

**Answer: B,D** ([LEAVE A REPLY](#))

**NEW QUESTION: 81**

Refer to code below:

```
Function muFunction(reassign){  
  Let x = 1;  
  var y = 1;  
  if( reassign ) {  
    Let x= 2;  
    Var y = 2;  
    console.log(x);  
    console.log(y);}  
  console.log(x);  
  console.log(y);}
```

What is displayed when myFunction(true) is called?

- A. 2 2 undefined undefined
- B. 2 2 1 2
- C. 2 2 1 1
- D. 2 2 2 2

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 82**

Refer to the code below:



```
01 function changeValue(param)  
02   param  
03 }  
04 let a = 10;  
05 let b = 5;  
06  
07 changeValue(a)  
08 const result = a + b;
```

What is the value of result when the code executes?

- A. 10 - 10
- B. 5 - 5
- C. 10 - 5
- D. 5 - 10

**Answer: A** ([LEAVE A REPLY](#))

**NEW QUESTION: 83**

Refer the following code

```
let array = [1,2,3,4,4,5,4,4];
for(let i=0;i<array.length;i++)
{
  if(array[i]===4){
    array.splice(i,1);
    i--;
  }
}
alert(array);
```

what is the value of array after code executes?

A. [ 1, 2, 3, 5 ]

Answer: A ([LEAVE A REPLY](#))

#### NEW QUESTION: 84

Refer to the code below:

```
let sayHello = () => {
  console.log ('Hello, world!');
};
```

Which code executes sayHello once, two minutes from now?

A. setTimeout(sayHello(), 12000);

B. setInterval(sayHello, 12000);

C. delay(sayHello, 12000);

D. setTimeout(sayHello, 12000);

Answer: D ([LEAVE A REPLY](#))

#### NEW QUESTION: 85

A test has a dependency on database. query. During the test, the dependency is replaced with an object called database with the method, Calculator query, that returns an array. The developer does not need to verify how many times the method has been called.

Which two test approaches describe the requirement?

Choose 2 answers

- A. White box
- B. Stubbing
- C. Black box
- D. Substitution

**Answer:** ([SHOW ANSWER](#))

### NEW QUESTION: 86

Cloud Kicks has a class to represent items for sale in an online store, as shown below:

```
Class Item{
constructor (name, price){
this.name = name;
this.price = price;
}
formattedPrice(){
return 's' + String(this.price);}}
```

A new business requirement comes in that requests a ClothingItem class that should have all of the properties and methods of the Item class but will also have properties that are specific to clothes.

Which line of code properly declares the clothingItem class such that it inherits from Item?

- A. Class ClothingItem extends Item {
- B. Class ClothingItem implements Item{
- C. Class ClothingItem {
- D. Class ClothingItem super Item {

**Answer:** ([SHOW ANSWER](#))

### NEW QUESTION: 87

A developer wants to leverage a module to print a price in pretty format, and has imported a method as shown below:

```
Import printPrice from '/path/PrincePrettyPrint. Js';
```

Based on the code, what must be true about the printPrice function of the PricePrettyPrint modules for this import to work?

- A. printPrice must be named export
- B. printPrice must be a multi export
- C. printPrice must be an default export
- D. printPrice must be an all export

**Answer: A** ([LEAVE A REPLY](#))

### NEW QUESTION: 88

Refer to the code declarations below:

```
let str1 = 'Java';  
let str2 = 'Script';
```

Which three expressions return the string JavaScript?

Choose 3 answers

- A. Str1 + str2;
- B. \${str1} \${str2}';
- C. Concat (str1, str2);
- D. Str1.concat (str2);
- E. Str1.join (str2);

**Answer: A,B,D** ([LEAVE A REPLY](#))

### NEW QUESTION: 89

Given the code block below:

```
01 function GameConsole(name) {  
02   this.name = name;  
03 }  
04  
05 GameConsole.prototype.load = function(gamename) {  
06   console.log(`${this.name} is loading a game: ${gamename}...`);  
07 }  
08  
09 function Console16bit(name) {  
10   GameConsole.call(this, name);  
11 }  
12  
13 Console16bit.prototype = Object.create(GameConsole.prototype);  
14  
15 // insert code here  
16 console.log(`${this.name} is loading a cartridge game: ${gamename}...`);  
17 }  
18  
19 const console16bit = new Console16bit('SNEGenezis');  
20 console16bit.load('Super Monic 3x Force');
```

What should a developer insert line 15 to output the following message using the load method?

SNENneziz is loading a cartridge game: super Monic 3x Force...

- A. Console16bit.prototype.load = function (gamename) (
- B. Console16bit = object.create (GameConsole.prototype).load \_ function (gamename) (
- C. Console16bit.prototype.load (gamename) (
- D. Console116bit.prototype.load (gamename) = function () (

**Answer: A** ([LEAVE A REPLY](#))

### NEW QUESTION: 90

Refer to the following code block:

```
01 let array = [1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11];
02 let output = 0;
03
04 for (let num of array) {
05   if (output > 10) {
06     break;
07   }
08   if (num % 2 == 0)
09     continue;
10 }
11 output += num;
12 }
```

What is the value of output after the code executes?

- A. 16
- B. 25
- C. 11
- D. 36

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 91**

Given the requirement to refactor the code above to JavaScript class format, which class definition is correct?

```
01 function Vehicle(name, price) {
02   this.name = name;
03   this.price = price;
04 }
05 Vehicle.prototype.getPrice = function () {
06   return `Cost of the ${this.name} is ${this.price}$`;
07 }
08 var ford = new Vehicle('Ford Fiesta', '20,000');
```

A)

```
01 class Vehicle {
02   constructor(name, price) {
03     this.name = name;
04     this.price = price;
05   }
06   priceInfo() {
07     return `Cost of the ${this.name} is ${this.price}$`;
08   }
09 }
```

B)

```
01 class Vehicle {
02   vehicle(name, price) {
03     this.name = name;
04     this.price = price;
05   }
06   priceInfo() {
07     return `Cost of the ${this.name} is ${this.price}$`;
08   }
09 }
```

C)

```

01 class Vehicle {
02   constructor(name, price) {
03     name = name;
04     price = price;
05   }
06   priceInfo() {
07     return `Cost of the ${this.name} is ${this.price}$`;
08   }
09 }

```

D)

```

01 class Vehicle {
02   constructor() {
03     this.name = name;
04     this.price = price;
05   }
06   priceInfo() {
07     return `Cost of the ${this.name} is ${this.price}$`;
08   }
09 }

```

A. Option C

B. Option A

C. Option B

D. Option D

**Answer: B (LEAVE A REPLY)**

**Valid JavaScript-Developer-I Dumps** shared by PrepPdf.com for Helping Passing JavaScript-Developer-I Exam! PrepPdf.com now offer the **newest JavaScript-Developer-I exam dumps**, the PrepPdf.com JavaScript-Developer-I exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JavaScript-Developer-I dumps with Test Engine here: <https://www.preppdf.com/Salesforce/JavaScript-Developer-I-prepaway-exam-dumps.html> (224 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

### NEW QUESTION: 92

Refer to code below:

```

Const objBook = {
Title: 'Javascript',
};
Object.preventExtensions(objBook);
Const newObjBook = objBook;
newObjBook.author = 'Robert';

```

What are the values of objBook and newObjBook respectively ?

A. [title: "javaScript"] [title: "javaScript"]

B. {author: "Robert"}

{author: "Robert", title: "JavaScript"}

C. {author: "Robert", title: "JavaScript"}

Undefined

D. {author: "Robert", title: "JavaScript"}

{author: "Robert", title: "JavaScript"}

**Answer: (SHOW ANSWER)**

### NEW QUESTION: 93

At Universal Containers, every team has its own way of copying JavaScript objects. The code Snippet shows an implementation from one team:

```
Function Person() {  
  this.firstName = "John";  
  this.lastName = 'Doe';  
  This.name =() => (  
    console.log('Hello $(this.firstName) $(this.firstName)');  
  )  
}
```

```
Const john = new Person ();
```

```
Const dan = JSON.parse(JSON.stringify(john));
```

```
dan.firstName ='Dan';
```

```
dan.name();
```

What is the Output of the code execution?

A. Hello John DOe

B. TypeError: dan.name is not a function

C. Hello Dan Doe

D. TypeError: Assignment to constant variable.

**Answer: B (LEAVE A REPLY)**

### NEW QUESTION: 94

A developer at Universal Containers is creating their new landing page based on HTML, CSS, and JavaScript. The website includes multiple external resources that are loaded when the page is opened.

To ensure that visitors have a good experience, a script named personalizeWebsiteContent needs to be executed when the webpage is loaded and there is no need to wait for the resources to be available.

Which statement should be used to call personalizeWebsiteContent based on the above business requirement?

A. windows.addEventListener('load', personalizeWebsiteContent);

B. windows.addEventListener('onDOMCContentLoaded', personalizeWebsiteContent);

C. windows.addEventListener('onload', personalizeWebsiteContent);

D. windows.addEventListener('DOMContent Loaded ', personalizeWebsiteContent);

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 95

Given the JavaScript below:

```
01 function filterDOM(searchString){
02   const parsedSearchString = searchString && searchString.toLowerCase();
03   document.querySelectorAll('.account').forEach(account => {
04     const accountName = account.innerHTML.toLowerCase();
05     account.style.display = accountName.includes(parsedSearchString) ? /* Insert code here */
06   });
07 }
```

Which code should replace the placeholder comment on line 05 to hide accounts that do not match the search string?

- A. 'Visible' ; hidden'
- B. none' ; 'block '
- C. 'hidden'; 'visible'
- D. 'Block' ; 'none'

Answer: D ([LEAVE A REPLY](#))

### NEW QUESTION: 96

Refer to the following code:

```
<html lang="en">
  <body>
    <span onclick="console.log('Span message');">
      <button id="myButton">Send Message</button>
    </span>
  </body>
  <script>
    function displayMessage(ev){
      ev.stopPropagation();
      console.log('Button message');
    }
    const elem = document.getElementById("myButton");
    elem.addEventListener('click',displayMessage);
  </script>
</html>
```



A. Inner message

Outer message

B. Outer message

C. Outer message

Inner message

D. Button message

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 97

The developer wants to test the array shown:

```
Const arr = Array (5) . fill (0);
```

Which two test are the most accurate for this array? Choose 2 answers

A. Arr. forEach (elem => console .assert (elem === 0) );

B. Console,assert(arr.length === 5) ;

C. Console,assert(arr(0) === 0 \$\$ arr (arr .length ) === 0) ;

D. Console. Assert (arr. Length > 0) ;

Answer: A ([LEAVE A REPLY](#))

### NEW QUESTION: 98

A developer is setting up a new Node.js server with a client library that is built using events and callbacks.

The library:

\* Will establish a web socket connection and handle receipt of messages to the server

\* Will be imported with require, and made available with a variable called ws.

The developer also wants to add error logging if a connection fails.

Given this information, which code segment show the correct way to set up a client two events that listen at execution time?

A)

```
04 ws.connect({}) => {
05   console.log('Connected to client');
06 }).catch((error) => {
07   console.log('ERROR', error);
08 });
```

B)

```
04 ws.on('connect', () => {
05   console.log('Connected to client');
06
07   ws.on('error', (error) => {
08     console.log('ERROR', error);
09   });
10 });
```

C)

```
04 ws.on('connect', () => {
05   console.log('Connected to client');
06 });
07
08 ws.on('error', (error) => {
09   console.log('ERROR', error);
10 });
```

D)

```
04 try {
05   ws.connect(() => {
06     console.log('Connected to client');
07   });
08 } catch(error) {
09   console.log('ERROR', error);
10 }
```

- A. Option D
- B. Option B
- C. Option C
- D. Option A

Answer: A ([LEAVE A REPLY](#))

### NEW QUESTION: 99

Which code statement below correctly persists an objects in local Storage ?

- A. 

```
const setLocalStorage = (storageKey, jsObject) => {
window.localStorage.setItem(storageKey, JSON.stringify(jsObject));
}
```
- B. 

```
const setLocalStorage = ( jsObject) => {
window.localStorage.connectObject(jsObject);
}
```
- C. 

```
const setLocalStorage = ( jsObject) => {
window.localStorage.setItem(jsObject);
}
```
- D. 

```
const setLocalStorage = (storageKey, jsObject) => {
window.localStorage.persist(storageKey, jsObject);
}
```

Answer: A ([LEAVE A REPLY](#))

```
const setLocalStorage = (storageKey, jsObject) => {
window.localStorage.setItem(storageKey, JSON.stringify(jsObject));
}
undefined
localStorage
Storage {schedulerFrame-f: "1", schedulerFrame-v: "1", docsOfflineIframeApi-n: "1", PeopleStackExperiments: [{"keyPath": ["\\\\"[322251917]\\\\", "\\\\"[34]\\\\", 1], "03457637324820102062"}: {"keyPath": ["\\\\"[322251917]\\\\", "\\\\"[34]\\\\", 1], "LastUpdated": 1596275940167, "x": "i8kfs4Lndy"}], kx-e-f: "1", -}
  PeopleStackExperiments: [{"\\"[322251917]\\\\", "\\\\"[34]\\\\", 1], "03457637324820102062"}: {"keyPath": ["\\\\"[322251917]\\\\", "\\\\"[34]\\\\", 1], "LastUpdated": 1596275940167, "x": "i8kfs4Lndy"}], kx-e-f: "1", -}
  docs-urop: "true"
  docsOfflineIframeApi-f: "1"
  docsOfflineIframeApi-n: "1"
  docsOfflineIframeApi-v: "1"
  google-upload: {state: "0"}
  kx-e-f: "1"
  kx-e-n: "1"
  kx-e-v: "1"
  length: 12
  schedulerFrame-f: "1"
  schedulerFrame-n: "1"
  schedulerFrame-v: "1"
  __proto__: Storage
```



**NEW QUESTION: 100**

Refer to the code below:

```
flag();
anotherFlag();

function flag() {
  console.log('flag');
}

const anotherFlag = () => {
  console.log('another flag');
}
```



What is result of the code block?

- A. The console logs 'flag' and another flag',
- B. An error is thrown.
- C. The console logs 'flag' and then an error is thrown.
- D. The console logs only 'flag',

**Answer: C** ([LEAVE A REPLY](#))

**NEW QUESTION: 101**

developer is trying to convince management that their team will benefit from using Node.js for a backend server that they are going to create. The server will be a web server that handles API requests from a website that the team has already built using HTML, CSS, and JavaScript. Which three benefits of Node.js can the developer use to persuade their manager?

Choose 3 answers:

- A. Installs with its own package manager to install and manage third-party libraries.
- B. Performs a static analysis on code before execution to look for runtime errors.
- C. Uses non-blocking functionality for performant request handling .
- D. Ensures stability with one major release every few years.
- E. Executes server-side JavaScript code to avoid learning a new language.

**Answer: A,B,C (LEAVE A REPLY)**

### NEW QUESTION: 102

A developer wants to use a try...catch statement to catch any error that countSheep () may throw and pass it to a handleError () function.

What is the correct implementation of the try...catch?

A)

```
try {
  setTimeout(function() {
    countSheep();
  }, 1000);
} catch (e) {
  handleError(e);
}
```

B)

```
try {
  countSheep();
} finally {
  handleError(e);
}
```

C)

```
setTimeout(function() {
  try {
    countSheep();
  } catch (e) {
    handleError(e);
  }
}, 1000);
```

D)

```
try {
  countSheep();
} handleError (e){
  catch(e);
}
```

- A. Option
- B. Option
- C. Option
- D. Option

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 103**

Refer to the HTML below:

```
<div id="main">  
  
<ul>  
  
<li>Leo</li>  
  
<li>Tony</li>  
  
<li>Tiger</li>  
  
</ul>  
  
</div>
```

Which JavaScript statement results in changing " The Lion."?

- A. document.querySelectorAll('\$main \$TONY').innerHTML = "" The Lion
- B. document.querySelector('\$main li:nth-child(2)'),innerHTML = " The Lion. ';
- C. document.querySelector('\$main li:second-child').innerHTML = " The Lion ';
- D. document.querySelector('\$main li.Tony').innerHTML = "" The Lion ';

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 104**

Refer to the string below.

Const str='Salesforce';

Which two statements results in the word 'Sales'?

Answer:

Str.substring(0,5);

Str.substr(0,5);

### NEW QUESTION: 105

Refer to the code below:

Let searchString = ' Look for this ';

Which two options remove the whitespace from the beginning of searchString? Choose 2 answers

- A. searchString. Replace (/^\s/a/' ');
- B. trimStart (searchString) ;
- C. searchString. trimEnd ( ) ;
- D. searchString. trimstart ( ) ;

**Answer: A,D ([LEAVE A REPLY](#))**

### NEW QUESTION: 106

A developer receives a comment from the Tech Lead that the code given below has error:

```
const monthName = 'July';
const year = 2019;
if(year === 2019) {
monthName = 'June';
}
```

Which line edit should be made to make this code run?

- A. 02 let year =2019;
- B. 02 const year = 2020;
- C. 01 let monthName ='July';
- D. 03 if (year == 2019) {

**Answer: C ([LEAVE A REPLY](#))**

**Valid JavaScript-Developer-I Dumps** shared by PrepPdf.com for Helping Passing JavaScript-Developer-I Exam! PrepPdf.com now offer the **newest JavaScript-Developer-I exam dumps**, the PrepPdf.com JavaScript-Developer-I exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JavaScript-Developer-I dumps with Test Engine here: <https://www.preppdf.com/Salesforce/JavaScript-Developer-I-prepaway-exam-dumps.html> (224 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

### NEW QUESTION: 107

developer is trying to convince management that their team will benefit from using Node.js for a backend server that they are going to create. The server will be a web server that handles API requests from a website that the team has already built using HTML, CSS, and JavaScript. Which three benefits of Node.js can the developer use to persuade their manager?

Choose 3 answers:

- A. Ensures stability with one major release every few years.
- B. Executes server-side JavaScript code to avoid learning a new language.
- C. Performs a static analysis on code before execution to look for runtime errors.
- D. User non blocking functionality for performant request handling .
- E. I nstalls with its own package manager to install and manage third-party libraries.

**Answer: C,D,E (LEAVE A REPLY)**

### NEW QUESTION: 108

A developer receives a comment from the Tech Lead that the code given below has error:

```
const monthName = 'July';  
const year = 2019;  
if(year === 2019) {  
monthName = 'June';  
}
```


Which line edit should be made to make this code run?

- A. 03 if (year == 2019) {
- B. 01 let monthName ='July';
- C. 02 let year =2019;
- D. 02 const year = 2020;

**Answer: B (LEAVE A REPLY)**

### NEW QUESTION: 109

A developer needs to test this functions:

A screenshot of a code editor showing a JavaScript function named sum3. The code is as follows:

```
01 const sum3 = (arr) => {  
02   if (!arr.length) return 0;  
03   if (arr.length === 1) return arr[0];  
04   if (arr.length === 2) return arr[0] + arr[1];  
05   return arr[0] + arr[1] + arr[2];  
06 };
```

The screenshot also shows a Salesforce logo in the top right corner.

Which two assert statements are valid tests for this function?

- A. Console.assert(sum3 ([-3, 2]) -1) ;
- B. Console.assert(sum3 (['hello' 2, 3, 4]) NaN);
- C. Console.assert(sum3([0]) 0) ;
- D. Console.assert(sum3((1, '2' ]) 12 );

**Answer: A,D (LEAVE A REPLY)**

### NEW QUESTION: 110

Refer to the code below:

Let textvalue = '1984';

Which code segment shows a correct way to convert this string to an integer?

- A. Let numberValue = Number(textvalue);

- B. Let numberValue = (Number) textvalue;
- C. Let numberValue = Integer ( textValue );
- D. Let numberValue = textValue. Tointeger ( ) ;

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 111

A developer creates a simple webpage with an input field. When a user enters text in the input field and clicks the button, the actual value of the field must be displayed in the console.

Here is the HTML file content:

```
<input type =" text" value="Hello" name ="input">
```

```
<button type ="button" >Display </button>
```

 The developer wrote the javascript code below:

```
Const button = document.querySelector('button');
```

```
button.addEventListener('click', () => (
```

```
Const input = document.querySelector('input');
```

```
console.log(input.getAttribute('value'));
```

When the user clicks the button, the output is always "Hello".

What needs to be done to make this code work as expected?

- A. Replace line 02 with button.addCallback("click", function() {
- B. Replace line 02 with button.addEventListener("onclick", function() {
- C. Replace line 04 with console.log(input .value);
- D. Replace line 03 with const input = document.getElementById('input');

Answer: C ([LEAVE A REPLY](#))

### NEW QUESTION: 112

Refer to the code below:

```
01 let foodMenu = ['Pizza', 'Burger', 'French fries'];  
02 let finalMenu = foodMenu;  
03 finalMenu.push('Garlic bread');
```

What is the value of foobDienu1 after the code executes?

- A. {'Garlic bread'}
- B. {'Garlic bread', 'Pizza', 'Burger', 'French fries'}
- C. {'Pizza', 'Burger', 'French fries' }
- D. {'Pizza', 'Burger', 'French fries ', 'garlic bread; }

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 113

Which statement parses successfully?

- A. JSON.parse (" 'foo' ");
- B. JSON.parse (" 'foo' ");
- C. JSON.parse ("foo ");
- D. JSON.parse ('foo ');

**Answer: C** ([LEAVE A REPLY](#))

#### NEW QUESTION: 114

Refer to the following array:

Let arr = [1, 2, 3, 4, 5];

Which three options result in x evaluating as (3, 4, 5)?

Choose 3 answers

- A. Let x = arr.filter( (a) => ( a < 2) );
- B. Let x = arr.aplice (2, 3);
- C. Let x = arr.slice (2) ;
- D. Let x = arr. Sslice (2, 3);
- E. Let x = arr.filter( (a) => )return a > 2 ) ) ;

**Answer: (**[SHOW ANSWER](#)**)**

#### NEW QUESTION: 115

Refer to the string below.

Const str='Salesforce';

Which two statements results in the word 'Sales'?

**Answer:**

See the Answer below in explanation:

Explanation

Str.substring(0,5);

Str.substr(0,5);

#### NEW QUESTION: 116

Universal Containers (UC) just launched a new landing page, but users complain that the website is slow. A developer found some functions any that might cause this problem. To verify this, the developer decides to execute everything and log the time each of these three suspicious functions consumes.

Which function can the developer use to obtain the time spent by every one of the three functions?

```
01 const SalesforcePerformance = {
02   maybeHeavyFunction(): {
03     thisCouldTakeTooLong();
04   },
05   orMaybeThisOne(): {
06     console.endTime('Performance');
07   }
08 }
09 console.endTime('Performance');
```

- A. console.getTime ()
- B. console. timeLog ()
- C. console.trace()

D. console.timeStamp ()

Answer: B ([LEAVE A REPLY](#))

#### NEW QUESTION: 117

myArray can have one level, two levels, or more levels.

Which statement flattens myArray when it can be arbitrarily nested?

A. myArray.flat(Infinity);

B. myArray.reduce ((prev, curr) => prev.concat(curr) [ ]);

C. [ ] .concat { . . myArray } ;

D. myArray.join (","). split (",");

Answer: B ([LEAVE A REPLY](#))

#### NEW QUESTION: 118

Refer to the code:

```
function Animal(size, type){
  this.size = size || "small";
  this.type = type || "Animal";
  this.canTalk = false;}
let Pet = function (size, type, name, owner){
  Animal.call(this, size, type);
  this.name = name;
  this.owner = owner;}
Pet.prototype = Object.create(Animal.prototype);
let pet1 = new Pet();
console.log(pet1);
```

Given the code above, which three properties are set pet1?

Choose 3 answers:

A. Size

B. Owner

C. Type

D. Name

E. canTalk

Answer: A,C,E ([LEAVE A REPLY](#))

#### NEW QUESTION: 119

Refer the code below.

```
x=3.14;
function myfunction() {
"use strict";
y=x;
}
z=x;
myFunction();
```

**Answer:**

See the Answer below in explanation:

Explanation

Z is equal to 3.14

Use strict has effect only on line 5.

Line 5 throws an error

**NEW QUESTION: 120**

Given the following code:

```
01 let x = null;
02 console.log(typeof x);
```

is the output of line 02?

- A. "undefined"
- B. "object"
- C. "null"
- D. "x"

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 121**

Refer to the following code:

```

11 class Ship {
12   constructor(size) {
13     this.size = size;
14   }
15 }
16
17 class FishingBoat extends Ship {
18   constructor(size, capacity) {
19     //Missing code
20     this.capacity = capacity;
21   }
22   displayCapacity() {
23     console.log('The boat has a capacity of ${this.capacity} people.');
```



Which statement should be added to line 09 for the code to display. The boat has a capacity of 10 people?

- A. this.size = size;
- B. ship.size size;
- C. super (size);
- D. super.size = size;

Answer: ([SHOW ANSWER](#))

**Valid JavaScript-Developer-I Dumps** shared by PrepPdf.com for Helping Passing JavaScript-Developer-I Exam! PrepPdf.com now offer the **newest JavaScript-Developer-I exam dumps**, the PrepPdf.com JavaScript-Developer-I exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JavaScript-Developer-I dumps with Test Engine here: <https://www.preppdf.com/Salesforce/JavaScript-Developer-I-prepaway-exam-dumps.html> (224 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

#### NEW QUESTION: 122

Given the code below:

```
Setcurrent URL ();  
console.log('The current URL is: ' +url );  
function setCurrentUrl() {  
Url = window.location.href;
```

What happens when the code executes?

- A. The url variable has local scope and line 02 executes correctly.
- B. The url variable has global scope and line 02 throws an error.
- C. The url variable has local scope and line 02 throws an error.
- D. The url variable has global scope and line 02 executes correctly.

Answer: D ([LEAVE A REPLY](#))

#### NEW QUESTION: 123

Refer to the HTML below:

```

<div id="main">
  <ul>
    <li>Leo</li>
    <li>Tony</li>
    <li>Tiger</li>
  </ul>
</div>

```

Which JavaScript statement results in changing "The Lion."?

- A. document.querySelector('\$main li:second-child').innerHTML = "The Lion. '";
- B. document.querySelector('\$main li:nth-child(2)'),innerHTML = "The Lion. '";
- C. document.querySelector('\$main li.Tony').innerHTML = ""The Lion. '";
- D. document.querySelectorAll('\$main \$TONY').innerHTML = ""The Lion

**Answer:** ([SHOW ANSWER](#))

#### NEW QUESTION: 124

Cloud Kicks has a class to represent item for sale in an online store, as shown below:

```

01 class Item (
02   constructor(name, price) {
03     this.name = name;
04     this.price = price;
05   }
06
07   formattedPrice() {
08     return '$' + (this.price);
09   }
10 )

```

A new business requirement comes in that request a clothingitem class, that should have all of the properties and methods of the item class, but will also have properties that are specific top clothes.

Which line of code properly declares the clothingitem class such that it inherits from item?

- A. Class clothing item super item (
- B. Class clothingitem extends item (
- C. Class Clothingitem (
- D. Class clothingitem implements item (

**Answer:** B ([LEAVE A REPLY](#))

#### NEW QUESTION: 125

Refer to the code snippet below:

```

Let array = [1, 2, 3, 4, 4, 5, 4, 4];
For (let i =0; i < array.length; i++){
if (array[i] === 4) {

```

```
array.splice(i, 1);
}
}
```

What is the value of the array after the code executes?

- A. [1, 2, 3, 4, 4, 5, 4]
- B. [1, 2, 3, 5]
- C. [1, 2, 3, 4, 5, 4, 4]
- D. [1, 2, 3, 4, 5, 4]

**Answer: D** ([LEAVE A REPLY](#))

### NEW QUESTION: 126

Refer to the code below:

```
01 const addBy = 7
02 const addByEight = addBy(8);
03 const sum = addByEight(30);
```

Which two function can replace line 01 and return 58 to sum? Choose 2 answers

- A. `const addBy = function (num1) {  
 Return function (num2) {  
 }  
}`
- B. `Const addby = function (num1) (  
 Return function (num2) (  
 }  
}`
- C. `const addBy = num1 (num2) => num1 + num2 ;`
- D. `const addBy = (num1) num1 + num2`

**Answer: A,C** ([LEAVE A REPLY](#))

### NEW QUESTION: 127

Refer to the code below:

```
01 let country = {
02   get salesforce () {
03     let city = Number("London");
04
05     return {
06       cityString: city.toString(),
07     }
08   }
09 }
```

Which value can a developer expect when referencing `country.capital.cityString`?

- A. An error
- B. 'NaN'
- C. 'London'
- D. undefined

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 128**

A developer is working on an ecommerce website where the delivery date is dynamically calculated based on the current day. The code line below is responsible for this calculation.

```
Const deliveryDate = new Date ();
```

Due to changes in the business requirements, the delivery date must now be today's date + 9 days.

Which code meets this new requirement?

- A. `deliveryDate.setDate( Date.current () + 9);`
- B. `deliveryDate.date = new Date(+9) ;`
- C. `deliveryDate.date = Date.current () + 9;`
- D. `deliveryDate.setDate(( new Date ( )).getDate () +9);`

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 129**

Refer to the code below:

```
function changeValue(param) {  
  Param =5;  
}
```

```
Let a =10;
```

```
Let b =5;
```

```
changeValue(b);
```

```
Const result = a+ " - "+ b;
```

What is the value of result when code executes?

- A. 5 - 10
- B. 10 -10
- C. 10 - 5
- D. 5 -5

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 130**

Refer to the following object:

```
01 const cat = (  
02   firstName: 'Fancy',  
03   lastName: 'Whiskers',  
04   get fullName() {  
05     return this.firstName + ' ' + this.lastName;  
06   }  
07 );
```

How can a developer access the fullname property for cat?

- A. Cat.fullname ( )
- B. Cat.function.fullName
- C. Cat.get,fullname
- D. Cat.fullName

**Answer: C** ([LEAVE A REPLY](#))

### NEW QUESTION: 131

developer publishes a new version of a package with new features that do not break backward compatibility. The previous version number was 1.1.3.

Following semantic versioning format, what should the new package version number be?

- A. 1.1.4
- B. 1.2.0
- C. 1.2.3
- D. 2.0.0

**Answer: B** ([LEAVE A REPLY](#))

### NEW QUESTION: 132

Refer to the following object:

```
const cat = {  
  firstName: 'Fancy',  
  lastName: ' Whiskers',  
  Get fullName() {  
    return this.firstName + ' ' + this.lastName;  
  }  
};
```

How can a developer access the fullName property for cat?

- A. cat.get.fullName
- B. cat.function.fullName()
- C. cat.fullName()
- D. cat.fullName

**Answer: D** ([LEAVE A REPLY](#))

### NEW QUESTION: 133

Refer to the following code:

```
function test (val) {  
  if (val === undefined) {  
    return 'Undefined values!';  
  }  
  if (val === null) {  
    return 'Null value!';  
  }  
  return val;  
}
```

Let x;

test(x);

What is returned by the function call on line 13?

- A. Undefined
- B. Line 13 throws an error.
- C. 'Null value!'
- D. 'Undefined values!'

**Answer: D** ([LEAVE A REPLY](#))

### NEW QUESTION: 134

Refer to the following code block:

```
class Animal{  
  constructor(name){  
    this.name = name;  
  }  
  makeSound(){  
    console.log(`${this.name} is making a sound.`)  
  }  
}  
class Dog extends Animal{  
  constructor(name){  
    super(name)  
    this.name = name;  
  }  
  makeSound(){  
    console.log(`${this.name} is barking.`)  
  }  
}
```

let myDog = new Dog('Puppy');

myDog.makeSound();

What is the console output?

**Answer:**

Puppy is barking

**NEW QUESTION: 135**

A developer wrote a fizzbuzz function that when passed in a number, returns the following:

Fizz if the number is divisible by 3.

Buzz if the number is divisible by 5.

Fizzbuzz if the number is divisible by both 3 and 5.

Empty string if the number is divisible by neither 3 or 5.

Which two test cases will properly test scenarios for the fizzbuss function?

**A.** Let res = fizzbuss (3) ;

Console.assert (res === 'buzz' ) ;

**B.** Let res = fizzbuss (5) ;

Console. assert (res === " ) ;

**C.** Let res = fizzbuss (15) ;

Console. assert (res === 'fizzbuzz' ) ;

**D.** Let res = fizzbuss (Infinity);

Console.assert (res === " ) ;

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 136**

Given the HTML below:

```
<div>
  <div id="row-uc">Universal Containers</div>
  <div id="row-as">Applied Shipping</div>
  <div id="row-bt">Burlington Textiles</div>
</div>
```

Which statement adds the priority-account CSS class to the Universal Containers row?

**A.** document. querySelectorAll("#row-uc") -classList.add("priority-accour");

**B.** document. getElementByid("row-uc").addClass('priority-account');

**C.** document. queryselector("#row-uc").classList.add('priority-account');

**D.** document. querySelector (#row-uc). classes-push('priority-account');

**Answer: C (LEAVE A REPLY)**

**Valid JavaScript-Developer-I Dumps** shared by PrepPdf.com for Helping Passing JavaScript-Developer-I Exam! PrepPdf.com now offer the **newest JavaScript-Developer-I exam dumps**, the PrepPdf.com JavaScript-Developer-I exam **questions have been updated**

and **answers have been corrected** get the **newest** PrepPdf.com JavaScript-Developer-I dumps with Test Engine here: <https://www.preppdf.com/Salesforce/JavaScript-Developer-I-prepaway-exam-dumps.html> (224 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

### NEW QUESTION: 137

A class was written to represent items for purchase in an online store, and a second class Representing items that are on sale at a discounted price. The constructor sets the name to the first value passed in. The pseudocode is below:

```
Class Item {
  constructor(name, price) {
    ... // Constructor Implementation
  }
}
Class SaleItem extends Item {
  constructor (name, price, discount) {
    ...//Constructor Implementation
  }
}
```

There is a new requirement for a developer to implement a description method that will return a brief description for Item and SaleItem.

```
Let regItem = new Item('Scarf', 55);
```

```
Let saleItem = new SaleItem('Shirt' 80, -1);
```

```
Item.prototype.description = function () { return 'This is a ' + this.name;
```

```
console.log(regItem.description()); console.log(saleItem.description());
```

```
SaleItem.prototype.description = function () { return 'This is a discounted ' + this.name; }
```

```
console.log(regItem.description()); console.log(saleItem.description());
```

What is the output when executing the code above ?

**A.** This is a Scarf

This is a Shirt

This is a Scarf

This is a discounted Shirt

**B.** This is aScarf

Uncaught TypeError: saleItem.description is not a function

This is a Shirt

This is a did counted Shirt

**C.** This is a Scarf

Uncaught TypeError: saleItem.description is not a function

This is aScarf

This is a discounted Shirt

D. This is a Scarf

This is a Shirt

This is a discounted Scarf

This is a discounted Shirt

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 138

Refer to HTML below:

```
<div id ="main">
```

```
<div id = " card-00">This card is smaller.</div>
```

```
<div id = "card-01">The width and height of this card is determined by its contents.</div>
```

```
</div>
```

Which expression outputs the screen width of the element with the ID card-01?

A. `document.getElementById(' card-01 ').getBoundingClientRect().width`

B. `document.getElementById(' card-01 ').style.width`

C. `document.getElementById(' card-01 ').width`

D. `document.getElementById(' card-01 ').innerHTML.lenght*e`

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 139

Refer to the following array:

Let `arr1 = [ 1, 2, 3, 4, 5 ]`;

```
let arr1 = [ 1, 2, 3, 4, 5 ];  
let arr2 = arr1.slice(0, 5);
```

```
console.log(arr2)
```

```
▶ (5) [1, 2, 3, 4, 5]
```

VM1767:4

undefined

```
let arr1 = [ 1, 2, 3, 4, 5 ];  
let arr2 = Array.from(arr1);  
console.log(arr2)
```

```
▶ (5) [1, 2, 3, 4, 5]
```

VM1827:3

Which two lines of code result in a second array, `arr2` being created such that `arr2` is not a reference to `arr1`?

A. `Let arr2 = arr1.sort();`

B. `Let arr2 = arr1.slice(0, 5);`

C. `Let arr2 = arr1;`

D. `Let arr2 = Array.from(arr1);`

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 140

Which two console logs output NaN?

Choose 2 answers | |

- A. console.log(10 / 0);
- B. console.loeg(10 / 'five');
- C. console.log(10 / Number('5') );
- D. console.log(parseInt ('two')) ;

Answer: B,D ([LEAVE A REPLY](#))

### NEW QUESTION: 141

Refer to the code below:

What is the output after the code executes?

```
01 function Person(firstName, lastName, eyeColor) {
02   this.firstName = firstName;
03   this.lastName = lastName;
04   this.eyeColor = eyeColor;
05 }
06 Person.job = 'Developer';
07
08 const mySalesforce = new Person('John', 'Doe');
09 console.log(mySalesforce.job);
```

- A. undefined
- B. ReferenceError: eyeColor is not defined
- C. Developer
- D. ReferenceError: assignment to undeclared variable "Person"

Answer: A ([LEAVE A REPLY](#))

### NEW QUESTION: 142

Refer to the code below:

```
new Promise((resolve, reject) => {
  const fraction = Math.random();
  if( fraction >0.5) reject("fraction > 0.5, " + fraction);
  resolve(fraction);
})
.then(() =>console.log("resolved"))
.catch((error) => console.error(error))
.finally(() => console.log(" when am I called?"));
```

```
new Promise((resolve, reject) => {
  const fraction = Math.random();
  if( fraction > 0.5) reject("fraction > 0.5, " + fraction);
  reject(fraction);
})
.then(() => console.log("resolved"))
.catch((error) => console.error(error))
.finally(() => console.log(" when am I called?"));
0.024493713600408196
when am I called?
Promise {<fulfilled>: undefined}
```



freedas.com

```
new Promise((resolve, reject) => {
  const fraction = Math.random();
  if( fraction > 0.5) reject("fraction > 0.5, " + fraction);
  resolve(fraction);
})
.then(() => console.log("resolved"))
.catch((error) => console.error(error))
.finally(() => console.log(" when am I called?"));
resolved
when am I called?
Promise {<fulfilled>: undefined}
```

When does Promise.finally on line 08 get called?

- A. When resolved or rejected
- B. When resolved
- C. When resolved and settled
- D. When rejected

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 143**

Given the JavaScript below:

```
01 function filterDOM (searchString) {
02 const parsedSearchString = searchString && searchString.toLowerCase() ;
03 document.querySelectorAll(' .account' ) . forEach(account => (
04 const accountName = account.innerHTML.toLowerCase();
05 account. Style.display = accountName.includes(parsedSearchString) ? /*Insert
code*/;
06 });
07 }
```

Which code should replace the placeholder comment on line 05 to hide accounts that do

not match the search string?

- A. 'Block' : 'none'
- B. 'visible' : 'hidden'
- C. 'hidden' : 'visible'
- D. 'name' : 'block'

**Answer: A** ([LEAVE A REPLY](#))

#### NEW QUESTION: 144

A developer has an isDog function that takes one argument cat. They want to schedule the function to run every minute.

What is the correct syntax for scheduling this function?

- A. setInterval(isDog, 60000,'cat');

**Answer: A** ([LEAVE A REPLY](#))

#### NEW QUESTION: 145

A developer has a web server running with Node.js. The command to start the web server is node server.js. The web server started having latency issues. Instead of a one second turnaround for web requests, the developer now sees a five second turnaround.

Which command can the web developer run to see what the module is doing during the latency period?

- A. NODE\_DEBUG=http,https node server.js
- B. DEBUG=http, https node server.js
- C. NODE\_DEBUG=true node server.js
- D. DEBUG=true node server.js

**Answer: D** ([LEAVE A REPLY](#))

#### NEW QUESTION: 146

Which three options show valid methods for creating a fat arrow function?

Choose 3 answers

- A. X,y,z => ( console.log(' executed ' ) ; )
- B. [ ] => ( console.log(' executed ' ) ; )
- C. (x,y,z) => ( console.log(' executed ' ) ; )
- D. ( ) => ( console.log(' executed ' ) ; )
- E. x => ( console.log(' executed ' ) ; )

**Answer: C,E** ([LEAVE A REPLY](#))

#### NEW QUESTION: 147

A developer is required to write a function that calculates the sum of elements in an array but is getting undefined every time the code is executed. The developer needs to find what is missing in the code below.

```
Const sumFunction = arr => {
```

```
Return arr.reduce((result, current) => {  
  //  
  Result += current;  
  //  
  }, 10);  
};
```

Which option makes the code work as expected?

- A. Replace line 03 with `if(arr.length == 0) ( return 0; )`
- B. Replace line 02 with `return arr.map(( result, current) => (`
- C. Replace line 04 with `result = result +current;`
- D. Replace line 05 with `return result;`

**Answer: D** ([LEAVE A REPLY](#))

### NEW QUESTION: 148

Refer to the code below:

```
01 let total = 10;  
02 const interval = setInterval(() => {  
03   total++;  
04   clearInterval(interval);  
05   total++;  
06 }, 0);  
07 total++;  
08 console.log(total);
```

Considering that JavaScript is single-threaded, what is the output of line 08 after the code executes?

- A. 13
- B. 11
- C. 12
- D. 10

**Answer: B** ([LEAVE A REPLY](#))

### NEW QUESTION: 149

Universal Containers recently launched its new landing page to host a crowd-funding campaign. The page uses an external library to display some third-party ads. Once the page is fully loaded, it

creates more than 50 new HTML items placed randomly inside the DOM, like the one in the code below:

```
<!-- This is an ad -->
<div class="ad-library-item ad-hidden" onload="myfunction()">
  
</div>
```

All the elements includes the same ad-library-item class, They are hidden by default, and they are randomly displayed while the user navigates through the page.

- A. Use the browser console to execute a script that prevents the load event to be fired.
- B. Use the DOM inspector to prevent the load event to be fired.
- C. Use the DOM inspector to remove all the elements containing the class ad-library-item.
- D. Use the browser to execute a script that removes all the element containing the class ad-library-item.

**Answer: D** ([LEAVE A REPLY](#))

**NEW QUESTION: 150**

A developer wrote the following code to test a sum3 function that takes in an array of numbers and returns the sum of the first three numbers in the array, and the test passes.

A different developer made changes to the behavior of sum3 to instead sum only the first two numbers present in the array.

```
01 let res = sum3([1, 2, 3, 4, 5]);
02 console.assert(res === 6);
03
04 res = sum3([1, 5, 0, 5]);
05 console.assert(res === 6);
```

Which two results occur when running this test on the updated sum3 function?

Choose 2 answers

- A. The line 02 assertion fails.
- B. The line 02 assertion passes.
- C. The line 05 assertion fails.
- D. The line 05 assertion passes.

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 151**

Which javascript methods can be used to serialize an object into a string and deserialize a JSON string into an object, respectively?

- A. JSON.encode and JSON.decode
- B. JSON.parse and JSON.deserialize
- C. JSON.serialize and JSON.deserialize
- D. JSON.stringify and JSON.parse

**Answer: D** ([LEAVE A REPLY](#))

**Valid JavaScript-Developer-I Dumps** shared by PrepPdf.com for Helping Passing JavaScript-Developer-I Exam! PrepPdf.com now offer the **newest JavaScript-Developer-I exam dumps**, the PrepPdf.com JavaScript-Developer-I exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JavaScript-Developer-I dumps with Test Engine here: <https://www.preppdf.com/Salesforce/JavaScript-Developer-I-prepaway-exam-dumps.html> (224 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

**NEW QUESTION: 152**

Refer to the following array:

Let arr1 = [ 1, 2, 3, 4, 5 ];

```
let arr1 = [ 1, 2, 3, 4, 5 ];
let arr2 = arr1.slice(0, 5);

console.log(arr2)
> (5) [1, 2, 3, 4, 5] VM1767:4
undefined

let arr1 = [ 1, 2, 3, 4, 5 ];
let arr2 = Array.from(arr1);
console.log(arr2)
> (5) [1, 2, 3, 4, 5] VM1827:3
undefined
```

Which two lines of code result in a second array, arr2 being created such that arr2 is not a reference to arr1?

- A. Let arr2 = arr1;
- B. Let arr2 = Array.from(arr1);
- C. Let arr2 = arr1.slice(0, 5);
- D. Let arr2 = arr1.sort();

**Answer: B,C (LEAVE A REPLY)**

**NEW QUESTION: 153**

Refer to the code below:

```
01 let sayHello = () => {
02   console.log('Hello, World!');
03 }
```

Which code executes syhello once, two minutes from now?

- A. setInterval (sayhello, 120000) ;
- B. setTimeout (sayhello( ), 120000) ;
- C. setTimeout (sayhello, 120000) ;
- D. delay (sayhello, 120000) ;

**Answer: B (LEAVE A REPLY)**

### NEW QUESTION: 154

Refer to HTML below:

```
<div id ="main">
<div id = " card-00">This card is smaller.</div>
<div id = "card-01">The width and height of this card is determined by its
contents.</div>
</div>
```

Which expression outputs the screen width of the element with the ID card-01?

- A. document.getElementById(' card-01 ').style.width
- B. document.getElementById(' card-01 ').innerHTML.lenght\*e
- C. document.getElementById(' card-01 ').width
- D. document.getElementById(' card-01 ').getBoundingClientRect().width

**Answer: D** ([LEAVE A REPLY](#))

### NEW QUESTION: 155

Universal Container(UC) just launched a new landing page, but users complain that the website is slow. A developer found some functions that cause this problem. To verify this, the developer decides to do everything and log the time each of these three suspicious functions consumes.

```
console.time('Performance');
maybeAHeavyFunction();
thisCouldTakeTooLong();
orMaybeThisOne();
console.endTime('Performance');
```

Which function can the developer use to obtain the time spent by every one of the three functions?

- A. console.getTime()
- B. console.timeStamp()
- C. console.timeLog()
- D. console.trace()

**Answer: C** ([LEAVE A REPLY](#))

### NEW QUESTION: 156

Refer to the code below:

```
new Promise((resolve, reject) => {
const fraction = Math.random();
if( fraction >0.5) reject("fraction > 0.5, " + fraction);
resolve(fraction);
})
.then(() =>console.log("resolved"))
.catch((error) => console.error(error))
```

`.finally(() => console.log(" when am I called?"));`

```
new Promise((resolve, reject) => {
  const fraction = Math.random();
  if( fraction >0.5) reject("fraction > 0.5, " + fraction);
  reject(fraction);
})
.then(() =>console.log("resolved"))
.catch((error) => console.error(error))
.finally(() => console.log(" when am I called?"));
▶ 0.024493713600408196 VM1560:7
  when am I called? VM1560:8
▶ Promise {<fulfilled>: undefined}
```

```
new Promise((resolve, reject) => {
  const fraction = Math.random();
  if( fraction >0.5) reject("fraction > 0.5, " + fraction);
  resolve(fraction);
})
.then(() =>console.log("resolved"))
.catch((error) => console.error(error))
.finally(() => console.log(" when am I called?"));
resolved VM1349:6
  when am I called? VM1349:8
▶ Promise {<fulfilled>: undefined}
```

When does Promise.finally on line 08 get called?

- A. When resolved
- B. When resolved or rejected
- C. When rejected
- D. When resolved and settled

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 157**

Refer to the following code block:

```

01 class Student {
02   constructor(name) {
03     this.name = name;
04   }
05
06   takeTest() {
07     console.log(`${this.name} got 70% on test.`);
08   }
09 }
10
11 class BetterStudent extends Student {
12   constructor(name) {
13     super(name);
14     this.name = 'Better student ' + name;
15   }
16   takeTest() {
17     console.log(`${this.name} got 100% on test.`);
18   }
19 }
20
21 let student = new BetterStudent('Jackie');
22 student.takeTest();

```

What is the console output?

- A. > Better student Jackie got 100% on test.
- B. > Better student Jackie got 70% on test.
- C. > Uncaught Reference Error
- D. > Jackie got 70% on test.

**Answer: A** ([LEAVE A REPLY](#))

#### NEW QUESTION: 158

Which two console logs out NaN?

Choose 2 answers

- A. `Console.log(10 / Number('5'));`
- B. `Console.log(10 / 0);`
- C. `Console.log(parseInt('two'));`
- D. `Console.log(10 / 'five');`

**Answer: C,D** ([LEAVE A REPLY](#))

#### NEW QUESTION: 159

What is the result of the code block?

- A. An error is thrown.
- B. The console logs 'flag' and another flag.
- C. The console logs 'flag' and then an error is thrown.
- D. The console logs only 'flag'.

**Answer: D** ([LEAVE A REPLY](#))

### NEW QUESTION: 160

Refer to the following code:

```
01 function Tiger(){
02 this.Type = 'Cat';
03 this.size = 'large';
04 }
05
06 let tony = new Tiger();
07 tony.roar = () =>{
08 console.log('They're great1');
09 };
10
11 function Lion(){
12 this.type = 'Cat';
13 this.size = 'large';
14 }
15
16 let leo = new Lion();
17 //Insert code here
18 leo.roar();
```

Which two statements could be inserted at line 17 to enable the function call on line 18?

Choose 2 answers.

- A. `Leo.prototype.roar = () => { console.log('They're pretty good:'); };`
- B. `Object.assign(leo,tony);`
- C. `Object.assign(leo,Tiger);`
- D. `Leo.roar = () => { console.log('They're pretty good:'); };`

**Answer: B,D** ([LEAVE A REPLY](#))

### NEW QUESTION: 161

Refer to the code below:

```
Function changeValue(obj) {
Obj.value = obj.value/2;
}
Const objA = (value: 10);
```

```
Const objB = objA;  
changeValue(objB);  
Const result = objA.value;
```

What is the value of result after the code executes?

- A. Nan
- B. 10
- C. Undefined
- D. 5

**Answer: D** ([LEAVE A REPLY](#))

### NEW QUESTION: 162

Refer to the code below:

```
01 let car1 = new promise((_, reject) =>  
02 setTimeout(reject, 2000, "Car 1 crashed in"));  
03 let car2 = new Promise(resolve => setTimeout(resolve, 1500, "Car 2  
completed"));  
04 let car3 = new Promise(resolve => setTimeout (resolve, 3000, "Car 3  
Completed"));  
05 Promise.race([car1, car2, car3])  
06 .then(value => (  
07 let result = $(value) the race. `;  
08 ))  
09 .catch( err => (  
10 console.log("Race is cancelled.", err);  
11 ));
```

What is the value of result when Promise.race executes?

- A. Car 1 crashed in the race.
- B. Race is cancelled.
- C. Car 3 completed the race.
- D. Car 2 completed the race.

**Answer: D** ([LEAVE A REPLY](#))

### NEW QUESTION: 163

A developer is leading the creation of a new browser application that will serve a single page application. The team wants to use a new web framework Minimalsit.js. The Lead developer wants to advocate for a more seasoned web framework that already has a community around it. Which two frameworks should the lead developer advocate for?

Choose 2 answers

- A. Vue
- B. Angular
- C. Koa

D. Express

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 164**

Refer to the code below:

```
function foo () {  
  const a =2;  
  function bar() {  
    console.log(a);  
  }  
  return bar;  
}
```

Why does the function bar have access to variable a ?

- A. Prototype chain
- B. Inner function's scope
- C. Hoisting
- D. Outer function's scope

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 165**

Refer to code below:

```
console.log(0);  
setTimeout(() => (  
  console.log(1);  
});  
console.log(2);  
setTimeout(() => {  
  console.log(3);  
}, 0);  
console.log(4);
```

In which sequence will the numbers be logged?

- A. 01234
- B. 02431
- C. 02413
- D. 13024

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 166**

Refer to the code below:

```
01 console.log('Start');
02 Promise.resolve('Success').then(function(value) {
03   console.log('Success');
04 });
05 console.log('End');
```

What is the output after the code executes successfully?

**A.** Success

Start

End

**B.** Start

Success

End

**C.** Start

End

Success

**D.** End

Start

Success

**Answer: B** ([LEAVE A REPLY](#))

**Valid JavaScript-Developer-I Dumps** shared by PrepPdf.com for Helping Passing JavaScript-Developer-I Exam! PrepPdf.com now offer the **newest JavaScript-Developer-I exam dumps**, the PrepPdf.com JavaScript-Developer-I exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JavaScript-Developer-I dumps with Test Engine here: <https://www.preppdf.com/Salesforce/JavaScript-Developer-I-prepaway-exam-dumps.html> (224 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

**NEW QUESTION: 167**

Given the following code:

```
document.body.addEventListener('click', (event) => {
  if (/* CODE REPLACEMENT HERE */) {
    console.log('button clicked!');
  }
});
```

Which replacement for the conditional statement on line 02 allows a developer to correctly determine that a button on page is clicked?

**A.** event.target.nodeName == 'BUTTON'

**B.** Event.clicked

**C.** e.nodeTarget ==this

D. `button.addEventListener('click')`

**Answer: A** ([LEAVE A REPLY](#))

### NEW QUESTION: 168

Refer to the following code block:

```
class Animal{
  constructor(name){
    this.name = name;
  }
  makeSound(){
    console.log(` ${this.name} is making a sound.`)
  }
}
class Dog extends Animal{
  constructor(name){
    super(name)
    this.name = name;
  }
  makeSound(){
    console.log(` ${this.name} is barking.`)
  }
}
let myDog = new Dog('Puppy');
myDog.makeSound();
```

What is the console output?

A. Puppy is barking

**Answer: (**[SHOW ANSWER](#)**)**

### NEW QUESTION: 169

Teams at Universal Containers (UC) work on multiple JavaScript projects at the same time. UC is thinking about reusability and how each team can benefit from the work of others.

Going open-source or public is not an option at this time.

Which option is available to UC with npm?

A. Private registries are not supported by npm, but packages can be installed via URL.

B. Private packages can be scoped, and scopes can be associated to a private registries.

C. Private registries are not supported by npm, but packages can be installed via git.

D. Private packages are not supported, but they can use another package manager like yarn.

**Answer: D** ([LEAVE A REPLY](#))

### NEW QUESTION: 170

Given the JavaScript below:



```
01 function filterDOM(searchString){
02   const parsedSearchString = searchString && searchString.toLowerCase();
03   document.querySelectorAll('.account').forEach(account => {
04     const accountName = account.innerHTML.toLowerCase();
05     account.style.backgroundColor = accountName.includes(parsedSearchString) ? /* Insert code
here */;
06   });
07 }
```

Which code should replace the placeholder comment on line 05 to highlight accounts that match the search string?

- A. null : 'yellow'
- B. 'yellow' : null
- C. 'yellow' : 'none'
- D. 'none' : "yellow"

**Answer: C** ([LEAVE A REPLY](#))

**NEW QUESTION: 171**

Refer to the code below:

```
01 let country = {
02   get capital() {
03     let city = Number("London");
04
05     return {
06       cityString: city.toString(),
07     }
08   }
09 }
```

Which value can a developer expect when referencing country.capital.cityString?

- A. An error
- B. 'NaN'
- C. undefined
- D. 'London'

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 172**

Refer to the code below:

```

01 async function functionalUnderTest(isOK) {
02   if (isOK) return 'OK';
03   throw new Error('not OK');
04 }

```

Which assertion accurately tests the above code?

- A. Console, assert ( await functionalUnderTest (true) , 'not ok' )
- B. Console, assert (functionalUnderTest (true) , 'ok')
- C. Console, assert ( await functionalUnderTest (true) , 'ok
- D. Console, assert ( await functionalUnderTest (true) , 'not ok' )

**Answer: B (LEAVE A REPLY)**

### NEW QUESTION: 173

There is a new requirement for a developer to implement a currPrice method that will return the current price of the item or sales..

```

01 let regItem = new Item('Scarf', 50); // Name, Price
02 let saleItem = new SaleItem('Shirt', 80, .1); // Name, Price, Discount
03 Item.prototype.currPrice = function() { return this.price; }
04 console.log(regItem.currPrice());
05 console.log(saleItem.currPrice());
06 SaleItem.prototype.currPrice = function() { return this.price - (this.price * this.discount); }
07 console.log(regItem.currPrice());
08 console.log(saleItem.currPrice());

```

What is the output when executing the code above

- A. 50
- 80
- 72
- B. 50
- 80
- Uncaught Reference Error:this,discount is undefined

- 72
- C. 50
- 80
- 50
- 72
- D. 50
- Uncaught TypeError: saleItem,descrption is not a function
- 50
- 80

**Answer: C (LEAVE A REPLY)**

### NEW QUESTION: 174

Which code statement below correctly persists an objects in local Storage ?

- A. `const setLocalStorage = (storageKey, jsObject) => {  
window.localStorage.setItem(storageKey, JSON.stringify(jsObject));  
}`
- B. `const setLocalStorage = ( jsObject) => {  
window.localStorage.connectObject(jsObject);  
}`
- C. `const setLocalStorage = ( jsObject) => {  
window.localStorage.setItem(jsObject);  
}`
- D. `const setLocalStorage = (storageKey, jsObject) => {  
window.localStorage.persist(storageKey, jsObject);  
}`

Answer: ([SHOW ANSWER](#))

```
const setLocalStorage = (storageKey, jsObject) => {  
window.localStorage.setItem(storageKey, JSON.stringify(jsObject));  
}  
undefined  
  
localStorage  
Storage {schedulerFrame-f: "1", schedulerFrame-v: "1", docsOfflineIframeApi-n: "1", PeopleStackExperiments: [{"keyPath": ["[322251917]...", "03457637324820102062"], "LastUpdated": 1596275940167, "Xe": "i8kfs4Lndy"}], kx-e-f: "1", ...}  
  PeopleStackExperiments: [{"keyPath": ["[322251917]...", "03457637324820102062"], "LastUpdated": 1596275940167, "Xe": "i8kfs4Lndy"}]  
  docs-urop: "true"  
  docsOfflineIframeApi-f: "1"  
  docsOfflineIframeApi-n: "1"  
  docsOfflineIframeApi-v: "1"  
  google-upload::stats: {"..."}  
  kx-e-f: "1"  
  kx-e-n: "1"  
  kx-e-v: "1"  
  length: 12  
  schedulerFrame-f: "1"  
  schedulerFrame-n: "1"  
  schedulerFrame-v: "1"  
  __proto__: Storage
```

**NEW QUESTION: 175**

Refer to the following code:

```

01 let obj = {
02   foo: 1,
03   bar: 2
04 }
05 let output = [];
06
07 for (let something in obj) {
08   output.push(something);
09 }
10
11 console.log(output);

```

What is the output of line 11?

- A. ["bar", "foo"]
- B. ["foo", "bar"]
- C. [1,2]
- D. ["foo:1", "bar:2"]

**Answer: B** ([LEAVE A REPLY](#))

#### NEW QUESTION: 176

Refer to the code below:

```

01 let first = 'Who';
02 let second = 'What';
03 try {
04   try {
05     throw new Error('Bad trombone');
06   } catch (err) {
07     first = 'Why';
08     throw err;
09   } finally {
10     second = 'When';
11   }
12 } catch (err) {
13   second = 'Where';
14 }

```

What are the values for first and second once the executes?

- A. First is why and second is where.
- B. First is why and second is when.
- C. First is who and second is where.
- D. First is who and second is when.

**Answer: A** ([LEAVE A REPLY](#))

#### NEW QUESTION: 177

Given code below:

```

setTimeout (() => (
console.log(1);

```

```
    ). 0);
    console.log(2);
    New Promise ((resolve, reject )) => (
    setTimeout(() => (
    reject(console.log(3));
    ). 1000);
    ).catch(() => (
    console.log(4);
    ));
    console.log(5);
```

What is logged to the console?

- A. 1 2 4 3 5
- B. 2 5 1 3 4
- C. 1 2 5 3 4
- D. 2 1 4 3 5

**Answer: B** ([LEAVE A REPLY](#))

#### NEW QUESTION: 178

A developer writes the code below to return a message to a user attempting to register a new username. If the username is available, a variable named msg is declared and assigned a value on line 03.

```
01 function getAvailabilityMessage(item) {
02     if (getAvailability(item))
03         var msg = "Username available";
04     }
05     return msg;
06 }
```

What is the value of msg when getAvailableabilityMessage ("newUserName") is executed and get Availability ("newUserName") returns true?

- A. "newUserName"
- B. "msg is not defined"
- C. undefined
- D. "User-name available"

**Answer: D** ([LEAVE A REPLY](#))

#### NEW QUESTION: 179

A developer is debugging a web server that uses Node.js The server hits a runtimeerror every third request to an important endpoint on the web server.

The developer added a break point to the start script, that is at index.js at he root of the server's source code. The developer wants to make use of chrome DevTools to debug.

Which command can be run to access DevTools and make sure the breakdown is hit ?

- A. Node --inspect index.js
- B. Node --inspect-brk index.js
- C. Node inspect index.js
- D. node -i index.js

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 180

A developer creates a class that represents a blog post based on the requirements that a Post should have a body, author, and view count. The code is shown below:

```
01 class Post {
02   // Insert code here
03   this.body = body;
04   this.author = author;
05   this.viewCount = viewCount;
06 }
07 }
```

Which statement should be inserted in the placeholder on line 02 to allow for a variable to be sent to a new instance of a port with the three attributes correctly populated?

- A. Constructor (body, author, viewCount) (
- B. Super (body, author, viewCount) (
- C. Constructor ( ) (
- D. Function Post (body, author, viewCount) (

Answer: A ([LEAVE A REPLY](#))

#### NEW QUESTION: 181

A developer is setting up a Node.js server and is creating a script at the root of the source code, index.js, that will start the server when executed. The developer declares a variable that needs the folder location that the code executes from.

Which global variable can be used in the script?

- A. \_dirname
- B. window.location
- C. \_filename
- D. this.path

Answer: C ([LEAVE A REPLY](#))

**Valid JavaScript-Developer-I Dumps** shared by PrepPdf.com for Helping Passing JavaScript-Developer-I Exam! PrepPdf.com now offer the **newest JavaScript-Developer-I exam dumps**, the PrepPdf.com JavaScript-Developer-I exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JavaScript-Developer-I dumps with Test Engine here: <https://www.preppdf.com/Salesforce/JavaScript-Developer-I->

**NEW QUESTION: 182**

Which code statement below correctly persists an objects in local Storage ?

- A. `const setLocalStorage = (storageKey, jsObject) => {  
window.localStorage.setItem(storageKey, JSON.stringify(jsObject));  
}`
- B. `const setLocalStorage = ( jsObject) => {  
window.localStorage.setItem(jsObject);  
}`
- C. `const setLocalStorage = (storageKey, jsObject) => {  
window.localStorage.persist(storageKey, jsObject);  
}`
- D. `const setLocalStorage = ( jsObject) => {  
window.localStorage.connectObject(jsObject);  
}`

**Answer: A** ([LEAVE A REPLY](#))

**NEW QUESTION: 183**

Refer to the code below:

```
01 let greeting = 'Goodbye';  
02 let salutation = 'Hello, hello, Hello';  
03 try {  
04   greeting = 'Hello';  
05   decodeURI('%44'); // throws error  
06   salutation = 'Goodbye';  
07 } catch(err) {  
08   salutation = 'I say Hello';  
09 } finally {  
10   salutation = 'Hello, Hello';  
11 }
```

Line 05 causes an error.

What are the values of greeting and salutation once code completes?

- A. Greeting is Goodbye and salutation is I say Hello.
- B. Greeting is Hello and salutation is I say hello.
- C. Greeting is Goodbye and salutation is Hello, Hello.
- D. Greeting is Hello and salutation is Hello, Hello.

**Answer: D** ([LEAVE A REPLY](#))

**NEW QUESTION: 184**

Universal Containers recently launched its new landing page to host a crowd-funding campaign. The page uses an external library to display some third-party ads. Once the page is

fully loaded, it creates more than 50 new HTML items placed randomly inside the DOM, like the one in the code below:

```
<!-- This is an ad -->
<div class="ad-library-item ad-hidden" onload="myfunction()">
  
</div>
```

All the elements includes the same ad-library-item class, They are hidden by default, and they are randomly displayed while the user navigates through the page.

- A. Use the DOM inspector to prevent the load event to be fired.
- B. Use the browser console to execute a script that prevents the load event to be fired.
- C. Use the DOM inspector to remove all the elements containing the class ad-library-item.
- D. Use the browser to execute a script that removes all the element containing the class ad-library-item.

**Answer: D** ([LEAVE A REPLY](#))

### NEW QUESTION: 185

A developer has the following array of hourly wages:

Let arr = (8, 5, 9, 75, 11, 25, 7, 75, , 13, 25);

For workers making less than \$10 an hour rate should be multiple by 1.25 and returned in a new array.

How should the developer implement the request?

- A. let arr1 = arr.filter((val) => val < 10 ).map((num) -> num = ..25 );
- B. let arr1 = arr.filter((val) => val < 10).map((num) -> num = 1.25);
- C. let arr1 = arr.map((num) => { return num \* 1.25 }).filter((val) -> { return val < 10});
- D. let arr1 = arr .r.acArray ((val) => ( val < 10 )) ,map((num) => { num \* 1.25 });

**Answer: (**[SHOW ANSWER](#)**)**

### NEW QUESTION: 186

Refer to the HTML below:

```
<div id="main">
  <div id="card-00">This card is smaller.</div>
  <div id="card-01">The width and height of this card is determined by its contents.</div>
</div>
```

Which expression outputs the screen width of the element with the ID card-01?

- A. Documents.getElementById( 'card-01' ).getBoundingClientRect ( ) .width
- B. Documents.getElementById( 'card-01' ) . InnerHTML. Length.6
- C. Documents.getElementById( 'card-01' ) . width
- D. Documents.getElementById( 'card-01' ) . style,width

**Answer: A** ([LEAVE A REPLY](#))

### NEW QUESTION: 187

A developer is working on an ecommerce website where the delivery date is dynamically calculated based on the current day. The code line below is responsible for this calculation.

Const deliveryDate = new Date ();

Due to changes in the business requirements, the delivery date must now be today's date + 9 days.

Which code meets this new requirement?

- A. `deliveryDate.date = Date.current () + 9;`
- B. `deliveryDate.setDate( Date.current () + 9);`
- C. `deliveryDate.setDate(( new Date ( )).getDate () +9);`
- D. `deliveryDate.date = new Date(+9) ;`

**Answer:** ([SHOW ANSWER](#))

### NEW QUESTION: 188

developer creates a new web server that uses Node.js. It imports a server library that uses events and callbacks for handling server functionality.

The server library is imported with `require` and is made available to the code by a variable named `server`. The developer wants to log any issues that the server has while booting up.

Given the code and the information the developer has, which code logs an error at boost with an event?

- A. 

```
Server.catch ((server) => {  
  console.log('ERROR', error);  
});
```
- B. 

```
Server.error ((server) => {  
  console.log('ERROR', error);  
});
```
- C. 

```
Server.on ('error', (error) => {  
  console.log('ERROR', error);  
});
```
- D. 

```
Try{  
  server.start();  
} catch(error) {
```

**Answer:** C ([LEAVE A REPLY](#))

```
console.log('ERROR', error);  
}
```

### NEW QUESTION: 189

Which option is a core Node.js module?

- A. Memory
- B. Path
- C. `ios`
- D. `locate`

**Answer:** B ([LEAVE A REPLY](#))

**NEW QUESTION: 190**

Refer to following code block:

```
Let array = [1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11,];
```

```
Let output =0;
```

```
For (let num of array){
```

```
  if (output >0){
```

```
    Break;
```

```
  }
```

```
  if(num % 2 == 0){
```

```
    Continue;
```

```
  }
```

```
  Output +=num;
```

What is the value of output after the code executes?

A. 25

B. 36

C. 11

D. 16

Answer: ([SHOW ANSWER](#))

**Valid JavaScript-Developer-I Dumps** shared by PrepPdf.com for Helping Passing JavaScript-Developer-I Exam! PrepPdf.com now offer the **newest JavaScript-Developer-I exam dumps**, the PrepPdf.com JavaScript-Developer-I exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JavaScript-Developer-I dumps with Test Engine here: <https://www.preppdf.com/Salesforce/JavaScript-Developer-I-prepaway-exam-dumps.html> (224 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)