

## Salesforce.JavaScript-Developer-I.v2024-07-03.q126

<b>Exam Code:</b>	JavaScript-Developer-I
<b>Exam Name:</b>	Salesforce Certified JavaScript Developer I Exam
<b>Certification Provider:</b>	Salesforce
<b>Free Question Number:</b>	126
<b>Version:</b>	v2024-07-03
<b># of views:</b>	737
<b># of Questions views:</b>	1260
<a href="https://www.freeqas.com/qa/Salesforce/JavaScript-Developer-I/Salesforce.JavaScript-Developer-I.v2024-07-03.q126.html">https://www.freeqas.com/qa/Salesforce/JavaScript-Developer-I/Salesforce.JavaScript-Developer-I.v2024-07-03.q126.html</a>	

### NEW QUESTION: 1

Refer to the following code block:

What is the console output?

- A. > Better student Jackie got 70% on test.
- B. > Jackie got 70% on test.
- C. > Uncaught Reference Error
- D. > Better student Jackie got 100% on test.

**Answer: D** ([LEAVE A REPLY](#))

### NEW QUESTION: 2

Refer to the code below:

```
let o = {  
  get js() {  
    let city1 = String("st. Louis");  
    let city2 = String(" New York");  
    return {  
      firstCity: city1.toLowerCase(),  
      secondCity: city2.toLowerCase(),  
    }  
  }  
}
```

What value can a developer expect when referencing o.js.secondCity?

- A. ' New York '
- B. ' new york '
- C. An error
- D. Undefined

**Answer: B ([LEAVE A REPLY](#))**

### NEW QUESTION: 3

A developer at Universal Containers creates a new landing page based on HTML, CSS, and JavaScript TO ensure that visitors have a good experience, a script named personalizeContext needs to be executed when the webpage is fully loaded (HTML content and all related files ), in order to do some custom initialization.

Which statement should be used to call personalizeWebsiteContent based on the above business requirement?

- A. window.addEventListener('onload', personalizeWebsiteContext);
- B. document.addEventListener("onDOMContentLoaded", personalizeWebsiteContext);
- C. Document.addEventListener("DOMContentLoaded" , personalizeWebsiteContext);
- D. window.addEventListener('load',personalizeWebsiteContext);

**Answer: D ([LEAVE A REPLY](#))**

### NEW QUESTION: 4

Refer to following code:

```
class Vehicle {  
  constructor(plate) {  
    This.plate =plate;  
  }  
}
```

```
Class Truck extends Vehicle {  
  constructor(plate, weight) {  
    //Missing code  
    This.weight = weight;  
  }
```

```
  displayWeight() {
```

```
    console.log('The truck ${this.plate} has a weight of ${this.weight} lb.')}} Let myTruck = new  
Truck('123AB', 5000); myTruck.displayWeight(); Which statement should be added to line 09 for  
the code to display 'The truck 123AB has a weight of 5000lb.'?
```

- A. super(plate);
- B. Super.plate =plate;
- C. This.plate =plate;
- D. Vehicle.plate = plate;

**Answer: ([SHOW ANSWER](#))**

### NEW QUESTION: 5

Refer to the HTML below:

```
<div id="main">  
<ul>
```

```
<li>Leo</li>
<li>Tony</li>
<li>Tiger</li>
</ul>
</div>
```

Which JavaScript statement results in changing " Tony" to "Mr. T."?

- A. document.querySelector('\$main li.Tony').innerHTML = ' Mr. T. ';
- B. document.querySelector('\$main li:second-child').innerHTML = ' Mr. T. ';
- C. document.querySelector('\$main li:nth-child(2)'),innerHTML = ' Mr. T. ';
- D. document.querySelectorAll('\$main \$TONY').innerHTML = ' Mr. T. ';

**Answer: C** ([LEAVE A REPLY](#))

### NEW QUESTION: 6

Which three browser specific APIs are available for developer to persist data between page loads?

Choose 3 answers

- A. localStorage
- B. global variables
- C. IIFEs
- D. indexedDB
- E. cookies

**Answer: (**[SHOW ANSWER](#)**)**

### NEW QUESTION: 7

A developer wrote the following code:

```
01 let X = object.value;
02
03 try {
04   handleObjectValue(X);
05 } catch (error) {
06   handleError(error);
07 }
```

The developer has a getNextValue function to execute after handleObjectValue(), but does not want to execute getNextValue() if an error occurs.

How can the developer change the code to ensure this behavior?

- A. 03 try{  
04 handleObjectValue(x);  
05 } catch(error){  
06 handleError(error);  
07 }  
08 getNextValue();

```
B. 03 try {
04 handleObjectValue(x)
05 .....
```

```
C. 03 try{
04 handleObjectValue(x);
05 } catch(error){
06 handleError(error);
07 } then {
08 getNextValue();
09 }
```

```
D. 03 try{
04 handleObjectValue(x);
05 } catch(error){
06 handleError(error);
07 } finally {
08 getNextValue();
10 }
```

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 8**

Refer to the code below:

What is displayed when myfunction(true) is called?

- A. 2 2 2 2
- B. 2 2 1 1
- C. 2 2 1 2
- D. 2 2 undefined undefined

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 9**

A developer implements a function that adds a few values.

```
Function sum(num) {
If (num == undefined) {
Num =0;
}
Return function( num2, num3){
If (num3 === undefined) {
Num3 =0 ;
}
Return num + num2 + num3;
}
}
```

Which three options can the developer invoke for this function to get a return value of 10 ?

Choose 3 answers

A. Sum (5, 5) ()

B. sum(5)(5)

C. Sum () (20)

D. sum(10) ()

E. sum() (5, 5)

**Answer: B,E ([LEAVE A REPLY](#))**

### NEW QUESTION: 10

developer creates a new web server that uses Node.js. It imports a server library that uses events and callbacks for handling server functionality.

The server library is imported with require and is made available to the code by a variable named server. The developer wants to log any issues that the server has while booting up.

Given the code and the information the developer has, which code logs an error at boost with an event?

A. Server.on ('error', (error) => {  
console.log('ERROR', error);  
});

B. Server.error ((server) => {  
console.log('ERROR', error);  
});

C. Server.catch ((server) => {  
console.log('ERROR', error);  
});

D. Try{  
server.start();  
} catch(error) {  
console.log('ERROR', error);  
}

**Answer: ([SHOW ANSWER](#))**

### NEW QUESTION: 11

Given the code below:

```
const delay = async delay =>{  
return new Promise((resolve,reject)=>{  
console.log(1);  
setTimeout(resolve,deleay);  
});  
};  
const callDelay = async ()=>{
```

```
console.log(2);
const yup = await delay(1000);
console.log(3);
}
console.log(4);
callDelay();
console.log(5);
```

What is logged to the console?

**Answer:**

4 2 1 5 3

### NEW QUESTION: 12

Refer to the code below:

```
const event = new CustomEvent(
//Missing Code
);
obj.dispatchEvent(event);
```

A developer needs to dispatch a custom event called update to send information about recordId.

Which two options could a developer insert at the placeholder in line 02 to achieve this?

Choose 2 answers

A. 'Update' , (  
recordId : '123abc'

(

B. 'Update' , '123abc'

C. 'Update' , {

Details : {

recordId : '123abc'

}

}

D. { type : 'update', recordId : '123abc' }

**Answer: A,C (LEAVE A REPLY)**

### NEW QUESTION: 13

Which statement accurately describes the behaviour of the async/ await keywords ?

A. The associated class contains some asynchronous functions.

B. The associated sometimes returns a promise.

C. The associated function will always return a promise

D. The associated function can only be called via asynchronous methods

**Answer: B (LEAVE A REPLY)**

### NEW QUESTION: 14

Given the code below:

```
01 function GameConsole (name) {
02 this.name = name;
03 }
04
05 GameConsole.prototype.load = function(gamename) {
06 console.log( ` $(this.name) is loading a game : $(gamename) ...` );
07 )
08 function Console 16 Bit (name) {
09 GameConsole.call(this, name) ;
10 }
11 Console16bit.prototype = Object.create ( GameConsole.prototype) ;
12 //insert code here
13 console.log( ` $(this.name) is loading a cartridge game :$(gamename) ...` );
14 }
15 const console16bit = new Console16bit(' SNEGeneziz ');
16 console16bit.load(' Super Nonic 3x Force ');
```

What should a developer insert at line 15 to output the following message using the method ?

> SNEGeneziz is loading a cartridgegame: Super Monic 3x Force . . .

- A. Console16bit.prototype.load(gamename) {
- B. Console16bit.prototype.load = function(gamename) {
- C. Console16bit =Object.create(GameConsole.prototype).load = function(gamename) {
- D. Console16bit.prototype.load(gamename) = function() {

**Answer: B** ([LEAVE A REPLY](#))

### NEW QUESTION: 15

A developer publishes a new version of a package with new feature that do not break backward compatibility. The previous version number was 1.1.3.

Following semantic versioning format, what should the new package version number be?

- A. 1.2.3
- B. 2.0.0
- C. 1.2.0
- D. 1.1.4

**Answer: (**[SHOW ANSWER](#)**)**

### NEW QUESTION: 16

Refer to the code below:

What is the output after the ode executes successfully?

- A. Start
- End
- Success

**B. Start**

Success

End

**C. End**

Start

Success

**D. Success**

Start

End

**Answer: ([SHOW ANSWER](#))**

**Valid JavaScript-Developer-I Dumps** shared by PrepPdf.com for Helping Passing JavaScript-Developer-I Exam! PrepPdf.com now offer the **newest JavaScript-Developer-I exam dumps**, the PrepPdf.com JavaScript-Developer-I exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JavaScript-Developer-I dumps with Test Engine here: <https://www.preppdf.com/Salesforce/JavaScript-Developer-I-prepaway-exam-dumps.html> (224 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

#### **NEW QUESTION: 17**

A developer wants to set up a secure web server with Node.js. The developer create a directory locally called app-server, and the first file is app-server/index, js.

Without using any third-party libraries, what should the developer add to index, js to create the secure web server?

**A. Const server = require ( 'secure-server' ) ;**

**B. Const http = require ('http');**

**C. Const http = require ('https') ;**

**D. Const tls = require ('tls') ;**

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 18**

Refer to the code below:

```
const event = new CustomEvent(  
//Missing Code  
);
```

```
obj.dispatchEvent(event);
```

A developer needs to dispatch a custom event called update to send information about recordId.

Which two options could a developer insert at the placeholder in line 02 to achieve this?

Choose 2 answers

- A. 'Update' , (  
recordId : '123abc'  
(
- B. 'Update' , '123abc'
- C. { type : 'update', recordId : '123abc' }
- D. 'Update' , {  
Details : {  
recordId : '123abc'

**Answer: A,D ([LEAVE A REPLY](#))**

```
}  
}
```

### NEW QUESTION: 19

A developer has a web server running with Node.js. The command to start the web server is `node server.js`.

The web server started having

latency issues. Instead of a one second turnaround for web requests, the developer now sees a five second turnaround.

Which command can the web developer run to see what the module is doing during the latency period?

- A. `DEBUG=true node server.js`
- B. `NODE_DEBUG=true node server.js`
- C. `NODE_DEBUG=http,https node server.js`
- D. `DEBUG=http, https node server.js`

**Answer: A ([LEAVE A REPLY](#))**

### NEW QUESTION: 20

Given the following code:

```
let x = null;  
console.log(typeof x);
```

What is the output?

- A. "null"
- B. "undefined"
- C. "x"
- D. "object"

**Answer: D ([LEAVE A REPLY](#))**

### NEW QUESTION: 21

Which statement can a developer apply to increment the browser's navigation history without a page refresh?

- A. `Window.history.pushState(newStateObject);`
- B. `Window.history.state.push(newStateObject, ' ' null);`
- C. `Window.history.state.push(newStateObject);`
- D. `Window.history.pushState(newStateObject, ' ', null);`

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 22

Which three options show valid methods for creating a fat arrow function? Choose 3 answers

- A. `X, y, z => ( console.log ('executed') ; )`
- B. `(x, y, z) => (console.log ('executed') ;)`
- C. `{ } => { console.log (executed') ; )`
- D. `X => {console.log {'executed'} ; }`
- E. `( ) => { console.log (' executed') ; )`

Answer: B,D,E ([LEAVE A REPLY](#))

#### NEW QUESTION: 23

Refer to the following array:

```
Let arr1 = [ 1, 2, 3, 4, 5 ];
```

Which two lines of code result in a second array, arr2 being created such that arr2 is not a reference to arr1?

- A. `Let arr2 = arr1.sort();`
- B. `Let arr2 = arr1.slice(0, 5);`
- C. `Let arr2 = Array.from(arr1);`
- D. `Let arr2 = arr1;`

Answer: B,C ([LEAVE A REPLY](#))

#### NEW QUESTION: 24

A developer is debugging a web server that uses Node.js. The server hits a runtime error every third request to an important endpoint on the web server.

The developer added a break point to the start script, that is at index, js at the root of the server's source code. The developer wants to make use of Chrome DevTools to debug.

Which command can be run to access DevTools and make sure the breakpoint is hit?

- A. `Node inspect index , js`
- B. `Node --inspect -brk index , js`
- C. `Node -- inspect index ,js`
- D. `Node -l index , js`

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 25

Which statement can a developer apply to increment the browser's navigation history without a page refresh?

Which statement can a developer apply to increment the browser's navigation history without a page refresh?

- A. `window.history.replaceState(newStateObject, ' ', null);`
- B. `window.history.pushStare(newStateObject, ' ', null);`
- C. `window.history.pushState(newStateObject);`
- D. `window.history.state.push(newStateObject);`

**Answer: A** ([LEAVE A REPLY](#))

### NEW QUESTION: 26

Given the JavaScript below:

Which code should replace the placeholder comment on line 05 to highlight accounts that match the search string'

- A. `null : 'yellow'`
- B. `'none1 : "yellow'`
- C. `'yellow' : null`
- D. `'yellow : 'none'`

**Answer: (**[SHOW ANSWER](#)**)**

### NEW QUESTION: 27

Refer to the following code that imports a module named utils:

```
import (foo, bar) from '/path/Utils.js';  
foo();  
bar();
```

Which two implementations of Utils.js export foo and bar such that the code above runs without error?

Choose 2 answers

- A. `const foo = () => { return 'foo' ; }const bar = () => { return 'bar' ; }export { bar, foo }`
- B. `const foo = () => { return 'foo';}const bar = () => {return 'bar'; }Export default foo, bar;`
- C. `// FooUtils.js and BarUtils.js existImport (foo) from '/path/FooUtils.js';Import (boo) from '/path/NarUtils.js';`
- D. `Export default class {foo() { return 'foo' ; }bar() { return 'bar' ; }}`

**Answer: A,D** ([LEAVE A REPLY](#))

### NEW QUESTION: 28

Refer to the following code:

```
<html lang="en">  
<body>  
<divonclick = "console.log('Outer message') ;">  
<button id ="myButton">CLick me<button>  
</div>  
</body>
```

```
<script>
function displayMessage(ev) {
ev.stopPropagation();
console.log('Inner message. ');
}
const elem = document.getElementById('myButton');
elem.addEventListener('click', displayMessage);
</script>
</html>
```

What will the console show when the button is clicked?

- A. Inner message
- B. Outer message
- C. Inner messageOuter message
- D. Outer messageInner message

**Answer:** ([SHOW ANSWER](#))

#### NEW QUESTION: 29

Refer to the code below:

What is the value of result when the code executes?

- A. 10 - 5
- B. 5 - 10
- C. 10 - 10
- D. 5 - 5

**Answer:** C ([LEAVE A REPLY](#))

#### NEW QUESTION: 30

Refer to the code below:

```
Const pi = 3.1415326,
```

What is the data type of pi?

- A. Float
- B. Number
- C. Double
- D. Decimal

**Answer:** ([SHOW ANSWER](#))

#### NEW QUESTION: 31

A developer wants to use a module named universalContainersLib and then call functions from it. How should a developer import every function from the module and then call the functions foo and bar?

- A. import all from '/path/universalContainersLib.js';  
universalContainersLib.foo();

universalContainersLib.bar ();

**B.** import {foo,bar} from '/path/universalContainersLib.js';

foo();

bar()?

**C.** import \* from '/path/universalContainersLib.js';

universalContainersLib. foo ()

universalContainersLib.bar ();

**D.** import \* as lib from '/path/universalContainersLib.js';

lib.foo();

lib. bar ();

**Answer: D (LEAVE A REPLY)**

**Valid JavaScript-Developer-I Dumps** shared by PrepPdf.com for Helping Passing JavaScript-Developer-I Exam! PrepPdf.com now offer the **newest JavaScript-Developer-I exam dumps**, the PrepPdf.com JavaScript-Developer-I exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JavaScript-Developer-I dumps with Test Engine here: <https://www.preppdf.com/Salesforce/JavaScript-Developer-I-prepaway-exam-dumps.html> (224 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

### NEW QUESTION: 32

developer uses the code below to format a date.

After executing, what is the value of formattedDate?

**A.** June 10, 2020

**B.** November 05, 2020

**C.** October 05, 2020

**D.** May 10, 2020

**Answer: D (LEAVE A REPLY)**

### NEW QUESTION: 33

Given the requirement to refactor the code above to JavaScript class format, which class definition is correct?

A)

B)

C)

D)

**A.** Option B

**B.** Option D

C. Option C

D. Option A

**Answer: D ([LEAVE A REPLY](#))**

### NEW QUESTION: 34

Refer to the code below:

What is the value of foobDienu1 after the code executes?

A. {'Garlic bread', Pizza' , Burger' , French fries'}

B. {'Pizza' , Burger' , French fries ' }

C. {'Garlic bread'}

D. {'Pizza' , Burger' , French fries ' , garlic bread; }

**Answer: D ([LEAVE A REPLY](#))**

### NEW QUESTION: 35

A developer is required to write a function that calculates the sum of elements in an array but is getting undefined every time the code is executed. The developer needs to find what is missing in the code below.

```
Const sumFunction = arr => {  
  Return arr.reduce((result, current) => {  
    //  
    Result += current;  
    //  
  }, 10);  
};
```

Which option makes the code work as expected?

A. Replace line02 with return arr.map(( result, current) => (

B. Replace line 03 with if(arr.length == 0 ) ( return 0; )

C. Replace line 05 with return result;

D. Replace line 04 with result = result +current;

**Answer: ([SHOW ANSWER](#))**

### NEW QUESTION: 36

Refer to the code below:

```
const addBy = ?  
const addByEight =addBy(8);  
const sum = addBYEight(50);
```

Which two functions can replace line 01 and return 58 to sum?

Choose 2 answers

A. const addBy = function(num1){  
 return function(num2){  
 return num1 + num2;

```
}  
B. const addBy = (num1) => num1 + num2 ;  
C. const addBy = function(num1){  
  return num1 + num2;  
}  
D. const addBY = (num1) => (num2) => num1 + num2;
```

**Answer: A,D ([LEAVE A REPLY](#))**

### NEW QUESTION: 37

Given the code below:

```
const copy = JSON.stringify([ new String(' false '), new Boolean( false ), undefined ]);
```

What is the value of copy?

- A. -- [ \"false\" , false, undefined ]--
- B. -- [ \"false\" ,false, null ]--
- C. -- [ false, { } ]--
- D. -- [ \"false\" , { } ]--

**Answer: B ([LEAVE A REPLY](#))**

### NEW QUESTION: 38

Which code statement below correctly persists an objects in local Storage ?

- A. const setLocalStorage = (storageKey, jsObject) => {  
 window.localStorage.setItem(storageKey, JSON.stringify(jsObject));  
}
- B. const setLocalStorage = ( jsObject) => {  
 window.localStorage.connectObject(jsObject);  
}
- C. const setLocalStorage = ( jsObject) => {  
 window.localStorage.setItem(jsObject);  
}
- D. const setLocalStorage = (storageKey, jsObject) => {  
 window.localStorage.persist(storageKey, jsObject);  
}

**Answer: ([SHOW ANSWER](#))**

### NEW QUESTION: 39

Refer to the following code:

What is the output of line 11?

- A. [1,2]
- B. ["foo:1", "bar:2"]
- C. ["foo", "bar"]
- D. ["bar", "foo"]

**Answer: C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 40**

A developer creates a simple webpage with an input field. When a user enters text in the input field and clicks the button, the actual value of the field must be displayed in the console.

Here is the HTML file content:

The developer wrote the JavaScript code below:

When the user clicks the button, the output is always "hello".

What needs to be done to make this code work as expected?

- A. Replace line 04 with `console.log (input, value);`
- B. Replace line 04 with `button, addCallback ("click", function ( ) (`
- C. Replace line 04 with `button.addEventListener ("onclick", function ( ) (`
- D. Replace line 04 with `const input = document. getElementByName ('input') ;`

**Answer: A ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 41**

There is a new requirement for a developer to implement a `currPrice` method that will return the current price of the item or sales..

What is the output when executing the code above

- A. `50Uncaught TypeError: saleItem,description is not a function5080`
- B. `5080Uncaught ReferenceError:this,discount is undefined72`
- C. `50805072`
- D. `508072`

**Answer: C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 42**

Given the code below:

`const copy = JSON.stringify((new String ('false') , new Boolean(false) undefined));` What is the value of `copy`?

- A. `-- [ \'false\', false, undefined]" "`
- B. `-- [\'"false\', false, null]" "`
- C. `--[ false, ()]-`
- D. `-- [\'"false\', ()'"'`

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 43**

Refer to the code snippet below:

```
let array = [1, 2, 3, 4, 4, 5, 4, 4];
```

```
for (let i =0; i < array.length; i++)
```

```
if (array[i] === 4) {
```

```
array.splice(i, 1);
```

```
}  
}
```

What is the value of array after the code executes?

- A. [1, 2, 3, 4, 4, 5, 4]
- B. [1, 2, 3, 5]
- C. [1, 2, 3, 4, 5, 4, 4]
- D. [1, 2, 3, 4, 5, 4]

**Answer: A** ([LEAVE A REPLY](#))

#### NEW QUESTION: 44

Given the following code:

What is the output of line 02?

- A. "x-
- B. "null"
- C. "undefined" 0
- D. 'object"

**Answer: D** ([LEAVE A REPLY](#))

#### NEW QUESTION: 45

Given the following code:

```
document.body.addEventListener('click', (event) => {  
  if (/* CODE REPLACEMENT HERE */) {  
    console.log('button clicked!');  
  }  
});
```

Which replacement for the conditional statement on line 02 allows a developer to correctly determine that a button on page is clicked?

- A. button.addEventListener('click')
- B. Event.clicked
- C. event.target.nodeName == 'BUTTON'
- D. e.nodeTarget ==this

**Answer: C** ([LEAVE A REPLY](#))

#### NEW QUESTION: 46

Refer to the code below:

```
01 const server = require('server');  
02 /* Insert code here */
```

A developer imports a library that creates a web server. The imported library uses events and callbacks to start the servers Which code should be inserted at the line 03 to set up an event and start the web server ?

- A. Server.start ();

- B. `console.log( 'Listening on ', port);`
- C. `server.on(' connect ' , ( port) => {console.log('Listening on ' , port) ;})`
- D. `serve(( port) => (`
- E. `server()`

**Answer: C** ([LEAVE A REPLY](#))

**Valid JavaScript-Developer-I Dumps** shared by PrepPdf.com for Helping Passing JavaScript-Developer-I Exam! PrepPdf.com now offer the **newest JavaScript-Developer-I exam dumps**, the PrepPdf.com JavaScript-Developer-I exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JavaScript-Developer-I dumps with Test Engine here: <https://www.preppdf.com/Salesforce/JavaScript-Developer-I-prepaway-exam-dumps.html> (224 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

#### **NEW QUESTION: 47**

A developer implements a function that adds a few values.

Which three options can the developer invoke for this function to get a return value of 10? Choose 3 answers

- A. `Sum (5) (5)`
- B. `Sum (5, 5) ()`
- C. `Sum () (10)`
- D. `Sum (10) ()`
- E. `Sum () (5, 5)`

**Answer: A,C,E** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 48**

Refer to the following code:

What is the output of line 11?

- A. `["foo:1", "bar:2"]`
- B. `[1,2]`
- C. `["foo", "bar"]`
- D. `["bar", "foo"]`

**Answer: C** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 49**

Universal Containers recently launched its new landing page to host a crowd-funding campaign.

The page uses an external library to display some third-party ads. Once the page is fully loaded, it

creates more than 50 new HTML items placed randomly inside the DOM, like the one in the code below:

All the elements includes the same ad-library-item class, They are hidden by default, and they are randomly displayed while the user navigates through the page.

- A. Use the DOM inspector to remove all the elements containing the class ad-library-item.
- B. Use the DOM inspector to prevent the load event to be fired.
- C. Use the browser to execute a script that removes all the element containing the class ad-library-item.
- D. Use the browser console to execute a script that prevents the load event to be fired.

**Answer: A ([LEAVE A REPLY](#))**

### NEW QUESTION: 50

Refer to the code below:

```
01 const exec = (item, delay) =>{
02 new Promise(resolve => setTimeout( () => resolve(item), delay)),
03 async function runParallel() {
04 Const (result1, result2, result3) = await Promise.all{
05 [exec ('x', '100') , exec('y', 500), exec('z', '100')]
06 };
07 return `parallel is done: ${result1} ${result2}${result3}`;
08 }
}
```

Which two statements correctly execute the runParallel () function?

Choose 2 answers

- A. runParallel () .then(function(data) return data
- B. runParallel () .then(data);
- C. runParallel ( ) . done(function(data){  
return data;  
});
- D. Async runParallel () .then(data);

**Answer: ([SHOW ANSWER](#))**

### NEW QUESTION: 51

Refer to the HTML below:

Which expression outputs the screen width of the element with the ID card-01?

- A. Documents.getElementById( 'card-01') . InnerHTML. Length.6
- B. Documents.getElementById( 'card-01') .getBoundingClientRect () .width
- C. Documents.getElementById( 'card-01') . width
- D. Documents.getElementById( 'card-01') . style,width

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 52**

A test has a dependency on database .query. During the test the dependency is replaced with an in-memory database with the method, query, that returns an array. The developer needs to verify how many times the method was called and the arguments used each time.

Which two test approaches describe the requirement?

- A. Mocking
- B. Black box
- C. White box
- D. Integration

**Answer: C,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 53**

Given the code below:

Which method can be used to provide a visual representation of the list of users and to allow sorting by the name or email attribute?

- A. console.groupCollapsed(usersList);
- B. console.info(usersList);
- C. console.table(usersList);
- D. console.group(usersList);

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 54**

Universal Containers recently launched its new landing page to host a crowd-funding campaign. The page uses an external library to display some third-party ads. Once the page is fully loaded, it creates more than 50 new HTML items placed randomly inside the DOM, like the one in the code below:

All the elements include the same ad-library-item class. They are hidden by default, and they are randomly displayed while the user navigates through the page.

- A. Use the browser console to execute a script that prevents the load event to be fired.
- B. Use the DOM inspector to prevent the load event to be fired.
- C. Use the DOM inspector to remove all the elements containing the class ad-library-item.
- D. Use the browser to execute a script that removes all the elements containing the class ad-library-item.

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 55**

Which statement phrases successfully?

- A. JSON.parse(' " foo " ');
- B. JSON.parse ( " foo " );
- C. JSON.parse ( ' foo ' );

D. `JSON.parse( "' foo ' " );`

**Answer: A ([LEAVE A REPLY](#))**

#### NEW QUESTION: 56

A developer has a server running with Node.js. the command to start the web server is `node server.js`. the server started having latency issues. Instead of a one second turnaround for web requests, the developer now sees a five second turnaround.

Which command can the web developer run to see what the module is doing during the latency period?

A. `DEBUO=true node server.js`

B. `NODE_DEBUO=true node server.js`

C. `DEBUO=http, https node server.js`

D. `NODE_DEBUO=http, https node server.js`

**Answer: C ([LEAVE A REPLY](#))**

#### NEW QUESTION: 57

developer publishes a new version of a package with new features that do not break backward compatibility. The previous version number was 1.1.3.

Following semantic versioning format, what should the new package version number be?

A. 1.2.0

B. 1.2.3

C. 2.0.0

D. 1.1.4

**Answer: C ([LEAVE A REPLY](#))**

#### NEW QUESTION: 58

A developer is required to write a function that calculates the sum of elements in an array but is getting undefined every time the code is executed. The developer needs to find what is missing in the code below.

Which option makes the code work as expected?

A. Replace line 03 with `if (arr. Length == 0) ( return 0; )`

B. Replace line 02 with `return arr. map ( (result, current => (`

C. Replace line 05 with `return results;`

D. Replace line 04 with `result + current ;`

**Answer: C ([LEAVE A REPLY](#))**

#### NEW QUESTION: 59

A developer is required to write a function that calculates the sum of elements in an array but is getting undefined every time the code is executed. The developer needs to find what is missing in the code below.

```
Const sumFunction = arr => {
```

```
Return arr.reduce((result, current) => {  
  //  
  Result += current;  
  //  
  }, 10);  
};
```

Which option makes the code work as expected?

- A. Replace line 04 with result = result +current;
- B. Replace line 05 with return result;
- C. Replace line 02 with return arr.map(( result, current) => (
- D. Replace line 03 with if(arr.length == 0 ) ( return 0; )

**Answer: B** ([LEAVE A REPLY](#))

### NEW QUESTION: 60

A developer creates a class that represents a blog post based on the requirement that a Post should have a body author and view count.

The Code shown Below:

```
Class Post {  
  // Insert code here  
  This.body =body  
  This.author = author;  
  this.viewCount = viewCount;  
}  
}
```

Which statement should be inserted in the placeholder on line 02 to allow for a variable to be set to a new instance of a Post with the three attributes correctly populated?

- A. constructor (body, author, viewCount) {
- B. super (body, author, viewCount) {
- C. constructor() {
- D. Function Post (body, author, viewCount) {

**Answer: A** ([LEAVE A REPLY](#))

### NEW QUESTION: 61

Refer to the code below:

```
Let car1 = new Promise((_ , reject) =>  
  setTimeout(reject, 2000, "car 1 crashed in" =>  
    Let car2 =new Promise(resolve => setTimeout(resolve, 1500, "car 2 completed")  
    Let car3 =new Promise(resolve => setTimeout(resolve, 3000, "car 3 completed")  
    Promise.race(( car1, car2, car3))  
    .then (value => (  
      Let result = '$(value) the race.');
```

```
.catch(arr => {  
  console.log("Race is cancelled.", err);  
});
```

What is the value of result when Promise.race executes?

- A. Race is cancelled.
- B. Car 2 completed the race.
- C. Car 1 crashed in the race.
- D. Car 3 completes the race

**Answer: B (LEAVE A REPLY)**

**Valid JavaScript-Developer-I Dumps** shared by PrepPdf.com for Helping Passing JavaScript-Developer-I Exam! PrepPdf.com now offer the **newest JavaScript-Developer-I exam dumps**, the PrepPdf.com JavaScript-Developer-I exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JavaScript-Developer-I dumps with Test Engine here: <https://www.preppdf.com/Salesforce/JavaScript-Developer-I-prepaway-exam-dumps.html> (224 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

#### NEW QUESTION: 62

A developer creates a simple webpage with an input field. When a user enters text in the input field and clicks the button, the actual value of the field must be displayed in the console.

Here is the HTML file content:

```
<input type =" text" value="Hello" name ="input">
```

```
<button type ="button" >Display </button>
```

 The developer wrote the javascript code below:

```
Const button = document.querySelector('button');
```

```
button.addEventListener('click', () => (
```

```
Const input = document.querySelector('input');
```

```
console.log(input.getAttribute('value'));
```

When the user clicks the button, the output is always "Hello".

What needs to be done to make this code work as expected?

- A. Replace line 02 with button.addCallback("click", function() {
- B. Replace line 03 with const input = document.getElementByName('input');
- C. Replace line 02 with button.addEventListener("onclick", function() {
- D. Replace line 04 with console.log(input .value);

**Answer: (SHOW ANSWER)**

#### NEW QUESTION: 63

A developer wants to use a module called DataPrettyPrint. This module exports one default function called printDate ().

How can a developer import and use the printDate() function?

- A)
- B)
- C)
- D)

- A. Option A
- B. Option D
- C. Option C
- D. Option B

**Answer: D** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 64**

Refer to the code below:

```
Let str = 'javascript';
```

```
Str[0] = 'J';
```

```
Str[4] = 'S';
```

After changing the string index values, the value of str is 'javascript'. What is the reason for this value:

- A. Non-primitive values are immutable.
- B. Primitive values are mutable.
- C. Primitive values are immutable.
- D. Non-primitive values are mutable.

**Answer: C** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 65**

Given the HTML below:

Which statement adds the priority-account CSS class to the Universal Containers row?

- A. `document.querySelector('#row-uc').classes.push('priority-account');`
- B. `document.querySelector('#row-uc').classList.add('priority-account');`
- C. `document.getElementById('row-uc').addClass('priority-account');`
- D. `document.querySelectorAll('#row-uc').classList.add("priority-account");`

**Answer: (**[SHOW ANSWER](#)**)**

#### **NEW QUESTION: 66**

Refer to the code below:

What is result of the code block?

- A. An error is thrown.
- B. The console logs only 'flag',
- C. The console logs 'flag' and then an error is thrown.
- D. The console logs 'flag' and another 'flag',

**Answer: C ([LEAVE A REPLY](#))**

### NEW QUESTION: 67

A team that works on a big project uses npm to deal with projects dependencies. A developer added a dependency does not get downloaded when they execute npm install. Which two reasons could be possible explanations for this?

Choose 2 answers

- A.** The developer missed the option --save when adding the dependency.
- B.** The developer added the dependency as a dev dependency, and NODE\_ENV is set to production.
- C.** The developer missed the option --add when adding the dependency.
- D.** The developer added the dependency as a dev dependency, and NODE\_ENV is set to production.

**Answer: ([SHOW ANSWER](#))**

### NEW QUESTION: 68

A developer has two ways to write a function:

Option A:

```
function Monster(){
  this.growl = ()=>{
    console.log('Grr!');
  }
}
```

Option B:

```
function Monster(){};
Monster.prototype.growl = ()=>{
  console.log('Grr!');
}
```

After deciding on an option, the developer creates 1000 monster objects.

How many growl methods are created with Option A and Option B?

- A.** 1 methods for both
- B.** 1000 for both
- C.** 1 for Option A, 1000 for Option B
- D.** 1000 for Option A, 1 for Option B

**Answer: A ([LEAVE A REPLY](#))**

### NEW QUESTION: 69

A developer creates a generic function to log custom messages in the console. To do this, the function below is implemented.

```
01 function logStatus(status){
```

```
02 console.log(`*Answer goes here*/${'Item status is: %s', status}`);
03 }
```

Which three console logging methods allow the use of string substitution in line 02?

- A. Log
- B. Message
- C. Error
- D. Assert
- E. Info

**Answer: A,D,E ([LEAVE A REPLY](#))**

#### NEW QUESTION: 70

Which option is a core Node.js module?

- A. ios
- B. Path
- C. Memory
- D. locate

**Answer: B ([LEAVE A REPLY](#))**

#### NEW QUESTION: 71

A developer creates a generic function to log custom messages in the console. To do this, the function below is implemented.

Which three console logging methods allow the use of string substitution in line 02?

Choose 3 answers

- A. Message
- B. Info
- C. error
- D. Log
- E. Assert

**Answer: A,C,E ([LEAVE A REPLY](#))**

#### NEW QUESTION: 72

Refer to the following code that imports a module named Utils,

Which two implementations of Util, je export foo and bar such that the code above runs without error?

Choose 2 answers

- A. Export default class (  
Foo ( ) ( return 'foo ; ; )  
Bar ( ) ( return ;bar ; )
- B. //FooUtils.js and barUtils.js exist  
Import (foo) from './Path/footUtils.js';  
Export (foo, bar)

**C.** Const foo = () => ( return 'foo ' ; )  
Const bar => ( return 'bar' ; )  
Export (foo, bar)

**D.** Const foo = ( ) => ( return 'foo; ; )  
Const bar => => { return 'bar ' ;}  
Export default foo, bar;

**Answer: ( [SHOW ANSWER](#) )**

### **NEW QUESTION: 73**

A developer creates a simple webpage with an input field. When a user enters text in the input field and clicks the button, the actual value of the field must be displayed in the console.

Here is the HTML file content:

```
<input type =" text" value="Hello" name ="input">  
<button type ="button" >Display </button>
```

The developer wrote the javascript code below:

```
Const button = document.querySelector("button");  
button.addEventListener('click', () => (  
Const input = document.querySelector("input");  
console.log(input.getAttribute('value'));
```

When the user clicks the button, the output is always "Hello".

What needs to be done make this code work as expected?

- A.** Replace line 02 with button.addCallback("click", function() {
- B.** Replace line 04 with console.log(input .value);
- C.** Replace line 03 with const input = document.getElementById("input");
- D.** Replace line 02 with button.addEventListener("onclick", function() {

**Answer: B ( [LEAVE A REPLY](#) )**

### **NEW QUESTION: 74**

A developer creates an object where its properties should be immutable and prevent properties from being added or modified.

Which method should be used to execute this business requirement?

- A.** Object const ( )
- B.** Object. firebase ( )
- C.** Object. real ( )
- D.** Object. Lock ( )

**Answer: B ( [LEAVE A REPLY](#) )**

### **NEW QUESTION: 75**

A developer has code that calculates a restaurant bill, but generates incorrect answers while testing the code:

```
function calculateBill ( items ) {
```

```
let total = 0;
total += findSubTotal(items);
total += addTax(total);
total += addTip(total);
return total;
}
```

Which option allows the developer to step into each function execution within calculateBill?

- A. Using the debugger command on line 03
- B. Wrapping findSubtotal in a console.log() method.
- C. Calling the console.trace (total) method on line 03.
- D. Using the debugger command on line 05.

**Answer: D** ([LEAVE A REPLY](#))

### NEW QUESTION: 76

Which code statement below correctly persists an object in localStorage?

- A. const setLocalStorage = (jsoject) => Windows.localStorage.connectobject(jsObject);
- B. Const setlocalstorage = (storagekey, jsObject) => ( Window. Localstorage.persist (storagekey, jsObject); )
- C. Const setLocalStorage = (jsoject ) => ( Window .localStorage .setitem (jsoject) ;
- D. const setLocalStorage = (storageKey , jsoject) => ( windows. LocalStorage,setitem(storagekey. jSON,string )

**Answer: (**[SHOW ANSWER](#)**)**

**Valid JavaScript-Developer-I Dumps** shared by PrepPdf.com for Helping Passing JavaScript-Developer-I Exam! PrepPdf.com now offer the **newest JavaScript-Developer-I exam dumps**, the PrepPdf.com JavaScript-Developer-I exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JavaScript-Developer-I dumps with Test Engine here: <https://www.preppdf.com/Salesforce/JavaScript-Developer-I-prepaway-exam-dumps.html> (224 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

### NEW QUESTION: 77

developer is trying to convince management that their team will benefit from using Node.js for a backend server that they are going to create. The server will be a web server that handles API requests from a website that the team has already built using HTML, CSS, and

JavaScript.

Which three benefits of Node.js can the developer use to persuade their manager?

Choose 3 answers:

- A. Performs a static analysis on code before execution to look for runtime errors.
- B. User non blocking functionality for performant request handling .
- C. Executes server-side JavaScript code to avoid learning a new language.
- D. I nstalls with its own package manager to install and manage third-party libraries.
- E. Ensures stability with one major release every few years.

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 78

Considering type coercion, what does the following expression evaluate to?

True + '13' + NaN

- A. ' 113NaN '
- B. ' true13 '
- C. ' true13NaN '
- D. 14

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 79

Refer to the following code:

Which statement should be added to line 09 for the code to display 'The boat has a capacity of 10 people?'

- A. this.size = size;
- B. super.size = size;
- C. super (size);
- D. ship.size size;

Answer: A ([LEAVE A REPLY](#))

#### NEW QUESTION: 80

A developer has an ErrorHandler module that contains multiple functions.

What kind of export should be leveraged so that multiple functions can be used?

- A. default
- B. all
- C. multi
- D. named

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 81

A developer wrote the following code:

```
01 let X = object.value;
```

02

03 try {

04 handleObjectValue(X);

05 } catch (error) {

06 handleError(error);

07 }

The developer has a getNextValue function to execute after handleObjectValue(), but does not want to execute getNextValue() if an error occurs.

How can the developer change the code to ensure this behavior?

A. 03 try {04 handleObjectValue(x)05 .....

B. 03 try{04 handleObjectValue(x);05 } catch(error){06 handleError(error);07 }08 getNextValue();

C. 03 try{04 handleObjectValue(x);05 }catch(error){06 handleError(error);07 } then {08 getNextValue();09 }

D. 03 try{04 handleObjectValue(x);05 } catch(error){06 handleError(error);07 } finally {08 getNextValue();10 }

**Answer:** ([SHOW ANSWER](#))

### NEW QUESTION: 82

A developer wants to use a try...catch statement to catch any error that countSheep () may throw and pass it to a handleError () function.

What is the correct implementation of the try...catch?

A)

B)

C)

D)

A. Option

B. Option

C. Option

D. Option

**Answer:** D ([LEAVE A REPLY](#))

### NEW QUESTION: 83

A developer is required to write a function that calculates the sum of elements in an array but is getting undefined every time the code is executed. The developer needs to find what is missing in the code below.

```
Const sumFunction = arr => {
```

```
Return arr.reduce((result, current) => {
```

```
//
```

```
Result += current;
```

```
//
```

```
), 10);
```

);

Which option makes the code work as expected?

- A. Replace line 02 with `return arr.map(( result, current) => (`
- B. Replace line 03 with `if(arr.length == 0 ) ( return 0; )`
- C. Replace line 04 with `result = result +current;`
- D. Replace line 05 with `return result;`

**Answer:** ([SHOW ANSWER](#))

#### NEW QUESTION: 84

Why would a developer specify a package as the `package.json` as a `devDependency` instead of a `dependency`?

- A. It is required by the application in production.
- B. Other required packages depended on it for development.
- C. It should be bundled when the package is published.
- D. It is only needed for local development and testing.

**Answer:** ([SHOW ANSWER](#))

#### NEW QUESTION: 85

Refer to HTML below:

```
<div id ="main">
```

```
<div id = " card-00">This card is smaller.</div>
```

```
<div id = "card-01">The width and height of this card is determined by its contents.</div>
```

```
</div>
```

Which expression outputs the screen width of the element with the ID `card-01`?

- A. `document.getElementById(' card-01 ').innerHTML.lenght*e`
- B. `document.getElementById(' card-01 ').style.width`
- C. `document.getElementById(' card-01 ').width`
- D. `document.getElementById(' card-01 ').getBoundingClientRect().width`

**Answer:** ([SHOW ANSWER](#))

#### NEW QUESTION: 86

Which two code snippets show working examples of a recursive function?

Choose 2 answers

- A. 

```
function factorial ( numVar ) {if (numVar < 0) return;if ( numVar ===0 ) return 1;return numVar -1;
```
- B. 

```
let countingDown = function(startNumber) {if ( startNumber >0) {console.log(startNumber) ;return countingDown(startNumber);} else {return startNumber;}};
```
- C. 

```
const sumToTen = numVar => {if (numVar < 0)Return;return sumToTen(numVar + 1)};
```
- D. 

```
const factorial =numVar => {if (numVar < 0) return;if ( numVar === 0 ) return 1;returnnumVar * factorial ( numVar - 1 );};
```

**Answer:** B,D ([LEAVE A REPLY](#))

### NEW QUESTION: 87

is below:

```
<input type="file" onchange="previewFile()">
<img src="" height="200"alt="Image Preview..."/>
```

The JavaScript portion is:

```
01 functionpreviewFile(){
02 const preview = document.querySelector('img');
03 const file = document.querySelector('input[type=file]').files[0];
04 //line 4 code
05 reader.addEventListener("load", () => {
06 preview.src = reader.result;
07 },false);
08 //line 8 code
09 }
```

In lines 04 and 08, which code allows the user to select an image from their local computer , and to display the image in the browser?

- A. 04 const reader = new FileReader();08if (file) URL.createObjectURL(file);
- B. 04 const reader = new File();08 if (file) reader.readAsDataURL(file);
- C. 04 const reader = new File();08 if (file) URL.createObjectURL(file);
- D. 04 const reader = new FileReader();08 if (file) reader.readAsDataURL(file);

**Answer: (**[SHOW ANSWER](#)**)**

### NEW QUESTION: 88

Refer to the code below:

What is the result when the Promise in the execute function is rejected?

- A. Rejected
- B. Rejected Resolved
- C. Resolved1 Resolved2 Resolved3
- D. Rejected1 Rejected2 Rejected3 Rejected Rejected Rejected4

**Answer: (**[SHOW ANSWER](#)**)**

### NEW QUESTION: 89

Refer to the code below.

After changing the string index values, the of atr is Javascript". What is the reason for this value?

- A. Primitive values are immutable
- B. Non-primitive values are mutable.
- C. Non-primitive values are immutable.
- D. Primitive values are mutable.

**Answer: B (**[LEAVE A REPLY](#)**)**

### NEW QUESTION: 90

At Universal Containers, every team has its own way of copying JavaScript objects. The code snippet shows an Implementation from one team:

What is the output of the code execution?

- A. Hello John Doe
- B. Hello Dan Doe
- C. Hello Dan
- D. SyntaxError: Unexpected token in JSON

**Answer: D** ([LEAVE A REPLY](#))

### NEW QUESTION: 91

Given the code below:

```
const delay = async delay =>{
return new Promise((resolve,reject)=>{
console.log(1);
setTimeout(resolve,deleay);
});
};
const callDelay = async ()=>{
console.log(2);
const yup = await delay(1000);
console.log(3);
}
console.log(4);
callDelay();
console.log(5);
```

What is logged to the console?

- A. 4 2 1 5 3

**Answer: A** ([LEAVE A REPLY](#))

**Valid JavaScript-Developer-I Dumps** shared by PrepPdf.com for Helping Passing JavaScript-Developer-I Exam! PrepPdf.com now offer the **newest JavaScript-Developer-I exam dumps**, the PrepPdf.com JavaScript-Developer-I exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JavaScript-Developer-I dumps with Test Engine here: <https://www.preppdf.com/Salesforce/JavaScript-Developer-I-prepaway-exam-dumps.html> (224 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

### NEW QUESTION: 92

A test has a dependency on database. query. During the test, the dependency is replaced with an object called database with the method, Calculator query, that returns an array. The developer does not need to verify how many times the method has been called.

Which two test approaches describe the requirement?

Choose 2 answers

- A. Stubbing
- B. Substitution
- C. White box
- D. Black box

**Answer: B,C ([LEAVE A REPLY](#))**

### NEW QUESTION: 93

A class was written to represent items for purchase in an online store, and a second class representing items that are on sale at a discounted price. The constructor sets the name to the first value passed in. The pseudocode is below:

There is a new requirement for a developer to implement a description method that will return a brief description for item and saleitem.

What is the output when executing the code above?

- A. This is a Scarf

Uncaught TypeError: saleItem, description is not a function

This is a Shirt

This is a discounted Shirt

- B. This is a Scarf

This is a Shirt

This is a discounted Scard

This is a discounted Shirt

- C. This is a Scarf

This is a Shirt

This is a Scarf

This is a discounted Shirt

- D. This is a Scarf

Uncaught TypeError: saleitem, description is not a function

This is a Scarf

This is a discounted Shirt

**Answer: ([SHOW ANSWER](#))**

### NEW QUESTION: 94

Refer to the following code block:

```
class Animal{
  constructor(name){
    this.name = name;
```

```
}
makeSound(){
console.log(`${this.name} is making a sound.`)
}
}
class Dog extends Animal{
constructor(name){
super(name)
this.name = name;
}
makeSound(){
console.log(`${this.name} is barking.`)
}
}
let myDog = new Dog('Puppy');
myDog.makeSound();
What is the console output?
```

**Answer:**

Puppy is barking

### NEW QUESTION: 95

A developer is trying to handle an error within a function.

Which code segment shows the correct approach to handle an error without propagating it elsewhere?

- A)
- B)
- C)
- D)

- A. Option D
- B. Option A
- C. Option B
- D. Option C

**Answer: A** ([LEAVE A REPLY](#))

### NEW QUESTION: 96

Refer to the code below:

```
Let inArray =[ [ 1, 2 ] , [ 3, 4, 5 ] ];
```

Which two statements result in the array [1, 2, 3, 4, 5] ?

Choose 2 answers

- A. []. Concat.apply ([ ], inArray);
- B. []. concat.apply(inArray, [ ]);

C. []. concat ( [ ....inArray ]);

D. []. Concat (... inArray);

**Answer: A,D ([LEAVE A REPLY](#))**

### NEW QUESTION: 97

Refer to the HTML below:

<p> The current status of an order: < span> id=" status ' > In progress < /span> < /p> Which JavaScript Statement changes the text 'In Progress' to Completed'?

A. Document, getElementById (",status"), innerHTML = 'Completed' ;

B. Document, getElementById ("# status"), innerHTML = 'Completed' ;

C. Document, getElementById ("status"), innerHTML = 'Completed' ;

D. Document, getElementById (status") , value = completed' ;

**Answer: C ([LEAVE A REPLY](#))**

### NEW QUESTION: 98

What are two unique features of functions defined with a fat arrow as compared to normal function definition?

Choose 2 answers

A. The function receives an argument that is always in scope, called parentThis, which is the enclosing lexical scope.

B. The function uses the this from the enclosing scope.

C. The function generated its own this making it useful for separating the function's scope from its enclosing scope.

D. If the function has a single expression in the function body, the expression will be evaluated and implicit returned.

**Answer: A,C ([LEAVE A REPLY](#))**

### NEW QUESTION: 99

Given the following code, what is the value of x?

```
let x = '15' + (10 * 2);
```

A. 3020

B. 1520

C. 50

D. 35

**Answer: ([SHOW ANSWER](#))**

### NEW QUESTION: 100

is below:

```
<input type="file" onchange="previewFile()">
```

```
<img src="" height="200" alt="Image Preview..."/>
```

The JavaScript portion is:

```

01 function previewFile(){
02 const preview = document.querySelector('img');
03 const file = document.querySelector('input[type=file]').files[0];
04 //line 4 code
05 reader.addEventListener("load", () => {
06 preview.src = reader.result;
07 },false);
08 //line 8 code
09 }

```

In lines 04 and 08, which code allows the user to select an image from their local computer , and to display the image in the browser?

- A. 04 const reader = new File();  
08 if (file) reader.readAsDataURL(file);
- B. 04 const reader = new FileReader();  
08 if (file) URL.createObjectURL(file);
- C. 04 const reader = new FileReader();  
08 if (file) reader.readAsDataURL(file);
- D. 04 const reader = new File();  
08 if (file) URL.createObjectURL(file);

**Answer: C ([LEAVE A REPLY](#))**

### NEW QUESTION: 101

A developer creates a class that represents a blog post based on the requirement that a Post should have a body author and view count.

The Code shown Below:

```

Class Post {
// Insert code here
This.body =body
This.author = author;
this.viewCount = viewCount;
}
}

```

Which statement should be inserted in the placeholder on line 02 to allow for a variable to be set to a new instance of a Post with the three attributes correctly populated?

- A. Function Post (body, author, viewCount) {
- B. constructor (body, author, viewCount) {
- C. super (body, author, viewCount) {
- D. constructor() {

**Answer: ([SHOW ANSWER](#))**

### NEW QUESTION: 102

A developer is setting up a new Node.js server with a client library that is built using events and callbacks.

The library:

Will establish a web socket connection and handle receipt of messages to the server Will be imported with require, and made available with a variable called we.

The developer also wants to add error logging if a connection fails.

Given this info, which code segment shows the correct way to set up a client with two events that listen at execution time?

**A.** `ws.connect (( ) => {`

`console.log('connected to client'); }).catch((error) => { console.log('ERROR' , error); });`

**B.** `try{`

`ws.connect (( ) => {`

`console.log('connected to client'); });`

`} catch(error) { console.log('ERROR' , error); }`

`}`

**C.** `ws.on ('connect', ( ) => { console.log('connected to client'); }); ws.on('error', (error) =>`

`{ console.log('ERROR' , error); });`

**D.** `ws.on ('connect', ( ) => {`

`console.log('connected to client'); ws.on('error', (error) => { console.log('ERROR' , error); });`

`});`

**Answer: C** ([LEAVE A REPLY](#))

### NEW QUESTION: 103

A developer has the following array of hourly wages:

Let `arr = (8, 5, 9, 75, 11, 25, 7, 75, , 13, 25);`

For workers making less than \$10 an hour rate should be multiple by 1.25 and returned in a new array.

How should the developer implement the request?

**A.** `let arr1 = arr.map((num) => { return num * 1.25 }).filter((val) -> { return val < 10});`

**B.** `let arr1 = arr.filterBy((val) => val < 10 ).mapBy<(num) -> num = ..25 );`

**C.** `let arr1 = arr.filter((val) => val < 10).map((num) -> num = 1.25);`

**D.** `let arr1 = arr .rr.acArray ((val) => ( val < 10 )) ,map((num) => { num * 1.25 });`

**Answer: A** ([LEAVE A REPLY](#))

### NEW QUESTION: 104

Universal Containers recently launched its new landing page to host a crowd-funding campaign. The page uses an external library to display some third-party ads. Once the page is fully loaded, it creates more than 50 new HTML items placed randomly inside the DOM, like the one in the code below:

All the elements includes the same `ad-library-item` class, They are hidden by default, and they are randomly displayed while the user navigates through the page.

- A. Use the DOM inspector to remove all the elements containing the class ad-library-item.
- B. Use the browser to execute a script that removes all the element containing the class ad-library-item.
- C. Use the DOM inspector to prevent the load event to be fired.
- D. Use the browser console to execute a script that prevents the load event to be fired.

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 105**

Given the following code:

What is the output of line 02?

- A. "x"
- B. "null"
- C. "Undefined"
- D. "object"

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 106**

A developer is working on an ecommerce website where the delivery date is dynamically calculated based on the current day. The code line below is responsible for this calculation.

```
Const deliveryDate = new Date ();
```

Due to changes in the business requirements, the delivery date must now be today's date + 9 days.

Which code meets this new requirement?

- A. `deliveryDate.date = new Date(+9) ;`
- B. `deliveryDate.setDate(( new Date ( )).getDate ( ) +9);`
- C. `deliveryDate.date = Date.current ( ) + 9;`
- D. `deliveryDate.setDate( Date.current ( ) + 9);`

**Answer: B ([LEAVE A REPLY](#))**

**Valid JavaScript-Developer-I Dumps** shared by PrepPdf.com for Helping Passing JavaScript-Developer-I Exam! PrepPdf.com now offer the **newest JavaScript-Developer-I exam dumps**, the PrepPdf.com JavaScript-Developer-I exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JavaScript-Developer-I dumps with Test Engine here: <https://www.preppdf.com/Salesforce/JavaScript-Developer-I-prepaway-exam-dumps.html> (224 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

#### **NEW QUESTION: 107**

Refer to the following code:

```
Let obj ={  
  Foo: 1,  
  Bar: 2  
}  
Let output =[],  
for(let something in obj){  
  output.push(something);  
}  
console.log(output);
```

What is the output line 11?

- A. [1,2]
- B. ["foo:1","bar:2"]
- C. ["foo","bar"]
- D. ["bar","foo"]

**Answer: C** ([LEAVE A REPLY](#))

#### NEW QUESTION: 108

Refer to the code below:

What is the output if this function when called with an empty array?

- A. Return NaN
- B. Return 10
- C. Returns 0
- D. Throws an error

**Answer: B** ([LEAVE A REPLY](#))

#### NEW QUESTION: 109

Cloud Kicks has a class to represent items for sale in an online store, as shown below:

```
Class Item{  
  constructor (name, price){  
    this.name = name;  
    this.price = price;  
  }  
  formattedPrice(){  
    return 's' + String(this.price);}}
```

A new business requirement comes in that requests a ClothingItem class that should have all of the properties and methods of the Item class but will also have properties that are specific to clothes.

Which line of code properly declares the clothingItem class such that it inherits from Item?

- A. Class ClothingItem {
- B. Class ClothingItem super Item {

C. Class ClothingItem implements Item{

D. Class ClothingItem extends Item {

**Answer: D ([LEAVE A REPLY](#))**

### NEW QUESTION: 110

A developer wants to iterate through an array of objects and count the objects whose property value, name, start with the letter N. const arroj - [{"name": "Zach"}, {"name": "Kate"}], [{"name": "Alice"}], [{"name": "Bob"}], [{"name": "Nathan"}], [{"name": "Nathandle1"}] Refer to the code snippet below:

Which missing lines 02 and 03 return the correct count?

A. const sum = curr.startsWith('N') ? 1 : 0;

return acc + sum;

B. const sum = curr.name.startsWith('N') ? 1 : 0;

return acc + sum;

C. const sum = curr.name.startsWith('N') ? 1 : 0;

return curr + sum;

D. const sum = curr.name.startsWith('N') ? 1 : 0;

return curr + sum;

**Answer: ([SHOW ANSWER](#))**

### NEW QUESTION: 111

A developer wrote a fizzbuzz function that when passed in a number, returns the following:

Fizz if the number is divisible by 3.

Buzz if the number is divisible by 5.

Fizzbuzz if the number is divisible by both 3 and 5.

Empty string if the number is divisible by neither 3 or 5.

Which two test cases will properly test scenarios for the fizzbuzz function?

A. let res = fizzbuzz(15);

console.assert(res === 'fizzbuzz');

B. let res = fizzbuzz(Infinity);

console.assert(res === '');

C. let res = fizzbuzz(3);

console.assert(res === 'buzz');

D. let res = fizzbuzz(5);

console.assert(res === '');

**Answer: ([SHOW ANSWER](#))**

### NEW QUESTION: 112

Refer to the code below:

```
const searchText = 'Yay! Salesforce is amazing!';
```

```
let result1 = searchText.search(/sales/i);
```

```
Let result 21 = searchText.search(/sales/i);
console.log(result1);
console.log(result2);
```

After running this code, which result is displayed on the console?

- A. > true > false
- B. > 5 > undefined
- C. > 5 > -1
- D. > 5 > 0

**Answer: B** ([LEAVE A REPLY](#))

### NEW QUESTION: 113

Which two console logs output NaN?

Choose 2 answers | |

- A. console.log(10 / Number('5') );
- B. console.log(parseInt ('two')) ;
- C. console.loeg(10 / 'five');
- D. console.log(10 / 0);

**Answer: B,C** ([LEAVE A REPLY](#))

### NEW QUESTION: 114

Refer to the code below:

```
Function Person(firstName, lastName, eyeColor) {
this.firstName =firstName;
this.lastName = lastName;
this.eyeColor = eyeColor;
}
```

```
Person.job = 'Developer';
const myFather = new Person('John', 'Doe');
console.log(myFather.job);
```

What is the output after the code executes?

- A. ReferenceError: assignment to undeclared variable "Person"
- B. Undefined
- C. ReferenceError: eyeColor is not defined
- D. Developer

**Answer: B** ([LEAVE A REPLY](#))

### NEW QUESTION: 115

developer has a web server running with Node.js. The command to start the web server is node server.js. The web server started having latency issues. Instead of a one second turn around for web requests, the developer now sees a five second turnaround, Which command can the web developer run to see what the module is doing during the latency period?

- A. DEBUG = http, https node server.js
- B. NODE\_DEBUG =true node server.js
- C. DEBUG =true node server.js
- D. NODE\_DEBUG =http, https node server.js

**Answer: C (LEAVE A REPLY)**

### NEW QUESTION: 116

Given the following code:

```
document.body.addEventListener('click', (event) => {  
  if (/* CODE REPLACEMENT HERE */) {  
    console.log('button clicked!');  
  }  
});
```

Which replacement for the conditional statement on line 02 allows a developer to correctly determine that a button on page is clicked?

- A. e.nodeTarget ==this
- B. button.addEventListener('click')
- C. Event.clicked
- D. event.target.nodeName == 'BUTTON'

**Answer: D (LEAVE A REPLY)**

### NEW QUESTION: 117

A developer is wondering whether to use, Promise.then or Promise.catch, especially when a Promise throws an error?

Which two promises are rejected?

Which 2 are correct?

- A. Promise.reject('cool error here').catch(error => console.error(error));
- B. New Promise(() => (throw 'cool error here')).then(null, error => console.error(error));
- C. Promise.reject('cool error here').then(error => console.error(error));
- D. New Promise((resolve, reject) => (throw 'cool error here')).catch(error => console.error(error)) ;

**Answer: A,D (LEAVE A REPLY)**

### NEW QUESTION: 118

A test has a dependency on database.query. During the test the dependency is replaced with an object called database with the method, query, that returns an array. The developer needs to verify how many times the method was called and the arguments used each time.

Which two test approaches describe the requirement?

Choose 2 answers

- A. Black box
- B. White box

C. Integration

D. Mocking

**Answer:** ([SHOW ANSWER](#))

### NEW QUESTION: 119

In the browser, the window object is often used to assign variables that require the broadcast scope in an application Node.js application do not have access to the window object by default.

Which two methods are used to address this? Choose 2 answer

A. Assign variables to module, exports and require them as needed.

B. Use the document instead of the window object.

C. Assign variables to the global object.

D. Create a new window object in the root file.

**Answer:** B,D ([LEAVE A REPLY](#))

### NEW QUESTION: 120

Universal Container(UC) just launched a new landing page, but users complain that the website is slow. A developer found some functions that cause this problem. To verify this, the developer decides to do everything and log the time each of these three suspicious functions consumes.

```
console.time('Performance');
```

```
maybeAHeavyFunction();
```

```
thisCouldTakeTooLong();
```

```
orMaybeThisOne();
```

```
console.endTime('Performance');
```

Which function can the developer use to obtain the time spent by every one of the three functions?

A. console.getTime()

B. console.timeLog()

C. console.trace()

D. console.timeStamp()

**Answer:** B ([LEAVE A REPLY](#))

### NEW QUESTION: 121

Refer to the string below.

```
Const str='Salesforce';
```

Which two statements results in the word 'Sales'?

**Answer:**

```
Str.substring(0,5);
```

```
Str.substr(0,5);
```

**Valid JavaScript-Developer-I Dumps** shared by PrepPdf.com for Helping Passing JavaScript-Developer-I Exam! PrepPdf.com now offer the **newest JavaScript-Developer-I exam dumps**, the PrepPdf.com JavaScript-Developer-I exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JavaScript-Developer-I dumps with Test Engine here: <https://www.preppdf.com/Salesforce/JavaScript-Developer-I-prepaway-exam-dumps.html> (224 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

**NEW QUESTION: 122**

Which three statements are true about promises ?

Choose 3 answers

- A. The executor of a new Promise runs automatically.
- B. A settled promise can become resolved.
- C. A fulfilled or rejected promise will not change states .
- D. A pending promise can become fulfilled, settled, or rejected.
- E. A Promise has a .then() method.

**Answer: C,D,E (LEAVE A REPLY)**

**NEW QUESTION: 123**

There is a new requirement for a developer to implement a currPrice method that will return the current price of the item or sales..

What is the output when executing the code above

A. 50

Uncaught TypeError: saleItem,description is not a function

50

80

B. 50

80

50

72

C. 50

80

Uncaught Reference Error:this,discount is undefined

72

D. 50

80

72

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 124**

Given two expressions var1 and var2. What are two valid ways to return the logical AND of the two expressions and ensure it is data type Boolean ?

Choose 2 answers:

- A. Boolean(var1) && Boolean(var2)
- B. var1.toBoolean() && var2.toBoolean()
- C. Boolean(var1 && var2)
- D. var1 && var2

**Answer:** ([SHOW ANSWER](#))

### NEW QUESTION: 125

A class was written to represent items for purchase in an online store, and a subclass representing items that are on sale at a discounted price. The constructor sets the name to the first value passed in. The pseudocode is below:

```
Class Item {
  constructor(name, price) {
    ... // Constructor Implementation
  }
}
Class SaleItem extends Item {
  constructor (name, price, discount) {
    ...//Constructor Implementation
  }
}
```

There is a new requirement for a developer to implement a description method that will return a brief description for Item and SaleItem.

```
let regItem = new Item('Scarf', 55);
```

```
let saleItem = new SaleItem('Shirt' 80, -1);
```

```
Item.prototype.description = function () { return 'This is a ' + this.name;
```

```
console.log(regItem.description()); console.log(saleItem.description());
```

```
SaleItem.prototype.description = function () { return 'This is a discounted ' + this.name; }
```

```
console.log(regItem.description()); console.log(saleItem.description());
```

What is the output when executing the code above ?

- A. This is a ScarfUncaught TypeError: saleItem.description is not a functionThis is a ShirtThis is a discounted Shirt
- B. This is a ScarfUncaught TypeError: saleItem.description is not a functionThis is a ScarfThis is a discounted Shirt
- C. This is a ScarfThis is a ShirtThis is a discounted ScarfThis is a discounted Shirt
- D. This is a ScarfThis is a ShirtThis is a ScarfThis is a discounted Shirt

**Answer:** D ([LEAVE A REPLY](#))

### NEW QUESTION: 126

Refer to the following array:

```
Let arr = [ 1, 2, 3, 4, 5];
```

Which three options result in x evaluating as [3, 4, 5] ?

Choose 3 answers.

- A. Let x = arr.slice(2);
- B. Let x = arr.slice(2, 3);
- C. Let x = arr.filter((a) => (return a > 2));
- D. Let x = arr.splice(2, 3);
- E. Let x = arr.filter((a) => (a < 2));

Answer: ([SHOW ANSWER](#))

**Valid JavaScript-Developer-I Dumps** shared by PrepPdf.com for Helping Passing JavaScript-Developer-I Exam! PrepPdf.com now offer the **newest JavaScript-Developer-I exam dumps**, the PrepPdf.com JavaScript-Developer-I exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com JavaScript-Developer-I dumps with Test Engine here: <https://www.preppdf.com/Salesforce/JavaScript-Developer-I-prepaway-exam-dumps.html> (224 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)