

## Salesforce.PDI.v2022-07-25.q75

<b>Exam Code:</b>	PDI
<b>Exam Name:</b>	Platform Developer I (PDI)
<b>Certification Provider:</b>	Salesforce
<b>Free Question Number:</b>	75
<b>Version:</b>	v2022-07-25
<b># of views:</b>	3721
<b># of Questions views:</b>	750
<a href="https://www.freeqas.com/qa/Salesforce/PDI/Salesforce.PDI.v2022-07-25.q75.html">https://www.freeqas.com/qa/Salesforce/PDI/Salesforce.PDI.v2022-07-25.q75.html</a>	

### NEW QUESTION: 1

A developer needs to save a List of existing Account records named myAccounts to the database, but the records do not contain Salesforce Id values. Only the value of a custom text field configured as an External ID with an API name of Foreign\_Key\_\_c is known.

Which two statements enable the developer to save the records to the database without an Id? (Choose two.)

- A. Database.upsert(myAccounts).Foreign\_Key\_\_c;
- B. Upsert myAccounts(Foreign\_Key\_\_c);
- C. Upsert myAccounts Foreign\_Key\_\_c;
- D. Database.upsert (myAccounts, Foreign\_Key\_\_c);

**Answer: (SHOW ANSWER)**

### NEW QUESTION: 2

A developer must implement a CheckPaymentProcessor class that provides check processing payment capabilities that adhere to what defined for payments in the PaymentProcessor interface. `public interface PaymentProcessor { void pay(Decimal amount); }` Which is the correct implementation to use the PaymentProcessor interface class?

- A. 

```
Public class CheckPaymentProcessor extends PaymentProcessor {  
public void pay(Decimal amount) {}  
}
```
- B. 

```
Public class CheckPaymentProcessor implements PaymentProcessor {  
public void pay(Decimal amount);  
}
```
- C. 

```
Public class CheckPaymentProcessor extends PaymentProcessor {  
public void pay(Decimal amount);  
}
```
- D. 

```
Public class CheckPaymentProcessor implements PaymentProcessor {
```

```
public void pay(Decimal amount) {}  
}
```

**Answer: B ([LEAVE A REPLY](#))**

### NEW QUESTION: 3

Given the following block code: `try{ List <Accounts> retrievedRecords = [SELECT Id FROM Account WHERE Website = null]; }catch(Exception e){ //manage exception logic }` What should a developer do to ensure the code execution is disrupted if the retrievedRecords list remains empty after the SOQL query?

- A.** Check the state of the retrievedRecords variable and use `System.assert(false)` if the variable is empty
- B.** Replace the retrievedRecords variable declaration from `fount` to a single Account.
- C.** Check the state of the retrievedRecords variable and access the first element of the list if the variable is empty.
- D.** Check the state of the retrieveRecords variable and throw a custom exception if the variable is empty.

**Answer: ([SHOW ANSWER](#))**

### NEW QUESTION: 4

Universal Containers implemented a private sharing model for the Account object. A custom Account search tool was developed with Apex to help sales representatives find accounts that match multiple criteria they specify. Since its release, users of the tool report they can see Accounts they do not own. What should the developer use to enforce sharing permission for the currently logged-in user while using the custom search tool?

- A.** Use the `UserInfo` Apex class to filter all SOQL queries to returned records owned by the logged-in user.
- B.** Use the `schema describe` calls to determine if the logged-in users has access to the Account object.
- C.** Use the `without sharing` keyword on the class declaration.
- D.** Use the `with sharing` keyword on the class declaration.

**Answer: ([SHOW ANSWER](#))**

### NEW QUESTION: 5

What are two characteristics related to formulas? Choose 2 answers.

- A.** Fields that are used in a formula field can be deleted or edited without the formula.
- B.** Formula can reference themselves.
- C.** Formulas are calculated at runtime and are not stored in the database.
- D.** Formulas can reference values in related objects.

**Answer: C,D ([LEAVE A REPLY](#))**

### NEW QUESTION: 6

A developer must create a DrawList class that provides capabilities defined in the Sortable and Drawable interfaces. public interface Sortable { void sort(); } public interface Drawable { void draw(); } Which is the correct implementation?

**A.** Public class DrawList implements Sortable, Drawable {  
public void sort() { /\*implementation\*/}  
public void draw() { /\*implementation\*/}  
}

**B.** Public class DrawList implements Sortable, Implements Drawable {  
public void sort() { /\*implementation\*/}  
public void draw() { /\*implementation\*/}  
]

**C.** Public class DrawList extends Sortable, Drawable {  
public void sort() { /\*implementation\*/}  
public void draw() { /\*implementation\*/}  
}

**D.** Public class DrawList extends Sortable, extends Sortable, extends Drawable { public void sort() { /\*implementation\*/ } public void draw() { /\* implementation \*/}

**Answer: A** ([LEAVE A REPLY](#))

#### NEW QUESTION: 7

A developer receives an error when trying to call a global server-side method using the @remoteAction decorator.

How can the developer resolve the error?

**A.** A Decorate the server-side method with (static=true).

**B.** Decorate the server-side method with (static=false).

**C.** Change the function signature to be private static.

**D.** Add static to the server-side method signature.

**Answer: D** ([LEAVE A REPLY](#))

#### NEW QUESTION: 8

Universal Containers hires a developer to build a custom search page to help user- find the Accounts they want. Users will be able to search on Name, Description, and a custom comments field.

Which consideration should the developer be aware of when deciding between SOQL Mid SOSL ?

Choose 2 answers

**A.** SOQL is able to return more records.

**B.** SOSL is faster for text searches.

**C.** SOSL is able to return more records.

**D.** SOQL is faster for text searches.

**Answer: A,B** ([LEAVE A REPLY](#))

**NEW QUESTION: 9**

Which three Salesforce resources can be accessed from a Lightning web component? Choose 3 answers

- A. Content asset files
- B. All external libraries
- C. SVG resources
- D. Static resources
- E. Third-party web components

**Answer: B,C,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 10**

Which Salesforce feature allows a developer to see when a user last logged in to Salesforce if real-time notification is not required?

- A. Event Monitoring Log
- B. Developer Log
- C. Asynchronous Data Capture Events
- D. Calendar Events

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 11**

Which standard field is required when creating a new contact record?

- A. Name
- B. FirstName
- C. LastName
- D. AccountId

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 12**

A Lightning component has a wired property, searchResults, that stores a list of Opportunities. Which definition of the Apex method, to which the searchResults property is wired, should be used?

- A. `@AuraEnabled(cacheable=true)`  
`public List<Opportunity> search(String term) { /*implementation*/ }`
- B. `@AuraEnabled(cacheable=true)`  
`public static List<Opportunity> search(String term) { /* implementation*/ }`
- C. `@AuraEnabled(cacheable=false)`  
`public List<Opportunity> search(String term) { /*implementation*/ }`
- D. `@AuraEnabled(cacheable=false)`  
`public static List<Opportunity> search(String term) { /*implementation*/ }`

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 13**

A developer needs to implement the functionality for a service agent to gather multiple pieces of information from a customer in order to send a replacement credit card.

Which automation tool meets these requirements?

**Answer:**

Flow Builder

**NEW QUESTION: 14**

A developer must create a ShippingCalculator class that cannot be instantiated and must include a working default implementation of a calculate method, that sub-classes can override.

What is the correct implementation of the ShippingCalculator class?

```
A. public abstract class ShippingCalculator {
    public abstract calculate() { /*implementation*/ }
B. public abstract class ShippingCalculator {
    public virtual void calculate() { /*implementation*/ }
C. public abstract class ShippingCalculator {
    public void calculate() { /*implementation*/ }
D. public abstract class ShippingCalculator {
    public override calculate() { /*implementation*/ }
```

A. Option C

B. Option A

C. Option D

D. Option B

**Answer: D** ([LEAVE A REPLY](#))

**NEW QUESTION: 15**

Which two statements are accurate regarding Apex classes and interfaces?

Choose 2 answers

A. Interface methods are public by default.

B. Inner classes are public by default.

C. A top-level class can only have one inner class level.

D. Classes are final by default.

**Answer: A,C** ([LEAVE A REPLY](#))

**NEW QUESTION: 16**

Given the code below:

```
List<Account> aList = [SELECT Id FROM Account];
for (Account a : aList){
    List<Contact> cList = [SELECT Id FROM Contact WHERE AccountId = :a.Id];
}
```

What should a developer do to correct the code so that there is no chance of hitting a governor limit?

- A. combine the two SELECT statements into a single SOQL statement.
- B. Add a WHERE clause to the first SELECT SOQL statement.
- C. Rework the code and eliminate the for loop.
- D. Add a LIMIT clause to the first SELECT SOQL statement.

**Answer: D** ([LEAVE A REPLY](#))

**Valid PDI Dumps** shared by PrepPdf.com for Helping Passing PDI Exam! PrepPdf.com now offer the **newest PDI exam dumps**, the PrepPdf.com PDI exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com PDI dumps with Test Engine here: <https://www.preppdf.com/Salesforce/PDI-prepaway-exam-dumps.html> (205 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

#### NEW QUESTION: 17

What should a developer use to obtain the Id and Name of all the Leads, Accounts, and Contacts that have the company name "Universal Containers"?

- A. SELECT lead(id, name), accountOd, name), contacted, name) FROM Lead, Account, Contact WHERE Name = "universal Containers'
- B. FIND 'Universal Containers' IN Name Fields RETURNING leadjid, name), accounted, name), contacted, name)
- C. FIND Universal Containers' IN CompanyName FIELDS RETURNING lead{Id, name), accounted, name), contacted, name)
- D. SELECT Lead.id, Lead.Name, Account.Id, AccountName, Contacted, Contact.Name FROM Lead, Account, Contact WHERE CompanyName \* Universal Containers'

**Answer: B** ([LEAVE A REPLY](#))

#### NEW QUESTION: 18

In the following example, which sharing context will myMethod execute when it is invoked?

- A. Sharing rules will be enforced by the instantiating class
- B. Sharing rules will be inherited from the calling context.
- C. Sharing rules will be enforced for the running user.
- D. Sharing rules will not be enforced for the running user.

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 19**

Universal Containers wants Opportunities to no longer be editable when reaching the Closed/Won stage.

How should a developer accomplish this?

- A. Use a validation rule.
- B. Mark fields as read-only on the page layout.
- C. Use the Process Automation settings.
- D. Use Flow Builder.

**Answer: A** ([LEAVE A REPLY](#))

**NEW QUESTION: 20**

Which two events need to happen when deploying to a production org? Choose 2 answers

- A. All triggers must have at least 1% test coverage.
- B. All test and triggers must have at least 75% test coverage combined
- C. All Apex code must have at least 75% test coverage.
- D. All triggers must have at least 75% test coverage.

**Answer: A,C** ([LEAVE A REPLY](#))

**NEW QUESTION: 21**

Universal Container(UC) wants to lower its shipping cost while making the shipping process more efficient.

The Distribution Officer advises UC to implement global addresses to allow multiple Accounts to share a default pickup address. The Developer is tasked to create the supporting object and relationship for this business requirement and uses the Setup Menu to create a custom object called "Global Address". Which field should the developer add to create the most efficient model that supports the business need?

- A. Add a Master-Detail field on the Account object to the Global Address object
- B. Add a Lookup field on the Account object to the Global Address object.
- C. Add a Master-Detail field on the Global Address object to the Account object.
- D. Add a Lookup field on the Global Address object to the Account object

**Answer: C** ([LEAVE A REPLY](#))

**NEW QUESTION: 22**

What are two benefits of using declarative customizations over code? Choose 2 answers What are two benefits of using declarative customizations over code?

- A. Declarative customizations automatically generate test classes.
- B. Declarative customizations automatically generate test classes.
- C. Declarative customizations automatically update with each Salesforce release.
- D. Declarative customizations generally require less maintenance.

**Answer: B,C** ([LEAVE A REPLY](#))

### NEW QUESTION: 23

The Job\_Application\_\_c custom object has a field that is a Master-Detail relationship to the Contact object, where the Contact object is the Master. As part of a feature implementation, a developer needs to retrieve a list containing all Contact records where the related Account Industry is 'Technology' while also retrieving the contact's Job\_Application\_\_c records. Based on the object's relationships, what is the most efficient statement to retrieve the list of contacts?

- A. [SELECT Id, (SELECT Id FROM Job\_Application\_\_c) FROM Contact WHERE Account.Industry = 'Technology'];
- B. [SELECT Id, (SELECT Id FROM Job\_Applications\_r) FROM Contact WHERE Accounts.Industry = 'Technology'];
- C. [SELECT Id, (SELECT Id FROM Job\_Applications\_r) FROM Contact WHERE Account.Industry = 'Technology'];
- D. [SELECT Id, (SELECT Id FROM Job\_Applications\_c) FROM Contact WHERE Accounts.Industry = 'Technology'];

**Answer: B** ([LEAVE A REPLY](#))

### NEW QUESTION: 24

Which two statements are true about Getter and Setter methods as they relate to Visualforce?

- A. Getter methods pass values from a controller to a page.
- B. There is no guarantee for the order in which Getter methods are called.
- C. A corresponding Setter method is required for each Getter method.
- D. Setter methods always have to be declared global.

**Answer: (SHOW ANSWER)**

### NEW QUESTION: 25

Which code displays the contents of a Visualforce page as a PDF?

- A. <apex:page contentType="pdf">
- B. <apex:page rendersAs="application/pdf">
- C. <apex:page contentType="application/pdf">
- D. <apex:page renderAs="pdf">

**Answer: D** ([LEAVE A REPLY](#))

Explanation

[https://developer.salesforce.com/docs/atlas.en-](https://developer.salesforce.com/docs/atlas.en-us.pages.meta/pages/pages_output_pdf_renderas.htm)

[us.pages.meta/pages/pages\\_output\\_pdf\\_renderas.htm](https://developer.salesforce.com/docs/atlas.en-us.pages.meta/pages/pages_output_pdf_renderas.htm) You can generate a downloadable, printable PDF file of a Visualforce page using the PDF rendering service.

Convert a page to PDF by changing the <apex:page> tag.

<apex:page renderAs="pdf">

### NEW QUESTION: 26

A developer has two custom controller extensions where each has a save() method. Which save() method will be called for the following Visualforce page?

```
<apex:page standardController = "Account", extensions = "ExtensionA, ExtensionB">  
<apex:commandButton action = "{!save}" value = "Save"/>  
</apex:page>
```

- A. ExtensionA save()
- B. Runtime error will be generated
- C. Standard controller save()
- D. ExtensionB save()

**Answer: B** ([LEAVE A REPLY](#))

#### NEW QUESTION: 27

Which three resources in an Aura Component can contain Javascript functions? Choose 3 answers

- A. Controller
- B. Renderer
- C. Helper

**Answer: A,B,C** ([LEAVE A REPLY](#))

#### NEW QUESTION: 28

A developer must modify the following code snippet to prevent the number of SOQL queries issued from exceeding the platform governor limit. public class without sharing OpportunityService( public static List<OpportunityLineItem> getOpportunityProducts(Set<Id> opportunityIds){ List<OpportunityLineItem> oppLineItems = new List<OpportunityLineItem>(); for(Id thisOppld : opportunityIds){ oppLineItems.addAll([Select Id FROM OpportunityLineItems WHERE OpportunityId = :thisOppld]); } return oppLineItems; } } The above method might be called during a trigger execution via a Lightning component. Which technique should be implemented to avoid reaching the governor limit?

- A. Refactor the code above to perform the SOQL query only if the Set of opportunityIds contains less than 100 Ids.
- B. Use the System.Limits.getQueries() method to ensure the number of queries is less than 100.
- C. Refactor the code above to perform only one SOQL query, filtering by the Set of opportunityIds.
- D. Use the System.Limits.getLimitQueries() method to ensure the number of queries is less than 100.

**Answer: C** ([LEAVE A REPLY](#))

#### NEW QUESTION: 29

Which three resources in an Azure Component can contain JavaScript functions?

- A. Style
- B. helper

- C. Controllers
- D. Design
- E. Renderer

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 30**

Which three per-transaction limits have higher governor limits in asynchronous Apex transactions?

- A. Maximum execution time
- B. Maximum CPU time
- C. Total SOQL queries
- D. Records returned by SOQL
- E. Maximum heap size

**Answer:** B,C,D ([LEAVE A REPLY](#))

**NEW QUESTION: 31**

Universal Containers stores the availability date on each Line Item of an Order and Orders are only shipped when all of the Line Items are available. Which method should be used to calculate the estimated ship date for an Order?

- A. Use a Max Roll-Up Summary field on the Latest availability date fields.
- B. Use a CEILING formula on each of the Latest availability date fields.
- C. Use a LATEST formula on each of the latest availability date fields.
- D. Use a DAYS formula on each of the availability date fields and a COUNT Roll-Up Summary field on the Order.

**Answer:** ([SHOW ANSWER](#))

**Valid PDI Dumps** shared by PrepPdf.com for Helping Passing PDI Exam! PrepPdf.com now offer the **newest PDI exam dumps**, the PrepPdf.com PDI exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com PDI dumps with Test Engine here: <https://www.preppdf.com/Salesforce/PDI-prepaway-exam-dumps.html> (205 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 32**

What are two ways that a controller and extension can be specified on a Visualforce page?  
Choose 2 answers

- A. apex:page controllers="Account, myControllerExtension"
- B. Qo apex:page standardController="Account" extensions="myControllerExtension"
- C. a@pex:page=Account extends="myControllerExtension"
- D. apex:page controller="Account" extensions="myControllerExtension""

**Answer: B,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 33**

Which action may cause triggers to fire?

- A. Updates to Feed Items
- B. Renaming or replacing a picklist entry
- C. Cascading delete operations
- D. Changing a user's default division when the transfer division option is checked

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 34**

How many accounts will be inserted by the following block of code? `for(Integer i = 0 ; i < 500; i++) { Account a = new Account(Name='New Account ' + i); insert a; }`

\* 0

87. Boolean odk;

Integer x;

if(abok=false;integer=x;){

X=1;

}elseif(abok=true;integer=x;){

X=2;

}elseif(abok!=null;integer=x;){

X=3;

)elseif{

X=4;}

A. X=10

B. X=8

C. X=4

D. X=9

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 35**

Which three statements are accurate about debug logs? Choose 3 answers

- A. To View Debug Logs, "Manager Users" or "Modify All Data" permission is needed.
- B. Amount of information logged in the debug log can be controlled programmatically.
- C. Amount of information logged in the debug log can be controlled by the log levels.
- D. Debug Log levels are cumulative, where FINE log level includes all events logged at the DEBUG, INFO, WARN, and ERROR levels.
- E. To View Debug Logs, "Manager Users" or "View All Data" permission is needed.

**Answer: B,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 36**

A developer wants to import 500 Opportunity records into a sandbox. Why should the developer choose to use data Loader instead of Data Import Wizard?

- A. Data Loader automatically relates Opportunities to Accounts.
- B. Data Import Wizard does not support Opportunities.
- C. Data Loader runs from the developer's browser.
- D. Data Import Wizard can not import all 500 records.

Answer: B ([LEAVE A REPLY](#))

### NEW QUESTION: 37

```
Example 1:
AggregateResult[] groupedResults = [SELECT CampaignId, AVG(Amount) FROM Opportunity GROUP BY
CampaignId];
for (AggregateResult ar : groupedResults)
{
    System.debug('Campaign ID' + ar.get('CampaignId'));
    System.debug('Average amount' + ar.get('expr0'));
}

Example 2:
AggregateResult[] groupedResults = [SELECT CampaignId, AVG(Amount) theAverage FROM Opportunity
GROUP BY CampaignId];
for (AggregateResult ar : groupedResults)
{
    System.debug('Campaign ID' + ar.get('CampaignId'));
    System.debug('Average amount' + ar.get('theAverage'));
}

Example 3:
AggregateResult[] groupedResults = [SELECT CampaignId, AVG(Amount) FROM Opportunity GROUP BY
CampaignId];
for (AggregateResult ar : groupedResults)
{
    System.debug('Campaign ID' + ar.get('CampaignId'));
    System.debug('Average amount' + ar.get.AVG());
}

Example 4:
AggregateResult[] groupedResults = [SELECT CampaignId, AVG(Amount) theAverage FROM Opportunity
GROUP BY CampaignId];
for (AggregateResult ar : groupedResults)
{
    System.debug('Campaign ID' + ar.get('CampaignId'));
    System.debug('Average amount' + ar.theAverage);
}
```

Which two examples above use the system. debug statements to correctly display the results from the SOQL aggregate queries? Choose 2 answers

- A. Example 2

- B. Example 1
- C. Example 4
- D. Example 3

**Answer: A,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 38**

A developer is asked to create a Visualforce page that displays some Account fields as well as fields configured on the page layout for related Contacts.

How should the developer implement this request?

- A. Use the <apex:relatedList> tag.
- B. Create a controller extension.
- C. Add a method to the standard controller.
- D. Use the <apex:include> tag.

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 39**

Which code in a Visualforce page and/or controller might present a security vulnerability?

- A. <apex:outputField value="{!ctrl.userInput}" />
- B. <apex:outputField escape="false" value="{!ctrl.userInput}" />
- C. <apex:outputText value="{!\$CurrentPage.parameters.userInput}" />
- D. <apex:outputText escape="false" value="{!\$CurrentPage.parameters.userInput}" />

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 40**

A developer identifies the following triggers on the Expense\_\_c object:

```
DeleteExpense,  
applyDefaultstoexpense  
validateexpenseupdate;
```

The triggers process before delete, before insert, and before update events respectively.

Which two techniques should the developer implement to ensure trigger best practice are followed?

- A. Maintain all three triggers on the Expense\_\_c object, but move the Apex logic out for the trigger definition.
- B. Create helper classes to execute the appropriate logic when a record is saved.
- C. Unify all three triggers in a single trigger on the Expense\_\_c object that includes all events.
- D. Unify the before insert and before update triggers and use Process Builder for the delete action.

**Answer: B,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 41**

A developer is creating a test coverage for a class and needs to insert records to validate functionality. Which method annotation should be used to create records for every method in the test class?

- A. @isTest(SeeAllData=True)
- B. @BeforeTest
- C. @PreTest
- D. @TestSetup

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 42**

The sales management team at Universal Containers requires that the Lead Source field of the Lead record be populated when a Lead is converted.

What should be used to ensure that a user populates the Lead Source field prior to converting a Lead?

- A. Formula Field
- B. Validation Rule
- C. workflow Rule
- D. Process Builder

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 43**

How many accounts will be inserted by the following block of code? `for(Integer i = 0 ; i < 500; i++) { Account a = new Account(Name='New Account ' + i); insert a; }`

- A. 500
- B. 100
- C. 0
- D. 150

**Answer: C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 44**

developer created this Apex trigger that calls MyClass .myStaticMethod:

```
trigger myTrigger on Contact(before insert) ( MyClass.myStaticMethod(trigger.new, trigger.oldMap); }
```

The developer creates a test class with a test method that calls MyClass.mystaticMethod, resulting in 81% overall code coverage. What happens when the developer tries to deploy the trigger and two classes to production, assuming no other code exist?

- A. The deployment passes because the Apex code has required (>75%) code coverage.
- B. The deployment fails because the Apex trigger has no code coverage.
- C. The deployment passes because both classes and the trigger were included in the deployment.
- D. The deployment fails because no assertions were made in the test method.

**Answer: B ([LEAVE A REPLY](#))**

### NEW QUESTION: 45

Which three code lines are required to create a Lightning component on a Visualforce page?

Choose 3 answers

- A. `$Lightning.createComponent`
- B. `$Lightning.useComponent`
- C. `<apex:includeLightning/>`
- D. `<apex:slds/>`
- E. `$Lightning.use`

Answer: A,C,E ([LEAVE A REPLY](#))

### NEW QUESTION: 46

What is a benefit of developing applications in a multi-tenant environment?


- A. Enforced best practices for development
- B. Access to predefined computing resources
- C. Unlimited processing power and memory
- D. Default out-of-the-box configuration

Answer: ([SHOW ANSWER](#))

**Valid PDI Dumps** shared by PrepPdf.com for Helping Passing PDI Exam! PrepPdf.com now offer the **newest PDI exam dumps**, the PrepPdf.com PDI exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com PDI dumps with Test Engine here: <https://www.preppdf.com/Salesforce/PDI-prepaway-exam-dumps.html> (205 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

### NEW QUESTION: 47

A developer created these three roll-up summary fields on the custom object. Project\_c:



The developer is asked to create a new field that should be the ratio between rejected and approved timesheet for a given project.

What are two benefits of choosing a formula field instead of an Apex trigger to fulfill the request?

Choose 2 answers

- A. Using a formula field reduces maintenance overhead.
- B. A formula field will trigger existing automation when deployed.
- C. A formula field will calculate retroactively for existing records.
- D. A test class will validate the formula field during deployment.

**Answer: B,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 48**

For which three items can a trace flag be configured?

Choose 3 answers

- A. Apex Trigger
- B. User
- C. Visualforce
- D. Process Builder
- E. Apex Class

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 49**

Given the following Apex statement:

```
Account myAccount = [SELECT Id, Name FROM Account];
```

What occurs when more than one Account is returned by the SOQL query?

- A. An unhandled exception is thrown and the code terminates.
- B. The variable, myAccount, is automatically cast to the List data type.
- C. The query fails and an error is written to the debug log.
- D. The first Account returned is assigned to myAccount.

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 50**

What is the maximum number of SOQL queries used by the following code? 

```
List<Account> aList = [SELECT Id FROM Account LIMIT 5]; for (Account a : aList){ List<Contact> cList = [SELECT Id FROM Contact WHERE AccountId = :a.Id]; }
```

- A. 1
- B. 6
- C. 2
- D. 5

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 51**

Which process automation should be used to send an outbound message without using Apex code?

- A. Process Builder
- B. Workflow Rule
- C. Flow Builder
- D. Approval Process

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 52**

A custom Visualforce controller calls the `ApexPages.addMessage ()` method, but no messages are rendering on the page.

Which component should be added to the Visualforce page to display the message?

- A. `<Apex: facet name=" message"/>`
- B. `<apex: pageMessage severity="info"/>`
- C. `<apex: pageMessages />`
- D. `<Apex: message for=" info"/>`

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 53**

A Salesforce developer wants to review their code changes immediately and does not want to install anything on their computer or on the org.

Which tool is best suited?

- A. Developer Console
- B. Setup Menu
- C. Salesforce Extension for VSCode
- D. Third-party apps from App Exchange

**Answer:** A ([LEAVE A REPLY](#))

**NEW QUESTION: 54**

A Next Best Action strategy uses an Enhance Element that invokes an Apex method to determine a discount level for a Contact, based on a number of factors. What is the correct definition of the Apex method?

- A. `@InvocableMethod`

```
global Recommendation getLevel (ContactWrapper input)
{ /*implementation*/ }
```

- B. `@InvocableMethod`

```
global List<List<Recommendation>> getLevel(List<ContactWrapper> input)
{ /*implementation*/ }
```

- C. `@InvocableMethod`

```
global static ListRecommendation getLevel(List<ContactWrapper> input)
{ /*implementation*/ }
```

- D. `@InvocableMethod`

```
global static List<List<Recommendation>> getLevel(List<ContactWrapper> input)
{ /*implementation*/ }
```

**Answer:** D ([LEAVE A REPLY](#))

**NEW QUESTION: 55**

Which two statements accurately represent the MVC framework implementation in Salesforce?

Choose 2 answers

- A. Validation rules enforce business rules and represent the Controller (C) part of the MVC framework
- B. Lightning component HTML files represent the Model (M) part of the MVC framework.
- C. Triggers that create records represent the Model (M) part of the MVC framework.
- D. Standard and Custom objects used in the app schema represent the View (V) part of the MVC framework

**Answer: A,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 56**

Which three process automations can immediately send an email notification to the owner of an Opportunity when its Amount is changed to be greater than \$10,000? Choose 3 answers

- A. Process Builder
- B. Approval Process
- C. Flow Builder
- D. Workflow Rule
- E. Escalation Rule

**Answer: A,B,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 57**

In the Lightning UI, where should a developer look to find information about a Paused Flow Interview?

- A. In the Paused Interviews section of the Apex Flex Queue
- B. On the Paused Row Interviews related List for a given record
- C. In the system debug log by Altering on Paused Row Interview
- D. On the Paused Row Interviews component on the Home page

**Answer: A ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 58**

Universal Containers (UC) uses a custom object called Vendor. The Vendor custom object has a Master-Detail relationship with the standard Account object. Based on some internal discussion, the UC administrator tried to change the Master-Detail relationship to a Lookup relationship but was not able to do so. What is a possible reason that this change was not permitted?

- A. The Account records contain Vendor roll-up summary fields.
- B. The Vendor object must use a Master-Detail field for reporting.
- C. The Account object is included on a workflow on the Vendor object.
- D. The Vendor records have existing values in the Account object.

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 59**

A developer must build application that tracks which Accounts have purchase specific pieces of equal products. Each Account could purchase many pieces of equipment.

How should the developer track that an Account has purchased a piece of equipment.

- A. Use a Custom object.
- B. Use a Lookup on Account to product.
- C. Use the Asset object.
- D. Use a Master-Detail on Product to Account

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 60**

A developer has a VF page and custom controller to save Account records. The developer wants to display any validation rule violation to the user. How can the developer make sure that validation rule violations are displayed?

- A. Add custom controller attributes to display the message.
- B. Include <apex:messages> on the Visualforce page.
- C. Use a try/catch with a custom exception class.
- D. Perform the DML using the Database.upsert() method

**Answer: B ([LEAVE A REPLY](#))**

Explanation

[https://developer.salesforce.com/docs/atlas.en-us.pages.meta/pages/pages\\_compref\\_message.htm](https://developer.salesforce.com/docs/atlas.en-us.pages.meta/pages/pages_compref_message.htm)

#### **NEW QUESTION: 61**

Universal Container use a simple order Management app. On the Order Lines, the order line total is calculated by multiplying the item price with the quantity ordered. There is a Master-Detail relationship between the Order and the Order Lines object.

What is the practice to get the sum of all order line totals on the order header?

- A. Apex Trigger
- B. Process Builder
- C. Roll-Up Summary Field
- D. Declarative Roll-Up Summaries App

**Answer: ([SHOW ANSWER](#))**

**Valid PDI Dumps** shared by PrepPdf.com for Helping Passing PDI Exam! PrepPdf.com now offer the **newest PDI exam dumps**, the PrepPdf.com PDI exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com PDI dumps with Test Engine here: <https://www.preppdf.com/Salesforce/PDI-prepaway-exam-dumps.html> (205 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

#### **NEW QUESTION: 62**

What are three ways for a developer to execute tests in an org? Choose 3.

- A. Bulk API
- B. Tooling API
- C. Setup Menu
- D. Salesforce DX
- E. Metadata API.

**Answer: B,C,D (LEAVE A REPLY)**

Explanation

[https://developer.salesforce.com/docs/atlas.en-us.sfdx\\_dev.meta/sfdx\\_dev/sfdx\\_dev\\_testing.htm](https://developer.salesforce.com/docs/atlas.en-us.sfdx_dev.meta/sfdx_dev/sfdx_dev_testing.htm)

[https://developer.salesforce.com/docs/atlas.en-](https://developer.salesforce.com/docs/atlas.en-us.api_tooling.meta/api_tooling/tooling_api_objects_apextestsuite)

[us.api\\_tooling.meta/api\\_tooling/tooling\\_api\\_objects\\_apextestsuite](https://developer.salesforce.com/docs/atlas.en-us.api_tooling.meta/api_tooling/tooling_api_objects_apextestsuite)

### NEW QUESTION: 63

Given the following Anonymous Block:

```

Given the following Anonymous Block:
List<Case> casesToUpdate = new List<Case>();
for(Case thisCase : [Select Id, Status FROM Case LIMIT 50000]){
    thisCase.Status = 'Working';
    casesToUpdate.add(thisCase);
}
try{
    Database.update(casesToUpdate,false);
}catch(Exception e){
    System.debug(e.getMessage());
}

```

Which one do you like?

What should a developer consider for an environment that has over 10,000 Case records?

- A. The transaction will fail due to exceeding the governor limit.
- B. The try/catch block will handle exceptions thrown by governor limits.
- C. The transaction will succeed and changes will be committed.
- D. The try/catch block will handle any DML exceptions thrown.

**Answer: A (LEAVE A REPLY)**

### NEW QUESTION: 64

A developer needs to join data received from an integration with an external system with parent records in Salesforce. The data set does not contain the Salesforce IDs of the parent records, but it does have a foreign key attribute that can be used to identify the parent.

Which action will allow the developer to relate records in the data model without knowing the Salesforce ID?

- A. Create a custom field on the child object of type Foreign Key
- B. Create a custom field on the child object of type External Relationship.
- C. Create and populate a custom field on the parent object marked as Unique
- D. Create and populate a custom field on the parent object marked as an External ID.

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 65**

Which two types of process automation can be used to calculate the shipping cost for an Order when the Order is placed and apply a percentage of the shipping cost of some of the related Order Products?

Choose 2 answers


- A. Flow Builder
- B. Process Builder
- C. Workflow Rule
- D. Approval Process

**Answer: A,B (LEAVE A REPLY)**

**NEW QUESTION: 66**

What will be the output in the debug log in the event of a QueryException during a call to the @query method in the following Example?

```
class myClass {
    class CustomException extends QueryException {}
    public static Account aQuery() {
        Account theAccount;
        try {
            system.debug('Querying Accounts. ');
            theAccount = [SELECT Id FROM Account WHERE CreatedDate > TODAY];
        }
        catch (CustomException eX) {
            system.debug('Custom Exception. ');
        }
        catch (QueryException eX) {
            system.debug('Query Exception. ');
        }
        finally {
            system.debug('Done. ');
        }
        return theAccount;
    }
}
```



- A. Querying Accounts. Custom Exception Done.
- B. Querying Accounts. Query Exception. Done
- C. Querying Accounts. Query Exception.
- D. Querying Accounts. Custom Exception.

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 67**

What is a key difference between a Master-Detail Relationship and a Lookup Relationship?

- A. When a record of a master object in a Lookup Relationship is deleted, the detail records are also deleted.
- B. When a record of a master object in a Master-Detail Relationship is deleted, the detail records are kept and not deleted.
- C. A Lookup Relationship is a required field on an object.
- D. A Master-Detail Relationship detail record inherits the sharing and security of its master record.

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 68**

Which salesforce org has a complete duplicate copy of the production org including data and configuration?

- A. Production
- B. Developer Pro Sandbox
- C. Full Sandbox
- D. Partial Copy Sandbox

**Answer: C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 69**

A developer has a Visualforce page and custom controller to save Account records. The developer wants to display any validation rule violation to the user. How can the developer make sure that validation rule violations are displayed?

- A. Perform the DML using the Database.upsert() method.
- B. Use a try/catch with a custom exception class.
- C. Include <apex:message> on the Visualforce page.
- D. Add custom controller attributes to display the message.

**Answer: C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 70**

Which code should be used to update an existing Visualforce page that uses standard Visualforce components so that the page matches the look and feel of Lightning Experience?

- A. <apex:page>
- B. <apex:page lightningStyleSheets="true">
- C. <apex:commandButton styleClass="slds-vf-button\_brand" value="Refresh the Page">
- D. apex:actionStatus

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 71**

What should a developer do to check the code coverage of a class after running all tests?

- A. View the Class Test Percentage tab on the Apex Class first view in Salesforce Setup.
- B. Select and run the class on the Apex Test Execution page in the Developer Console.
- C. View the Code Coverage column in the list view on the Apex Classes page.

D. View Use code coverage percentage for the class using the Overall Code Coverage panel in the Developer Console Tests tab.

Answer: A ([LEAVE A REPLY](#))

### NEW QUESTION: 72

A developer considers the following snippet of code:

```
Boolean isOK;  
integer x;  
String theString = 'Hello';  
  
if (isOK == false && theString == 'Hello'){  
    x = 1;  
} else if (isOK == true && theString == 'Hello'){  
    x = 2;  
} else if (isOK != null && theString == 'Hello'){  
    x = 3;  
} else {  
    x = 4;  
}
```

Based on this code, what is the value of x?

- A. 3
- B. 2
- C. 1
- D. 4

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 73

Which statement is true about developing in a multi-tenant environment?

- A. Global apex classes can be referenced from multiple tenants on the same instance
- B. Org-level data security controls which users can see data from multiple tenants on the same instance
- C. Governor limits prevent apex from impacting the performance of multiple tenants on the same instance
- D. Apex sharing controls access to records from multiple tenants on the same instance

Answer: C ([LEAVE A REPLY](#))

### NEW QUESTION: 74

A developer is tasked to perform a security review of the ContactSearch Apex class that exists in the system.

Within the class, the developer identifies the following method as a security threat:

```
List<Contact> performSearch(String lastName){ return Database.query('Select Id, FirstName, LastName FROM Contact WHERE LastName Like \''+lastName+'%'); }
```

What are two ways the developer can update the method to prevent a SOQL injection attack? Choose 2 answers

- A. Use the escapeSingleQuote method to sanitize the parameter before its use.
- B. Use a regular expression on the parameter to remove special characters.
- C. Use the @ReadOnly annotation and the with sharing keyword on the class.
- D. Use variable binding and replace the dynamic query with a static SOQL.

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 75

Which statement should be used to allow some of the records in a list of records to be inserted if others fail to be inserted?

- A. Database.insert(records, true)
- B. Database.insert(records, false)
- C. insert records
- D. insert (records, false)

Answer: D ([LEAVE A REPLY](#))

**Valid PDI Dumps** shared by PrepPdf.com for Helping Passing PDI Exam! PrepPdf.com now offer the **newest PDI exam dumps**, the PrepPdf.com PDI exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com PDI dumps with Test Engine here: <https://www.preppdf.com/Salesforce/PDI-prepaway-exam-dumps.html> (205 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)