

Salesforce.Tableau-CRM-Einstein-Discovery-Consultant.v2022-03-12.q72

Exam Code:	Tableau-CRM-Einstein-Discovery-Consultant
Exam Name:	Salesforce Tableau CRM Einstein Discovery Consultant
Certification Provider:	Salesforce
Free Question Number:	72
Version:	v2022-03-12
# of views:	3215
# of Questions views:	720
https://www.freeqas.com/qa/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant/Salesforce.Tableau-CRM-Einstein-Discovery-Consultant.v2022-03-12.q72.html	

NEW QUESTION: 1

Universal Containers reports that any selection in the List widget is not affecting the Pie chart in one of their Einstein Analytics dashboards. The step options associated with the List widget and Pie chart are shown in the graphic.



Given that the steps are using different datasets, which two changes can an Einstein Consultant make to solve this issue? Choose 2 answers

- A. Use "Connect Data Sources" and create a connection to connect the two datasets.
- B. Use selection binding in the filters section of the step "Step_pie_2."
- C. Use selection binding in the filters section of the step "Type_1."
- D. Use "Connect Data Sources" and create a connection to connect the two widgets.

Answer: (SHOW ANSWER)

NEW QUESTION: 2

The Universal Containers company uses a Microsoft Azure SQL Data Warehouse to gather information about sales representatives' objectives. They want to use Einstein Analytics to gain insights from this data; therefore, they need to automatically load the warehouse's data into an Einstein Analytics dataset on a daily basis. The data also needs to be transformed and merged with data from the company's org.

Which three Einstein Analytics user interface features can be used to complete these requirements? Choose 3 answers

- A. Dataflow

- B. Microsoft Azure SQL Data Warehouse Connector
- C. Einstein Analytics Connector for Excel
- D. Recipes
- E. Analytics REST API

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 3

What is a valid permission for a permission set?

- A. Always Sign Me Up for Dreamforce
- B. Sales Analytics Apps
- C. Access Sales Cloud Analytics Templates and Apps
- D. Enable Parental Control

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 4

The Tableau CRM team at a company has created three dataflows.

myDataflowOne: this dataflow tasks 2 hours to run.

myDataflowOne: this dataflow tasks 1 hours and 30 minutes to run

myDataflowOne: this dataflow tasks 1 minute and 30 seconds to run.

If all three dataflows run, how many count towards the limit?

- A. 0
- B. 3
- C. 1
- D. 2

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 5

Which of these standard deviations is for a curve that has values that are the most spread out away from the average?

- A. 4
- B. 8
- C. 16
- D. 1

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 6

Can you share data from a widget?

- A. Only with the proper Einstein Analytics Platform license.
- B. No, you can't share data from a widget.
- C. Select "Share" icon, click on "Download", and select "Download in .png, .XLS, or CSV" format.
- D. Select the step of the widget and share data.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

A consultant built an Einstein Analytics app for the Sales Operations team. The Sales Operations team wants to share their app with other people at the company. The consultant recommends distributing the app as an Einstein Analytics template app.

A set of JSON files will be generated after a template is created from the Sales Operations app. What is the name of the JSON file that manages template metadata and all other template elements?

- A. ui.json
- B. template-info.json
- C. template-to-app-rules.json
- D. aster-info.json

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 8

Benito has Viewer access to a new Einstein Analytics app. He wants to build and edit a dashboard using the Seed Bank dataset in this new app. What must an admin do for Benito to do this?

- A. Assign Benito a permission set that contains the permission: Create and Edit Analytics Dashboards.
- B. Assign Benito a permission set that contains the permission: Create and Manage Analytics Apps.
- C. Grant Benito access to the app that contains the Seed Bank dataset and assign him a permission set that contains the Create and Edit Analytics Dashboards permission.
- D. Grant Benito access to all datasets in the org.

Answer: [C \(LEAVE A REPLY\)](#)

NEW QUESTION: 9

What kind of org should you use for checking challenges when you do Trailhead modules about Analytics?

- A. A Developer Edition org, because it's a free, safe environment where you can try things out
- B. An enterprise org, because that type of org is typically used by large companies
- C. A higher education org, because analytics requires advanced math
- D. A trial org, because you don't need to save anything

Answer: [A \(LEAVE A REPLY\)](#)

NEW QUESTION: 10

Exhibit:

Universal Containers has a Sales Manager dashboard. They need to build a table as shown in the graphic and calculate the summary as the first line in a compare table.

How can the summary be calculated?

- A. Add a formula field to calculate the summary.
- B. Use the Show Summary option in the compare table.
- C. Create a computeExpression field in the Dataflow to calculate the summary.
- D. Use a SAQL query since the summary is not available in standard interface.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 11

What are Einstein Analytics prebuilt permission sets? Select 2:

- A. Einstein Analytics Platform Admin
- B. Einstein Analytics
- C. Einstein Analytics Superadmin
- D. Einstein Analytics Platform User

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

The client asks an Einstein Consultant to build a dashboard with a chart that shows revenue and quantity of units sold. Which type of Combo Chart can the consultant use?

- A. Line over Bar
- B. Line over Stacked Bar
- C. Grid over Bar
- D. Line over Scatter Plot

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 13

How many stories can you create in Analytics Plus?

- A. 1,000, but more can be purchased
- B. 5,000
- C. 500, but more can be purchased
- D. 75, but more can be purchased

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

Which security option is not available in Einstein Analytics for securing datasets?

- A. App level security
- B. Field-level security
- C. Inherited security
- D. Row-level security with security predicates

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 15

What's the best way to describe the template-info.json file?

- A. It's a read-only file with all the user documentation for a template.
- B. It's the boss of the template with all the information needed to create the app.
- C. It makes sure that the app includes all the right Salesforce data.
- D. It's automatically populated every time you create an app from the template.

Answer: B ([LEAVE A REPLY](#))

Reference:

https://trailhead.salesforce.com/en/content/learn/modules/wave_analytics_templates_intro/wave_analytics_templates_structure

NEW QUESTION: 16

In the list of insights, the first insights that you see are the ones that explain, statistically, the most variation in the outcome variable. The insights that appear later, as you scroll through the story, explain variables that, statistically, account for less of the variation in the outcome variable.

When you select one variable, what are you comparing?

- A. Selected variable with CLV
- B. Selected variable average with the mean
- C. Selected variable with a different variable
- D. Selected variable average with the filtered average
- E. Selected variable with all story data

Answer: [\(SHOW ANSWER\)](#)

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by PrepPdf.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! PrepPdf.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here:
<https://www.preppdf.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-prepaway-exam-dumps.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

A consultant created a dashboard using Einstein Analytics for her client, a shipping company. It sources data from very large datasets. Now the client has requested that the consultant add more steps to the dashboard.

To ensure that the dashboard has acceptable performance, what two actions should the consultant take? Choose 2 answers

- A. Split the steps and charts into different pages in a dashboard.
- B. Replace AggregateFlex steps with SAQL steps.
- C. Avoid using conditional formatting.
- D. Check if any steps can be reused for multiple purposes.

Answer: **A,D** [\(LEAVE A REPLY\)](#)

NEW QUESTION: 18

The client is trying to create a SAQL step to predict sales in each sales region. They cannot get the query to return any results, but have identified that the error is in the time series statement. They have asked an Einstein Consultant to review the following query and fix any errors.

Which timeseries statement will fix the query'

- A. q = timeseries q generate 'sum_Sales' as Torecasted_Sales' with (dateCols=('Date_Year', Date_Quarter', "Y-Q"), partition='Region', seasonality=4);
- B. q = timeseries q generate 'sum_Sales' as Torecasted_Sales' with (dateCols=('Date_Year', Date_Quarter', "Y-Q"), partition='Region');

C. q = timeseries q generate 'sum_Sales' as Forecasted_Sales' with (dateCols=('Date_Year, Date_Quarter', "Y-Q"), partition=Region', ignoreLast=true);

D. q = timeseries q generate 'sum_Sales' as Forecasted_Sales' with (length = 12, dateCols=('Date_Year', 'Date_Month'. "Y-M"), partition='Region');

Answer: D (LEAVE A REPLY)

NEW QUESTION: 19

Refer to the graphic.

Einstein found a recommendation to improve the story: apparently there are two variables that behave the same. Given there is no additional information, what is the correct action?

A. Do nothing; they appear to be similar, but there might be differences from the business perspective.

B. Retain Amount; not knowing the size of a deal makes it hard to predict if will be won.

C. Retain Promotion; it is an actionable variable and without it, we cannot recommend prescriptive actions.

D. Cancel this story and redefine the dataset.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 20

The Event Monitoring Analytics app brings prebuilt insights and analytics to what type of existing data in your org?

A. Field audit trail data

B. Sales Cloud data Login

C. Forensics data

D. Event log file data

Answer: D (LEAVE A REPLY)

NEW QUESTION: 21

Einstein Discovery gives you several different kinds of recommended insights. Which of these insights is descriptive?

A. What Happened

B. Why It Happened

C. Predictions & Improvements

D. What Is the Difference

Answer: (SHOW ANSWER)

Reference:

https://trailhead.salesforce.com/en/content/learn/modules/understand_einstein_discovery_stories/use_stories

NEW QUESTION: 22

A consultant built a very useful Einstein Analytics app for Sales Operations and they want to share its contents with the rest of Global Sales. However, they do not want to add everyone in Sales to their app. The consultant recommends extending the Sales Operations app and distributing it as an Einstein Analytics template app, but needs to locate specific information to get started.

What is the REST API URL where the consultant can find current template apps?

A. /services/data/v###.#/wave/templates

B. /services/data/v###.#/analytics/wizard

C. /services/data/v###.#/analytics/projects

D. /services/data/v###.#/wave/apps

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

What does XMD stand for?

A. Lenses Dataset Fields

B. Extended Metadata

C. Configuring unsupported fields

D. Create a JSON

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 24

Why is it important to select the right root object when you use the dataset builder?

A. The root object determines what app the dataset is saved in.

B. Only data from the root object can be included in the dataset.

C. The root object determines who can see the dataset.

D. The root object determines what related objects you can add to the dataset.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 25

Einstein Discovery is a tool that:

A. Understands your business better than you do

B. Is like having a personal data scientist on staff

C. Replaces your team of BI experts and data analysts

D. Helps you hire the best data scientist for your business

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

The edgemart transformation gives the dataflow access to an existing, registered dataset that can contain Salesforce data, external data, or a combination of both.

Where is an edgemart transformation specified?

A. Dataflow Editor

B. Recipes Editor

C. Step Editor

D. Settings

Answer: A ([LEAVE A REPLY](#))

Reference:

https://help.salesforce.com/articleView?id=bi_integrate_edgemart_transformation.htm&type=5

NEW QUESTION: 27

Exhibit:

Which two statements can be determined based on the 'Why it Happened' graphic above? Choose 2 answers

- A. Germany performs lower than average but better when the product is Call Center.
- B. Call Center is a generally poor performing product, and since there is more in Germany that has a negative effect.
- C. The -2.2 Unexplained means there are effects that Einstein will never be able to explain regardless of the dataset.
- D. Germany sells more Call Center product and that helps them increase their win rate.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 28

Max Analytics API calls per user per hour

- A. 10,000
- B. 50,000
- C. 5,000
- D. 100,000

Answer: [A \(LEAVE A REPLY\)](#)

NEW QUESTION: 29

Default # rows in compare table.

- A. 1000
- B. 1500
- C. 3000
- D. 2000

Answer: [D \(LEAVE A REPLY\)](#)

NEW QUESTION: 30

Yasmine wants to create a lens with the Seed Bank Orders dataset, but she currently doesn't see any rows in the dataset. Since Yasmine is Hadiqa's manager, Yasmine asks Hadiqa if she's experiencing the same problem, but Hadiqa replies that she can see all the rows. Why is this happening?

- A. Yasmine wasn't assigned a permission set.
- B. Yasmine doesn't have the Create and Edit Analytics Dashboards permission.
- C. Yasmine doesn't have the Manager app role.
- D. The dataset's security predicate was set up incorrectly.

Answer: [D \(LEAVE A REPLY\)](#)

NEW QUESTION: 31

What is an Einstein Discovery story?

- A. An account of imaginary or real people and events told for entertainment
- B. A collection of graphs, statistical analysis, and text that helps you understand the relationships between multiple outcome variables and the factors that influence those variables
- C. A collection of graphs, statistical analysis, and text that helps you understand the relationships between a single outcome variable and the factors that influence that variable

D. A collection of graphs, statistical analysis, and text that proves exactly what caused an outcome

Answer: C ([LEAVE A REPLY](#))

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by PrepPdf.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! PrepPdf.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here:

<https://www.preppdf.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-prepaway-exam-dumps.html> (244 Q&As Dumps,

40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 32

Why would you use the Actions menu in a chart?

- A. To post to Chatter
- B. To create workout plan for you and your team
- C. To expand the time period shown in a dashboard
- D. To rearrange widgets in dashboards

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

After loading data to Einstein Discovery and creating a story, the client asks the Einstein Consultant to explain the "Unexplained Bar" in the "Why it Happened" chart.

Which explanation is correct?

- A. It should always be 0 or the model should not be used.
- B. It displays the difference between the analyzed data and the data not reviewed.
- C. It shows the difference between the predicted outcome and the observed outcome.
- D. It only appears for outcomes that do not have an explanation.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 34

A consultant built an Einstein Analytics app for the Sales Operations team. The Sales Operations team wants to share their app with other people at the company. The consultant recommends distributing the app as an Einstein Analytics template app.

What can the consultant do to give the Sales team more choices and options with future apps that are generated from the Sales Operations app?

- A. Update contents in the Sales Operations app and changes will be pushed down to its generated apps.
- B. Ensure the Sales team has the necessary permissions to customize their apps.
- C. Create a configuration wizard for the app.
- D. Update contents in the Sales Operations app and create new template versions of the app.

Answer: C ([LEAVE A REPLY](#))

Reference:

https://trailhead.salesforce.com/en/content/learn/modules/wave_analytics_templates_intro/wave_analytics_templates_in_action

NEW QUESTION: 35

An Einstein Analytics team wants to create a dashboard using two standard Salesforce objects. The dashboard should display data from the Case object, along with related data from the Account object. Which two processes can achieve this?

- A.** Extract data from the case and account objects using "sfdcDigest" transformation, y/ Q use "augment" transformation to add case data with account data, store as a dataset, and then build a dashboard using the generated dataset
- B.** Extract data from the case and account objects using an ETL tool, use the ETL tool to y/ Q join account and case data, and then upload the data to Einstein Analytics. Build a dashboard using the ETL generated dataset
- C.** Extract data from the case and account objects using "dataloader", create a CSV file Q with account and case data, and then upload the CSV as a dataset to Einstein Analytics. Build a dashboard using that dataset
- D.** Extract data from the case and account objects using "sfdcDigest" transformation, Q use "append" transformation to add case data with account data, store as a dataset, and then build a dashboard using the generated dataset

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

A customer wants to change the default blue color on a bar chart. What is the easiest way to change blue to another color?

- A.** Use conditional formatting under the bar chart widget properties by selecting the dimension.
- B.** Use bindings to specify a color per bar.
- C.** Create a compare table formula to specify a hidden metric for coloring purposes.
- D.** Use conditional formatting under the bar chart widget properties by selecting the measure.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

How do you open the Actions menu for a particular case shown in a dashboard?

- A.** Double-click the case number in the Actions widget
- B.** Simply @mention the case manager for that segment
- C.** Click the Actions bar from a bubble chart
- D.** Hover over the case number column of the values table widget and click the arrow that appears

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

Trending data limits: Maximum number of trended datasets per user and rows per snapshot:

- A.** 10 per user, 100,000 per snapshot
- B.** 5 per user, 100,000 per snapshot
- C.** 10 per user, 200,000 per snapshot
- D.** 5 per user, 200,000 per snapshot

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

A consultant is asked to configured a user to view a dashboard, within a designated app, without the ability to create and save lenses.

After adding the user to the app, which action should the consultant take to implement this requirement?

- A. Ensure the user has the Analytics permission
- B. Assign the view role to the user
- C. Assign the Editor role the user
- D. Assign the Manager role the user

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 40

You are asked to update and maintain your company's Einstein Analytics dashboards.

A request comes in for one of the dashboards that contains steps from different datasets. The request is to make it possible for a table from one dataset to be filtered by the results of a chart from another dataset. Your solution is to create a results binding.

Which three steps should you implement to create the binding?

- A. Find source and target step names
- B. Look up the API name of the source field
- C. Look up the API name of the filtering field
- D. Configure the results binding on the target step in the dashboard JSON.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

What's a good way to see which required questions in the configuration wizard don't have default values?

- A. Click "Looks good, next" and look for questions highlighted in red
- B. Download the app and run a SAQL query on the JSON
- C. Try each option in the dropdown one at a time
- D. Answer only questions that involve custom objects

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 42

Max story creations per org per day:

- A. 40 per org per day
- B. 20 per org
- C. 20 per org per day
- D. 40 per org

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 43

Concurrent queries per user?

- A. 20
- B. 50
- C. 25
- D. 10

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 44

Which of the following are included in the template object?

- A. ui.json
- B. app.json
- C. variables.json
- D. A,B and C
- E. A,C

Answer: E ([LEAVE A REPLY](#))

Reference:

* template-info.json manages all elements of your template, including metadata information about the template, the Analytics objects that define dashboards and lenses, and the other files that are part of the template. * ui.json manages the configuration wizard that drives app creation. It defines the number of wizard pages, the order of wizard questions, and any messages you want the user to see. * variables.json contains all template variables, including text for wizard questions and specifications for the answers. Variables also define conditional questions. For example, you may want some questions to appear in the wizard only if an org contains certain data. Or you might want to add more specific questions based on the answers to more general wizard questions. * template-to-app-rules.json defines the rules the template follows. For example, you could define a rule that specifies that if an org doesn't use certain Salesforce objects, the app won't refer to them in dashboards or include them in the dataflow. Rules also define how variables are handled. For example, if the wizard asks which fields to include in filters for accounts, template-to-app-rules.json determines how that choice is reflected in dashboards.

NEW QUESTION: 45

Why would you use a merge key in a dataset recipe?

- A. To deal with duplicate records
- B. To join related data from different sources
- C. To schedule when a dataset recipe runs
- D. To find out what the merge icons represent in a dataset

Answer: (SHOW ANSWER)

NEW QUESTION: 46

An Einstein Consultant is implementing encryption for a customer.

Which two statements about Einstein Analytics Encryption are true? Choose 2 answers

- A. When Einstein Analytics Encryption is enabled, all newly registered datasets are encrypted at rest.
- B. By default, the same keys are used to encrypt data in Einstein Analytics as are used to encrypt data in Salesforce objects.
- C. The customer's org must have a Shield Platform Encryption tenant secret.
- D. Bring Your Own Key is not supported.

Answer: A,C ([LEAVE A REPLY](#))

Reference:

https://help.salesforce.com/articleView?id=bi_analytics_encryption.htm&type=5

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by PrepPdf.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! PrepPdf.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here:

<https://www.preppdf.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-prepaway-exam-dumps.html> (244 Q&As Dumps,

40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 47

Universal Containers (UC) is a multinational company that utilizes Salesforce and has a variety of internal systems. UC uses Einstein Analytics for their data analysis platform and they want to automate their weekly manual process to create a dataset from their on-premise data warehouse. Which solution should a consultant recommend to meet this requirement?

- A. Utilize Analytics Connector.
- B. Utilize a dataflow
- C. Utilize a Salesforce weekly export feature
- D. Utilize middleware with Analytics External Data API

Answer: D (LEAVE A REPLY)

NEW QUESTION: 48

A consultant created an Einstein Analytics dashboard in a sandbox. Now, the dashboard needs to be migrated into production. To complete the migration, what are the consultant's three options? Choose 3 answers

- A. Ant Migration Tool
- B. Analytics External Data API
- C. Analytics REST API
- D. Change sets
- E. Analytics dashboard connector

Answer: (SHOW ANSWER)

Reference:

https://help.salesforce.com/articleView?id=bi_explore_packaging_intro.htm&type=0

NEW QUESTION: 49

Which three things can be done with the Einstein Analytics Dashboard Inspector? Choose 3 answers

- A. View the total time required to run all queries.
- B. Get a list of recommendations on how to improve the performance of the dashboard.
- C. Automatically remove bottlenecks to make queries run faster.
- D. View all queries and the time it took to run each one.
- E. See the final query for each step along with query results.

Answer: B,D,E (LEAVE A REPLY)

NEW QUESTION: 50

Which set of statements generates monthly amount on a cumulative basis annually?

- A)
- B)
- C)
- D)
- A. Option A
- B. Option B
- C. Option D
- D. Option C

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 51

What does Einstein Analytics check when a user submits a query against a dataset?

- A. Which fields the user has access to
- B. Which rows the user has access to
- C. Whether the user has access to the app
- D. If the user has access to the dataset

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 52

What permissions are necessary for someone to edit the XMD?

- A. Manage Analytics Templated Apps
- B. Edit Dataset Recipes
- C. Edit Analytics Dataflows
- D. Upload External Data to Analytics

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

Universal Containers has a dashboard for Sales Managers. They need the ability to visualize the number of Closed Won opportunities by month, quarter, or year, and then display the result in a single chart. An Einstein Consultant created a static step to display three values:

ClosedDate_month, ClosedDate_quarter, and ClosedDate_year.

What should the consultant do next?

- A. Use nested binding to update the grouping in the chart.
- B. Use selection binding to update the grouping in the chart.
- C. Use selection binding to update the measure in the chart.
- D. Use result binding to update the measure in the chart.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 54

The Universal Containers company used Einstein Analytics to create two datasets:

Dataset A: contains a list of activities with an "activityID" dimension and a "userID" dimension
Dataset B: contains a list of users with a "userID" dimension
The team wants to delete from Dataset A all activities related to users in Dataset B.

How can an Einstein Consultant help them achieve this?

- A. Use the dataflow transformation "delete" and set "userID" as the deletion ID.
- B. Use a combination of dataflow transformations: "augment" and "filter."
- C. Use an external ETL tool to extract both datasets and delete records.

Answer: [\(SHOW ANSWER\)](#)

D, Use the recipe operation "delete" and set "userID" as the deletion ID.

NEW QUESTION: 55

In a Compare Table formula, you can refer to other columns with:

- A. All of the above
- B. Numbers (1..9)
- C. Their names
- D. Letters (A..Z)

Answer: [D \(LEAVE A REPLY\)](#)

NEW QUESTION: 56

What does the Division is Naval section of the waterfall graph tell you?

- A. How combinations of factors affect the CLV for Naval customers
- B. How individual factors separately affect the outcome for Naval customers
- C. What the relationship is between significant and insignificant factors as they impact CLV for Naval customers
- D. How the chosen variable is related to all other factors in the model for Naval customers

Answer: [A \(LEAVE A REPLY\)](#)

Reference:

https://trailhead.salesforce.com/en/content/learn/modules/dm_einstein_discovery_advanced_stories/dm_understand_why_it_happened_insights

NEW QUESTION: 57

Can you share dashboards with others in your org?

- A. Click on the "Share" icon on the lens. From there, you can set up sharing options, post a dashboard screenshot to Chatter, get a URL to share, or download a screenshot
- B. Click on the "Share" icon on the dashboard. From there, you can set up sharing options, post a dashboard screenshot to Chatter, get a URL to share, or download a screenshot.
- C. Click on the "Share" icon on the dataset.
- D. No, you can't share dashboards.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 58

The Einstein Analytics team at a company created a dataset based on the Opportunity__c custom object. The VP of Sales reports seeing the message "No results found" when opening the dataset to explore it. Other users below the VP in the role hierarchy can see rows on the same dataset. Which two problems might be causing this issue?

- A. The dataset is inheriting sharing from Salesforce and the VP can see more than 3000 rows
- B. The Salesforce profile for the VP does not have read permission on some fields of the Opportunity__c custom object

- C. The Salesforce profile for the VP does not have read permission on the Opportunity__c custom object
- D. The Security Predicates set up at the dataset level are preventing the VP from seeing data

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 59

What is the test called that helps to identify categories that exhibit a pattern outside the overall average?

- A. Chi-square test
- B. Critical region test
- C. T-test
- D. Null hypothesis test
- E. Significance level test

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 60

A new field called "CardBalance" is added to the standard object. Account. The team wants to add this new field to an Einstein Analytics dataset that sources the Account object; however, the team needs to limit the users who are able to view that field's data in the dataset.

How can an Einstein Consultant help them implement this new requirement?

- A. Add the new field to the existing dataset and activate "Sharing inheritance" in the Account object so only users who have access to the field in Salesforce will have access in Einstein Analytics.
- B. Create a new Account dataset containing the new field and give access to this dataset only to users who should be able to see the new field.
- C. Add the new field to the existing dataset and use "Security Predicates" to hide it from users who should not access it.
- D. Add the new field to the existing dataset and use the XMO file parameters to hide the new field from users who should not have access to it.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 61

How many concurrent stories per org are allowed?

- A. 5
- B. 1
- C. 4
- D. 2

Answer: D ([LEAVE A REPLY](#))

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by PrepPdf.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! PrepPdf.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here:

NEW QUESTION: 62

What are two core design principles to consider when building Analytics apps or dashboards? Choose 2 answers

- A. Emphasis: make sure they have space for important information, such as headlines and key charts.
- B. Clarity: make sure they are uncluttered and easy to interpret.
- C. Consistency: make sure they have a sense of familiarity to strengthen your users' ease of use.
- D. Balance: make sure they have a balance of different charts to get a more interesting design.

Answer: B,C (LEAVE A REPLY)

Reference:

<https://trailhead.salesforce.com/en/content/learn/modules/analytics-app-design/principles-good-design>

NEW QUESTION: 63

Where can you view the status of a CSV upload in Analytics?

- A. The data manager
- B. The Create Dataset page
- C. The Setup menu
- D. The Analytics home page

Answer: (SHOW ANSWER)

NEW QUESTION: 64

To use the Sales Analytics app, which permission set license do you need?

- A. Sales Wave
- B. Sales Analytics Apps
- C. Analytics Templated Apps
- D. Security User

Answer: B (LEAVE A REPLY)

Reference:

Each prebuilt Analytics app has its own PSL. When you set up permissions for those apps, select the right PSL. For Service Analytics, select "Service Analytics Apps." For Event Monitoring, select "Event Monitoring Analytics Apps," and so on.

NEW QUESTION: 65

Insights in a story show you how different variables and combinations of variables explain the variation of what kind of variable?

- A. Explanatory variable
- B. Outcome variable
- C. Global variable
- D. Local variable
- E. Tertiary variable

Answer: B (LEAVE A REPLY)

Reference:

When you configure the story, you tell Einstein Discovery to maximize/minimize the variable. The variable is 'outcome variable' in your story

NEW QUESTION: 66

Which chart type is suitable for rendering five measures in a lens visualization?

- A. Metric Radar chart
- B. Scatter chart
- C. Treemap chart
- D. Stacked Bar chart

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 67

How many groupings can you have in a Compare Table?

- A. Infinite
- B. Up to four
- C. None
- D. One

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 68

Universal Containers has a dashboard for Sales Managers to visualize the YoY Growth of their customers- The formula used is: $YoY = [(This\ Year - Last\ Year) / Last\ Year] \%$ Based on the graphic, when there is no account in the Last Year column, the YoY Growth shows null results. The Sales Managers want to replace it with 100% value.

What is the correct function to use?

- A. coalesce()
- B. number_to_string()
- C. substr()
- D. replace()

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 69

What can you do with the dataflow?

- A. Build a dashboard
- B. Extract data from an external CSV file into Analytics
- C. Explore a dataset
- D. Extract Salesforce object data into Analytics

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 70

Which dataflow transformation does data sync (replication) reference, in an existing dataflow, to determine which Salesforce objects and fields are currently being extracted?

- A. sfdcRegister

- B. export
- C. edgemart
- D. sfdcDigest

Answer: D (LEAVE A REPLY)

NEW QUESTION: 71

When creating a story in Einstein Discovery, do all potential collinear fields need to be removed before executing the build story's

- A. No. Einstein Discovery is impervious to collinearity, so the story and subsequent model will be fine.
- B. yes. If all collinear variables are not excluded, the model will over-fit and not make any sense.
- C. No. Although it is ideal to eliminate collinearity as soon as possible, Einstein will give a warning post-build and the ridge regression will prevent collinearity from over-fitting.
- D. Yes. If the collinear variables are not removed, the Einstein Discovery model build will fail.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 72

A dashboard dataset is growing and the Einstein Analytics consultant notices an impact on performance. The consultant needs to make a few adjustments.

Which three actions can the consultant take to improve dashboard performance? Choose 3 answers

- A. Replace separate step filters with a global filter.
- B. Reorganize the dashboard widgets.
- C. Move calculations to a dataflow.
- D. Distribute steps among separate pages.
- E. Use SAQL code to join datasets at runtime.

Answer: A,C,D (LEAVE A REPLY)

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by PrepPdf.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! PrepPdf.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here:

<https://www.preppdf.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-prepaway-exam-dumps.html> (244 Q&As Dumps,

40%OFF Special Discount: Exam-Tests)