

## Salesforce.Tableau-CRM-Einstein-Discovery-Consultant.v2024-06-30.q106

<b>Exam Code:</b>	Tableau-CRM-Einstein-Discovery-Consultant
<b>Exam Name:</b>	Salesforce Tableau CRM Einstein Discovery Consultant
<b>Certification Provider:</b>	Salesforce
<b>Free Question Number:</b>	106
<b>Version:</b>	v2024-06-30
<b># of views:</b>	1219
<b># of Questions views:</b>	1060
<a href="https://www.freeqas.com/qa/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant/Salesforce.Tableau-CRM-Einstein-Discovery-Consultant.v2024-06-30.q106.html">https://www.freeqas.com/qa/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant/Salesforce.Tableau-CRM-Einstein-Discovery-Consultant.v2024-06-30.q106.html</a>	

### NEW QUESTION: 1

Insights in a story show you how different variables and combinations of variables explain the variation of what kind of variable?

- A. Explanatory variable
- B. Outcome variable
- C. Global variable
- D. Local variable
- E. Tertiary variable

**Answer: B (LEAVE A REPLY)**

When you configure the story, you tell Einstein Discovery to maximize/minimize the variable. The variable is 'outcome variable' in your story

### NEW QUESTION: 2

Your sales team requests that datasets for their dashboards are refreshed every hour. You agree to investigate if this is possible and find that the dashboards use A datasets created from two recipes. The first recipe takes 43 min to run and the second recipe takes 25 min to run.

Is it possible to refresh data every hour?

- A. Yes, the number of recipe runs does not exceed the limit of 60 in a 24 hour rolling period.
- B. No, the total duration of the recipe jobs exceeds one hour.
- C. No, the number of recipe runs exceed the limit of 40 in a 24 hour rolling period.
- D. Yes, with the concurrent recipe runs the duration is less than hour.

**Answer: C (LEAVE A REPLY)**

### NEW QUESTION: 3

An Einstein Analytics team created a funnel chart to show the number of opportunities in each stage. The managers who use the chart report that the funnel shows stages in alphabetical order instead of sales cycle order.

In which two ways can a consultant help them address this issue? Choose 2 answers

- A. Use a dataflow to rename the stages with a preceding number.
- B. Use a dataset XMD to rename stages.

- C. Use a dashboard JSON to rename stages.
- D. Use a dataflow to sort the stages by their internal name.

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 4

Trending data limits: Maximum number of trended datasets per user and rows per snapshot:

- A. 10 per user, 200,000 per snapshot
- B. 5 per user, 200,000 per snapshot
- C. 10 per user, 100,000 per snapshot
- D. 5 per user, 100,000 per snapshot

Answer: D ([LEAVE A REPLY](#))

#### NEW QUESTION: 5

When you set up Analytics, which of the following features can you enable?

- A. Low-fuel notifications
- B. Sharing of apps with Communities
- C. Access to the API
- D. A and B
- E. B and C

Answer: E ([LEAVE A REPLY](#))

Reference:

Community member should have assigned:

- 'Analytics for Communities' permission set license - a permission set that includes the 'View Analytics on Communities pages' Its possible to access API.
- for a user: API Enabled permission
- for all: Analytics =>Settings=>Grant all users access to Wave API for all users

#### NEW QUESTION: 6

Which Einstein Analytics asset or assets are created when using an App Template to create an app?

- A. The app, dataflows and datasets, and users
- B. The app, dataflows and datasets, dashboards, and permission sets
- C. An empty app
- D. The app, dataflows and datasets, and dashboards

Answer: D ([LEAVE A REPLY](#))

#### NEW QUESTION: 7

Exhibit:

Universal Containers has a Sales Manager dashboard. They need to build a table as shown in the graphic and calculate the summary as the first line in a compare table.

How can the summary be calculated'

- A. Create a computeExpression field in the Dataflow to calculate the summary.

- B. Use the Show Summary option in the compare table.
- C. Use a SAQL query since the summary is not available in standard interface.
- D. Add a formula field to calculate the summary.

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 8**

The client is trying to create a SAQL step to predict sales in each sales region. They cannot get the query to return any results, but have identified that the error is in the time series statement. They have asked an Einstein Consultant to review the following query and fix any errors.

Which timeseries statement will fix the query'

- A. q = timeseries q generate 'sum\_Sales' as Toredcasted\_Sales' with (dateCols=('Date\_Year', Date\_Quarter', "Y-Q"), partition='Region', seasonality=4);
- B. q = timeseries q generate 'sum\_Sales' as Forecasted\_Sales' with (length = 12, dateCols=('Date\_Year', 'Date\_Month". "Y-M"), partition='Region');
- C. q = timeseries q generate 'sum\_Sales' as Forecasted\_Sales' with (dateCols=('Date\_Year, Date\_Quarter', "Y-Q"), partition=Region', ignoreLast=true);
- D. q = timeseries q generate 'sum\_Sales' as Toredcasted\_Sales' with (dateCols=('Date\_Year', Date\_Quarter', "Y-Q"), partition='Region');

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 9**

Which chart type is best suited to track progress of sales revenue that is realized versus the target?

- A. Pivot table
- B. Flat gauge
- C. Pie chart
- D. Bar chart

**Answer:** B ([LEAVE A REPLY](#))

#### **NEW QUESTION: 10**

You can configure access to data at all of the following levels, except:

- A. Organization
- B. Records
- C. Page Layouts
- D. Objects

**Answer:** C ([LEAVE A REPLY](#))

#### **NEW QUESTION: 11**

In a story investigating margin, large variations between product groups are dominating the story. Which action might an Einstein Consultant take to resolve this?

- A. Add more data to the dataset.
- B. Run separate stories for each region.
- C. Normalize the margin by product group.
- D. Eliminate extreme values in the dataset.

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 12**

A consultant built a very useful Einstein Analytics app for Sales Operations, and they want to share its contents with the rest of Global Sales. However, they do not want to add everyone in Sales to their app. The consultant recommends extending the Sales Operations app and distributing it as an Einstein Analytics template app, but needs to locate specific information to get started.

Given the code statement above, which endpoint should it be posted to?

- A. /services/data/v . /wave/apps
- B. /services/data/v . /analytics/wizard
- C. /services/data/v . /wave/templates
- D. /services/data/v . /analytics/projects

**Answer: C (LEAVE A REPLY)**

Reference:

[https://developer.salesforce.com/docs/atlas.en-us.bi\\_dev\\_guide\\_rest.meta/bi\\_dev\\_guide\\_rest/bi\\_resources\\_templates.htm](https://developer.salesforce.com/docs/atlas.en-us.bi_dev_guide_rest.meta/bi_dev_guide_rest/bi_resources_templates.htm)

**NEW QUESTION: 13**

How many external files can be uploaded to Einstein Analytics on rolling 24 hour basis?

- A. 500 files per dataset
- B. 300 files per dataset
- C. 100 files per dataset
- D. 50 files Per dataset

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 14**

Using the Setup menu, the Universal Containers company activated data sync (replication) in the Einstein Analytics settings. After running the sync, they notice that the aggregate sum of a field within their dataset is different than what they manually calculated by summing the same data in the Salesforce object from which the dataset was populated.

Which two differences in the newly synced data can explain this? Choose 2 answers

- A. Differences involving permanently deleted records
- B. Differences involving workflow-updated fields
- C. Differences involving formula fields
- D. Differences involving trigger-updated fields

**Answer: A,C (LEAVE A REPLY)**

Reference:

<https://help.salesforce.com/articleView?id=000314272&type=1&mode=1>

**NEW QUESTION: 15**

An Einstein Analytics team plans to enable data sync (replication).

Which two limits are specific to data sync (replication) and should be considered before enabling the feature because they might impact existing jobs?

Choose 2 answers

- A. Maximum number of dataflow definitions
- B. Maximum number of dataflow transformations
- C. Maximum number of objects that can be enabled for data sync (replication)
- D. Timeout for ELT (Extract Load Transform) jobs that are scheduled but not yet executed

**Answer: A,C (LEAVE A REPLY)**

[https://help.salesforce.com/articleView?id=bj\\_limits.htm&type=5](https://help.salesforce.com/articleView?id=bj_limits.htm&type=5)

#### NEW QUESTION: 16

Concurrent queries per user?

- A. 50
- B. 10
- C. 25
- D. 20

**Answer: B (LEAVE A REPLY)**

**Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps** shared by PrepPdf.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! PrepPdf.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: <https://www.preppdf.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-prepaway-exam-dumps.html> (244 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

#### NEW QUESTION: 17

A dashboard dataset is growing and the Einstein Analytics consultant notices an impact on performance. The consultant needs to make a few adjustments.

Which three actions can the consultant take to improve dashboard performance? Choose 3 answers

- A. Use SAQL code to join datasets at runtime.
- B. Distribute steps among separate pages.
- C. Move calculations to a dataflow.
- D. Reorganize the dashboard widgets.
- E. Replace separate step filters with a global filter.

**Answer: (SHOW ANSWER)**

#### NEW QUESTION: 18

A data architect wants to use a dataflow transformation to implement row-level security that is based on role hierarchy in Salesforce. Which transformation should be used to level the dataset hierarchy?

- A. sfdcDigest transformation
- B. digest transformation
- C. delta transformation
- D. flatten transformation

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 19**

What happens if the ui.json file is empty?

- A. You create a text-only version of an app.
- B. The template will not include a configuration wizard.
- C. The dataflow fails.
- D. The app includes all possible dashboards by default.
- E. B and D

**Answer: B ([LEAVE A REPLY](#))**

[https://trailhead.salesforce.com/en/content/learn/modules/wave\\_analytics\\_templates\\_intro/wave\\_analytics\\_templates\\_structure](https://trailhead.salesforce.com/en/content/learn/modules/wave_analytics_templates_intro/wave_analytics_templates_structure)

**NEW QUESTION: 20**

The Universal Containers company plans to upload target data from an external tool to Einstein Analytics so they can calculate the Sales team target attainments.

The target data changes every month, so the datasets need to be updated on a monthly basis. The target data is a CSV file that contains the Salesforce ID of the sales representative, the target amount, and the month of the target. For each sales representative, the file contains a target for every month of the current year as well as all previous years.

Based on this information, which operation should a consultant use with the Analytics External Data API to upload the file?

- A. Overwrite
- B. Append
- C. Update
- D. Upsert

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 21**

You can get data into Einstein Discovery:

- A. By connecting a USB drive to your laptop
- B. By using an Einstein analytics dataset
- C. Only if your database administrator does it for you
- D. Only if Salesforce does it for you

**Answer: B ([LEAVE A REPLY](#))**

Reference:

[https://trailhead.salesforce.com/content/learn/modules/wave\\_exploration\\_smart\\_data\\_discovery\\_basics/wave\\_get\\_smart\\_data\\_discovery\\_and\\_data](https://trailhead.salesforce.com/content/learn/modules/wave_exploration_smart_data_discovery_basics/wave_get_smart_data_discovery_and_data)

**NEW QUESTION: 22**

A client has two datasets that are used across seven different dashboards. Three of these dashboards are used by marketing and four are used by sales. The client requires that only marketing can access the marketing dashboards and only sales can access the sales dashboards.

What solution should be recommended?

- A. Create two custom apps: one for marketing dashboards with marketing as "viewer" and one for sales dashboards with sales as "viewer." Add the datasets as references to both custom apps.

- B.** Create three custom apps: one for marketing dashboards with marketing as "viewer," one for sales dashboards with sales as "viewer," and one for datasets where marketing and sales are "viewer."
- C.** Create one custom app for the datasets and share it with marketing and sales as "viewer."
- D.** Duplicate the datasets and create two custom apps: one for marketing dashboards and datasets with marketing as "editor" and one for sales dashboards and datasets with sales as "editor."

**Answer:** ([SHOW ANSWER](#))

Reference:

[https://help.salesforce.com/articleView?id=bi\\_security\\_implementation\\_guide.htm&type=5](https://help.salesforce.com/articleView?id=bi_security_implementation_guide.htm&type=5)

#### **NEW QUESTION: 23**

A customer wants to change the default blue color on a bar chart. What is the easiest way to change blue to another color?

- A.** Use bindings to specify a color per bar.
- B.** Use conditional formatting under the bar chart widget properties by selecting the dimension.
- C.** Create a compare table formula to specify a hidden metric for coloring purposes.
- D.** Use conditional formatting under the bar chart widget properties by selecting the measure.

**Answer:** **D** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 24**

What are two main steps for creating a dataset?

- A.** Build and explore
- B.** Plan and map
- C.** Run and monitor
- D.** Extract and prepare

**Answer:** **D** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 25**

Before using bindings, you can try using facets to specify interactions between widgets.

- A.** False
- B.** True

**Answer:** **B** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 26**

An Einstein Analytics team plans to enable data sync (replication).

Which two limits are specific to data sync (replication) and should be considered before enabling the feature because they might impact existing jobs?

Choose 2 answers

- A.** Maximum number of dataflow definitions
- B.** Maximum number of dataflow transformations
- C.** Maximum number of objects that can be enabled for data sync (replication)
- D.** Timeout for ELT (Extract Load Transform) jobs that are scheduled but not yet executed

**Answer:** **A,C** ([LEAVE A REPLY](#))

Reference:

[https://help.salesforce.com/articleView?id=bj\\_limits.htm&type=5](https://help.salesforce.com/articleView?id=bj_limits.htm&type=5)

**NEW QUESTION: 27**

What is another name for the type of insight that examines how one variable explains variation of the outcome variable?

- A. Second-order analysis
- B. Third-order analysis
- C. Spectrum analysis
- D. Object-oriented analysis
- E. First-order analysis

**Answer:** [\(SHOW ANSWER\)](#)

**NEW QUESTION: 28**

Refer to the graphic.

Einstein found a recommendation to improve the story: apparently there are two variables that behave the same. Given there is no additional information, what is the correct action?

- A. Retain Promotion; it is an actionable variable and without it, we cannot recommend prescriptive actions.
- B. Retain Amount; not knowing the size of a deal makes it hard to predict if will be won.
- C. Do nothing; they appear to be similar, but there might be differences from the business perspective.
- D. Cancel this story and redefine the dataset.

**Answer:** [C \(LEAVE A REPLY\)](#)

**NEW QUESTION: 29**

A Senior Sales Business Analyst asks for a dashboard that contains fiscal year product opportunities. Information is maintained in a spreadsheet which is comprehensive, but its contents often need to be explained. After sketching the dashboard, the consultant is ready to start building. Which concept should be applied to this dashboard?

- A. Use the different chart types to make the dashboard interesting and appealing.
- B. Limit widget actions and exploration so users will focus only on the high-level information.
- C. Use charts to help users ask questions, not illustrate a conclusion.
- D. Design the dashboard with the desktop in mind and use the same layout for mobile devices for consistency.

**Answer:** [C \(LEAVE A REPLY\)](#)

**NEW QUESTION: 30**

Universal Containers reports that any selection in the List widget is not affecting the Pie chart in one of their Einstein Analytics dashboards. The step options associated with the List widget and Pie chart are shown in the graphic.

Which two changes can an Einstein Consultant implement to solve this issue, given that the steps are using the same dataset? Choose 2 answers

- A. Use selection binding in the filters section of the step "Region\_1."
- B. Use selection binding in the filters section of the step "Step\_pie\_1."
- C. Enable the option "Apply filters from faceting" in the step "Region\_1."
- D. Enable the option "Apply filters from faceting" in the step "Step\_pie\_1."

**Answer:** [B,D \(LEAVE A REPLY\)](#)

**NEW QUESTION: 31**

Which security option is not available in Einstein Analytics for securing datasets?

- A. Row-level security with security predicates
- B. App level security
- C. Field-level security
- D. Inherited security

**Answer: C (LEAVE A REPLY)**

**Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps** shared by PrepPdf.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! PrepPdf.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: <https://www.preppdf.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-prepaway-exam-dumps.html> (244 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

**NEW QUESTION: 32**

Philip adds a recently created Seed Bank Orders dataset to an Einstein Analytics app for which the Mosaic Seed Bank project team has the Viewer app role. How much data in the Seed Bank Orders dataset can a project team member see?

- A. None of the data
- B. All rows and fields in the datasets
- C. Only rows designated by the Salesforce administrator
- D. Only rows designated by the App Manager

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 33**

In what order does Einstein Discovery present the insights that it uncovers?

- A. Insights that explain the most variation in the outcome variable, in descending order
- B. Insights that explain the most variation in the outcome variable, in ascending order
- C. Alphabetical, in descending order
- D. Alphabetical, in ascending order

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 34**

What does a configuration wizard do?

- A. Automatically creates multiple versions of the same app
- B. Lets you know the best way to set up your Salesforce data
- C. Asks you questions about how you store data in your org to help you create your app
- D. Customizes your template based on Salesforce settings

**Answer: C (LEAVE A REPLY)**

Reference:

[https://trailhead.salesforce.com/en/content/learn/modules/wave\\_analytics\\_templates\\_intro/wave\\_analytics\\_templates\\_in\\_action](https://trailhead.salesforce.com/en/content/learn/modules/wave_analytics_templates_intro/wave_analytics_templates_in_action)

**NEW QUESTION: 35**

In a Compare Table formula, you can refer to other columns with:

- A. Their names
- B. Numbers (1..9)
- C. All of the above
- D. Letters (A..Z)

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 36**

Which set of statements generates monthly amount on a cumulative basis annually?

- A.
- B.
- C.
- D.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 37**

What's the best way to describe the template-info.json file?

- A. It's a read-only file with all the user documentation for a template.
- B. It's the boss of the template with all the information needed to create the app.
- C. It makes sure that the app includes all the right Salesforce data.
- D. It's automatically populated every time you create an app from the template.

Answer: **B** ([LEAVE A REPLY](#))

[https://trailhead.salesforce.com/en/content/learn/modules/wave\\_analytics\\_templates\\_intro/wave\\_analytics\\_templates\\_structure](https://trailhead.salesforce.com/en/content/learn/modules/wave_analytics_templates_intro/wave_analytics_templates_structure)

**NEW QUESTION: 38**

An Einstein Analytics team wants to create a dashboard using two standard Salesforce objects. The dashboard should display data from the Case object, along with related data from the Account object. Which two processes can achieve this?

- A. Extract data from the case and account objects using an ETL tool, use the ETL tool to y/ Q join account and case data, and then upload the data to Einstein Analytics. Build a dashboard using the ETL generated dataset
- B. Extract data from the case and account objects using "sfcdcDigest" transformation, y/ Q use "augment" transformation to add case data with account data, store as a dataset, and then build a dashboard using the generated dataset
- C. Extract data from the case and account objects using "sfcdcDigest" transformation, Q use "append" transformation to add case data with account data, store as a dataset, and then build a dashboard using the generated dataset
- D. Extract data from the case and account objects using "dataloader", create a CSV file Q with account and case data, and then upload the CSV as a dataset to Einstein Analytics. Build a dashboard using that dataset

Answer: **A,B** ([LEAVE A REPLY](#))

**NEW QUESTION: 39**

A company wants to use Einstein Analytics to analyze the trend of their sales pipeline. The company wants to accelerate the sales process. To do so, they need to know the average time an opportunity spends in each stage. This value is not pre-calculated in Salesforce, so a consultant recommends using a dataflow to calculate it.

How can a dataflow be used to calculate the average time an opportunity spends in each stage?

- A. computeExpression Transformation with SAQL Expression to calculate the duration
- B. flatten Transformation with Offset Expressions to calculate the duration
- C. computeRelative Transformation with offset parameter to calculate the duration
- D. computeRelative Transformation with SAQL Expression to calculate the duration

**Answer: D (LEAVE A REPLY)**

Reference:

[https://help.salesforce.com/articleView?id=bi\\_integrate\\_computeRelative\\_transformation\\_operation.htm](https://help.salesforce.com/articleView?id=bi_integrate_computeRelative_transformation_operation.htm)

**NEW QUESTION: 40**

Yasmine told Danielle she's interested in using the artificial intelligence provided by Einstein Discovery to enhance analysis Mosaic probably wouldn't have considered through their own means. How can Danielle use Einstein Analytics to load data into Einstein Discovery?

- A. Danielle needs a permission set containing the Upload External Data to Analytics permission, then she can log into Einstein Discovery and import the data from there.
- B. It's not possible. Danielle will need to log into Einstein Discovery and import the data from there.
- C. Data loaded into Einstein Analytics as datasets can then be used in Einstein Discovery without a separate load process.
- D. Danielle needs a permission set containing the Download Analytics Data permission, then she can use the Export node to load data into Einstein Discovery.

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 41**

An Einstein Discovery team created a model to maximize the margin of their sales opportunities. They want to deploy the model to the Opportunity object in order to predict the outcome of every newly created or updated Opportunity.

What are the steps to accomplish this?

- A. Create a trigger on Opportunity and use the Salesforce External Connector to get predictions from Einstein Discovery.
- B. Create an Apex batch on Opportunity and use the REST API to get predictions from Einstein Discovery.
- C. Create a trigger on Opportunity and install the Einstein Discovery Writeback managed package from the AppExchange.
- D. Create a trigger on Opportunity and use the REST API to get predictions from Einstein Discovery.

**Answer: C (LEAVE A REPLY)**

[https://help.salesforce.com/articleView?id=bi\\_edd\\_wb\\_native.htm&type=5](https://help.salesforce.com/articleView?id=bi_edd_wb_native.htm&type=5)

**NEW QUESTION: 42**

An Einstein Consultant is implementing encryption for a customer.

Which two statements about Einstein Analytics Encryption are true? Choose 2 answers

- A. When Einstein Analytics Encryption is enabled, all newly registered datasets are encrypted at rest.
- B. By default, the same keys are used to encrypt data in Einstein Analytics as are used to encrypt data in Salesforce objects.
- C. The customer's org must have a Shield Platform Encryption tenant secret.

D. Bring Your Own Key is not supported.

**Answer: A,C (LEAVE A REPLY)**

[https://help.salesforce.com/articleView?id=bi\\_analytics\\_encryption.htm&type=5](https://help.salesforce.com/articleView?id=bi_analytics_encryption.htm&type=5)

#### **NEW QUESTION: 43**

Which three statements are true regarding sharing inheritance? Choose 3 answers

- A. If a user can see more than 3,000 records on the object in Salesforce, but the user does not have the "View All Data" permission, sharing inheritance is not used. The backup security predicate takes effect. This limitation does not apply to the Opportunity object.
- B. Sharing inheritance supports Account, Campaign, Case, Contact, Opportunity, Lead, Order, User, and custom objects. If you use other objects, such as Idea or Site, you must use security predicates for those objects.
- C. A dataset using sharing must also have a security predicate defined.
- D. Sharing inheritance supports a foreign key for enforcing security.
- E. When sharing inheritance is enabled, security predicates are ignored.

**Answer: A,B,C (LEAVE A REPLY)**

Reference:

[https://help.salesforce.com/articleView?id=bi\\_security\\_datasets\\_sharing\\_about.htm&type=5](https://help.salesforce.com/articleView?id=bi_security_datasets_sharing_about.htm&type=5)

#### **NEW QUESTION: 44**

Permissions of which 2 internal users are used by Analytics to gain access to Salesforce data?

- A. When you query a dataset that has row-level security based on the User object, Analytics uses the permissions of the Security User to access the User object and its fields.
- B. Each user has a corresponding Profile assigned (Analytics Cloud Integration User and Analytics Cloud Security User profiles).
- C. Analytics uses the permissions of the Integration User to extract data from Salesforce objects and fields when a dataflow job runs.

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 45**

A company created a dataset called myExternalDataset. It contains a dimension, called UserRegion, that is populated by the standard User object's picklist: Region.

The company has security requirements for this dataset:

1. Only a subset of users should be able to access the dataset.
2. Users who can access the dataset should see only data that belongs to their region.

In which two ways can an Einstein Analytics consultant help them implement these requirements? Choose 2 answers

- A. Use a security predicate in the dataset so users can see only rows belonging to their respective regions.
- B. Save the dataset under a new application and give "viewer" access to a public group containing the list of users allowed to see the dataset.
- C. Create a sharing rule in Salesforce based on the Region field in the user object and set the dataset to inherit sharing from Salesforce.
- D. Save the dataset under "My Private App" so only a subset of selected users can access the dataset.

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 46**

A dataset for building the Einstein Discovery story contains 72 fields that are potentially relevant predictors.

Which approach is considered best practice to assess the top predictors in order to get to a meaningful and robust model?

- A. This dataset is too big and cannot be used in Einstein Discovery. Request a new dataset with fewer predictors.
- B. Build the story with all the predictors and indicate that Einstein Discovery should show the top predictors.
- C. Go back to the data preparation and reduce the number of fields to less than 30 in order to produce a story.
- D. Build a story with a first set of predictors and assess which predictors are important to the story. Then drop the less important ones and add the predictors that were omitted in the first run and assess their impact.

**Answer: D (LEAVE A REPLY)**

Reference:

<https://medium.com/@kshannon565/ea-certification-study-guide-part-3-einstein-discovery-story-design-70ffbe4666c2>

**Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps** shared by PrepPdf.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! PrepPdf.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: <https://www.preppdf.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-prepaway-exam-dumps.html> (244 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

#### **NEW QUESTION: 47**

You are asked to update and maintain your company's Einstein Analytics dashboards.

A request comes in for one of the dashboards that contains steps from different datasets. The request is to make it possible for a table from one dataset to be filtered by the results of a chart from another dataset. Your solution is to create a results binding.

Which three steps should you implement to create the binding?

- A. Look up the API name of the filtering field
- B. Configure the results binding on the target step in the dashboard JSON.
- C. Find source and target step names
- D. Look up the API name of the source field

**Answer: A,B,C (LEAVE A REPLY)**

#### **NEW QUESTION: 48**

Upper and lower limits on columns (vars) in discovery:

- A. 20 column minimum, 50 maximum
- B. 2 column minimum, 25 maximum
- C. 2 column minimum, 50 maximum
- D. 10 column minimum, 200 maximum

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 49**

Timeout for ETL jobs that have been scheduled but not executed

- A. 10 minutes
- B. 5 minutes
- C. 15 minutes

D. 20 minutes

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 50**

The client asks an Einstein Consultant to build a dashboard with a chart that shows revenue and quantity of units sold. Which type of Combo Chart can the consultant use?

- A. Line over Bar
- B. Line over Stacked Bar
- C. Line over Scatter Plot
- D. Grid over Bar

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 51**

After loading data to Einstein Discovery and creating a story, the client asks the Einstein Consultant to explain the "Unexplained Bar" in the "Why it Happened" chart.

Which explanation is correct?

- A. It only appears for outcomes that do not have an explanation.
- B. It shows the difference between the predicted outcome and the observed outcome.
- C. It should always be 0 or the model should not be used.
- D. It displays the difference between the analyzed data and the data not reviewed.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 52**

Which security feature can be used to give Regional Development Coordinator roles access to only their designated regions and seed bank orders?

- A. Sharing rules
- B. Inherited security
- C. Security predicates
- D. Separate apps for each region

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 53**

As a Tableau CRM consultant you have been asked to bring data from a Snowflake database as well external Salesforce environment into Tableau CRM (CRM Analytics Plus edition). 25 objects have been enabled from the local Salesforce connector. After further investigation of the external Salesforce environment and 15 object each from the remaining 2 external Salesforce environment. You estimate each connector will per object bring between 1000 and 1 mil rows of data.

What limit will be exceeded?

- A. Total number of enabled objects
- B. Salesforce external connector number of synced rows
- C. Snowflake connector number synced rows
- D. Storage rows of data

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 54**

Can you share dashboards with others in your org?

- A. Click on the "Share" icon on the dataset.
- B. Click on the "Share" icon on the lens. From there, you can set up sharing options, post a dashboard screenshot to Chatter, get a URL to share, or download a screenshot
- C. Click on the "Share" icon on the dashboard. From there, you can set up sharing options, post a dashboard screenshot to Chatter, get a URL to share, or download a screenshot.
- D. No, you can't share dashboards.

**Answer: C** ([LEAVE A REPLY](#))

**NEW QUESTION: 55**

What can you do with the dataflow?

- A. Build a dashboard
- B. Explore a dataset
- C. Extract data from an external CSV file into Analytics
- D. Extract Salesforce object data into Analytics

**Answer: D** ([LEAVE A REPLY](#))

**NEW QUESTION: 56**

How do you open the Actions menu for a particular case shown in a dashboard?

- A. Click the Actions bar from a bubble chart
- B. Double-click the case number in the Actions widget
- C. Simply @mention the case manager for that segment
- D. Hover over the case number column of the values table widget and click the arrow that appears

**Answer: D** ([LEAVE A REPLY](#))

**NEW QUESTION: 57**

You can get data into Einstein Discovery:

- A. By connecting a USB drive to your laptop
- B. By using an Einstein analytics dataset
- C. Only if your database administrator does it for you
- D. Only if Salesforce does it for you

**Answer: B** ([LEAVE A REPLY](#))

[https://trailhead.salesforce.com/content/learn/modules/wave\\_exploration\\_smart\\_data\\_discovery\\_basics/wave\\_get\\_smart\\_data\\_discovery\\_and\\_data](https://trailhead.salesforce.com/content/learn/modules/wave_exploration_smart_data_discovery_basics/wave_get_smart_data_discovery_and_data)

**NEW QUESTION: 58**

How do you post to Chatter from a Sales Wave dashboard?

- A. Right click any bar and type your message
- B. Send an email to a team member with "chatter:" in the subject line

- C. Select Post to Chatter from the Actions drop-down at the top of the dashboard
- D. Open the Actions menu for an opportunity or account and select Post

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 59**

The Vice President of Sales wants to create a "Pipeline Trending" dashboard in Einstein Analytics that displays specific colors depending on the values of the fields.

Which two techniques can a consultant use to help address this requirement? Choose 2 answers

- A. Use SAQL queries to calculate a color field and assign it to each field value.
- B. Use a compute Expression to calculate a color field and assign it to each field value.
- C. Use the "fields" menu when exploring the dataset and assign colors to each field value.
- D. Use an XMD file and assign colors to each field value.

**Answer: C,D (LEAVE A REPLY)**

**NEW QUESTION: 60**

A Einstein Analytics consultant is asked to help a company report on their sales activity. The company wants to train some users to create their own dashboards. They also want another team to only be able to use the dashboards.

What must be configured to address these requirements?

- A. Create a permission set license assignment with two different levels of access-
- B. Use a permission set license with two different levels of access.
- C. Grant "Manage" access permission to the apps.
- D. Create two permission sets with different system permissions.

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 61**

Which of the following are requirements for enabling Analytics for Communities?

- A. Wait at least 3 days after purchase.
- B. Have a Customer Community Plus or Partner Community license.
- C. Be nominated by your community peers.
- D. Assign your community members the Analytics for Communities permission set license.
- E. B and D

**Answer: E (LEAVE A REPLY)**

Reference:

Community member should have assigned:

- 'Analytics for Communities' permission set license - a permission set that includes the 'View Analytics on Communities pages' Only users with a Customer Community Plus or Partner Community license can use this feature. This feature is supported in communities but not in portals.

Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: <https://www.preppdf.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-prepaway-exam-dumps.html> (244 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

**NEW QUESTION: 62**

Why is it important to prepare the data in a CSV file before you bring it into Analytics?

- A. To make sure the content is interesting
- B. To make sure Analytics can set the field type correctly
- C. To add currency symbols to numeric fields
- D. To remove column headers

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 63**

Which of the following are included in the template object?

- A. variables.json
- B. app.json
- C. A,B and C
- D. A,C
- E. ui.json

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 64**

How many groupings can you have in a Compare Table?

- A. Infinite
- B. Up to four
- C. One
- D. None

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 65**

Exhibit:

A shipping company created a dataset. "Bookll," containing budget per region per month for the first six months of 2018. The dataset is shown in the graphic. Now, they want to create a lens showing the total budget for each region for each month. Every combination of region and month must be shown in the lens, even if there is no data.

How can an Einstein Consultant help this company build this lens?

- A. Use a "Compare Table" and use the "Show summary" option.
- B. Use a "Compare Table" and add a column leveraging the "Running Total" function.
- C. Use a SAQL query leveraging the "fill" statement with a "partition" parameter.
- D. Use a SAQL query to create fake rows for any data that is missing data from the dataset.

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 66**

What do you have to assign to users before they can access Analytics?

- A. Username and password
- B. Permission set with at least one Analytics user permission
- C. A and B
- D. Analytics permission set license (PSL)
- E. B and C

**Answer: C** ([LEAVE A REPLY](#))

**NEW QUESTION: 67**

Why are insights in the Unrelated category important?

- A. They explain how interaction terms affect the outcome.
- B. They explain everything about the outcome.
- C. The outcome might not have much to do with related variables. It might have more to do with global effects.
- D. They aren't important. Hence the name, Unrelated.

**Answer: C** ([LEAVE A REPLY](#))

**NEW QUESTION: 68**

What can you do on the Edit Field Attributes page when uploading a CSV file to Analytics?

- A. Change a field's type
- B. Change a field's name
- C. All of the above
- D. Change a field's format

**Answer: C** ([LEAVE A REPLY](#))

**NEW QUESTION: 69**

What can changing an answer to a wizard question do?

- A. Create a new set of dashboards with new KPIs
- B. Fine-tune dashboards to reflect how your company measures key indicators
- C. Use up one of the three wishes granted you by the wizard
- D. Alter your Service Cloud implementation

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 70**

Universal Containers has a Sales Manager dashboard- They have a compare table that displays the count of Customers and the Sum of Annual Revenue per year and per Account type. A consultant is asked to add more groupings to enhance details about their customers.

What is the maximum number of grouping columns that the consultant must be aware of in order to continue using a compare table versus creating the query using SAQL?

- A. 10
- B. 4
- C. unlimited

D. 8

Answer: B ([LEAVE A REPLY](#))

#### NEW QUESTION: 71

In a dataset, there are multiple boolean fields. When displayed on any dashboard, the boolean fields should all be displayed in the same way: a value of true should result in the display of the word "Yes" in green; a value of false should result in the display of the word "No" in red.

In which two ways can this be accomplished? Choose 2 answers

- A. Create an XMD node in the dataflow to change the label and color of the values in the fields.
- B. In the explorer, select the boolean fields and use the "edit values" option on the fields to change values and colors.
- C. In the explorer, select the boolean fields, then create a derived dimension that references the boolean fields, and then modify the values and colors of the derived dimension.
- D. Download the XMD for the dataset and change the values and color for the fields and then upload to the dataset.

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 72

Exhibit:

Which two statements can be determined based on the 'Why it Happened' graphic above? Choose 2 answers

- A. Call Center is a generally poor performing product, and since there is more in Germany that has a negative effect.
- B. The -2.2 Unexplained means there are effects that Einstein will never be able to explain regardless of the dataset.
- C. Germany sells more Call Center product and that helps them increase their win rate.
- D. Germany performs lower than average but better when the product is Call Center.

Answer: A,C ([LEAVE A REPLY](#))

#### NEW QUESTION: 73

An Einstein Analytics team reports that when they start their dataflow it runs successfully with no errors or warnings, but one of the fields does not return values when it is queried.

What can be the origin of this issue?

- A. The "Integration User Profile" does not have access to the field.
- B. The field does not contain any data in Salesforce.
- C. The "Security User Profile" does not have access to the field.
- D. The user who runs the dataflow does not have access to the field.

Answer: B ([LEAVE A REPLY](#))

#### NEW QUESTION: 74

What happens if you first disable Analytics, and then you re-enable Analytics later? Select 2

- A. User permissions are removed from each defined permission set if Analytics is disabled. (Missed)
- B. User permissions are not removed from each defined permission set if Analytics is disabled.
- C. You must define the permission sets again if Analytics is re-enabled. (Missed)
- D. You must not define the permission sets again if Analytics is re-enabled.

Answer: ([SHOW ANSWER](#))

[https://blog.bessereau.eu/assets/pdfs/bi\\_admin\\_guide\\_setup.pdf](https://blog.bessereau.eu/assets/pdfs/bi_admin_guide_setup.pdf)

### NEW QUESTION: 75

Exhibit:

Which two statements can be determined based on the 'Why it Happened' graphic above? Choose 2 answers

- A. Call Center is a generally poor performing product, and since there is more in Germany that has a negative effect.
- B. The -2.2 Unexplained means there are effects that Einstein will never be able to explain regardless of the dataset.
- C. Germany performs lower than average but better when the product is Call Center.
- D. Germany sells more Call Center product and that helps them increase their win rate.

Answer: A,D ([LEAVE A REPLY](#))

### NEW QUESTION: 76

The Einstein Analytics team at a company created a dataset based on the Opportunity\_\_c custom object. The VP of Sales reports seeing the message "No results found" when opening the dataset to explore it. Other users below the VP in the role hierarchy can see rows on the same dataset. Which two problems might be causing this issue?

- A. The Salesforce profile for the VP does not have read permission on the Opportunity\_\_c custom object
- B. The Salesforce profile for the VP does not have read permission on some fields of the Opportunity\_\_c custom object
- C. The Security Predicates set up at the dataset level are preventing the VP from seeing data
- D. The dataset is inheriting sharing from Salesforce and the VP can see more than 3000 rows

Answer: ([SHOW ANSWER](#))

**Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps** shared by PrepPdf.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! PrepPdf.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: <https://www.preppdf.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-prepaway-exam-dumps.html> (244 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

### NEW QUESTION: 77

An Einstein Consultant is reviewing the "Why it Happened" Insights provided by Einstein Discovery with the customer. The customer would like to validate the results. Which action should the consultant take?

- A. Use the Share and Export feature to help the customer determine if the findings make logical sense
- B. Check the p-values and standard deviation
- C. Consult with a Data Scientist to validate the findings
- D. Show the customer how to export and review the R-Code model validation results

Answer: A ([LEAVE A REPLY](#))

### NEW QUESTION: 78

An Einstein consultant created a dashboard that went through review. Some few charts were added and removed in the process. The dashboard is now approved for production.

Which best practice should be done before releasing the dashboard?

- A. Modify the XMD so all labels and values are user-friendly.
- B. Rename all the steps to correspond with the defined naming convention.
- C. Remove the redundant steps to ensure dashboard performance.
- D. Apply conditional formatting on the new charts.

**Answer: C (LEAVE A REPLY)**

[https://help.salesforce.com/articleView?id=bi\\_dashboards\\_inspector.htm&type=5](https://help.salesforce.com/articleView?id=bi_dashboards_inspector.htm&type=5)

#### **NEW QUESTION: 79**

After the initial creation of a story, the first story insight explains 93% of the variation of the outcome variable. This is unusual high? What is the most likely multiple for this?

- A. The dataset contains too many rows.
- B. The dataset used in the story suffers from too many outlier values.
- C. The dataset contains multiple dominant values.
- D. The outcome variable is causing data leakage.

**Answer: C (LEAVE A REPLY)**

#### **NEW QUESTION: 80**

What are predictive insights good for?

- A. Exploring your existing data to see what already happened
- B. Drilling down into the underlying reasons behind a prediction
- C. Choosing between all possible outcomes for a single variable
- D. Predicting outcomes that you don't actually have the right data for

**Answer: B (LEAVE A REPLY)**

#### **NEW QUESTION: 81**

Which isn't an option for setting a security predicate for a dataset created from an external data file?

- A. In the Register transformation node of a dataflow that uses this dataset
- B. In the metadata file associated with the external data file using the rowLevelSecurityFilter key
- C. On each row prior to upload
- D. In the dataset Security Predicate

**Answer: C (LEAVE A REPLY)**

#### **NEW QUESTION: 82**

Creating an Einstein Discovery story involves:

- A. Entering notes about the data
- B. Copying text from company reports and pasting into Einstein Discovery
- C. Selecting a Dataset in Einstein Analytics, then clicking Create Story
- D. Uploading a Microsoft PowerPoint presentation

**Answer: C (LEAVE A REPLY)**

#### **NEW QUESTION: 83**

What are Einstein Analytics prebuilt permission sets? Select 2:

- A. Einstein Analytics Platform Admin
- B. Einstein Analytics Superadmin
- C. Einstein Analytics
- D. Einstein Analytics Platform User

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 84

A consultant created a dashboard using Einstein Analytics for her client, a shipping company. It sources data from very large datasets. Now the client has requested that the consultant add more steps to the dashboard.

To ensure that the dashboard has acceptable performance, what two actions should the consultant take? Choose 2 answers

- A. Replace AggregateFlex steps with SAQL steps.
- B. Avoid using conditional formatting.
- C. Check if any steps can be reused for multiple purposes.
- D. Split the steps and charts into different pages in a dashboard.

Answer: C,D ([LEAVE A REPLY](#))

#### NEW QUESTION: 85

The edgemart transformation gives the dataflow access to an existing, registered dataset that can contain Salesforce data, external data, or a combination of both.

Where is an edgemart transformation specified?

- A. Dataflow Editor
- B. Recipes Editor
- C. Step Editor
- D. Settings

Answer: A ([LEAVE A REPLY](#))

Reference:

[https://help.salesforce.com/articleView?id=bi\\_integrate\\_edgemart\\_transformation.htm&type=5](https://help.salesforce.com/articleView?id=bi_integrate_edgemart_transformation.htm&type=5)

#### NEW QUESTION: 86

A consultant wants to optimize data loads by extracting Salesforce objects using independent Einstein Analytics dataflows ahead of time. Which construct should be used to accomplish this?

- A. Dataflow
- B. Augment
- C. Clone
- D. Data Sync (Replication)

Answer: B ([LEAVE A REPLY](#))

#### NEW QUESTION: 87

A company's Salesforce org has multi-currency enabled. This company's business intelligence team used Einstein Analytics to build a dataflow that creates a dataset, "OpportunityDataSet". This dataset is populated with data extracted from the standard object, Opportunity. One of the extracted fields is the standard field, Amount.

If a user explores the "OpportunityDataSet" in Einstein Analytics, in which currency will the Amount values be shown?

- A. In the connected user's currency
- B. In the integration user's currency
- C. In the currency that is set on the "currency" attribute in the dataset
- D. In the currency that is set on the "currency" attribute in the dataflow

**Answer: B (LEAVE A REPLY)**

Reference:

<https://salesforce-trailblazer.com/einstein-analytics-multi-currency/>

### NEW QUESTION: 88

What is an Einstein Discovery story?

- A. A collection of graphs, statistical analysis, and text that helps you understand the relationships between multiple outcome variables and the factors that influence those variables
- B. A collection of graphs, statistical analysis, and text that proves exactly what caused an outcome
- C. An account of imaginary or real people and events told for entertainment
- D. A collection of graphs, statistical analysis, and text that helps you understand the relationships between a single outcome variable and the factors that influence that variable

**Answer: D (LEAVE A REPLY)**

### NEW QUESTION: 89

Einstein Discovery gives you several different kinds of recommended insights. Which of these insights is descriptive?

- A. What Happened
- B. Why It Happened
- C. Predictions & Improvements
- D. What Is the Difference

**Answer: A (LEAVE A REPLY)**

[https://trailhead.salesforce.com/en/content/learn/modules/understand\\_einstein\\_discovery\\_stories/use\\_stories](https://trailhead.salesforce.com/en/content/learn/modules/understand_einstein_discovery_stories/use_stories)

### NEW QUESTION: 90

What are the steps in the data exploration process?

- A. View, Explore, Refine, Save, Share
- B. Download, View, Refine, Save, Share
- C. View, Explore, Reduce, Save, Share

**Answer: A (LEAVE A REPLY)**

### NEW QUESTION: 91

Universal Containers is evaluating the connection mode for the objects in their local Salesforce connector. They want to only sync updated and new records from the Order object, but they have some formula fields on the object and want to ensure those are updated weekly.

which

Which connection mode is best suited for this purpose?

- A. Periodic Full Sync
- B. periodic Incremental Sync
- C. Incremental Sync
- D. Full Sync

**Answer: B (LEAVE A REPLY)**

**Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps** shared by PrepPdf.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! PrepPdf.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: <https://www.preppdf.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-prepaway-exam-dumps.html> (244 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

#### **NEW QUESTION: 92**

What are the 3 basic actions within a query in Analytics? Choose 3:

- A. Grouping by a dimension
- B. Count rows by measure you want to visualize.
- C. Filter to narrow down your results.
- D. Aggregate by a measure
- E. Display the results graphically

**Answer: A,C,D (LEAVE A REPLY)**

#### **NEW QUESTION: 93**

The Universal Containers company used Einstein Analytics to create two datasets:

Dataset A: contains a list of activities with an "activityID" dimension and a "userID" dimension Dataset B: contains a list of users with a "userID" dimension The team wants to delete from Dataset A all activities related to users in Dataset B.

How can an Einstein Consultant help them achieve this?

- A. Use the dataflow transformation "delete" and set "userID" as the deletion ID.
- B. Use a combination of dataflow transformations: "augment" and "filter."
- C. Use an external ETL tool to extract both datasets and delete records.

**Answer: (SHOW ANSWER)**

D, Use the recipe operation "delete" and set "userID" as the deletion ID.

#### **NEW QUESTION: 94**

A Tableau CRM consultant has created three recipes that each produce a dataset.

Recipe1 creates Dataset1.

Recipe2 created Dataset2.

Recipe2 created Dataset3.

Recipe3 is dependent on Dataset1, while Recipe1 and Recipe2 have no dependencies.

How should the consultant implement the recipe schedule?

- A. Make Recipe1 and Recipe2 time based, but make Recipe3 event based when the local Salesforce connector has completed.
- B. Make Recipe1 and Recipe2 time based, but make Recipe3 event based when Recipe1 has successfully completed.
- C. Make all three recipe time based and schedule all of them at the same time, the data manage will automatically run them in the correct order.
- D. Make Recipe1 and Recipe2 time based, but make Recipe3 event based when Recipe1 and Recipe2 have successfully completed.

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 95**

A company wants to build a webpage that displays KPIs that can be derived from values in datasets stored in Einstein Analytics. How can an Einstein Analytics consultant derive those KPIs from those datasets?

- A. Export the dataset as an XLS file and use the Einstein Analytics Connector for Excel.
- B. Use the Analytics External Data API and leverage the "query" resource.
- C. Export the dataset as a CSV file and load it to an external database.
- D. Use the Analytics REST API and leverage the "-query" resource.

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 96**

A consultant built a very useful Einstein Analytics app for the corporate Sales Operations team of a company that has multiple Salesforce Orgs, Each Org has similar models and would like to review their data the way that the corporate Sales Operations team does. The app has been packaged and needs to be installed on the other production orgs.

What is the recommended practice to install the custom template app?

- A. Rest API
- B. Metadata API
- C. Change Sets
- D. Salesforce Managed Package

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 97**

A dataset is ready for analysis in Einstein Discovery.

What is the first step a consultant should take after the data is loaded?

- A. Produce a graph of the data to analyze.
- B. Identify data types and define the appropriate data as numeric.
- C. Load the data into Einstein Analytics
- D. Analyze data columns and decide which, if any, to drop.

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 98**

Which statement best describes how to ensure Einstein Analytics dashboards are easily used across both desktop and mobile devices?

- A. Create a single layout and reorder all the widgets so that they fit nicely when viewing on either device.

**B.** Create multiple layouts, ensure the layout selectors match the device, and resize/hide widgets as necessary to ensure the content is appropriate for the device screen size.

**C.** Create multiple layouts, and reorder all the widgets so that they fit nicely within the new default width.

**D.** Create a single layout and allow Einstein Analytics to automatically organize dashboard contents to be optimal for the device type.

**Answer: B** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 99**

What permissions are necessary for someone to edit the XMD?

**A.** Edit Analytics Dataflows

**B.** Upload External Data to Analytics

**C.** Edit Dataset Recipes

**D.** Manage Analytics Templated Apps

**Answer: A,B** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 100**

Which three things can be done with the tableau CRM Dashboard Inspector?

Choose 3 answers

**A.** Automatically remove bottlenecks to make queries run faster.

**B.** View all queries and the time it took to run each one.

**C.** View the total time required to run all queries.

**D.** See the final query for each query along with query results.

**E.** Get a list of recommendations on how to improve the performance of the dashboard.

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 101**

Which permission gives you view-only access to Analytics?

**A.** Create and Edit Analytics Dashboard

**B.** Use Analytics

**C.** Manage Analytics

**D.** None of above

**Answer: B** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 102**

In an org, some of the Activity records do not have related Opportunity records. Additionally, there are Opportunity records that do not have related Activity records.

Which SAQL statement will fetch all Opportunities, even if they don't have associated Activities, and fetch related Activity data, if it exists?

**A.** q = cogroup Opportunity by 'Id', Activities by 'OpportunityId';

**B.** q = cogroup Opportunity by 'Id', Activities by 'OpportunityId' left;

**C.** q = cogroup Opportunity by 'Id' right, Activities by 'OpportunityId';

**D.** q = cogroup Opportunity by 'Id' left, Activities by 'OpportunityId';

**Answer: D** ([LEAVE A REPLY](#))

[https://developer.salesforce.com/docs/atlas.en-us.bi\\_dev\\_guide\\_saql.meta/bi\\_dev\\_guide\\_saql/bi\\_saql\\_statement\\_cogroup.htm](https://developer.salesforce.com/docs/atlas.en-us.bi_dev_guide_saql.meta/bi_dev_guide_saql/bi_saql_statement_cogroup.htm)

**NEW QUESTION: 103**

The Universal Containers company uses Einstein Analytics to build dashboards for different departments: Sales, Service, and Marketing. Users for the same department have the same role and need to have access to the same dashboards. Dashboards for different departments use some common datasets with the same row-level security.

How can an Einstein Consultant address this need?

- A. Create one application for each department, put common datasets in the shared app, and use permission sets to share applications.
- B. Create one application for each department, put common datasets in the shared app, and use roles to share applications.
- C. Create one application for each department and use roles to share applications.
- D. Create one application for each department, put common datasets in the shared app, and use profiles to share applications.

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 104**

Universal Containers has a dashboard for Sales Managers to visualize the YoY Growth of their customers- The formula used is:  $YoY = [(This\ Year - Last\ Year) / Last\ Year] \%$  Based on the graphic, when there is no account in the Last Year column, the YoY Growth shows null results. The Sales Managers want to replace it with 100% value.

What is the correct function to use?

- A. substr()
- B. coalesce()
- C. replace()
- D. number\_to\_string()

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 105**

To see predictive insights, what option do you select in the Story toolbar?

- A. Predictions & Improvements
- B. How Can I Improve It
- C. What Changed Over Time
- D. Why It Happened
- E. What Happened

**Answer:** A ([LEAVE A REPLY](#))

**NEW QUESTION: 106**

In the Insights list, insights are ranked in what order?

- A. Statistical significance
- B. Time
- C. There is no order
- D. Geospatial
- E. Alphabetical

**Answer:** A ([LEAVE A REPLY](#))

**Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps** shared by PrepPdf.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! PrepPdf.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: <https://www.preppdf.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-prepaway-exam-dumps.html> (244 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

**Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps** shared by PrepPdf.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! PrepPdf.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: <https://www.preppdf.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-prepaway-exam-dumps.html> (244 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)