

VMware.3V0-32.21.v2022-03-01.q20

Exam Code:	3V0-32.21
Exam Name:	Advanced Design VMware Cloud Management and Automation
Certification Provider:	VMware
Free Question Number:	20
Version:	v2022-03-01
# of views:	1044
# of Questions views:	200
https://www.freeqas.com/qa/VMware/3V0-32.21/VMware.3V0-32.21.v2022-03-01.q20.html	

NEW QUESTION: 1

A design for a Cloud Management solution includes a section that describes the association of vRealize Operations solution with a remote collector for the purpose of gathering performance and usage metrics.

Which area of the design would contain that section?

- A. Conceptual
- B. Logical
- C. Requirements
- D. Physical

Answer: B (LEAVE A REPLY)

NEW QUESTION: 2

An architect is tasked with the following:

Build a private cloud solution for an organization using VMware vRealize Automation.

This private cloud needs to manage two different datacenters separated geographically.

The private cloud solution needs to be highly available.

Which of the following approaches can the architect take to achieve this?

Note: VMware Identity Manager has been renamed as VMware Workspace ONE Access.

- A. Deploy a Workspace ONE Access cluster in a multi-site design architecture with 3-nodes in each of the datacenters.
- B. Deploy a Workspace ONE Access cluster in a multi-site design architecture with 3-nodes spanning both the datacenters.
- C. Deploy a single-node Workspace ONE Access instance in a single-site design architecture in one of the datacenters.
- D. Deploy a 3-node Workspace ONE Access cluster in a single-site design architecture in one of the datacenters.

Answer: (SHOW ANSWER)

NEW QUESTION: 3

A customer wants to deploy Workspace ONE Access for vRealize Suite users.

The customer wants to achieve the following requirements:

Availability SLA 95% uptime per month, calculated Monday-Friday, 24 hours per day.

The deployment footprint must be minimal.

Which design decision should the architect choose?

- A. Deploy a Workspace ONE Access node and protect it with Fault Tolerance.
- B. Deploy a Workspace ONE Access cluster and protect it with vSphere HA.
- C. Deploy a Workspace ONE Access cluster and protect it with Fault Tolerance.
- D. Deploy a Workspace ONE Access node and protect it with vSphere HA.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 4

An organization's cloud team would like to reduce template sprawl. Below are the applications they want to deploy using cloud templates:

MS SQL and Web IIS applications on OS types Windows 2016 and Windows 2019 Oracle WebLogic and Oracle DB applications on OS types RHEL7 and RHEL 8 Which two options would meet these requirements? (Choose two.)

- A. Create an image mapping for Windows and RHEL OS types
- B. Create a Cloud Template for each application type with a combination of OS types
- C. Create image mappings for OS types Windows 2016, Windows 2019, RHEL7 and RHEL8
- D. Create a Cloud Template or upgrade an existing one with user input to select the OS type
- E. Create a Cloud Template for each OS type and have a user input option to pick the application type

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 5

An organization has onboarded a new business unit whose role is to test the applications 5 days prior to the release date. The Service Broker administrator should allow a 2-day extension for these deployments before they are deleted permanently.

Which two options must be configured in the lease policy to meet the requirements? (Choose two.)

- A. A grace period of 5 days
- B. A total maximum lease of 7 days
- C. A maximum lease of 7 days
- D. A maximum lease of 5 days
- E. A total maximum lease of 5 days

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 6

Consider the following requirements to be used in determining a vRealize Operations licensing model:

Authentication provided by Single Sign On

Performance monitoring and analytics for 12 Hosts and 1 vCenter

vSphere security and compliance monitoring for PCI and HIPAA

Guided remediation for discovered issues

Customizable dashboards, reports and views

Using the requirements, what is the minimum license that can be used for this deployment of vRealize Operations?

- A. vRealize Cloud Universal Enterprise
- B. Standard
- C. Advanced
- D. Enterprise

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

Which two statements are true when considering the vRealize Automation logical design for workload storage placement based on service levels, cost, and performance? (Choose two.)

- A. Secondary disk attached to the virtual machine resource use the same storage constraint tag as the virtual machine
- B. Storage constraint tag is applied to virtual machine resource and all the disks associated with the template
- C. First class disks are only supported in vRealize Automation Cloud
- D. vSphere tags can only be used in storage profiles
- E. Storage placement is independent of vendor when using hard constraint tags

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 8

Which two statements are correct for VMware Cloud Services cloud proxy? (Choose two.)

- A. It requires a load balancer.
- B. An OVA must be deployed on a vCenter Server.
- C. An OVA deployment to an ESXi server is supported.
- D. It helps connect to public cloud entities.
- E. It connects cloud services to on-premises networks.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

Which design decision should an architect make to support continuous availability in vRealize Operations?

- A. The vROps cluster should be separated into two Fault Domains.
- B. The vROps cluster should be separated into three Fault Domains.
- C. Each Fault Domain should consist of primary, witness and remote collector nodes.
- D. Each Fault Domain should contain only remote collector nodes.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 10

An architect is designing the deployment of vRealize Log Insight (vRLI) in their data center. The customer has the following requirements:

vRLI cluster responds to multiple Virtual IP Addresses (VIPs)

Each event message received from a VIP is associated with a tag

Which two design decisions would the architect make to achieve the requirements?

(Choose two.)

- A. Each node should have at least one network interface on the same subnet as that of a VIP.
- B. Each node should have at least one network interface on a different subnet as that of a VIP.
- C. Configure a list of dynamic tags (key=value) for an integrated load balancer VIP, so that each event message received from a VIP is annotated with a tag.
- D. Configure a list of static tags (key=value) for an integrated load balancer VIP, so that each event message received from a VIP is annotated with a tag.
- E. Configure a CSV file to use with VIP tags.

Answer: (SHOW ANSWER)

NEW QUESTION: 11

An architect is completing the physical design for a vRealize Operation (vROps) solution for a customer. The customer has only provided the following information for their existing environment:

500 Virtual Machines

2 VMware vCenter Servers

10 VMware vSphere Hosts

20 Datastores

Live data should be stored within the vROps solution for 6 months

The RTO for all existing management components is 4 hours

The RTO for all existing management components is 1 hour

Which two assumptions could the architect make when sizing the vROps cluster? (Choose two.)

- A. The RTO of the vROps solution will be 4 hours.
- B. The minimum data retention within vRealize Operations Cluster will be 12 months.

- C. The resource profile of a virtual machine will be, on average, 1 vCPU and 2 GB RAM.
- D. The vROps cluster will be configured as High Availability.
- E. The RPO of the vROps solution will be 1 hour.

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 12

An architect is responsible for designing a new Operations Management solution for a customer. The customer has provided the following information about their existing VMware Software Defined Data Center (SDDC) environment:

The customer uses a SaaS-Based Service Desk solution.

The existing environment is located across two geographical regions.

In each region, the customer already has deployed a vSphere-based virtual environment that spans two well connected physical locations.

The customer has recently upgraded all of their licenses to VMware vCloud Suite Advanced subscription.

The customer has already successfully deployed and configured a vRealize Operations 8 solution in each region.

The customer would like to ensure that:

All vSphere log events must be captured, stored locally and forwarded to a third-party log management solution to ensure regulatory compliance.

Specific vSphere log event's can be captured within a region, monitored and then trigger alerts direct to the Service Desk which can then be assigned to regional support teams.

Operations monitoring for all of the VMware SDDC solution can be consolidated into a single user interface.

Which three recommendations should the architect make to meet the requirements?
(Choose three.)

- A. Deploy vRealize Log Insight 8.x and configure the vSphere integration.
- B. Configure vRealize Operations 8.x and vRealize Log Insight 8.x integration.
- C. Deploy vRealize Operations Cloud and configure Federated Analytics.
- D. Configure vRealize Operations 8.x and vRealize Log Insight Cloud integration.
- E. Deploy vRealize Operations Cloud and vRealize Log Insight 8.x integration.
- F. Deploy vRealize Log Insight Cloud and configure the vSphere integration.

Answer: A,D,F (LEAVE A REPLY)

NEW QUESTION: 13

An online retail company needs its shopping cart application to be highly available.

What three cloud management design decisions would give an optimal shopping experience? (Choose three.)

- A. Create a vRealize Orchestrator workflow that remediates the issue by updating the CPU
- B. Configure the vRealize Operations alert to email an administrator to remediate the issue

- C. Create a vRealize Orchestrator workflow that emails an administrator to remediate the issue
- D. Create a vRealize Operations alert that is triggered when the application's CPU usage exceeds a threshold
- E. Configure the vRealize Operations alert to run a vRealize Orchestrator workflow when triggered
- F. Create a vRealize Operations metric chart for the application's CPU usage

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 14

What are the two valid characteristics of vRealize Automation Cloud? (Choose two.)

- A. Supports on-premises vRealize Operations Manager
- B. Supports on-premises vSphere and vRealize Orchestrator
- C. Requires a standard license
- D. Has a frequent release cycle
- E. Requires a load balancer

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

A cloud architect is writing an implementation plan for deployment of a clustered vRealize Automation deployment that will use a third-party load balancer.

Which two steps should the architect include within the implementation plan to ensure a successful deployment of vRealize Automation? (Choose two.)

- A. Turn off the health monitors or change them temporarily to default to ICMP and ensure traffic is still forwarding to the primary node
- B. Enable all non-primary nodes on the load balancer
- C. Create and configure the monitoring of vRealize Automation and vRealize Orchestrator
- D. Disable all secondary nodes from the load balancer pools
- E. Ensure all the SAN certificates for vRealize Suite are available

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 16

A cloud architect is planning to scale out the small deployment of vRealize Automation to address high availability requirements.

When creating an implementation plan, which prerequisite should be documented?

Note:

FQDN: Fully qualified domain name

VIP: Virtual IP address

- A. Request Certificate Authority (CA)-signed certificate containing the VIP FQDN and the FQDN of all the cluster nodes

- B. Request Certificate Authority (CA)-signed certificate containing the VIP FQDN and the FQDN of the VMware Identity Manager nodes
- C. Request certificate containing VIP FQDN for each Organization for vRealize Automation VIP
- D. Request certificate containing VIP FQDN for each Organization for VMware Identity Manager VIP

Answer: A (LEAVE A REPLY)

Valid 3V0-32.21 Dumps shared by PrepPdf.com for Helping Passing 3V0-32.21 Exam! PrepPdf.com now offer the **newest 3V0-32.21 exam dumps**, the PrepPdf.com 3V0-32.21 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepPdf.com 3V0-32.21 dumps with Test Engine here: <https://www.preppdf.com/VMware/3V0-32.21-prepaway-exam-dumps.html> (62 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

An architect is responsible for designing a new Operations Management solution for a customer. The customer has provided the following high-level information about their existing VMware Software Defined Data Center (SDDC) environment:

The existing environment is located within a single geographical region.

The customer already has deployed a vSphere-based virtualization solution that spans two well-connected physical locations.

The customer has recently upgraded all of their licenses to VMware vCloud Suite Advanced subscription.

The customer has already successfully deployed and configured vRealize Operations 8.x within the VMware SDDC.

The customer would like to ensure that both specific event monitoring data and operations monitoring for all of the VMware SDDC can be consolidated into a single user interface.

Which three recommendations should the architect make to meet the requirements?

(Choose three.)

- A. Configure vRealize Operations 8.x and vRealize Log Insight 8.x integration
- B. Configure vRealize Operations 8.x and vRealize Operations Cloud Federation
- C. Configure vSphere integration in vRealize Log Insight 8.x
- D. Configure vRealize Operations 8.x and vRealize Log Insight Cloud integration
- E. Deploy vRealize Log Insight Cloud
- F. Deploy vRealize Log Insight 8.x

Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 18

A financial business wants to reduce the time-to-market by automating the end-to-end testing of a prime service application and releasing it with minimal user intervention. Which service in vRealize Automation will allow the business to achieve the requirement?

- A. Code Stream
- B. Cloud Assembly
- C. Service Broker
- D. Orchestrator

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

An architect is designing a vRealize Log Insight cluster for an organization with the following requirements:

The organization has an external load balancer available to provide load balancing for various requirements.

Due to budget constraints the organization need to reuse existing environment as much as possible.

What should the architect choose as the load balancing solution for the vRealize Log Insight cluster?

- A. Use the integrated load balancer
- B. Deploy a new external load balancer
- C. Use both integrated and external load balancers
- D. Use the existing external load balancer

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 20

A customer has asked to have a vSphere cluster and Cloud Zone dedicated for Cloud Template development. The customer is going use the Cloud.vSphere.Machine compute resource type and they have been unable to quantify values for Flavor Mappings during a requirements gathering exercise.

Which Flavor Mapping decision should be made for the Cloud Zone?

- A. Create a single Flavor Mapping with a modest size
- B. Create a single Flavor Mapping with the maximum size supported by vSphere
- C. Create multiple Flavor Mappings with incremental sizes
- D. Flavor Mappings are not needed for the vSphere Cloud Zone

Answer: ([SHOW ANSWER](#))

Valid 3V0-32.21 Dumps shared by PrepPdf.com for Helping Passing 3V0-32.21 Exam! PrepPdf.com now offer the **newest 3V0-32.21 exam dumps**, the PrepPdf.com 3V0-32.21 exam **questions have been updated** and **answers have been corrected**

get the **newest** PrepPdf.com 3V0-32.21 dumps with Test Engine here:

<https://www.preppdf.com/VMware/3V0-32.21-prepaway-exam-dumps.html> (**62** Q&As

Dumps, **40%OFF** Special Discount: **Exam-Tests**)